# TABLE OF CONTENTS

	Page
Acknowledgement	iii
Abstract (English)	v
Abstract (Thai)	vii
List of tables	xiii
List of figures	xvii
Abbreviations	xxvi
Chapter 1 Introduction	
1.1 Statement and significance of the problem	1
1.2 Objectives	8
1.3 Scope of study	8
Chapter 2 Literature survey	
2.1 Literature survey	9
2.1.1 The way of life of Lanna people	9
2.1.1.1 The way of life of Lanna people	9
2.1.1.2 Medicinal plants with anti-inflammatory activ	vity
of Lanna	10
2.1.2 Inflammation process	11
2.1.2.1 Acute inflammation	12
2.1.2.2 Chronic inflammation	13

	Page
2.1.3 Anti-inflammatory drugs and its mechanisms of action	14
2.1.3.1 The prostaglandins	15
2.1.3.2 The prostacycline	16
2.1.3.3 Thromboxane	17
2.1.3.4 The leukotrienes	17
2.1.4 Medicinal plants with anti-inflammatory activities	18
2.1.4.1 Researches of some medicinal plant recipes	18
2.1.4.2 The chemical compound with anti-inflammatory	
activity of single plant	21
2.1.5 Plants preparation and phytochemical test	28
2.1.6 Plants under study and the evidences of	
pharmacological activities	28
2.1.7 In vivo study	79
2.1.7.1 Rat paw edema model	79
2.1.7.2 Rat ear edema model	81
Chapter 3 Material and methods	
3.1 Material and equipments	84
3.1.1 Plant materials	84
3.1.2 Chemicals	92
3.1.3 Equipments	93
3.1.4 Animals Chiang Mai Univ	94
3.2 Methods	94

х

	Page
3.2.1 Screening and selection of recipes	95
3.2.2 Phytochemical test	96
3.2.3 Preparation of the crude extract	114
1) Extract preparation	115
2) Dose calculation	115
3.2.4 In vivo tests	117
A. Hind paw edema model	118
B. Ear edema model	120
Chapter 4 Results and discussion	121
4.1 Survey and selection of the 7 Lanna medicinal plant recipes	
with anti-inflammatory activity	121
4.2 Preparation of plants and crude extracts of the selected recipes	142
4.3 Phytochemical tests	143
4.3.1 Test for alkaloids	143
4.3.2 Test for anthraquinone glycosides	145
4.3.3 Test for carbohydrate	146
4.3.4 Test for cardiac glycosides	148
4.3.5 Test for carotenoids	149
4.3.6 Test for coumarins	150
4.3.7 Test for flavonoids	151
4.3.8 Test for lipids	153

	Page
4.3.9 Test for saponin glycosides	154
4.3.10 Test for tannins	155
4.3.11 Test for xanthones	156
4.4 In vivo tests	162
4.4.1 Rat hind paw edema method	162
4.4.2 Rat ear edema method	191
Chapter 5 Conclusion	202
References	211
Appendices	
Appendix A Preparation and procedure for the in vivo	
anti-inflammatory test	244
Appendix B Screening and selection process of the recipes	251
Appendix C Data of hind paw edema and ear edema	283
Appendix D Pictures of the plant specimen	309
Appendix E Pictures of the <i>in vivo</i> anti-inflammatory tests	345
Curriculum vitae	347

ลิขสิทธิ์มหาวิทยาลัยเชียงไหม่ Copyright<sup>©</sup> by Chiang Mai University All rights reserved

# LIST OF TABLES

Tab	le <b>ALLO</b>	Page
2.1	The comparison of acute and chronic inflammation	14
2.2	IC <sub>50</sub> values and COX-2/COX-1ratios of different NSAIDs in	
	Guinea pig peritoneal macrophage model	17
2.3	The chemical compounds with anti-inflammatory activity in plants	25
3.1	List of plant, characteristics, botanical names, family, herbarium	
	voucher specimen numbers, plant part used and uses in Lanna	
	traditional medicine of the selected recipes	83
3.2	The reagents and methods for the phytochemical test	96
3.3	The doses of the recipe extracts for the rat hind paw edema assay	116
3.4	The doses of the recipe extracts for the rat ear edema assay	117
4.1	Survey of the recipes for the study	123
4.2	Preparation of recipe no. 25 (Lampang 014-128/R. 0025), indication for	
	insect sting and bite	133
4.3	Preparation of recipe no. 105 (Chiang Rai 013-100/R. 0105), indication	
	for insect sting and bite	135
4.4	Preparation of recipe no. 192 (Phrae 010-010/R. 192), indication	
	for insect sting and bite	136
4.5	Preparation of recipe no. 346 (Phrae 010-010), indication for acne	138

		Page	
4.6	Preparation of recipe no. 717 (Chiang Mai 017-036), indication		
	for boiled and bruised	139	
4.7	Preparation of recipe no. 895 (Chiang Mai 018-048), indication		
	for gum abscess	140	
4.8	Preparation of recipe no. 896 (Lampang 007-045), indication		
	for insect sting and bite	141	
4.9	Percentage yields of each recipe extracts	142	
4.10	Phytochemical tests of the seven recipes	159	
4.11	Effects of test substance of negative and positive controls on		
	carrageenan-induced hind paw edema in rats	162	
4.12	Effects of recipe no.25 crude extracts on carrageenan-induced		
	hind paw edema in rats	164	
4.13	Effects of recipe no.105 crude extracts on		
	carrageenan-induced hind paw edema in rats	166	
4.14	Effects of recipe no.192 crude extracts on		
	carrageenan-induced hind paw edema in rats	168	
4.15	Effects of recipe no.346 crude extracts on		
	carrageenan-induced hind paw edema in rats	170	
4.16	Effects of recipe no.717 crude extracts on		
	carrageenan-induced hind paw edema in rats	172	

xiv

		Page
4.1	7 Effects of recipe no.895 crude extracts on	
	carrageenan-induced hind paw edema in rats	174
4.1	8 Effects of recipe no.896 crude extracts on	
	carrageenan-induced hind paw edema in rats	176
4.1	9 Compounds in the plants in recipe no. 105	
	which have been reported to have anti-inflammatory activity	179
4.2	20 Compounds in the plants in recipe no. 192	
	which have been reported to have anti-inflammatory activity	182
4.2	Compounds in the plants in recipe no. 346	
	which have been reported to have anti-inflammatory activity	186
4.2	2 Compounds in the plants in recipe no. 717	
	which have been reported to have anti-inflammatory activity	187
4.2	Compounds in the plants in recipe no. 896	
	which have been reported to have anti-inflammatory activity	188
4.2	4 Effects of the negative control and positive control on	
	ethyl phenyl propriolate induced ear edema in rats	192
4.2	5 Effects of recipe no.25 crude extracts on	
	ethyl phenylpropriolate induced ear edema in rats	194
4.2	6 Effects of recipe no.346 crude extracts on	
	ethyl phenyl propriolate induced ear edema in rats	196
4.2	7 Effects of recipe no.717 crude extracts on	
	ethyl phenylpropriolate induced ear edema in rats	198

		Page
A.1	Percentages yield of the crude extract of the selected seven	
	recipes	246
B.1	The 49 anti-inflammatory recipes from the "MONOSROI II"	
	database	251
B.2	Frequency of plants usage in the recipes	264
C.1	The average paw edema of the carrageenan injected rat after	
	administration of the seven selected recipes, positive and negative	
	control	283
C.2	The changes in rat paw edema volume after administration of the seven	
	selected recipe extracts after carrageenan injection	293
C.3	The average ear edema of the EPP applied rat after administration of the	
	three selected recipes, positive and negative control	303
C.4	The changes in rat ear edema volume after administration of the three	
	selected recipe extracts after EPP application	306

ີລິບສີກສົ້ນກາວົກຍາລັຍເຮີຍວໃหນ Copyright<sup>©</sup> by Chiang Mai University All rights reserved

xvi

### xvii

#### LIST OF FIGURES

Figure	Page
2.1 The arachidonic acid pathway – the actions	15
2.2 Chemical structure of lupeole	21
2.3 Chemical structure of curcumin	22
2.4 Chemical structure of (6)-gingerol	23
2.5 Chemical structure of glycyrrhizin	24
2.6 Chemical structure of salicin	24
2.7 Aegle marmelos (L.) Correa ex Roxb.	30
2.8 Anethum graveolens L.	31
2.9 Azadirachta indica A. Juss.var. siamensis Valeton.	32
2.10 Baliospermum solanifolium (Burm) Suresh.	33
2.11 Caesalpinia digyna Rottle.	34
2.12 Caryota bacsonensis Magalon.	35
2.13 Cassia alata L.Roxb.	36
2.14 Cassia occidentalis L.	38
2.15 Coccinia grandis L. Voigt.	39
2.16 Croton longissimus Airy shaw.	40
2.17 Croton oblongifolius Roxb.	41
2.18 Croton tiglium L.	43
2.19 Cyperus rotundus L.	44
2.20 Datura metel Linn.var.fastuosa (Bernh.) Danert	45
2.21 Dioecrescis erythroclada (Kurz.) Tirveng.	46

	•	•	•
XV	1	1	1
		_	_

	Page
2.22 Dregea volubilis (L.F) Hook. f.	48
2.23 Fagraea fragrans Roxb.	49
2.24 Foeniculum vulgare Mill. var. vulgare (Miller) Thell.	50
2.25 Gardenia turgida Roxb. Terveng.	51
2.26 Jatropha gossypifolia L.	53
2.27 Lagenaria siceraria (Molina) Standl.	54
2.28 Lepidium sativum L.	55
2.29 Nigella saiva L.	57
2.30 Oryza sativa L.	58
2.31 Passiflora foetida L.	59
2.32 Phyllanthus emblica L.	60
2.33 <i>Piper chaba</i> Hunt.	62
2.34 Piper nigrum L.	63
2.35 Plumbago indica L.	64
2.36 Plumbago zeylanica L.	66
2.37 Psophocarpus tetragonolobus.	67
2.38 Quisqualis indica L.	69
2.39 Sauropus androgynus L. Merr.	71
2.40 Sesamum indica L.	72
2.41 Siphonodon celastrineus Griff.	73
2.42 <i>Terminalia chebula</i> Retz.	74
2.43 <i>Tiliacora triandra</i> Diels.	-75

ີລິບສິ Copy A I I

		Page	
2.44	Vitex trifolia L.	77	
2.45	Zingiber officinale Roscoe.	79	
3.1	Scope of the study	94	
3.2	Diagram of the preparation of the crude extract of the recipes	115	
3.3	Schematic of diagram of the rat's hind paw edema assay	119	
3.4	Schematic diagram of the rat ear edema assay	120	
4.1	The crude extracts of the 7 selected recipes	143	
4.2	Test for alkaloids	144	
4.3	Test for anthraquinone glycosides	146	
4.4	Test for carbohydrates	147	
4.5	Test for cardiac glycosides	148	
4.6	Test for carotenoids	149	
4.7	Test for coumarins	150	
4.8	Test for flavonoids glycosides	152	
4.9	Test for lipids	153	
4.10	Test for saponin glycosides	154	
4.11	Test for tannins	155	
4.12	Test for xanthones	156	
4.13	Percentages of rat hind paw edema inhibition of recipe no.25 and		
	prednisolone acetate at various doses and time interval compared		
	with the negative control	165	

xix

- 4.14 Percentages of rat hind paw edema inhibition of recipe no.105 and prednisolone acetate at various doses and time interval compared with the negative control
- 4.15 Percentages of rat hind paw edema inhibition of recipe no.192 and prednisolone acetate at various doses and time intervalss compared with the negative control
- 4.16 Percentages of rat hind paw edema inhibition of recipe no.346 and prednisolone acetate at various doses and time intervalss compared with the negative control
- 4.17 Percentages of rat hind paw edema inhibition of recipe no.717 and prednisolone acetate at various doses and time intervalss compared with the negative control
- 4.18 Percentages of rat hind paw edema inhibition of recipe no.895 and prednisolone acetate at various doses and time intervalss compared with the negative control
- 4.19 Percentages of rat hind paw edema inhibition of recipe no.896 and\ prednisolone acetate at various doses and time intervalss compared with the negative control
- 4.20 Percentages of rat ear edema inhibition of recipe no.25 and phenylbutazone at various doses and time interval compared with the negative control

169

167

173

171

177

195

175

		Page
4.21	Percentages of rat ear edema inhibition of recipe no.346 and	
	phenylbutazone at various doses and time interval compared with	
	the negative control	196
4.22	Percentages of rat ear edema inhibition of recipe no.717 and	
	phenylbutazone at various doses and time interval compared with	
	the negative control	199
D.1	Cassia alata L. (a) The pods and the voucher specimen no 010086	
	(b) The leafs and the voucher specimen no.010086-1	309
D.2	Datura metel L. var. fastuosa (Bernh.) Danert Datura metel L.	
	var. fastuosa (Bernh.) Danert (a) The leave and flower and	
	the voucher specimen no.010087 (b) The leaf stalk and	
	the voucher specimen no.010088	311
D.3	The leaf stalks of Jatropha gossypifolia L. and the voucher	
	specimen no.010089	313
D.4	The leaf and petolule of <i>Phyllanthus emblica</i> L. and the voucher	
	specimen no.010090	315
D.5	The leaves of <i>Piper chaba</i> Hunt. and the voucher	
	specimen no.010093	317
D.6	The leaves of Croton longissimus Airy shaw. and the voucher	
	specimen no.010094-2	319
D.7	The leaves of Azadirachta indica A. Juss.var siamensis Valeton	
	and the voucher specimen no.010095-1	321

xxi

		Page
D.8	The leaves and fruits of Croton tiglium L. and the voucher	
	specimen no.010095-2	323
D.9	The leaves of <i>Croton oblongifolius</i> and the voucher	
	specimen no.010097	325
D.10	The leaves of <i>Plumbago indica</i> L. and the voucher	
	specimen no.010097-1	327
D.11	The leaves of Baliospermum solanifolium (Burm) and	
	voucher specimen no.010098	329
D.12	The leaves of Baliospermum solanifolium (Burm) and	
	voucher specimen no.010098	331
D.13	The leaves of Dregea volubilis (L.F) Hook.f.and	
	voucher specimen no.010101	333
D.14	The leaves and root of Caryota bacsonensis Magalon. and	
	voucher specimen no.010102	335
D.15	The leaves of Quisqualis indica L. and	
	voucher specimen no.010103	337
D.16	The leaves of Fagraea fragrans Roxb. and	
	voucher specimen no.010104	339
D.17	The leaves of Cassia occidentalis L. and	
	voucher specimen no.010105	341
D.18	The leaves and flower of Vitex trifolia L. and	
	voucher specimen no.010111	343

xxii

#### xxiii

		Page
E.1	Feed the crude recipe extracts	345
E.2	Measure the rat hind paw edema by a plythesmometer	345
E.3	The rats for rat hind paw edema assay	346
E.4	The rats for ear edema assay	346
E.5 Measure the rat ear thickness by vernier caliper		346

**ລິບສິກສົ້ນหາວົກຍາລັຍເชีຍວໃหม** Copyright<sup>©</sup> by Chiang Mai University All rights reserved

### xxiv

## ABBREVIATIONS

b.w	Body weight
°C	Degree Celsius
cm	Centimeter
conc. H <sub>2</sub> SO <sub>4</sub>	Concentration of sulfuric acid
COX-1	Cyclooxygenase-1
COX-2	Cyclooxygenase-2
CNS	Central nervous system
EPP	Ethyl phenylpropiolate
FDA	Food and drug administration
FeCl <sub>3</sub>	Ferric chloride
HCl	Hydrochloric acid
hr	Hour
IC <sub>50</sub>	Concentration giving 50% inhibition
kg	Kilogram
КОН	Potassium hydroxide
m	Meter
Mg	Magnesium
mg	Milligram
min	minute
ml	Milliliter Chiang Mai University
mm j	Millimeter A A A A A A A A A A A A A A A A A A A

2N HCl	lidentical to 2M, as there is only one H+ ion in the acid.
NaOH	Sodium hydroxide
NF-kB	Nuclear factor kappa-light-chain-enhancer of activated B cells
NH4OH T.S.	Ammonium hydroxide test solution
NHSO	National Health Security Office
NO.	Number
NSAID	Non steroidal anti-inflammatory drugs
PGE 2	Prostaglandin E2
PGF 2	Prostaglandin F 2
PGD 2	Prostaglandin D 2
PGI 2	Prostaglandin I 2
T-cell	A type of white blood cell that is of key importance to the
	immune system
TNF	Tumor necrosis factors
Tx A2	Thromboxane A <sub>2</sub>
SD.	Standard deviation
WHO	World health organization
μg	Microgram
μΙ	Microliter

XXV