

BIBLIOGRAPHY

1. White, S. and Keleshian, M. (1994). A field guide to economically important seaweeds of northern New England [Online]. Available <http://www.noamkelp.com/technical/handbook.html> [2009, January 15].
2. Hoppe, H.A., Levring, T., and Tanaka, Y. (1979). In: Marine algae in pharmaceutical science. Gruyter, W.D., ed. New York.
3. Yubin, J., and Guangmei, Z. (1998). Pharmacological action and application of available antitumor composition of traditional Chinese medicine. Heilongjiang, China: Heilongjiang Science and Technology Press: Harbin.: 311.
4. Fitton, J.H. (2003). Brown marine algae: A survey of therapeutic potentials, *Alternative and Complementary Therapies*, 9:29-33.
5. Halliwell, B., and Chirico, S. (1993). Lipid peroxidation: its mechanism, measurement, and significance. *American Journal of Clinical Nutrition*, 57: 715S-725S.
6. McCord, J.M. (2000). The evolution of free radicals and oxidative stress. *The American Journal of the medical Sciences*, 108: 652-659.
7. Hawkins, C.L., Brown, B.E. and Davies, M.J. (2001). Hypochlorite- and hypobromite-mediated radical formation and its role in cell lysis. *Archives of Biochemistry and Biophysics*, 395: 137-145.
8. Giles, G.I., Tasker, K.M. and Jacob, C. (2001). Hypothesis: the role of reactive sulfur species in oxidative stress. *Free Radical Biological Medicine*, 31: 1279-1283.
9. Chewa, Y.L., Lima, Y.Y., Omara, M. and Khoob, K.S. (2007). Antioxidant activity of three edible seaweeds from two areas in South East Asia. *LWT-Food Science and Technology*, 6: 120-126.
10. Sies, H. (1997). Oxidative stress: oxidants and antioxidants. *Experimental Physiology*, 82: 291-295.

11. Halliwell, B. and Gutteridge, J.M.C. (1990). The antioxidants of human extracellular fluids. *Archives of Biochemistry and Biophysics*, 280: 1-8.
12. Ames, B.N., Shigenaga, M.K. and Hagen, T.M. (1993). Oxidants, antioxidants, and the degenerative diseases of aging. *Proceeding of the National Academy of Sciences*, 90:7915-7922.
13. Halliwell, B. (1991). Reactive oxygen species in living systems: source, biochemistry, and role in human disease. *The American Journal of the medical Sciences*, 91:14S-22S.
14. Halliwell, B. (1994a). Free radicals and antioxidants: a personal view. *Nutrition Reviews*, 52:253-265.
15. Stocker, R. and Keaney, J.F.Jr. (2004). Role of oxidative modifications in atherosclerosis. *Physiological Reviews*, 84: 1381-1478.
16. Halliwell, B. (1994b). Free radicals, antioxidants, and human disease: curiosity, cause, or consequence. *The Lancet*, 344: 721-724.
17. Rice-Evans, C.A. (1994). Formation of free radicals and mechanism of action in normal biochemical processes and pathological states. In: Free radical damage and its control. Rice-Evans, C.A. & Burdon, R.H. (eds.). Elsevier. Science B.V., Amsterdam. pp 131-153.
18. Evans, P. and Halliwell, B. (1999). Free radicals and hearing: Cause, consequence, and criteria. *Annals of the New York Academy of Sciences*, 884: 19-40.
19. Rohrdanz, E., Schmuck, G., Ohler, S. and Kahl., R. (2001). The influence of oxidative stress on catalase and MnSOD gene transcription in astrocytes. *Brain Reserch*, 900: 128-136.
20. Halliwell, B. (2000). Why and how should we measure oxidative DNA damage in nutritional studies? How far have we come? *American Journal of Clinical Nutrition*, 72: 1082-1087 .
21. Halliwell, B. (1996). Free radicals, proteins and DNA: oxidative damage versus redox regulation. *Biochemical Society Transactions*, 24: 1023-1027.
22. Halliwell, B. (2002). Effect of diet on cancer development: is oxidative DNA damage a biomarker? *Free Radical Biological Medicine*, 32: 968-974.

23. Butterfield, D., Castegna, A., Pocernich, C., Drake, J., Scapagnini, G., and Calabrese, V. (2002). Nutritional approaches to combat oxidative stress in Alzheimer's diseases. *The Journal of Nutritional Biochemistry*, 13: 444-461.
24. Des, D., Bandyopadhyay, D., Bhattacharjee, M., and Banerjee, R.K. (1997). Hydroxyl radicals is the major causative factor in stress-induced gastric ulceration. *Free Radical Biology and Medicine*, 23: 8-18.
25. Wiseman, H., and Halliwell, B. (1996). Damage to DNA by reactive oxygen and nitrogen species: Role of inflammatory disease and progression to cancer. *Biochemistry Journal*, 313: 17-29.
26. Halliwell, B. and Whiteman, M. (2004). Measuring reactive species and oxidative damage *in vivo* and in cell culture: how should you do it and what do the results mean. *British Journal of Pharmacology*, 142: 231-255.
27. Acworth, I.N., Douglas, R. and Maher, T.J. (1997). The analysis of free radicals, their reaction products, and antioxidants. In: Baskin, S.I., Salem, H., Eds. *Oxidants, Antioxidants, and Free Radicals*. Taylor & Francis: 44-49.
28. Lee, H.B., Yu, M.R., Song, J.S. and Ha, H. (2004). Reactive oxygen species amplify protein kinase C signaling in high glucose-induced fibronectin expression by human peritoneal mesothelial cells. *Kidney International*, 65: 1170-1179.
29. Bryan, D. and Mckersie, D. (1996). Oxidative stress [Online]. Available <http://www.plantstress.com/Articles/Oxidative%20Stress.html> [2009, January 18].
30. Fennema, O.R. (1996). Lipids. In: Dekker, M., Eds. *Food Chemistry*. New York, 1996: 225-319.
31. Angelo, A., Kelvin, J.A.D. and Frank, K. (2004). Free radical biology-terminology and critical thinking. *FEBS Letters*, 558: 3-6.
32. Halliwell, B. and Gutteridge, J.M.C. (1989). In: *Free radicals in biology and medicine*, 2nd edition. Oxford, UK: Carendon press. pp 96-98.
33. Punchard, N.A. and Kelly, F.L. (1996). *Free radicals: a practical approach*. New York: Oxford university press, New York. pp 65-82.

34. Kaur, J., Chadha, B.S., Kumar, B.A., Kaur, G.S. and Saini, H. S. (2007). Purification and characterization of β -glucosidase from *Melanocarpus* sp. MTCC 3922. *Electronic Journal of Biotechnology*, 10: 260-270.
35. Huang, J., Li, X., Maguire, C.A., Hilf, R., Bambara, R.A. and Muyan, M. (2005). Binding of estrogen receptor β to estrogen response element in situ is independent of estradiol and impaired by its amino terminus. *Molecular Endocrinology*, 19: 2696-2712.
36. Ratnam, D.V., Ankola, D.D., Bhardwaj, V., Sahana, D.K., and Kumar, M.N.V.R. (2006). Role of antioxidants in prophylaxis and therapy: A pharmaceutical perspective. *Journal of Controlled Release*, 113: 189-207.
37. Miller, N.J., Rice-Evans, C.A., Davies, M.J., Gopinathan, V. and Milner, A. (1993). A novel method for measuring antioxidant capacity and its application to monitoring antioxidant status in premature neonates. *Clinical Science*, 84: 407-412.
38. Roginsky, V and Lissi, E.A. (2005). Review of methods to determine chain-breaking antioxidant activity in food. *Food Chemistry*, 92: 235-254.
39. Prior, R.L., Wu, X. and Schaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, 53: 3101-3113.
40. Brand-Williams, W., Cuvelier, M.E. and Berset, C. (1995). Use of a free radical method to evaluate antioxidant activity, *Lebensmittel-Wissenschaft und Technologie. Food Science and Technology*, 28: 25-30.
41. Fridovich, I. (1989). Superoxide dismutases. An adaptation to a paramagnetic gas. *The Journal of Biological Chemistry*, 264: 7761-7764.
42. Butler, J., Hoey, B.M. and Lea, J.S. (1988). The measurement of radicals by pulse radiolysis. In: *Free radicals, Methodology and Concepts* (Eds. Rice-Evans, C. and Halliwell, B.), Richelieu Press, London, pp. 457-479.
43. Halliwell, B., Gutteridge, J.M.C. and Aruoma, O.I. (1987). The deoxyribose method: A simple "test tube" assay for determination of rate constants for reactions of hydroxyl radicals. *Analytical Biochemistry*, 165: 215-219.

44. Dean, R.T., Giese, S. and Davies, M.J. (1993). Reactive species and their accumulation on radical damaged proteins. *Trends in Biochemical Sciences*, 18: 437-441.
45. Sevilla, M.D., Yan, M., Becker, D. and Gillich, S. (1989). ESR investigations of the reactions of radiation-produced thiyl and DNA peroxy radicals: Formation of sulfoxyl radicals. *Free Radical Research Communications*, 6: 21-24.
46. Asmus, K.D., (1987). Sulfur-centered free radicals. In: Radioprotectors and Anticarcinogens (Ed. Slater, T.F.), Academic Press, London. pp. 23-42.
47. Fahey, R.C. (1988). Protection of DNA by thiols. *Pharmacology & Therapeutics*, 39: 101-108.
48. Baskin, S.I. and Salem, H. (1997). In: Baskin, S.I. and Salem, H. Eds, Oxidants, antioxidants, and free radicals. Washington, DC: Taylor & Francis. pp. 23-77.
49. Halliwell, B. (1995). Antioxidant characterization methodology and mechanism. *Biochemical Pharmacology*, 49: 1341-1348.
50. Yamaguchi, F., Ariga, T., Yoshimira, Y., Nakazawa, H., (2000). Antioxidant and anti-glycation of carbinol from *Garcinia indica* fruit rind. *Journal of Agricultural and Food Chemistry*, 48: 180-185.
51. Kuda, T., Tsunekawa, M., Goto, H. and Araki, Y. (2005). Antioxidant properties of four edible algae harvested in the Noto Peninsula, Japan. *Journal of Food Composition and Analysis*, 18: 625-633.
52. Yan, X.J., Nagata, T., and Fan, X. (1998). Antioxidative activities in some common seaweeds. *Plant Foods for Human Nutrition*, 52: 253-262.
53. Lekameera, R., Vijayabaskar, P., and Somasundaram, S.T. (2008). Evaluating antioxidant property of brown ALGA *Colpomenia sinuosa* (DERB. ET SOL). *African Journal of Food Science*. 2: 126-130.
54. Heo, S.J., Park, E.J., Lee, K.W., and Jeon, Y.J. (2005). Antioxidant activities of enzymatic extracts from brown seaweeds. *Bioresource Technology*, 96: 1613-1623.
55. Senevirathne, M., Kim, S.H., Siriwardhana, N., and Ha, J.H. (2006). Antioxidant potential of *Ecklonia cava* on reactive oxygen species scavenging, metal

- chelating, reducing power and lipid peroxidation inhibition. *Food Science and Technology International*, 12: 27-38.
54. Rocha de Souza, M.C., Marques, C.T., Guerra Dore C.M., Ferreira da Silva, F.R., Oliveira Rocha H.A., and Leite, E.L. (2007). Antioxidant activities of sulfated polysaccharides from brown and red seaweeds. *Journal of Applied Phycology*, 19: 153-160.
 55. Ismail, A., and Hong, T.S. (2002). Antioxidant Activity of Selected Commercial Seaweeds. *Malaysian Journal of Nutrition*, 8: 167-177.
 56. Siriwardhana, N., Lee, K.W., Kim, S.H., Ha, J.W., and Jeon, Y.J. (2003). Antioxidant activity of *Hizikia fusiformis* on reactive oxygen species scavenging and lipid peroxidation inhibition. *Food Science and Technology International*, 9: 339-346.
 57. Zubia, M., Robledo, D., and Freile-Pelegrin, Y. (2007). Antioxidant activities in tropical marine macroalgae from the Yucatan Peninsula, Mexico. *Journal of Applied Phycology*, 19: 449-458.
 58. Chew, Y.L., Lim, Y.Y., Omar, M., and Khoo, K.S. (2008). Antioxidant activity of three edible seaweeds from two areas in South East Asia. *Swiss Society of Food Science and Technology*, 41: 1067-1072.
 59. Amornlertpison, D., Peerapornpisal, Y., Taesotikul, T., Jamjai, U., Nualchareo, M., and Kanjanapothi, D. (2007). Antioxidant activity of *Padina minor* Yamada. *KMITL Science and Technology Journal*, 7(S1): 1-7.
 60. Lim, S.N., Cheung, P.C.K., Ooi, V.E.C., and Ang P.O. (2002). Evaluation of antioxidative activity of extracts from a brown seaweed, *Sargassum siliquastrum*. *Journal of Agricultural and Food Chemistry*, 50: 3862-3866
 61. Park, P.J., Heo, S.J., Park, E.J., Kim, S.K., Byun, H.G., Jeon, B.T., and Jeon, Y.J. (2005). Reactive Oxygen Scavenging Effect of Enzymatic Extracts from *Sargassum thunbergii*. *Journal of Agricultural and Food Chemistry*, 53: 6666-6672.
 62. Santoso, J., Yoshie-stark, Y., and Suzuki, T. (2004). Antioxidant activity of methanol extracts from Indonesian seaweeds in an oil emulsion model. *Fisheries Science*, 70: 183-188.

63. Zhao, X., Xue, C.H., and Li, B.F. (2008). Study of antioxidant activities of sulfated polysaccharides from *Laminaria japonica*. *Journal of Applied Phycology*, 20: 431-436.
64. Abd El-Baky, H.H., El Baz, F.K., and El-Baroty, G.S. (2008). Evaluation of marine alga *Ulva lactuca* L. as a source of natural presser vative ingredient. *Journal of Environmental, Agricultural and Food Chemistry*, 7: 3353-3367.
65. Qi, H., Zhao, T., Zhang, Q., Li, Z., Zhao, Z., and Xing, R. (2005). Antioxidant activity of different molecular weight sulfated polysaccharides from *Ulva pertusa* Kjellm (Chlorophyta). *Journal of Applied Phycology*, 17: 527-534.
66. Athukorala, Y., Lee, K.W., Song, C.B., Ahn, C.B., Shin, T.S., Cha, Y.J., Shahidi, F., and Jeon, Y.J. (2003). Potential, antioxidant activity of marine red alga *Grateloupia filicina* extracts. *Journal of Food Lipids*, 10: 251-265.
67. Kumar, K.S., Ganesan, K., and Rao, P.V.S. (2008). Antioxidant potential of solvent extracts of *Kappaphycus alvarezii* (Doty) Doty - An edible seaweed. *Food Chemistry*, 107: 289-295.
68. Duan, X.J., Zhang, W.W., Li, X.M., and Wang, B.G. (2006). Evaluation of antioxidant property of extract and fractions obtained from a red alga, *Polysiphonia urceolata*. *Food Chemistry*, 95: 37-43.
69. Zhang, Q., Li, N., Liu, X., Zhao, Z., Li, Z., and Xu, Z. (2004). The structure of a sulfated galactan from *Porphyra haitanensis* and its in vivo antioxidant activity. *Carbohydrate Research*, 339: 105-111.
70. Zhang, W.W., Duan, X.J., Huang, H.L., Zhang, Y., and Wang, B.G. (2007). Evaluation of 28 marine algae from the Qingdao coast for antioxidative capacity and determination of antioxidant efficiency and total phenolic content of fractions and subfractions derived from *Symphyclocladia latiuscula* (Rhodomelaceae). *Journal of Applied Phycology*, 19: 97-108.
71. Jiabin, C. and Mei, X.B. (1996). Taxonomy and culture of *Gracilaria* in the asia-pacific region [Online]. Available <http://www.fao.org/docrep/field/009/ag15/AG152E15.htm> [2009, January 15].
72. Amornlerdpison, D., Peerapornpisal, Y., Rujjanawate, C., Taesotikul, T., Nualchareon, M. and Kanjanapothi, D. (2007). Hypotensive activity of some

marine algae. *Journal of Scientific Research Chulalongkorn University* (Section T): 363-368.

73. Amornlertpison, D., Peerapornpisal, Y., Taesotikul, T., Jumjai, U., Nualchareo, M., and Kanjanapothi, D. (2007). Antioxidant activity of *Padina minor* Yamada. *KMITL Science and Technology Journal*, 7(S1): 1-7.
74. Sreenivasan, S., Ibrahim, D., and Kassim, M.J.N.M. (2007). Free radical scavenging activity and total phenolic compounds of *Gracilaria changii*. *International Journal of Natural and Engineering Sciences*, 1: 115-117.
75. Ganesan, P., Kumar, C.S., and Bhaskar, N. (2008). Antioxidant properties of methanol extract and its solvent fractions obtained from selected Indian red seaweeds. *Bioresource Technology*, 99: 2717-2723.
76. Yakovleva, I. (2008). Antioxidant status of the red alga *Gracilaria vermiculophylla* from the Russian Pacific coast and its susceptibility to high light. *Biochemistry and Physiology, Part A*, 151: S11-S18.
77. Gregson, R.P., Marwood, J.F., and Quinn, R.J. (1979). The Occurrence of Prostaglandins PGE₂ and PGF_{2α} in a plant-the Red Alga *Gracilaria Lichenoides*. *Tetrahedron Letters*, 46: 4505-4506.
78. Dang, H.T., Lee, H.J., Yoo, E.S. Shinde, P.B., Lee, Y.M., Hong, J., Kim, D.K., and Jung, J.H. (2008). Anti-inflammatory Constituents of the Red Alga *Gracilaria verrucosa* and Their Synthetic Analogues. *Journal of Natural Products*, 71: 232-240.
79. Manoharan, N., Sampathkumar, P., Dheeba, B., Sheikabdulla, S., Vinothprassanna, G., Vinothkannan, R., Kalavathy, S., Vijayaanand, A., and Shanmugasunda-ram, A. (2008). Potential hepatoprotective effect of aqueous extract of *Gracilaria corticata* in AFB1 induced hepatotoxicity in Wistar rats. *Journal of Biological Sciences*, 8: 1352-1355.
80. Mazumder, S. Ghosal, P.K., Pujol, C.A., Carlucci, M.J., Damonte, E.B., and Ray, B. (2002). Isolation, chemical investigation and antiviral activity of polysaccharides from *Gracilaria corticata* (Gracilariaceae, Rhodophyta). *International Journal of Biological Macromolecules*, 31: 87-95.

81. Oates, J.A. and Brown, N.J. (2001). Antihypertensive agents and the drug therapy of hypertension. In: Goodman & Gilman's the pharmacological Basis of Therapeutics, 10th Eds., 33: 871-900.
82. Yoshiya, H., Kumiko, N., Jun-Ichi, U., Hidemasa, H., and Takahisa, N. (2001). Clinical effects of brown seaweed, *Undaria pinnatifida* (wakame), on blood pressure in hypertensive subjects. *Journal of clinical biochemistry and nutrition*, 30: 43-55.
83. Sato, M., Hosokawa, T., Yamaguchi, T., Nakano, T., Muramoto, K., Kahara, T., Funayama, K., Kobayashi, A., and Nakano, T. (2002). Angiotensin I-converting enzyme inhibitory peptides derived from wakame (*Undaria pinnatifida*) and their antihypertensive effect in spontaneously hypertensive rats. *Journal of Agriculture and Food Chemistry*, 50: 6245-6252.
84. Suetsuna, K., Maekawab, K., and Chen J.R. (2004). Antihypertensive effects of *Undaria pinnatifida* (wakame) peptide on blood pressure in spontaneously hypertensive rats. *Journal of Nutritional Biochemistry*, 15: 267-272.
85. Suetsuna, K., and Chen, J.R. (2001). Identification of antihypertensive peptides from peptic digest of two microalgae, *Chlorella vulgaris* and *Spirulina platensis*. *Marine Biotechnology*, 3: 305-309.
86. Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M., and Rice-Evans, C. (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology and Medicine*, 26: 1231-1237.
87. Nishimiki, M., Rao, N., and Yagi, K. (1972). The occurrence of superoxide anion in the reaction of reduced phenazine methosulphate and molecular oxygen. *Biochemical and Biophysical Research Communications*, 46: 849-854.
88. Halliwell, B., Gutteridge, J.M.C., and Aruoma, O.I. (1987). The deoxyribose method: A simple "test tube" assay for determination of rate constants for reactions of hydroxyl radicals. *Analytic Biochemistry*, 165: 215-219.
89. Masoa, H., Yang, H.W., Miyashrio, H., and Nabma, T. (1993). Inhibitory effects of monomeric and dimeric phenyl propanoids from mice on lipid peroxidation *in vivo* and *in vitro*. *Phytotherapy Research*, 7: 95-401.

90. Lowry, O.H., Rosebrough, N.J., Farr, L. and Randall, R.J. (1951). Protein measurement with the Folin Phenol Reagent. *Journal of Biological and Chemistry*, 193, 267-275.
91. Dinis, T.C.P., Madeira, V.M.C., and Almeida, L.M. (1994). Action of phenolic derivatives as inhibitors of membrane lipid peroxidation and as peroxy radical scavengers. *Archives of Biochemistry and Biophysics*, 315: 161-169.
92. Oyaizu, M. (1986). Studies on product of browning reaction prepared from glucosamine. *Japan Journal of Nutrition*, 44: 307-315.
93. Hammerschmidt, P.A., Pratt, D.E. (1978), Phenolic antioxidants of dried soybeans, *Journal of Food Science*, 43: 556-559.
94. Vogel, H.G., and Vogel, W.H. (1997). Cardiovascular activity. In: Drug discovery and evaluation pharmacological assays. Springer-Verlag, Germany, pp. 44.
95. Suzuki, A., Kagawa, D., Fuji, A., Ochiai, R., Tokimitsu, I., and Saito, I. (2002). Short- and long-term effects of ferulic acid on blood pressure in spontaneously hypertensive rats. *American Journal of Hypertension*, 15: 351-357.
96. Staff of the Department of Pharmacology University of Edinburgh. (1970). In: Pharmacological experiment on isolated preparations. Churchill Livingstone Inc., U.S.A.
97. Hodoglugil, U., Uluoglu, C., Guney, H.Z., Gorgun, C.Z., Ercan, Z.S., Abacioglu, N., and Zengil, H. (1997). Twenty-four hour variations in the effect of nitrodilators in rats aorta: lack of influence of the endothelium. *Journal of Pharmacy and Pharmacology*, 49: 1102-1108.
98. Özcelik, B., Lee, J.H., and Min, D.B., (2003). Effects of light, oxygen and pH on the absorbance of 2,2-diphenyl-1-picrylhydrazyl. *Journal of Food Science*, 68: 487-490.
99. Rice-Evans, C.A., Miller, N.J., Bolwell, P.G., Bramley, P.M., & Pridham, J.B. (1995). The relative antioxidant activities of plant-derived polyphenolic flavonoids. *Free Radical Research*, 22: 375-383.
100. Leong, L. P., and Shui, G. (2002). An investigation of antioxidant capacity of fruits in Singapore markets. *Food Chemistry*, 76: 69-75.

101. Lee, S.H., Seo, G.S., and Sohn, D.H. (2004). Inhibition of lipopolysaccharide-induced expression of inducible nitric oxide synthase by butein in RAW 264.7 cells. *Biochemical and Biophysical Research Communications*, 323: 125-132.
102. Pietta, P.G. (2000). Flavonoids as antioxidants. *Journal of Natural Products*, 63: 1035-1042.
103. Yangthong, M., Hutadilok-Towatana, N., and Phromkunthong, W. (2009). Antioxidant activities of four edible seaweeds from the southern coast of Thailand. *Plant Foods for Human Nutrition*, 64: 218-223.
104. Haber, F. and Weiss, J. (1934). The catalytic decomposition of hydrogen peroxide by ion salts. *Proceedings of the Royal Society of London, (A)*, 147: 332-351.
105. Fenton, H.J.H. (1894). Oxidation of tartaric acid in presence of iron. *Journal of the Chemical Society, Transactions*. 65: 899-911.
106. Cheeseman, K.H. and Slater, T.F. (1993). An introduction to free radical biochemistry. *British Medical Bulletin*, 49: 481-493.
107. Guyton, K.Z. and Kensler, T.W. (1993). Oxidative mechanisms in carcinogenesis. *British Medical Bulletin*, 49: 523-544.
108. Stadtman, E.R. (1992). Protein oxidation and aging. *Science*, 257: 1220-1224.
109. Wiseman, H. and Halliwell, B. (1996). Damage to DNA by reactive oxygen and nitrogen species: Role of inflammatory disease and progression to cancer. *Biochemical Journal*, 313: 17-29.
110. Best B. (1990). Mechanisms of Aging, [Online]. Available <http://www.benbest.com/lifeext/aging.html>. [10 october 2009].
111. Winrow, V.R., Winyard, P.G., Morris, C.J. and Blake, D.R. (1993). Free radicals in inflammation: second messengers and mediators of tissue destruction. *British Medical Bulletin*, 49: 506-522.
112. Halliwell, B. (1987). Oxidative damage, lipid peroxidation and antioxidant protection in chloroplasts. *Chemistry and Physics of Lipids*, 44: 327-340.
113. Rice Evans, C.A., Miller, N.J. and Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology & Medicine*, 20: 933-956.

114. Halliwell, B., and Gutteridge, J.M.C. (1999). In: Free radicals in biology and medicine, 3rd Eds. Oxford University Press, Oxford. pp. 617-713.
115. Shapiro, S. and Saliou, C. (2001). Role of vitamins in skin care. *Nutrition*, 17: 839-844.
116. Hiroi, M., Ogihara, T., Hirano, K., Hasegawa, M., Morinobua, T., Tamai, H. and Niki, E. (2005). Regulation of apoptosis by glutathione redox state in PC12 cells exposed simultaneously to iron and ascorbic acid. *Free Radical Biology & Medicine*, 38: 1057-1072.
117. Smith, C., Halliwell, B., and Aruoma, O.I. (1992), Protection by albumin against the pro-oxidant actions of phenolic dietary components. *Food and Chemical Toxicology*, 30: 483-489.
118. Strlic, M., Radovic, T., Kolar, J. and Pihlar, B. (2002). Anti- and prooxidative properties of gallic acid in Fenton-type systems. *Journal of Agricultural and Food Chemistry*, 50: 6313-6317.
119. Kehrer, J.P. (2000). The Haber-Weiss reaction and mechanisms of toxicity. *Toxicology*, 149: 43-50.
120. Finefrock, A.E., Bush, A.I. and Doraiswamy, P.M. (2003). Current status of metals as therapeutic targets in Alzheimer's disease. *Journal of the American Geriatrics Society*, 51: 1143-1148.
121. Wong, P.Y.Y. and Kitts, D.D. (2001). An iron binding assay to measure activity of known food sequestering agents: studies with buttermilk solids. *Food Chemistry*, 72: 245-254.
122. Yamaguchi, F., Ariga, T., Yoshimira, Y., Nakazawa, H., (2000). Antioxidant and anti-glycation of carcinol from *Garcinia indica* fruit rind. *Journal of Agricultural and Food Chemistry*, 48: 180-185.
123. Arabshahi-Delouee S. and Urooj, A. (2007). Antioxidant properties of various solvent extracts of mulberry (*Morus indica* L.) leaves. *Food Chemistry*, 102: 1233-1240.
124. Zhu, Q.Y., Hackman, R.M., Ensunsa, J.L., Holt, R.R. and Keen, C.L. (2002). Antioxidative activities of oolong tea. *Journal of Agricultural and Food Chemistry*, 50: 6929-6934.

125. Chung, Y.C., Chang, C.T., Chao, W.W., Lin, C.F. and Chou, S.T. (2002). Antioxidative activity and safety of the 50% ethanolic extract from red bean fermented by *Bacillus subtilis* IMR-NK1. *Journal of Agricultural and Food Chemistry*, 50: 2454-2458.
126. Yen, G.C. and Chen, H.Y. (1995). Antioxidant activity of various tea extracts in relation to their antimutagenicity. *Journal of Agricultural and Food Chemistry*, 43: 27-32
127. Diplock, A.T. (1997). Will the good fairies please prove to us that vitamin E lessens human degenerative disease? *Free Radical Research*. 27: 511-532.
128. Yildirim, A., Oktay, M. and Bilaloglu, V. (2001). The antioxidant activities of the leaves of *Cydonia vulgaris*. *Turkish Journal of Medical Sciences*, 31: 23-27.
129. Harborne, J.B. (1989), General procedures and measurement of total phenolics, In: *Methods in Plant Biochemistry*, Vol. 1, Plant Phenolics (Eds), Academic Press, London, pp.1-28.
130. Lewis, N.G (1993). Plant phenolics. In: Alscher, R.G. and Hess, J.L. (Eds). *Antioxidants in higher plants*. Boca Raton, FL: CRC Press, pp. 135-169.
131. Rice-Evans, C., Miller, N.J. and Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology & Medicine*, 20: 933-956.
132. Wright, J.S., Johnson, E.R. and DiLabio, G.A. (2001). Predicting the activity of phenolic antioxidants: theoretical method, analysis of substituent effects, and application to major families of antioxidants. *Journal of the American Chemical Society*, 123: 1173-1183.
133. Yen, G.C., Duh, P.D. and Tsai, C.L. (1993). Relationship between antioxidant activity and maturity of peanut hulls. *Journal of agricultural and food chemistry*, 41: 67-70.
134. Huang, D., Ou, B., Prior, R.L. (2005). The chemistry behind antioxidant capacity assays. *Journal of agricultural and food chemistry*, 53: 1841-1856.
135. Sreenivasan, S., Ibrahim, D. and Mohd. Kassim, M.J.N. (2007). Free radical scavenging activity and total phenolic compounds of *Gracilaria changii*, *International Journal of Natural and Engineering Sciences*, 1: 115-117.

136. Selamassakul, O., Laohakunjit, N. and Kerdchoechuen, O. (2009). Antioxidant Capacity of Extracts from *Gracilaria fisheri*. *Agricultural Science Journal*, 40: 25-28.
137. Dale, M.M. and Haylett, D.G. (2004). Other peripheral mediators: nitric oxide. In: *Pharmacology Condensed*. Churchill Livingstone Inc., 39.
138. Christoph, F.K., Pierre, M., Hiroyuki, T. and Thomas, F. (1995). L-NAME hypertension alters endothelial and smooth muscle function in rat aorta prevention by trandolapril and verapamil. *Hypertension*, 26: 744-751.
139. Suo, M., Kalliovalkama, J., Pörsti, I., Jolma, P., Tolvanen, J., Vuolteenaho, O. and Ruskoaho, H. (2002). N^G -nitro-L-arginine methyl ester-induced hypertension and natriuretic peptide gene expression: Inhibition by angiotensin II type 1 receptor antagonism. *Journal of Cardiovascular Pharmacology*, 40: 478-486.
140. Bryant, C.E., Allcock, G.H. and Warner, T.D. (1995). Comparison of effects of chronic and acute administration of N^G -nitro-L-arginine methyl ester to the rat on inhibition of nitric oxide-mediated responses. *British Journal of Pharmacology*, 114: 1673-1679.
141. Magos, G.A., Mateo, J.C., Pérez, E., Fernández, G., Lobato, C., Márquez, C. and Enríquez, R.G. (2008). Hypotensive and vasorelaxant effects of the procyanidin fraction from *Guazuma ulmifolia* bark in normotensive and hypertensive rats. *Journal of Ethnopharmacology*, 117: 158-68
142. Hisayama, T., Takayanagi, I. and Okamoto, Y. (1990). Ryanodine reveals multiple contractile and relaxant mechanisms in vascular smooth muscle: simultaneous measurements of mechanical activity and of cytoplasmic free Ca^{2+} level with fura-2. *British Journal of Pharmacology*, 100: 677-684.
143. Feng, Q. and Hedner, T. (1990). Endothelium-derived relaxing factor (EDRF) and nitric oxide (NO). I. Physiology, pharmacology and pathophysiological implications. *Clinical Physiology*, 10: 407-426.