

## TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENT	iii
THAI ABSTRACT	iv
ENGLISH ABSTRACT	vi
LIST OF TABLES	xi
LIST OF FIGURES	xii
ABBREVIATIONS	xiv
CHAPTER 1 INTRODUCTION	
1.1 Free radicals	1
1.2 Source of free radicals	2
1.3 Reactive oxygen species	2
1.4 Oxidative stress	3
1.5 Lipid peroxidation	5
1.6 Antioxidants	6
1.7 Biological antioxidants	7
1.8 Antioxidant activity assays	8
1.9 Antioxidant properties of marine algae	11
1.10 <i>Gracilaria fisheri</i> Xia & Abbott	13
1.11 Biological activities of <i>Gracilaria fisheri</i> and other <i>Gracilaria</i> species	14
1.12 Antihypertensive effect of marine algae	15
1.13 Purposes of the study	16
CHAPTER 2 MATERIALS AND METHODS	
2.1 Collection of <i>Gracilaria fisheri</i>	17

2.2 Preparation of the aqueous extract of <i>Gracilaria fisheri</i>	17
2.3 Evaluation of the Aq. <i>G</i> for an antioxidant activity	17
2.3.1 ABTS <sup>++</sup> (2,2'-azino-bis 3-ethylbenzthiazoline-6-sulfonic acid) radical scavenging activity	17
2.3.2 Superoxide anion (O <sub>2</sub> <sup>-•</sup> ) scavenging activity	18
2.3.3 Hydroxyl radical (•OH) scavenging activity	19
2.3.4 Inhibition of lipid peroxidation	21
2.3.5 Metal chelating activity	22
2.3.6 Reducing power	23
2.4 Determination of total phenolic content of <i>G.fisheri</i>	24
2.5 Determination of cardiovascular activity	25
2.5.1 Laboratory animals	25
2.5.2 Blood pressure and heart rate of thiopental anesthetized hypertensive rats	25
2.5.3 Isolated rat atria preparation	26
2.5.4 Isolated rat aorta preparation	27
2.6 Statistical analysis	28
2.7 Drugs and chemicals	28

### CHAPTER 3 RESULTS

3.1 Antioxidant activity	31
3.1.1 ABTS <sup>++</sup> radical scavenging activity	31
3.1.2 Superoxide anion (O <sub>2</sub> <sup>-•</sup> ) scavenging activity	32
3.1.3 Hydroxyl radical (•OH) scavenging activity	32
3.1.4 Inhibition of lipid peroxidation	33
3.1.5 Metal chelating activity	34
3.1.6 Reducing power	36
3.2 Determination of Phenolic contents in <i>G.fisheri</i>	37
3.3 Cardiovascular effects of the Aq. <i>G</i>	39

3.3.1 Effect of the Aq. <i>G</i> on blood pressure and heart rate of thiopental anesthetized hypertensive rats	39
3.3.2 Effects of the Aq. <i>G</i> on force and rate of contraction of the isolated rat atria	42
3.3.3 Effect of the Aq. <i>G</i> on the isolated rat aorta	44
CHAPTER 4 DISCUSSION AND CONCLUSION	47
BIBLIOGRAPHY	56
CURRICULUM VITAE	70

## LIST OF TABLES

Table	Page
1 List of marine algae which have been reported to have antioxidant properties	11
2 EC <sub>50</sub> values of the Aq. <i>G</i> and standard antioxidants in various assays	38
3 GAE, TEAC and EDTAE values of the Aq. <i>G</i> obtained from various assays for antioxidant activity	38
4 Effect of the Aq. <i>G</i> on mean arterial blood pressure (MABP) and heart rate of L-NAME-induced hypertensive in rats under thiopental anesthesia	41
5 Effect of the Aq. <i>G</i> on force and rate of contraction of the isolated rat atria	43
6 Effect of the Aq. <i>G</i> on phenylephrine (10 $\mu$ M) induced contraction isolated rat aorta with endothelium intact and endothelium denuded	45
7 Effect of the Aq. <i>G</i> on high K <sup>+</sup> induced contraction isolated rat aorta with endothelium intact	46
8 Effect of the Aq. <i>G</i> on phenylephrine (10 $\mu$ M) and high K <sup>+</sup> (80 mM) induced contraction isolated rat aorta with endothelium intact	46

## LIST OF FIGURES

Figure	Page
1 Biological damage caused by ROS in human body	5
2 Classification of antioxidants	8
3 <i>Gracilaria fisheri</i> Xia & Abbott	14
4 Diagram illustrated the procedure of ABTS <sup>•+</sup> scavenging activity	18
5 Diagram illustrated the procedure of superoxide anion scavenging activity	19
6 Diagram illustrated the procedure of hydroxyl radical scavenging activity	20
7 Diagram illustrated the procedure of inhibition of lipid peroxidation	22
8 Diagram illustrated the procedure of metal chelating activity	23
9 Diagram illustrated the procedure of reducing power	24
10 Diagram illustrated the procedure of determination of total phenolic content	25
11 Diagram illustrated the set up of preparation of the experimental animals for recording blood pressure and heart rate	26
12 Diagram illustrated the set up of the isolated rat right atria experiment	27
13 Diagram illustrated the set up of isolated rat aorta experiment	28
14 Concentration-response (scavenging activity of ABTS <sup>•+</sup> radicals) curves of the Aq. G and Trolox	31
15 Concentration-response (scavenging activity of superoxide anion radicals) curves of the Aq. G and gallic acid	32
16 Concentration-response (scavenging activity of hydroxyl radicals) curves of the Aq. G and Trolox	33
17 Concentration-response (inhibition of lipid peroxidation) curves of the Aq. G and Trolox	34

18	Concentration-response (metal chelating) curves of the Aq. <i>G</i> and EDTA	35
19	Concentration-response (absorbance, reducing power) curves of the Aq. <i>G</i> and gallic acid	36
20	Concentration-response (absorbance at 765 nm, phenolic contents) curves of the Aq. <i>G</i> and gallic acid	37
21	Effect of the Aq. <i>G</i> on mean arterial blood pressure (MABP) and heart rate of L-NAME-induced hypertension in rats under thiopental anesthesia	40
22	Effect of the Aq. <i>G</i> on force and rate in isolated rat atria	42
23	Effect of acetylcholine (ACh, 20 $\mu$ g/mL) and the Aq. <i>G</i> (cumulative administration) on phenylephrine (PE, 10 $\mu$ M) induced contraction isolated rat aorta with endothelium intact and endothelium denuded	44
24	Effect of acetylcholine (ACh, 20 $\mu$ g/mL) and the Aq. <i>G</i> (cumulative administration) on high $K^+$ (80 mM) induced contraction isolated rat aorta with endothelium intact	45

# ABBREVIATIONS

°C	=	degree Celsius
cm	=	centimeter
g	=	gram
g/kg	=	gram per kilogram body weight
h	=	hour
i.p.	=	intraperitoneal
kg	=	kilogram
L	=	liter
M	=	molar
mg	=	milligram
mg/kg	=	milligram per kilogram body weight
min	=	minute
mL	=	milliliter
mM	=	millimolar
mm	=	millimeter
N	=	normality
rpm	=	revolution per minute
s	=	second
μL	=	microliter