

## CHAPTER 5

### REFERENCES

- Abramson SB, Attur M. Developments in the scientific understanding of osteoarthritis. *Arthritis Res Ther* 2009; 11(3):227.
- Adeneye AA, Ajagbonna OP, Adeleke TI, Bello SO. Preliminary toxicity and phytochemical studies of the stem bark aqueous extract of *Musanga cecropioides* in rats. *J Ethnopharmacol* 2006; 105(3):374-379.
- Ahmad I, Mehmood Z, Mohammad F. Screening of some Indian medicinal plants for their antimicrobial properties. *J Ethnopharmacol* 1998; 62(2):183-193.
- Al-Rehaily AJ, Al-Howiriny TA, Al-Sohaibani MO, Rafatullah S. Gastroprotective effects of 'Amla' *Emblica officinalis* on *in vivo* test models in rats. *Phytomedicine* 2002; 9(6):515-522.
- Angkhasirisap W, Inala P, Sirimontaporn A, Inpunkaew R, Rungrojajinda K, Kengkoom K, Ratanasak W, Buripadi Lawson D. Blood chemistry profiles of outbred Sprague-Dawley rat in the Facility of National Laboratory Animal Centre. 28<sup>th</sup> Congress on Science and Technology of Thailand. 2002.
- Antonio MA, Souza Brito AR. Oral anti-inflammatory and anti-ulcerogenic activities of a hydroalcoholic extract and partitioned fractions of *Turnera ulmifolia* (Turneraceae). *J Ethnopharmacol* 1998; 61(3):215-228.
- Arora S, Kaur K, Kaur S. Indian medicinal plants as a reservoir of protective phytochemicals. *Teratog Carcinog Mutagen* 2003; 1(Suppl.):295-300.
- Asmawi MZ, Kankaanranta H, Moilanen E, Vapaatalo H. Anti-inflammatory activities of *Emblica officinalis* Gaertn leaf extracts. *J Pharm Pharmacol* 1993; 45(6):581-584.
- Atta AH, Alkofahi A. Anti-nociceptive and anti-inflammatory effects of some Jordanian medicinal plant extracts. *J Ethnopharmacol* 1998; 60(2):117-124.
- Auletta CS. Acute, subchronic and chronic toxicology. In: Derelanko MJ, Hollinger MA, eds. *CRC Handbook of toxicology*. U.S.A: CRC Press; 2002. p. 69-126.

- Bailey SA, Zidell RH, Perry RW. Relationships between organ weight and body/brain weight in the rat: what is the best analytical endpoint. *Toxicol Pathol* 2004; 32(4):448-466.
- Bandyopadhyay SK, Pakrashi SC, Pakrashi A. The role of antioxidant activity of *Phyllanthus emblica* fruits on prevention from indomethacin-induced gastric ulcer. *J Ethnopharmacol* 2000; 70(2):171-176.
- Berne RM, Levy MN. The adrenal glands. In: *Physiology*, 5<sup>th</sup> ed. St. Louis, Missouri: Mosby Inc.; 2004. p. 883-919.
- Bertolini A, Ottani A, Sandrini M. Dual acting anti-inflammatory drugs: a reappraisal. *Pharmacol Res* 2001; 44(6):437-450.
- Blumenkrantz N, Asboe-Hansen G. New method for quantitative determination of uronic acids. *Anal Biochem* 1973; 54(2):484-489.
- Brattsand R, Thalen A, Roempke K, Kallstrom L, Gruvstad E. Influence of 16 alpha, 17 alpha-acetal substitution and steroid nucleus fluorination on the topical to systemic activity ratio of glucocorticoids. *J Steroid Biochem* 1982; 16(6):779-786.
- Breckenridge IM, Walton EW, Walker WF. Stress ulcers in the stomach. *Br Med J* 1959; 2(5163):1362-1364.
- Brennan FM, Maini RN, Feldmann M: TNF alpha-a pivotal role in rheumatoid arthritis?. *Br J Rheumatol* 1992; 31:293-298.
- Brodie DA, Marshall RW, Moreno OM. Effect of restraint on gastric acidity in the rat. *Am J Physiol* 1962; 202:812-814.
- Caisey JD, King DJ. Clinical chemical values for some common laboratory animals. *Clin Chem* 1980; 26:1877-1879.
- Carlson RP, O'Neill-Davis L, Chang j, Lewis AJ. Modulation of mouse ear edema by cyclooxygenase and lipoxygenase inhibitors and other pharmacological agents. *Agents Actions* 1985; 17:197-204.
- Chan PK, O'Hara GP, Hayes AW. Principles and methods for acute and subchronic toxicity. In: Hayes AW, ed. *Principles and methods of toxicology*. New York: Raven Press; 1982. p. 17-19.

- Chang J, Carlson RP, O'Neill-Davis L, Lamb B, Sharma RN, Lewis AJ. Correlation between mouse skin inflammation induced by arachidonic acid and eicosanoid synthesis. *Inflammation* 1986; 10(3):205-214.
- Chattopadhyay D, Arunachalam G, Mandal AB, Sur TK, Mandal SC, Bhattacharya SK. Antimicrobial and anti-inflammatory activity of folklore: *Mallotus peltatus* leaf extract. *J Ethnopharmacol* 2002; 82(2-3):229-237.
- Collins T. Acute and chronic inflammation. In: Cotran RS, Kumar Y, Collins T, eds. *Robbins pathologic basis of disease*, 6<sup>th</sup> ed. Philadelphia: W.B. Saunders Company; 1999. p. 50-88.
- Crampton JR. Gastroduodenal mucus and bicarbonate: the defensive zone. *Q J Med* 1988; 67(252):269-272.
- Cree IA. Inflammation and healing. In: Cree IA, ed. *Pathology*. Spain: Newnorth Print Ltd.; 1997. p. 113-143.
- Crimmins EM, Finch CE. Infection, inflammation, height, and longevity. *Proc Nat Acad Sci USA* 2006; 103: 498-503.
- Crunkhorn P, Meacock SC. Mediators of the inflammation induced in the rat paw by carrageenin. *Br J Pharmacol* 1971; 42:392-402.
- Csaki C, Mobasher A, Shakibaei M. Synergistic chondroprotective effects of curcumin and resveratrol in human articular chondrocytes: inhibition of IL-1beta-induced NF-kappa B-mediated inflammation and apoptosis. *Arthritis Res Ther* 2009; 11(6):R165.
- Dai S, Ogle CW. Effects of stress and of autonomic blockers on gastric mucosal microcirculation in rats. *Eur J Pharmacol* 1975; 30(1):86-92.
- Dalal S, Zhukovsky DS. Pathophysiology and management of fever. *J Support Oncol* 2006; 4(1):9-16.
- Davies P, Bailey PJ, Goldenberg MM, Ford-Hutchinson AW. The role of arachidonic acid oxygenation products in pain and inflammation. *Annu Rev Immunol* 1984; 2:335-357.
- Deep G, Dhiman M, Rao AR, Kale RK. Chemopreventive potential of Triphala (a composite Indian drug) on benzo(a)pyrene induced forestomach tumorigenesis in murine tumor model system. *J Exp Clin Cancer Res* 2005; 24(4):555-563.

- Deokar AB. Medicinal plant grown at Rajegaon, 1<sup>st</sup> ed. Pune: DS Manav Vikas Foundation; 1998. p. 48-49.
- Department of Medical Sciences, Ministry of Public Health. Ma-kham pom. In: Thai herbal pharmacopoeia, Volume II, Bangkok, Thailand: Prachachon Company; 2000. p. 55-62.
- Dhara AK, Suba V, Sen T, Pal S, Chaudhuri AK. Preliminary studies on the anti-inflammatory and analgesic activity of the methanolic fraction of the root extract of *Tragia involucrata* Linn. *J Ethnopharmacol* 2000; 72(1-2):265-268.
- Di Martino MJ, Campbell GK, Wolff CE, Hanna N. The pharmacology of arachidonic acid induced rat paw edema. *Agents Actions* 1987; 21:303-305
- Di Rosa M. Biological properties of carrageenan. *J Pharm Pharmacol* 1972; 24(2):89-102.
- Di Rosa M, Giroud JP, Willoughby DA. Studies on the mediators of the acute inflammatory response induced in rats in different sites by carrageenan and turpentine. *J Pathol* 1971; 104(1):15-29.
- Di Rosa M, Sorrentino L. The mechanism of the inflammatory effect of carrageenin. *Eur J Pharmacol* 1968; 4(3):340-342.
- Dubuisson D, Dennis SG. The formalin test: a quantitative study of the analgesic effects of morphine, meperidine, and brain stem stimulation in rats and cats. *Pain* 1977; 4(2):161-174.
- Engblom D, Ek M, Saha S, Ericsson-Dahlstrand A, Jakobsson PJ. Prostaglandins as inflammatory messengers across the blood-brain barrier. *J Mol Med* 2002; 80(1):5-15.
- Fantone JC, Ward PA. Inflammation. In: Rubin E, Farber JL, eds. *Pathology*, 3<sup>rd</sup> ed. Philadelphia: Lippincott-Raven Publishers; 1999. p. 37-75.
- Farndale RW, Buttle DJ, Barrett AJ. Improved quantitation and discrimination of sulphated glycosaminoglycans by use of dimethylmethylene blue. *Biochem Biophys Acta* 1986; 883(2):173-177.
- Farnsworth NR. Biological and phytochemical screening of plants. *J Pharm Sci* 1966; 55(3):225-265.

- Feldman EJ, Sabovich KA. Stress and peptic ulcer disease. *Gastroenterology* 1980; 78(Pt 1):1087-1089.
- Feldman BF, Zinkl JG, Jain NC, Moor DM. In: Schalmis veterinary hematology, 5<sup>th</sup> ed. Philadelphia: Lea Febiger; 2000.
- Feldmann M, Brennan FM, Maini RN. Role of cytokines in rheumatoid arthritis. *Annu Rev Immunol* 1996; 14:397-440.
- Fishback JL. Inflammation, tissue damage, and repair. In: *Crash course: Pathology*. China: Elsevier, Inc.; 2005. p. 17-27.
- Flemstrom G. Gastric and duodenal mucosal bicarbonate secretion. In: Johnson LR, ed. *Physiology of the gastrointestinal tract*, 2<sup>nd</sup> ed. New York: Raven Press; 1987. p. 1011-1029.
- Fujii T, Wakaizumi M, Ikami T, Saito M. Amla (*Embllica officinalis* Gaertn.) extract promotes procollagen production and inhibits matrix metalloproteinase-1 in human skin fibroblasts. *J Ethnopharmacol* 2008; 119(1):53-57.
- Fukui A, Nakazawa S, Goto H, Sugiyama S, Ozawa T. Effects of prostaglandin D2 and omeprazole on indomethacin-induced gastric ulcers in rats. *Clin Exp Pharmacol Physiol* 1988; 15(12):919-926.
- Furst DE, Hillson J. Aspirin and other nonsteroidal anti-inflammatory drugs. In: Koopman WJ, ed. *Arthritis and allied conditions*, 14<sup>th</sup> ed. Volume I. Philadelphia: Lippincott Williams & Wilkins; 2001. p. 665-716.
- Furst DE, Robert WU. Nonsteroidal anti-inflammatory drugs, disease-modifying antirheumatic drugs, nonopioid analgesic, and drug used in gout. In: Katzung BG, ed. *Basic and clinical pharmacology*, 10<sup>th</sup> ed. Singapore: McGraw-Hill Companies, Inc.; 2007. p. 573-598.
- Gaind KN, Mital HC, Khanna SR. A study on the purgative activity of Triphala. *Indian J Physiol Pharmacol* 1963; 7:172-175.
- Gallin JI, Snyderman R. Overveiw. In: Gallin JI, Snyderman R, eds. *Inflammation: basic principles and clinical correlates*, 3<sup>rd</sup> ed. Philadelphia: Lippincott Williams & Wilkins; 1999. p. 1-10.
- Ganju L, Karan D, Chanda S, Srivastava KK, Sawhney RC, Selvamurthy W. Immunomodulatory effects of agents of plant origin. *Biomed Pharmacother* 2003; 57(7):296-300.

- Garrick T, Buack S, Bass P. Gastric motility is a major factor in cold restraint-induced lesion formation in rats. *Am J Physiol* 1986; 250(2 Pt 1):G191-199.
- Ghosh P, Smith M, Well C. Second-line agents in osteoarthritis. In: Dixon JS, Furst DE, eds. *Second-line agents in the treatment of rheumatic diseases*. New York, NY: Marcel Dekker; 1992. p. 363-427.
- Goa KL, Monk JP. Enprostil. A preliminary review of its pharmacodynamic and pharmacokinetic properties, and therapeutic efficacy in the treatment of peptic ulcer disease. *Drugs* 1987; 34(5):539-559.
- Goldring MB, Marcu KB. Cartilage homeostasis in health and rheumatic diseases. *Arthritis Res Ther* 2009; 11:224.
- Gould BE. Inflammation and healing. In: *Pathophysiology for the health-related professions*, 2<sup>nd</sup> ed. Philadelphia: W.B. Saunders Company; 2002. p. 12-33.
- Gowen M, Wood DD, Ihrie EJ, Meats JE, Russell RG. Stimulation by human interleukin 1 of cartilage breakdown and production of collagenase and proteoglycanase by human chondrocytes but not by human osteoblasts *in vitro*. *Biochim Biophys Acta* 1984; 797:186-193.
- Gracioso Jde S, Vilegas W, Hiruma-Lima CA, Souza Brito AR. Effects of tea from *Turnera ulmifolia* L. on mouse gastric mucosa support the Turneraceae as a new source of antiulcerogenic drugs. *Biol Pharm Bull* 2002; 25(4):487-491.
- Gregg LV. Anemias and polychythenias. In: *Hematology techniques and concepts for veterinary technicians*. U.S.A: Iowa State University Press; 2000. p. 95-101.
- Griffiths RJ. Prostaglandins and inflammation. In: Gallin JI, Synderman R, eds. *Inflammation: Basic principles and clinical correlates*, 3<sup>rd</sup> ed. Philadelphia: Lippincott Williams & Wilkins; 1999. p. 349-360
- Griswold DE, Marshall PJ, Webb EF, Godfrey R, Newton J Jr, DiMartino MJ, Sarau HM, Gleason JG, Poste G, Hanna N. SK&F 86002: a structurally novel anti-inflammatory agent that inhibits lipoyxygenase- and cyclooxygenase-mediated metabolism of arachidonic acid. *Biochem Pharmacol* 1987; 36(20):3463-3470.
- Grossman MI. Stress ulcer. In: *Peptic ulcer: a guide for the practicing physician*. Chicago: Year Book Medical Publishers; 1981. p. 152-161.

- Gulati RK, Agarwal S, Agrawal SS. Hepatoprotective studies on *Phyllanthus emblica* Linn. and quercetin. *Indian J Exp Biol* 1995; 33(4):261-268.
- Guth PH. Gastric blood flow in restraint stress. *Am J Dig Dis* 1972; 17(9):807-813.
- Guth PH, Kozbur X. Pathogenesis of gastric microcirculatory and mast cell changes in restraint stress. *Am j Dig Dis* 1968; 13(6):530-535.
- Guyton AC, Hall JE. Resistance of the body to infection: I. Leukocytes, granulocytes, the monocyte-macrophage system, and inflammation. In: *Textbook of medical physiology*, 10<sup>th</sup> ed. Philadelphia: W.B. Saunders Company; 2000. p. 392-401.
- Hase T, Moss BJ. Microvascular changes of gastric mucosa in the development of stress ulcer in rats. *Gastroenterology* 1973; 65(2):224-234.
- Hawkins C, Hanks GW. The gastroduodenal toxicity of nonsteroidal anti-inflammatory drugs: a review of the literature. *J Pain Symptom Manage* 2000; 20(2):140-151.
- Hayllar J, Bjarnason I. NSAIDs, COX-2 inhibitors, and the gut. *Lancet* 1995; 346(8974):521-522.
- Hermann M, Ruschitzka F. Cardiovascular risk of cyclooxygenase-2 inhibitors and traditional non-steroidal anti-inflammatory drugs. *Ann Med* 2007; 39(1):18-27.
- Hinz B, Renner B, Brune K. Drug insight: cyclo-oxygenase-2 inhibitors--a critical appraisal. *Nat Clin Pract Rheumatol* 2007; 3(10):552-560.
- Hirschelmann R, Bekemeier H. Effects of catalase, peroxidase, superoxide dismutase and 10 scavengers of oxygen radicals in carrageenan edema and in adjuvant arthritis of rats. *Experientia* 1981; 37:1313-1314.
- Hoemann CD, Sun J, Chrzanowski V, Buschmann MD. A multivalent assay to detect glycosaminoglycan, protein, collagen, RNA, and DNA content in milligram samples of cartilage or hydrogel-based repair cartilage. *Anal Biochem* 2002; 300(1):1-10.
- Horizoe T, Nagakura N, Chiba K, Shiota H, Shinoda M, Kobayashi N, Numata H, Okamoto Y, Kobayashi S. ER-34122, a novel dual 5-lipoxygenase/cyclooxygenase inhibitor with potent anti-inflammatory

- activity in an arachidonic acid-induced ear inflammation model. *Inflamm Res* 1998; 47(10):375-383.
- Hsueh W. Prostaglandin biosynthesis in pulmonary macrophages. *Am J Pathol* 1979; 97(1):137-147.
- Hu WJ, Eaton JW, Ugarova TP, Tang L. Molecular basis of biomaterial-mediated foreign body reactions. *Blood* 2001; 98:1231-1238.
- Hunskar S, Fasmer OB, Hole K. Formalin test in mice, a useful technique for evaluating mild analgesic. *J Neurosci Methods* 1985; 14(1):69-76.
- Hunskar S, Hole K. The formalin test in mice: dissociation between inflammatory and non-inflammatory pain. *Pain* 1987; 30(1):103-114.
- Ihantola-Vormisto A, Summanen J, Kankaanranta H, Vuorela H, Asmawi ZM, Moilanen E. Anti-inflammatory activity of extracts from leaves of *Phyllanthus emblica*. *Planta Med* 1997; 63(6):518-524.
- Inala P, Sirimontaporn A, Inpukaew R, Rungrojjeinda K, Kengkoom K, Ratanasak W, Buripakdi Lawson D. Hematological analysis of outbred Sprague-Dawley rat in the Facility of National Laboratory Animal Centre. 28<sup>th</sup> Congress on science and technology of Thailand, Bangkok, Thailand. 2002.
- Ishag GM, Zia-ul-Arifeen S, Ahmad BD, Moinuddin G, Anees AK, Kshama D. Hypotensive potential of aqueous extract of *Embllica officinalis* on anaesthetized dogs. *JK-Practitioner* 2005; 12(4):213-215.
- Ishii K, Motoyoshi S, Kawata J, Nakagawa H, Takeyama K. A useful method for differential evaluation of anti-inflammatory effects due to cyclooxygenase and 5-lipoxygenase inhibitions in mice. *Jpn J Pharmacol* 1994; 65(4):297-303.
- Itthipanichpong C, Ousavaplangchai L, Ramart S, Thamaree S, Tankeyoon M. Acute toxicity and subacute toxicity study of *Phyllanthus emblica*. *Chula Med J* 1987; 31(5):367-376.
- Ivanov AI, Romanovsky AA. Prostaglandin E<sub>2</sub> as a mediator of fever: synthesis and catabolism. *Front Biosci* 2004; 9:1977-1993.
- Jagetia GC, Baliga MS, Malagi KJ, Sethukumar Kamath M. The evaluation of the radioprotective effect of Triphala (an ayurvedic rejuvenating drug) in the mice exposed to gamma-radiation. *Phytomedicine* 2002; 9(2):99-108.

- Jeena KJ, Joy KL, Kuttan R. Effect of *Emblica officinalis*, *Phyllanthus amarus* and *Picrorrhiza kurroa* on N-nitrosodiethylamine induced hepatocarcinogenesis. *Cancer Lett* 1999; 136(1):11-16.
- Jose JK, Kuttan R. Hepatoprotective activity of *Emblica officinalis* and Chyavanaprash. *J Ethnopharmacol* 2000; 72(1-2):135–140.
- Jose JK, Kuttan G, Kuttan R. Antitumor activity of *Emblica officinalis*. *J Ethnopharmacol* 2001; 75(2-3):65-69.
- Kassuya CA, Silvestre AA, Rehder VL, Calixto JB. Anti-allodynic and anti-oedematogenic properties of the extract and lignans from *Phyllanthus amarus* in models of persistent inflammatory and neuropathic pain. *Eur J Pharmacol* 2003; 478(2-3):145-153.
- Kassuya CA, Leite DF, de Melo LV, Rehder VL, Calixto JB. Anti-inflammatory properties of extracts, fractions and lignans from *Phyllanthus amarus*. *Planta Med* 2005; 71(8):721-726.
- Katzung BG, Julius DJ. Nonsteroidal anti-inflammatory drugs, disease-modifying antirheumatic drugs, nonopioid analgesics, and drugs used in gout. In: Katzung BG; ed. *Basic and clinical pharmacology*, 9<sup>th</sup> ed. Sanfrancisco: McGraw-Hill Companies Inc.; 2004. p. 806-848.
- Kaur S, Arora S, Kaur K, Kumar S. The *in vitro* antimutagenic activity of Triphala-an Indian herbal drug. *Food Chem Toxicol* 2002; 40(4):527-534.
- Kaur S, Michael H, Arora S, Harkonen PL, Kumar S. The *in vitro* cytotoxic and apoptotic activity of Triphala-an Indian herbal drug. *J Ethnopharmacol* 2005; 97(1):15-20.
- Kayaalp SO. *Medical pharmacology, in terms of rational treatment (Rasyonel tedaviyonunden tibbi farmkoloj)*, Hacettepe-Tas, Ltd., Ankara, 1998.
- Khan KH. Role of *Emblica officinalis* in medicine - A review. *Bot Res Intl* 2009; 2(4):218-228.
- Khan MT, Lampronti I, Martello D, Bianchi N, Jabbar S, Choudhuri MS, Satta BK, Gambari R. Identification of pyrogallol as an antiproliferative compound present in extracts from the medicinal plant *Emblica officinalis*: effects on *in vitro* cell growth of human tumor cell lines. *Int J Oncol* 2002; 21(1):187-192.

- Kim HJ, Yokozawa T, Kim HY, Tohda C, Rao TP, Juneja LR. Influence of Amla (*Emblica officinalis* Gaertn.) on hypercholesterolemia and lipid peroxidation in cholesterol-fed rats. *J Nutr Sci Vitaminol (Tokyo)* 2005; 51(6):413-418.
- Kitagawa H, Fujwara M, Osumi V. Effect of water immersion stress on gastric secretion and mucosal blood flow in rats. *Gastroenterology* 1979; 77:298-302.
- Kongtawelert P, Ghosh P. A method for the quantitation of hyaluronan (hyaluronic acid) in biological fluids using a labeled avidin-biotin technique. *Anal Biochem* 1990; 185(2):313-318.
- Kumar NP, Annamalai AR, Thakur RS. Antinociceptive property of *Emblica officinalis* Gaertn (Amla) in high fat diet-fed/low dose streptozotocin induced diabetic neuropathy in rats. *Indian J Exp Biol* 2009; 47(9):737-742.
- Kumaran A, Karunakaran RJ. Nitric oxide radical scavenging active compounds from *Phyllanthus emblica* L. *Plant Foods Hum Nutr* 2006; 61(1):1-5.
- Kuratani K, Yamazaki M, Kodama H, Yamaguchi I. Possible involvement of hyperinsulinemia and adrenergic activation in the pathogenesis of indomethacin-induced antral ulcers in nonfasted hamsters and refed rats. *J Pharmacol Exp Ther* 1992; 263(3):951-955.
- Kuwata H, Ishihara K, Kakei M, Ohara S, Okabe H, Hotta K. Correlation of quantitative changes of gastric mucosal glycoproteins with ethanol-induced gastric damage in rats. *Nippon Shokakibyo Gakkai Zasshi* 1985; 82(1):28-33.
- Landa García JI, Carabias Hernández A, Rodríguez Dapena S, Alcalde Escribano J, Ortega Medina L, Balibrea Cantero JL. Protective effect of vagotomy on the gastric mucosa in a stress model in rats. *Rev Esp Enferm Dig* 2002; 94(12):737-744.
- Lange H, Eberhart L. Cardiovascular toxicity of selective COX-2-inhibitors and classical NSAIDs. *Anesthesiol Intensivmed Notfallmed Schmerzther* 2007; 42(7):514-517.
- Lanthers MC, Fleurentin J, Dorfman P, Mortier F, Pelt JM. Analgesic, antipyretic and anti-inflammatory properties of *Euphorbia hirta*. *Planta Med* 1991; 57(3):225-231.

- Lee CY, Peng WH, Cheng HY, Chen FN, Lai MT, Chiu TH. Hepatoprotective effect of *Phyllanthus* in Taiwan on acute liver damage induced by carbon tetrachloride. *Am J Chin Med* 2006; 34(3):471-482.
- Levine BS. Animal clinical pathology. In: Derelanko MJ, Hollinger MA, eds. *CRC Handbook of Toxicology*, 2<sup>nd</sup> ed. U.S.A: CRC Press; 2002. p. 742-768.
- Li S, Ballou LR, Morham SG, Blatteis CM. Cyclooxygenase-2 mediates the febrile response of mice to interleukin-1 beta. *Brain Res* 2001; 910(1-2):163-173.
- Loeser RF. Aging and osteoarthritis: the role of chondrocyte senescence and aging changes in the cartilage matrix. *Osteoarthr Cartil* 2009; 17(8):971-979.
- Martel-Pelletier J. Pathophysiology of osteoarthritis. *Osteoarthr Cartil* 1998; 6:374-376.
- Mathur R, Sharma A, Dixit VP, Varma M. Hypolipidaemic effect of fruit juice of *Emblica officinalis* in cholesterol-fed rabbits. *J Ethnopharmacol* 1996; 50(2):61-68.
- Mehta BK, Shitut S, Wankhade H. *In vitro* antimicrobial efficacy of Triphala. *Fitoterapia* 1993; 64(4):371-372.
- Menguy R. Gastric mucus and the gastric mucous barrier. A review. *Am J Surg* 1969; 117(6):806-812.
- Michell RN, Cotran RS. Acute and chronic inflammation. In: Kumar V, Cotran RS, Robbins SL, eds. *Robbin basis pathology*, 7<sup>th</sup> ed. Philadelphia: W.B. Saunders Company; 2003. p. 33-59.
- Miller TA, Henagan JM. Indomethacin decreases resistance of gastric barrier to disruption by alcohol. *Dig Dis Sci* 1984; 29(2):141-149.
- Miyata K, Kamato T, Nishida A, Honda K. Studies on the mechanism for the gastric mucosal protection by famotidine in rats. *Jpn J Pharmacol* 1991; 55(2):211-222.
- Mizui T, Doteuchi M. Effect of polyamines on acidified ethanol-induced gastric lesions in rats. *Jpn J Pharmacol* 1983; 33(5):939-945.
- Morton JF. The Emblic (*Phyllanthus emblica* L.) *Econ Bot* 1960; 14:119-128.
- Naik GH, Priyadarsini KI, Bhagirathi RG, Mishra B, Mishra KP, Banavalikar MM, Mohan H. *In vitro* antioxidant studies and free radical reactions of Triphala,

- an ayurvedic formulation and its constituents. *Phytother Res* 2005; 19(7):582-586.
- Naito Y, Yoshikawa T, Kaneko T, Iinuma S, Nishimura S, Takahashi S, Kondo M. Role of oxygen radicals in indomethacin-induced gastric mucosal microvascular injury in rats. *J Clin Gastroenterol* 1993; 17 Suppl 1:S99-S103.
- Necas J, Bartosikova L, Brauner P, Kolar J. Hyaluronic acid (hyaluronan): a review. *Veterinarni Medicina* 2008; 53(8):97-411 Review Article.
- Nishikaze O, Takita H, Takase T. Activity of newly discovered protease in carrageenin-induced inflammation in rats. *IRCS Medical Science, Biochemistry, Connective Tissue; Skin and Bone; Survey and Transplantation* 1980; 8:725.
- Nwafor PA, Okwuasaba FK, Binda LG. Antidiarrhoeal and antiulcerogenic effects of methanolic extract of *Asparagus pubescens* root in rats. *J Ethnopharmacol* 2000; 72:421-427.
- Oates PJ, Hakkinen JP. Studies on the mechanism of ethanol-induced gastric damage in rats. *Gastroenterology* 1988; 94:10-21.
- Olajide OA, Makinde JM, Okpako DT, Awe SO. Studies on the anti-inflammatory and related pharmacological properties of the aqueous extract of *Bridelia ferruginea* stem bark. *J Ethnopharmacol* 2000; 71(1-2):153-160.
- Opas EE, Bonney RJ, Humes JL. Prostaglandin and leukotriene synthesis in mouse ears inflamed by arachidonic acid. *J Invest Dermatol* 1985; 84(4):253-256.
- Organization of Economic Co-operation and Development (OECD). The OECD guideline for testing of chemical: 452 Chronic Toxicity Studies. France. 1981.
- Organization of Economic Co-operation and Development (OECD). The OECD guidelines for testing of chemical: 420 Acute Oral Toxicity. France. 2001.
- Pal C, Bindu S, Dey S, Alam A, Goyal M, Iqbal MS, Maity P, Adhikari SS, Bandyopadhyay U. Gallic acid prevents nonsteroidal anti-inflammatory drug-induced gastropathy in rat by blocking oxidative stress and apoptosis. *Free Radic Biol Med* 2010; 49(2):258-267.

- Pelletier JP, Fernandes JC, Jovanovic DV, Reboul P, Martel-Pelletier J. Chondrocyte death in experimental osteoarthritis is mediated by MEK 1/2 and p38 pathways: role of cyclooxygenase-2 and inducible nitric oxide synthase. *J Rheumatol* 2001; 28(11):2509-2519.
- Perianayagam JB, Sharma SK, Joseph A, Christina AJ. Evaluation of antipyretic and analgesic activity of *Embllica officinalis* Gaertn. *J Ethnopharmacol* 2004; 95(1):83-85.
- Perry LM. Medicinal plants of East and South East Asia: Attributed properties and uses. Cambridge: MIT Press; 1980.
- Pihan G, Rogers C, Szabo S. Vascular injury in acute mucosal damage. Mediator role of leukotrienes. *Dig Dis Sci* 1988; 33:625-632.
- Pramyothin P, Samosorn P, Pongshompoo S, Chaichantipyuth C. The protective effects of *Phyllanthus emblica* Linn. extract on ethanol induced rat hepatic injury. *J Ethnopharmacol* 2006; 107(3):361-364.
- Rafatullah S, Tariq M, Al-Yahya MA, Mossa JS, Ageel AM. Evaluation of turmeric (*Curcuma longa*) for gastric and duodenal antiulcer activity in rats. *J Ethnopharmacol* 1990; 29(1):25-34.
- Rainsford KD. The effects of 5-lipoxygenase inhibitors and leukotriene antagonists on the development of gastric lesions induced by nonsteroidal antiinflammatory drugs in mice. *Agents Actions* 1987; 21(3-4):316-319.
- Ramirez RO, Roa CC Jr. The gastroprotective effect of tannins extracted from duhat (*Syzygium cumini* Skeels) bark on HCl/ethanol induced gastric mucosal injury in Sprague-Dawley rats. *Clin Hemorheol Microcirc* 2003; 29(3-4):253-261.
- Rampasath VR, Shanthi P, Sachdanandam P. Anti-inflammatory effect of *Semecarpus anacardium* Linn. nut extract in acute and chronic inflammatory conditions. *Biol Pharm Bull* 2004; 27(12):2028-2031.
- Rang HP, Dale MM, Ritter JM, Flower RJ. Local hormones, inflammation and immune reactions. In: Rang and Dale's Pharmacology, 6<sup>th</sup> ed. China: Churchill Livingstone Elsevier; 2007. p. 202-225.
- Rao YK, Fang SH, Tzeng YM. Anti-inflammatory activities of constituents isolated from *Phyllanthus polyphyllus*. *J Ethnopharmacol* 2006; 103(2):181-186.

- Reagan-Shaw S, Nihal M, Ahmad N. Dose translation from animal to human studies revisited. *FASEB* 2008; 22:659-661
- Regoli D. Kinins. *Br Med Bull* 1987; 43(2):256-269.
- Remes A, Williams DF. Immune response in biocompatibility. *Biomaterials* 1992; 13:731-743.
- Robert, A. Cytoprotection by prostaglandins. *Gastroenterology* 1979; 77:761-767.
- Roberts II LJ, Morrow JD. Analgesic–antipyretic and anti-inflammatory agents and drugs employed in the treatment of gout. In: Hardman JG, Limbird LE, eds. Goodman & Gilman’s the pharmacological basis of therapeutics, 10<sup>th</sup> ed. New York: McGraw-Hill Companies; 2001. p. 687-731.
- Robert A, Nezamis J, Lancaster C, Davis J, Field S, Hanchar J. Mild irritants prevent gastric necrosis through “adaptive cytoprotection” mediated by prostaglandins. *Am J Physiol* 1983; 245:113-121.
- Rowan AD. Cartilage catabolism in arthritis: factors that influence homeostasis. *Expert Rev Mol Med* 2001; 2001:1-20.
- Sabu MC, Kuttan R. Anti-diabetic activity of medicinal plants and its relationship with their antioxidant property. *J Ethnopharmacol* 2002; 81(2):155-160.
- Sacher RA, McPherson RA. Test of liver function. In: Sacher RA, McPherson RA, Campos JM, Widmann FK, eds. Widmann’s clinical interpretation of laboratory test, 11<sup>th</sup> ed. U.S.A: F.A. Davis Company; 2000. p. 562-599.
- Sairam K, Rao ChV, Babu MD, Kumar KV, Agrawal VK, Goel RK. Antiulcerogenic effect of methanolic extract of *Emblca officinalis*: an experimental study. *J Ethnopharmacol* 2002; 82(1):1-9.
- Sai Ram M, Neetu D, Yogesh B, Anju B, Dipti P, Pauline T, Sharma SK, Sarada SK, Ilavazhagan G, Kumar D, Selvamurthy W. Cyto-protective and immunomodulating properties of Amla (*Emblca officinalis*) on lymphocytes: an *in-vitro* study. *J Ethnopharmacol* 2002; 81:5-10.
- Samy RP, Gopalakrishnakone P, Houghton P, Thwin MM, Ignacimuthu S. Effect of aqueous extract of *Tragia involucrate* Linn. On acute and subacute inflammation. *Phytother Res* 2006; 20(4):310-312.

- Sandhya T, Mishra KP. Cytotoxic response of breast cancer cell lines, MCF7 and T47D to Triphala and its modification by antioxidants. *Cancer Lett* 2006; 238(2):304-313.
- Sandhya T, Lathika KM, Pandey BN, Bhilwade HN, Chaubey RC, Priyadarsini KI, Mishra KP. Protection against radiation oxidative damage in mice by Triphala. *Mutat Res* 2006; 609(1):17-25.
- Santisuk T, Larsen K. *Floral of Thailand*. Volume 8, Part 1 (Euphorbiaceae) Bangkok, Thailand: Prachachon Company. 2005.
- Schimmer BP, Parker KL. Adrenocorticotrophic hormone; Adrenocortical steroids and their synthetic analogs; Inhibitors of the synthesis and actions of adrenocortical hormones. In: Brunton LL, Lazo JS, Parker KL, eds. *Goodman & Gilman's the pharmacological basis of therapeutics*, 11<sup>th</sup> ed. New York: Mc Graw-Hill; 2006. p. 1587-1612.
- Sedgwick AD, Willoughby DA. Animal models for testing drugs on inflammatory and hypersensitivity reaction. In: Dale MM, Foreman JC, eds. *Textbook of immunology*, 2<sup>nd</sup> ed. Oxford: Blackwell Scientific; 1989. p. 253-261.
- Selling JA, Hogan DL, Aly A, Koss MA, Isenberg JI. Indomethacin inhibits duodenal mucosal bicarbonate secretion and endogenous prostaglandin E2 output in human subjects. *Ann Intern Med* 1987; 106(3):368-371.
- Sen T, Nag Chaudhuri AK. Anti-inflammatory evaluation of a *Pluchea indica* root extract. *J Ethnopharmacol* 1991; 33(1-2):135-141.
- Sen T, Ghosh TK, Chaudhuri AK. Studies on the mechanism of anti-inflammatory and anti-ulcer activity of *Pluchea indica* probable involvement of 5-lipoxygenase pathway. *Life Sci* 1993; 52(8):737-743.
- Senay EC, Levine RJ. Synergism between cold and restraint for rapid production of stress ulcers in rats. *Proc Soc Exp Biol Med* 1967; 124(4):1221-1223.
- Serhan CN. Eicosanoid. In: Koopman WJ, ed. *Arthritis and allied conditions a textbook of rheumatology*, 14<sup>th</sup> ed. Philadelphia: Lippincott Williams & Wilkins; 2001. p. 515-535.
- Shibata M, Ohkubo T, Takahashi H, Inoki R. Modified formalin test: characteristic biphasic pain response. *Pain* 1989; 38(3):347-352.

- Singh I, Sharma A, Nunia V, Goyal PK. Radioprotection of Swiss albino mice by *Emblica officinalis*. *Phytother Res* 2005; 19(5):444-446.
- Singh I, Soyol D, Goyal PK. *Emblica officinalis* (Linn.) fruit extract provides protection against radiation-induced hematological and biochemical alterations in mice. *J Environ Pathol Toxicol Oncol* 2006; 25(4):643-654.
- Singh R, Akhtar N, Haqqi TM. Green tea polyphenol epigallocatechin-3-gallate: inflammation and arthritis. *Life Sci* 2010; 86(25-26):907-918.
- Solomon SD. Cyclooxygenase-2 inhibitors and cardiovascular risk. *Curr Opin Cardiol* 2006; 21(6):613-617.
- Spector WG. The granulomatous inflammatory exudates. *Int Rev Exp Pathol* 1969; 8:1-55.
- Srikumar R, Jeya Parthasarathy N, Sheela Devi R. Immunomodulatory activity of Triphala on neutrophil functions. *Biol Pharm Bull* 2005; 28(8):1398-1403.
- Srikumar R, Parthasarathy NJ, Shankar EM, Manikandan S, Vijayakumar R, Thangaraj R, Vijayananth K, Sheela Devi R, Rao UA. Evaluation of the growth inhibitory activities of Triphala against common bacterial isolates from HIV infected patients. *Phytother Res* 2007; 21(5):476-480.
- Stein CM, Pincus T. Glucocorticoids. In: Ruddy S, Harris ED, Sledge CB, eds. *Kelley's textbook of rheumatology*, 6<sup>th</sup> ed. Philadelphia: W.B. Saunders Company; 2001. p. 823-840.
- Stevens A, Lowe J. Tissue responses to damage. In: *Pathology*, 2<sup>nd</sup> ed. London: Harcourt Publishers Limited; 2000. p. 35-59.
- Suekawa M, Yuasa K, Isono M, Sone H, Ikeya Y, Sakakibara I, Aburada M, Hosoya E. Pharmacological studies on ginger. IV. Effect of (6)-shogaol on the arachidonic cascade. *Nippon Yakurigaku Zasshi* 1986; 88(4):263-269.
- Sultana S, Ahmed S, Jahangir T. *Emblica officinalis* and hepatocarcinogenesis: a chemopreventive study in Wistar rats. *J Ethnopharmacol* 2008; 118(1):1-6.
- Sumantran VN, Kulkarni A, Chandwaskar R, Harsulkar A, Patwardhan B, Chopra A, Wagh UV. Chondroprotective potential of fruit extracts of *Phyllanthus emblica* in osteoarthritis. *Evid Based Complement Alternat Med* 2008; 5(3):329-335.

- Swingle KF, Shideman FE. Phases of the inflammatory response to subcutaneous implantation of cotton pellet and their modification by certain anti-inflammatory agents. *J Pharmacol Exp Ther* 1972; 183(1):226-234.
- Szabo S. Mechanisms of mucosal injury in the stomach and duodenum: time-sequence analysis of morphologic, functional, biochemical and histochemical studies. *Scand J Gastroenterol Suppl* 1987; 127:21-28.
- Szekanecz Z, Koch AE. Cytokines. In: Ruddy S, Harris ED, Sledge CB, eds. *Killy's textbook of rheumatology*, 6<sup>th</sup> ed. Philadelphia: W.B. Saunders Company; 2001. p. 275-290.
- Takagi T, Kasuya Y, Watanabe K. Studies on the drug for peptic ulcer. A reliable method for producing stress ulcer in rats. *Chem Pharm Bull* 1963; 12:465-472.
- Takagi K, Okabe S. The effect of drugs on the production and recovery process of stress ulcer. *Jpn J Pharmacol* 1968; 18(1):9-18.
- Takeuchi K, Furukawa O, Okada M, Niida H, Okabe S. Influences of stress on gastric alkaline secretion in rats. *J Pharmacol Exp Ther* 1990; 252(3):1228-1233.
- Tang L, Eaton JW. Inflammatory responses to biomaterials. *Am J Clin Pathol* 1995; 103:466-471.
- Tapper H. The secretion of preformed granules by macrophages and neutrophils. *J Leukoc Biol* 1996; 59:613-622.
- Tasduq SA, Kaiser P, Gupta DK, Kapahi BK, Maheshwari HS, Jyotsna S, Johri RK. Protective effect of a 50% hydroalcoholic fruit extract of *Emblica officinalis* against anti-tuberculosis drugs induced liver toxicity. *Phytother Res* 2005a; 19(3):193-197.
- Tasduq SA, Mondhe DM, Gupta DK, Baleshwar M, Johri RK. Reversal of fibrogenic events in liver by *Emblica officinalis* (fruit), an Indian natural drug. *Biol Pharm Bull* 2005b; 28(7):1304-1306.
- Taylor K. Colorimetric method for the quantitation of uronic acids and a specific assay for galacturonic acid. *Anal Biochem* 1992; 201(190):196.

- Teotino UM, Friz LP, Gandini A, Bella DD. Thio derivatives of 2, 3- dihydro-4H-1, 3-benzoazin-4-one synthesis and pharmacological properties. *J Med Chem* 1963; 6:248-250.
- Thakur RS, Puri HS, Husain A. Major medicinal plants of India. Central Institute of Medicinal and Aromatic Plants, Lucknow, India. 1989.
- Theophile D, Laure NE, Benoit NT, Anatole AG, Emmanuel AA, Paul TV, Pierre K. Antinociceptive and anti-inflammatory effects of the ethyl acetate stem bark extract of *Bridelia scleroneura* (Euphorbiaceae). *Inflammopharmacology* 2006; 14(1-2):42-47.
- Tjolsen A, Berge OG, Hunskaar S, Rosland JH, Hole K. The formalin test: an evaluation of the method. *Pain* 1992; 51(1):5-17.
- Trier JS, Szabo S, Allan CH. Ethanol-induced damage to mucosal capillaries of rat stomach. Ultrastructural features and effects of prostaglandin F2 beta and cysteamine. *Gastroenterology* 1987; 92(1):13-22.
- Valle JD. Peptic ulcer disease and related disorders. In: Fauci AS, Braunwald E, Kasper DL, Loscalzo J, eds. *Harrison's principles of internal medicine*. 16<sup>th</sup> ed. New York: McGraw-Hill Companies Inc.; 2005. p.1746-1762.
- Vane JR. Inhibition of prostaglandin synthesis as a mechanism of action for aspirin-like drugs. *Nat New Biol* 1971; 231(25):232-235.
- Vinegar R, Schreiber W, Hugo R. Biphasic development of carrageenin edema in rats. *J Pharmacol Exp Ther* 1969; 166:96-103.
- Waller DG, Renwick AG, Hillier K. Non-steroidal anti-inflammation drugs. In: *Medical pharmacology and therapeutics*, 2<sup>nd</sup> ed. Spain: Harcourt Publishers Limited; 2005a. p. 305-314.
- Waller DG, Renwick AG, Hillier K. Rheumatoid arthritis, other inflammatory arthritides and osteoarthritis. In: *Medical pharmacology and therapeutics*, 2<sup>nd</sup> ed. Spain: Harcourt Publishers Limited; 2005b. p. 369-378.
- Waller DG, Renwick AG, Hillier K. Corticosteroids (glucocorticoids and mineralocorticoids). In: *Medical pharmacology and therapeutics*, 2<sup>nd</sup> ed. Spain: Harcourt Publishers Limited; 2005c. p. 497-506.
- Watanabe K. Some pharmacological factors involved in formation and prevention of stress ulcer in rats. *Chem Pharm Bull (Tokyo)* 1966; 14(2):101-107.

- Whittle BJR, Oren-Walman N, Guth PH. Gastric vasoconstrictor actions of leukotriene C<sub>4</sub>, PGF<sub>2</sub>, and thromboxane mimetic U-46619 on rat submucosal microcirculation in vivo. *Am J Physiol* 1985; 248:G580-586.
- Williams JW, Nelson DA, Morris MW. Examination of the blood. In: William JW, ed. *Hematology international*, 4<sup>th</sup> ed. New York: Mc Graw-Hell; 1990. p. 9-24.
- Winter CA, Risley EA, Nuss GW. Carrageenin-induced edema in hind paw of the rat as an assay for anti-inflammatory drug. *Proc Soc Exp Biol Med* 1962; 111:544-547.
- World Health Organization. WHO monographs on selected medicinal plants. Volume 1. Geneva, World Health Organization, 1999.
- World Health Organization. General guidelines for methodologies on research and evaluation of traditional medicine. Switzerland, World Health Organization, 2000.
- World Health Organization. Legal status of traditional medicine and complementary/alternative medicine. A worldwide review. Geneva, World Health Organization, 2001.
- Yamahara J, Mochizuki M, Rong HQ, Matsuda H, Fujimura H. The anti-ulcer effect in rats of ginger constituents. *J Ethnopharmacol*. 1988; 23(2-3):299-304.
- Yano S, Akahane M, Harada M. Role of gastric motility in development of stress-induced gastric lesions of rats. *Jpn J Pharmacol* 1978; 28(4):607-615.
- Yegnanarayan R, Saraf AP, Balwani JH. Comparison of anti-inflammatory activity of various extracts of *Curcuma longa* (Linn). *Indian J Med Res* 1976; 64(4):601-608.
- Yoshida M, Inaguma K, Ito M. Stress-induced gastric lesion formation is prevented in rats with daunomycin-induced nephrosis. *Jpn J Pharmacol* 1999; 81(2):230-236.
- Yoshikawa T, Naito Y, Kishi A, Tomii T, Kaneko T, Iinuma S, Ichikawa H, Yasuda M, Takahashi S, Kondo M. Role of active oxygen, lipid peroxidation, and antioxidants in the pathogenesis of gastric mucosal injury induced by indomethacin in rats. *Gut* 1993; 34(6):732-737.

- Yoshikawa M, Yamaguchi S, Kunimi K, Matsuda H, Okuno Y, Yamahara J, Murakami N. Stomachic principles in ginger. III. An anti-ulcer principle, 6-gingesulfonic acid, and three monoacyldigalactosylglycerols, gingerglycolipias A, B, and C, from *Zingiberis Rhizoma* originating in Taiwan. *Chem Pharm Bull (Tokyo)* 1994; 42(6):1226-1230.
- Young JM, Spires DA, Bedord CJ, Wagner B, Ballaron SJ, De Young LM. The mouse ear inflammatory response to topical arachidonic acid. *J Invest Dermatol* 1984; 82(4):367-371.
- Young LY, Holland EG. The clinical use of drugs: Interpretation of clinical laboratory tests, 6<sup>th</sup> ed., Vancouver: Lippincott Williams & Wilkins; 1995. p. 4-20.
- Zhang YJ, Tanaka T, Iwamoto Y, Yang CR, Kouno I. Novel norsesquiterpenoids from the roots of *Phyllanthus emblica*. *J Nat Prod* 2000; 63(11):1507-1510.
- Zhang YJ, Abe T, Tanaka T, Yang CR, Kouno I. Phyllanemblinins A-F, new ellagitannins from *Phyllanthus emblica*. *J Nat Prod* 2001a; 64(12):1527-1532.
- Zhang YJ, Tanaka T, Iwamoto Y, Yang CR, Kouno I. Novel sesquiterpenoids from the roots of *Phyllanthus emblica*. *J Nat Prod* 2001b; 64(7):870-873.
- Zhang YJ, Tanaka T, Yang CR, Kouno I. New phenolic constituents from the fruit juice of *Phyllanthus emblica*. *Chem Pharm Bull (Tokyo)* 2001c; 49(5):537-540.