

## TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
THAI ABSTRACT	iv
ENGLISH ABSTRACT	vi
LIST OF TABLES	xi
LIST OF FIGURES	xiii
CHAPTER I INTRODUCTION	
1.1 Statement and significance of the problem	1
1.2 Objective	2
CHAPTER II LITERATURE REVIEWS	
Part I Skin	
- Skin structure	4
Part II Skin aging	
- Intrinsic aging	7
- Extrinsic aging	8
- Mechanism of photodamage	9
- Wrinkle	11
Part III Free radical and antioxidation	
- Free radical	13
- Type of free radical	13
- Lipid peroxidation	16
- Antioxidant	17
- Phenolic as antioxidant	20

	<b>Page</b>
Part IV Plant material	
- Lychee ( <i>Litchi chinensis</i> Sonn.)	22
- Lychee in Thailand	22
- Botanical Description	23
- Chemical constituents and properties of Lychee	25
 CHAPTER III MATERIALS AND METHODS	
3.1 Chemicals	27
3.2 Plants	28
3.3 Instruments	28
3.4 Quality control of raw material	28
3.5 Optimization of Lychee seed extraction	28
3.6 Determination of antioxidants activity	29
3.7 Determination of Total Phenolic content in Lychee seed extracts	31
3.8 Determination of chromatographic finger print of Lychee seed extract by HPLC	31
3.9 Skin irritation testing in animal	32
3.10 Formulation and stability test of cream base	34
3.11 Formulation and stability test of Lychee extract cream	35
3.12 Skin irritation testing in human volunteer	35
3.13 Antioxidant test of Lychee seed extract cream	37
3.14 Wrinkle reducing capacity tests of Lychee seed extract cream	37
 CHAPTER IV RESULTS AND DISCUSSION	
4.1 Quality control of raw material	41
4.2 Optimization of Lychee seed extraction	42
4.3 Determination of antioxidants activity of five cultivars of Lychee seed extract	46
4.4 Determination of Total Phenolic content in Lychee seed extracts	52

	<b>Page</b>
4.5 Determination of chromatographic finger print of Lychee seed extract by HPLC	54
4.6 Formulation and stability test of cream base	56
4.7 Selection of good cream best	56
4.8 Formulation and stability test of Lychee extract cream	58
4.9 Skin irritation testing in animal	61
4.10 Skin irritation test in human skin	63
4.11 Antioxidation of Lychee seed extract cream	65
4.12 Wrinkle reducing capacity test of Lychee seed extract cream	66
4.13 Standardization of Lychee seed extract	72
CHAPTER V CONCLUSION	74
REFERENCES	76
APPENDICES	
APPENDIX A	85
APPENDIX B	89
APPENDIX C	91
APPENDIX D	94
APPENDIX E	98
CURRICULUM VITAE	100

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
2.1 Changes in intrinsic and photodamaged skin	9
2.2 Major enzymatic physiological antioxidants	18
2.3 Major nonenzymatic physiological antioxidants	19
2.4 Chemical constituents and biological activity of Lychee fruit pericarp	25
3.1 Modified Draize-FHSA Model used in this research	33
3.2 Draize-FHSA Scoring System	33
3.3 Type of Skin Irritation score	34
4.1 The properties of raw material	41
4.2 The appearance and percentage yield of lychee seed extract from different three extraction method	42
4.3 Antioxidant activity of lychee seed extract from different three extraction method present with IC <sub>50</sub>	43
4.4 Percentage yield (w/w) and physical appearance of Lychee seed extract (ethanolic extract)	45
4.5 Percentage yield (w/w) and physical appearance of Lychee seed extract (ethyl acetate extract)	45
4.6 The DPPH scavenging activity of the Lychee seed extract	46
4.7 Trolox Equivalent Antioxidant Capacity (TEAC) of Lychee seed extracts	49
4.8 Antioxidant activity on Thiobarbituric acid reactive substances species (TBARS) assay	51
4.9 Total phenolic content of lychee seed extracts	53
4.10 The chemical and physical properties of cream base before and after heating-cooling cycling method	57
4.11 The chemical and physical properties cream containing ethanolic part of lychee seed extract after stability test	59

<b>Table</b>	<b>Page</b>
4.12 The chemical and physical properties of cream containing ethyl acetate part of lychee seed extract after stability test	60
4.13 The value of primary irritation index ( PII ) and type of skin irritation in rabbit	62
4.14 The value of primary irritation index (PII) and type of skin irritation in volunteers	64
4.15 % Inhibition of two part of lychee seed extract cream before and after stability test	65
4.16 The wrinkle reducing property on the $R_a$ , $R_z$ , volume and surface of four treatment sites of volunteer No.7	67
4.17 The percentage of satisfaction on cream contain ethanolic extract from lychee seed	71
4.18 The percentage of satisfaction on cream contain ethyl acetate extract from lychee seed	72

## LIST OF FIGURES

Figure	Page
2.1 Diagram of Skin Layers	4
2.2 Layers of the epidermis	5
2.3 The effect of UV light on collagen metabolism	11
2.4 Computer model of the wrinkle	13
2.5 Mechanism of cell injury from free radical	15
2.6 Mechanism of lipid proxidation	16
2.7 Type of antioxidants	18
2.8 Numbering system for the flavonoid ring and examples of plant phenolic compounds with demonstrated antioxidant activity	21
2.9 <i>Litchi chinensis</i> Sonn.	22
2.10 Longitudinal sections of mature lychee showing normal and aborted seed	24
3.1 Profile of irritation test site on rabbit skin	32
3.2 Profile of irritation test site on human skin	37
3.3 Profile of wrinkle reducing capacity test site	39
4.1 Percentage yield (w/w) of Lychee seed extract.	44
4.2 %Inhibition of ethanolic extract of Lychee seed	47
4.3 %Inhibition of ethyl acetate extract of Lychee seed	47
4.4 Dose-response curve for the absorbance at 734 nm of ABTS <sup>•+</sup> as a function of amount of Trolox.	48
4.5 TEAC of five kinds of Lychee seed extract in ethanolic part and ethyl acetate part	49
4.6 IC <sub>50</sub> value of Lychee seed extracts on TBARS assay	51
4.7 Dose-responnd curve for absorbance at 765 nm of Folin-Ciocaltue reagent as a function of amount of standard gallic acid	52

<b>Figure</b>	<b>Page</b>
4.8 Total phenolic content of Lychee seed extract present in term Gallic acid equivalent (GAE)	53
4.9 The HPLC chromatogram of ethanolic part and of ethyl acetate part of lychee seed of lychee seed extract at 280	55
4.10 Stability test of cream base formula II after stress condition	56
4.11 Stability test of cream containing ethanolic part of lychee seed extract storage at room temperature (RT), 4° C, 45° C for 1 month and stress condition	61
4.12 Stability test of cream containing ethyl acetate part of lychee seed extract storage at room temperature (RT), 4° C, 45° C for 1 month and stress condition	61
4.13 Skin irritation test of blank and seven samples in rabbits	63
4.14 Skin irritation test of cream base, two lychee seed extract creams and 1% standard sodium lauryl sulfate solution	64
4.15 Inhibition of lychee seed extract cream on DPPH method, before and after heating-cooling cycling method	66
4.16 The $R_a$ , $R_z$ , surface and volume parameters at 8 weeks of treatment in four site of test	68
4.17 Skin surface using Visiometer® at 2 weeks of treatment in three sites of test	70