

## REFERENCES

- Adlercreutz, H., Mazur, W., Bartels, P., 2000. Phytoestrogens and prostate disease. *J. Nutr.* 130 (3): 658-659.
- Allison A. Yates., 2000. National Nutrition and Public Health Policies: Issues Related to Bioavailability of Nutrients When Developing Dietary Reference Intakes (from Jan 2000 conference: Bioavailability of Nutrients and Other Bioactive Components from Dietary Supplements).
- Ames, B. M., 1993. Dietary carcinogens and anticarcinogens: oxygen radicals and degenerative diseases. *Science*, 221,1256-1263.
- Ana M. Romero., Mirtha M. Doval., Mario A. Sturla., Maria A. Judis., 2004. Antioxidant properties of polyphenol-containing extract from soybean fermented with *Saccharomyces cerevisiae*. *Eur J Lipid Sci Tech.* Vol. 106, 424-431.
- Anthony, M.S., Clarkson, T.B., Hughes, C.L., Morgan, T.M. and Burke, G.L., 1996. Soybean isoflavones improves cardiovascular risk factors without effecting the reproductive system of peripubertal rhesus monkeys. *J. Nutr.* 126, 43-50.
- Anderson, J.W., Johnstone, B.M., Cook-Newell, M.E., 1995. Soy isoflavones improve systemic arterial compliance but not plasma lipids in menopausal and perimenopausal women. *New Engl. J. Med.* 333, 276-282.
- Anderson, J.J.B. and Garner, S.C., 1997. The effects of phytoestrogens on bone, *Nutr. Res.* 17, 1617-1632.
- AOAC., 1999. Official Methods of Analysis. 16th Ed., Association of Official Analytical Chemists, Washington, DC.

- Armin, M. S., Sultan, A. E., Massoud, M., 2002. An In Vitro Evaluation of Human DNA Topoisomerase I Inhibition by Peganum harmala L. Seeds Extract and Its b-Carboline Alkaloids. *J. Pharm. Pharmaceut. Sci.* 5(1):19-23.
- Aruoma, O.I., 1994. Free radicals and antioxidant strategies in sports. *J. Nutr. Biochem.* 5 : 370-381.
- Aruoma, O.I., Halliwell, B., 1995. Free radicals in sport In : Sports nutrition : Minerals and Electrolytes. CRC Press Inc. Florida. 122 : 758-759.
- Bamford Charles W., 2005. Food fermentation and microorganisms. Hoboken, New Jersey: Wiley-Blackwell. 186.
- Barbesgaard, P., Heldt-Hansen, H.P. and Diderichsen, B., 1992. On the safety of *Aspergillus oryzae*. A review. *Appl. Microbiol. Biotechnol.* 36, 569-572.
- Berk, Z., 1992. Technology of production of edible flours and protein products from soybean. FAO Agricultural Services Bulletin No. 97.
- Benzie, I.F.F. and Strain, J.J., 1996. The ferric reducing ability of plasma (FRAP) as a measure of antioxidant power : The FRAP Assay. *Anal Biochem.* 239, 70-76.
- Berghofer, E., Grzeskowaid, B., Mundigler, N., Sentall, W.B., and Walcak, J., 1998. Antioxidative properties of faba bean, soybean and oat tempeh. *Int. J. Food Sci. Nutri.* 49, 45-54.
- Berlett, B.S. and Stadtman, E.R. 1997. Protein oxidation in aging, disease, and oxidative stress. *J. Biol. Chem.* 272: 20313-20316.
- Bors, W., Saran, M., 1987. Radical scavaenging by flavonoid antioxidants. *Free Radic. Res. Commun.* 2, 289–294.
- Bozkurt, MK., Ozcelik, T., Saydam, L., Kutluay, L., 2008. A case of isolated aspergillosis of the maxillary sinus. *Kulak Burun Bogaz Ihtis Derg.* 18(1): 53-55.

- Brand-Williams, W. E., Cuvelier, M. E. and Berset, C., 1995. Use of a free radical method to evaluate antioxidant activity. *Lebensmittel Wissenschaft und Technologie*. 28, 25-30.
- Brouns, F., 2002. Soya isoflavones: A new promising ingredient for the health foods sector. *Food Res. Int.* 35, 187-193.
- Cao, G.H., Sofic, E., and Prior, R., 1997. Antioxidant and prooxidant behavior of flavonoids: structure-activity relationships. *Free Rad. Biol. Med.* 22, 749-760.
- Cai, Q. and Wei, H., 1996. Effect of dietary genistein on antioxidant enzyme activities in SENCAR mice. *Nutri. Can.* 25, 1-7.
- Chang, T.S., Ding, H.Y., Tai, S.S.K. and Wu, C.Y., 2007. Metabolism of the soy isoflavones daidzein and genistein by fungi used in the preparation of various fermented soybean foods. *Biosci. Biotechnol. Biochem.* 71: 1330-1333.
- Chait, A., 1996. Effects of isoflavones on LDL-cholesterol in vitro but not in vivo. Second International Symposium on the Role of Soy in Preventing and Treating Chronic Disease. Protein Technologies International, St Louis, Missouri. 2, 154-159.
- Cassidy, A., 1996. Physiological effects of phyto-oestrogens in relation to cancer and other human health risks. *Proc. Nutr. Soc.* 55, 399-417.
- Chevion, M., 1988. A site-specific mechanism for free radical induced biological damage: The essential role of redox-active transition metals. *Free Rad. Biol. Med.*, 5 (1), pp. 27-37.
- Chia-Hung, L., Yi-tein, T., and Cheng-Chun, C., 2006. Enhance antioxidative activity of soybean koji prepared with various filamentous fungi. *Food Micro.* 23, 628-633.

- Chaiyasut, C., Chansakaew, S., and Sanjoom, C., 2005. Development of DNA damage evaluation by electrophoresis. Department of Pharmaceutical Sciences, Faculty of Pharmacy, Chiang Mai University. pp. 18-20.
- Choi, Y.B., Sohn, H.S., 1998. Isoflavone content in Korean fermented and unfermented soybean foods. *Korean J. Food Sci. Technol.* 30(4),745–750.
- Chavarro, JE., Toth, TL., Sadio, SM., Hauser, R., 2008. Soy food and isoflavone intake in relation to semen quality parameters among men from an infertility clinic. *Hum. Reprod.* 23 (11): 2584–2590.
- Chou, S.T., Chang, C.T., Chao, W.W., Chung, Y.C., 2002. Evaluation of antioxidative and mutagenic properties of 50% ethanolic extract from red bean fermented with *Aspergillus oryzae*. *J. Agri. Food Chem.* 65, 1463-1469.
- Christine, R., Salmon, J.M., Vallier, M.J., Gunata, Z., and Barre, P., 1998. Purification characterization, and substrate specificity of a novel highly glucose-tolerant  $\beta$ -glucosidase from *Aspergillus oryzae*. *Appl. Environ. Micro.* 64(10), 3607–3614.
- Chung, Y.C., Chang, C.T., Chao, W.W., Lin, C.F., Chou, S.T., 2002. Antioxidative activity and safety of the 50% ethanolic extract from redbean fermented by *Bacillus subtilis* IMR-NK1. *J. Agric. Food Chem.* 50, 2454–2458.
- Cai, T. and Chang, K.C., 1999. Processing effect on soybean storage proteins and their relationship with tofu quality. *J. Agric. Food Chem.* 47, 720-727.
- Carrão-Panizzi, M.C., De Goés-Favoni, S.P., Kikuchi, A., 2004. Hydrothermal treatments in the development of isoflavone aglycones in soybean (*Glycine max* (L.) Merrill) grains. *Braz. Arch. Biol. Technol.* 47 (2), pp. 225-232.
- De Kleijn, MJ., Van der Schouw, YT., Wilson, PW., Grobbee, DE., Jacques, PF., 2002. Dietary intake of phytoestrogens is associated with a favorable metabolic

- cardiovascular risk profile in postmenopausal U.S.women: the Framingham study. *J. Nutr.* 132 (2): 276–282.
- Delores, D., Truesdell, Nancy R., Green, Phyllis B. Acosta., 1987. Vitamin B12 Activity in Miso and Tempeh. *J. Food Sci.* 52 (2): 493-494.
- Dillingham, BL., McVeigh, BL., Lampe, JW., Duncan, AM., 2005. Soy protein isolates of varying isoflavone content exert minor effects on serum reproductive hormones in healthy young men. *J. Nutr.* 135 (3): 584–591.
- Du, C., Lin, SK., Koutinas, A., Wang, R., Dorado, P., Webb, C., 2008. A wheat biorefining strategy based on solid-state fermentation for fermentative production of succinic acid. *Bioresour. Technol.* 23, 1245-1249.
- De Lemos, ML., 2001. Effects of soy phytoestrogens genistein and daidzein on breast cancer growth. *Ann. Pharmacother.* 35 (9): 1118–1121.
- Dethloff, L., Barr, B., Bestervelt, L., 2000. Gabapentin-induced mitogenic activity in rat pancreatic acinar cells. *Toxicol. Sci.* 55 (1): 52–59.
- Donald R. Buhler., 2000. Antioxidant activities of flavonoids. Department of Environmental and Molecular Toxicology Oregon State University. Cancer Research 43, 4752-4756
- Dreosti, I.E., 2000. Antioxidant polyphenols in. tea, cocoa and wine. *Nutri.* 16, 692-694.
- Derbyshire, E., 1976. Review: Legumin and vicilin, storage proteins of legume seeds. *Phytochem.* 15, 3.
- Eberling, JL., Wu, C., Haan, MN., Mungas, D., Buonocore, M., Jagust, WJ., 2003. Preliminary evidence that estrogen protects against age-related hippocampal atrophy. *Neurobiol. Aging.* 24 (5): 725–732.

- Emily B. Shacter., 2000. Quantification and significance of protein oxidation in biological samples. *Drug Metab. Rev.* Aug-Nov, 32(3-4):307-326.
- Emily Sonestedt, Ulrika Ericson, Bo Gullberg, Kerstin Skog, Håkan Olsson, Elisabet Wirfält., 2008. Do both heterocyclic amines and omega-6 polyunsaturated fatty acids contribute to the incidence of breast cancer in postmenopausal women of the Malmö diet and cancer cohort. *Int. J. Can.* 123 (7): 1637–1643.
- Esaki, H., Onozaki, H., and Osawa, T., 1994. Food phytochemicals for cancer prevent. American Chemical Society, Washington, D.C. 353-360.
- Esaki, H., Onasaki, H., Kawashiki, S., and Osawa, T., 1996. New antioxidant isolated from tempeh. *J. Agri. Food Chem.* 44, 696-700.
- Esaki, H., Onazaki, H., Morimitsu, Y., Kawakishi, S., and Osawa, T., 1998. Potent antioxidative isoflavones isolated from soybeans fermented with *Aspergillus saitoi*. *Biosci. Biotechnol. Biochem.* 62(4), 740-746.
- Esaki, H., Kawakishi, S., Morimitsu, Y., and Osawa, T., 1999. New potent antioxidative 0-Dyhydroxyisoflavones in fermented Japanese soybean products. *Biosci. Biotechnol. Biochem.* 63(9), 1637-1639.
- Esaki, H., Watanabe, R., Onazaki, H., Kawakishi, S., and Osawa, T., 1999. Formation mechanism for potent antioxidative 0-dyhydroxyisoflavones in soybean fermented with *Aspergillus saitoi*. *Biosci. Biotechnol. Biochem.* 63(5), 851-858.
- Farnworth, Edward R., 2003. Handbook of Fermented Functional Foods. CRC. ISBN 0-8493, 1372-1374.
- File, SE., Hartley, DE., Alom, N., Rattray, M., 2003. Soya phytoestrogens change cortical and hippocampal expression of BDNF mRNA in male rats. *Neurosci. Lett.* 338 (2): 135–138.

- Francesco, V., Claudio, G., 1997. Evaluation of antioxidant capacity biochemiluminescence. *Anal. Biochem.* 249, 244-246.
- Frankel, E. N., 1991. Recent advances in lipid oxidation. *J. Sci Food Agri.* 54, 495-511.
- Fridovich, I., 1978. The biology of oxygen radicals. *Sci.* 201(8) : 875-880.
- Fujita, M., 1993. Purification and characterization of a strong fibrinolytic enzyme (nattokinase) in the vegetable cheese natto, a popular soybean fermented food in Japan. *Biochem. Biophy. Res. Com.* 197 (3): 1340–1347.
- Fujita, M., Hong, K., Ito, Y., Misawa, S., Takeuchi, N., Kariya, K., Nishimuro, S., 1995. Transport of nattokinase across the rat intestinal tract. *Biological & pharmaceutical bulletin.* 18 (9): 1194–1196.
- Gaudette, D.C. and Holub, B.J., 1990. Effect of genistein, a tyrosine kinase inhibitor, on U46619-induced phosphoinositide phosphorylation in human platelets. *Biochem. Biophy. Res. Com.* 170, 238-242.
- Gey, K. F., 1990. The antioxidant hypothesis of cardiovascular disease: epidemiology and mechanisms. *Biochem. Soc. Trans.* 18, 1041-1045.
- Giri, A.K. and Lu, L.J., 1995. Genetic damage and the inhibition of 7,12-dimethylbenz(a)anthracene-induced genetic damage by the phyoestrogens, genistein and daidzein in female ICR mice. *Cancer Letters.* 95, 125-133.
- Gueguen, Y., Chemardin, P., Labrot, P., Arnuad, A., and Galzy, P., 1996. Purification and characterization of an intracellular  $\beta$ -glucosidase from a new strain of *Leuconostoc mesenteroides* isolated from cassava. *J. App. Micro.* 82, 469-476.
- Gordon, M. H., 1990. The mechanism of antioxidant action in vitro. *Food antioxidants* New York: Else- vier Applied Science. 1-18.

- Gottstein, N., Ewins, BA., Eccleston, C., 2003. Effect of genistein and daidzein on platelet aggregation and monocyte and endothelial function. *Br. J. Nutr.* 89 (5): 607–16.
- Góes-Favoni, S.P., Carrão-Panizzi, M.C., Beleia, A., 2010. result1. Changes of isoflavone in soybean cotyledons soaked in different volumes of water. *Food Chem.* 119 (4), pp. 1605-1612.
- Guntensperger B., Hammerli-Meier D.E., Escher F.E., 1998. Rosemary extract and precooking effects on lipid oxidation in heat-sterilized meat. *J. Food Sci.*, 63 (6), pp. 955-957.
- Halliwell, B., 1991. Reactive oxygen species in living systems: source, biochemistry and role in human disease. *Am. J. Med.* 91, 3C-145-3C-255.
- Halliwell, B., 1994. Free radical and antioxidant: A personal view. *Nutr. Rev.* 52, 253-265.
- Halliwell, B., Gutteridge, J.M.C., 1999. Free radicals in biology and medicine 3<sup>rd</sup> ed. Oxford University Press.
- Hanasaki, Y., Ogawa, S., Fukui, S., 1994. The correlation between active oxygen scavenging and antioxidative effects of flavonoids. *Free Rad. Biol. Med.* 16, 845-850.
- Haraguchi, H., Hashimoto, K and Yagi, A., 1992. Antioxidative substances in leaves of *Polygonum Hudopiper*. *J. Agric. Food Chem.* 40, 1349-1351.
- Hayashi, K., Suzuki, K., Kawaguchi, M., Nakajima, T., Suzuki, T., Murata, M., and Nakamura, T., 1995. Isolation of an antioxidant from *Penicillium roquefortii* IFO 5956. *Biosci. Biotechnol. Biochem.* 59, 319-320.
- Henkel, John., 2008. Soy:Health Claims for Soy Protein, Question About Other Components. Food and Drug Administration.

- Heald, CL., Ritchie, MR., Bolton-Smith, C., Morton, MS., Alexander, FE., 2007. Phyto-oestrogens and risk of prostate cancer in Scottish men. *Br. J. Nutr.* 98 (2): 388–396.
- Hiroyuki Sumi., 2000. Determination and Properties of the Fibrinolysis Accelerating Substance (FAS) in Japanese Fermented Soybean "Natto"". *Nippon Nogeikagaku Kaishi* (Japanese). 74 (11): 1259–1264.
- Hogervorst, E., Sadjimim, T., Yesufu, A., Kreager, P., Rahardjo, TB., 2008. High tofu intake is associated with worse memory in elderly Indonesian men and women. *Dement Geriatr Cogn Disord.* 26 (1): 50–57.
- Hoefer., 1994. Protein electrophoresis applications guide. Hoefer Scientific Instrument, 654 Minnesota Street, San Francisco, CA. pp. 17-33.
- Holt, S., 1997. Korean Soybean Digest. 14, 77–90.
- Hodgeson, J. M., 2003. Soy protein and isoflavones: effects on vascular function and blood pressure in humans. ASA Technical Bulletin Vol. HN37-2003.
- Hogervorst, E., Sadjimim, T., Yesufu, A., Kreager, P., Rahardjo, TB., 2008. High tofu intake is associated with worse memory in elderly Indonesian men and women. *Dement. Geriatr. Cogn. Disord.* 26 (1): 50–57.
- Ho, H.M., Chen, R.Y., Leung, L.K., Chan, F.L., Huang, Y., Chen Z,Y. 2002. Difference in flavonoid and isoflavone profile between soybean and soy leaf. *Biomedicine & pharmacotherapy* 56:289-295.
- Hsieh, M.C., and Graham, T.L., 2001. Partial purification and characterization of a soybean  $\beta$ -glucosidase with high specific activity toward isoflavone conjugates. *Phytochem.* 58, 995-1005.

- Izumi, T., Piskula, M.K., Osawa, S., Obata, A., Tobe, K., Saito, M., Kataoka, S., Kubota, Y. and Kikuchi, M., 2003. Soy isoflavone aglycones are absorbed faster and in higher amounts than their glucosides in humans. *J. Nutr.* 130, 1695-1699.
- James, V., 1998. Comments on isoflavones in soy-based infant formulas. *J. Agri. Food Chem.* 46, 3395.
- Janero, D. R., 1990. Malondialdehyde and thiobarbituric acid-reactivity as diagnostic indices of lipid peroxidation and peroxidative tissue injury. *Free Rad. Biol. Med.* 9, 515-540.
- Jang, M., Cai, L., Udeani, G.O., Slowing, K. V., Thomas, C. F., Beecher, C. W. W., Fong, H. H. S., Farnsworth, N. R., 1997. Cancer chemopreventive activity of resveratrol, a natural product derived from grapes. *Sci.* 275, 218-220.
- Jha, H.C., Von Recklinghausen, G., and Zilliken, F., 1985. Inhibition of in vitro microsomal lipid peroxidation by isoflavonoids. *Biochem. Pharm.* 34, 1367-1369.
- Kanazawa, T., Osanai, T., Zhang, X.S., Uemura, T., Yin, X.Z., Onodera, K., Oike, Y. and Ohkubo, K., 1995. Protective effects of soy protein on the peroxidizability of lipoproteins in cerebrovascular diseases. *J. Nutri.* 125, 639S-646S.
- Katz Sandor Ellix., 2003. Wild Fermentation: The Flavor, Nutrition, and Craft of Live-Culture Foods. Chelsea Green Publishing Company. ISBN 1-931498, 23-27.
- Kapiotis, S., Hermann, M., Held, I., Seelos, C., Ehringer, H. and Gmeiner, B.M.K., 1997. Genistein, the dietary-derived angiogenesis inhibitor, prevents LDL oxidation and protects endothelial cells from damage by atherogenic LDL. *Arteriosclerosis, Thrombosis and Vascular Biology.* 17, 2868-2874.

- Kennedy, A.R., 1995. The evidence for soybean products as cancer preventive agents. *J. Nutri.* 125, 733S-743S.
- Kim, S.H., Jung, W.S., Ahn, J.K., Chung, I.M., 2005. Analysis of phenolic compounds and isoflavones in soybean seeds (*Glycine max* (L.) Merill and sprouts grown under different conditions. *Eu. Food Res. Tech.* 220, 207–214.
- Kumazawa, T., Sato, K., Seno, H., Ishii, A., Suzuki, O., 1995. Levels of pyrroloquinoline quinone in various foods. *Biochem. J.* 307, 331–333.
- Kuniyasu Soda, Yoshihiko Kano, Takeshi Nakamura, Keizo Kasono, Masanobu Kawakami and Fumio Konishi., 2005. Spermine, a natural polyamine, suppresses LFA-1 expression on human lymphocyte. *J. Immuno.* 175 (1): 237–245.
- Kobayashi Makio., 2005. Immunological Functions of Soy Sauce: Hypoallergenicity and Antiallergic Activity of Soy Sauce. *J. Biosci. Bioen.* 1 (2): 144–151.
- Liem, IT., Steinkraus, KH., Cronk, TC., 1977. Production of vitamin B-12 in tempeh, a fermented soybean food. *Appl. Environ. Microbiol.* 34 (6): 773-776.
- Liegeois, C., Lermusieau, G., Collin, S., 2000. Measuring antioxidant efficiency of wort, malt, and hops against the 2,2'-azobis (2- amidinopropane) dihydrochloride-induced oxidation of an aqueous dispersion of linoleic acid. *J. Agric. Food Chem.* 48, 1129-1134.
- Lin, M.Y., Yen, C.L., 1999. Antioxidative ability of lactic acid bacteria. *J. Agric. Food Chem.* 47, 1460–1466.
- Lopes, G.K., Schulman, H.M., Hermes-Lima, M., 1999. Polyphenol tannic acid inhibits hydroxyl radical formation from Fenton reaction by complexing ferrous ions. *Biochem. Biophys. Acta.* 1472, 142–152.

- Lowri Coward, Michelle Smith, Marion Kirk and Stephen Barnes., 1998. Chemical modification of isoflavones in soyfoods during cooking and processing. American Soceity for Clinical Nutrition. 68(suppl), 1486S-1491S.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L., and Randall, R.J., 1951. Protein measurement with the Folin phenol reagent. J. Biol. Chem. 193, 265-273.
- Lloyd, R.V., Hanna, P.M., Mason, R.P., 1997. The origin of the hydroxyl radical oxygen in the Fenton reaction. Free Radic. Biol. Med. 22(5), 885-888.
- Marinova, D., Ribarova, F., and Atanassova, M., 2005. Total phenolics and total flavonoids in Bulgarian fruits and vegetables. J. University Chem. Tech. Metal. 40(3), 255-260.
- Matsuda, S., Norimoto, F., Matsumoto, Y., Ohba, R., Teramoto, Y., Ohta, N., and Ueda, S., 1993. Solubilization of a novel isoflavone glucoside-hydrolyzing  $\beta$ -glucosidase from *Lactobacillus casei* subsp. *Rhamnosus*. J. Ferment. Bioeng. 77, 439-441.
- Matsura, M., Sasaki, J., and Murao, S., 1995. Studies on  $\beta$ -glucosidase from soybeans that hydrolyzed daidzin and genistin : Isolation and characterization of an isozyme. Biosci. Biotechnol. Biochem. 59, 1623-1627.
- Mathew S., Abraham T.E. 2006. In vitro antioxidant activity and scavenging effects of Cinnamomum verum leaf extract assayed by different methodologies. Food Chem. Toxicol., 44 (2), pp. 198-206.
- Maskarinec, G., Morimoto, Y., Hebshi, S., Sharma, S., Franke, AA., Stanczyk, FZ., 2006. Serum prostate-specific antigen but not testosterone levels decrease in a randomized soy intervention among men. Eur. J. Clin. Nutr. 60 (12): 1423-1429.

- Mccue, P., and Shetty, K., 2003. Role of carbohydrate-cleaving enzymes in phenolic antioxidant mobilization from whole soybean fermented with *Rhizopus oligisporus*. *Food Biotechnol.* 17(1), 27-37.
- Messina, M., McCaskill-Stevens, W., Lampe, JW., 2006. Addressing the soy and breast cancer relationship: review, commentary, and workshop proceedings. *J. Natl. Cancer Inst.* 98 (18): 1275–1284.
- Messina, M.J., Persky, V.P., Setchell, K.D.R. and Barnes, S., 1994. Soy intake and cancer risk: a review of the in vitroand in vivodata. *Nutri. Cancer.* 21.
- Mitchell, J.H., Morrice, P.C., Collins, A.R. and Duthie, G.G., 1998. Inhibition of peroxidation of vitamin E-deficient microsomes by phytoestrogens. *Proceedings of the Royal Society of Chemistry, London (in press).* 2, 1245-1252.
- Murakami, H., Asakawa, T., Terao, J., and Matsushita, S., 1984. Antioxidative Stability of Tempehand Liberation of Isoflavones by Fermentation. *Agric. Biol. Chem.* 48, 2971-2975.
- Moktan B., Saha J., Sarkar P.K. 2008. Antioxidant activities of soybean as affected by *Bacillus*-fermentation to kinema. *Food Res. Int.*, 41 (6), pp. 586-593.
- Murphy P.A., Barua K., Hauck C.C. 2002. Solvent extraction selection in the determination of isoflavones in soy foods. *J. Chrom. B: Analytical Technologies in the Biomedical and Life Sciences*, 777 (1-2), pp. 129-138.
- Nakamura, Y., Watanabe, S., Miyake, N., Kohno, H., and Osawa, T., 2003. *J. Agric. Food Chem.* 51, 3309-3312.
- Okuda, T., Kimura, Y., Yoshida, T., Hatano, T., Okuda, H. and Ari- chi, S., 1983. Studies on the activity and related compounds from medicinal plants and drugs inhibitory effects on lipid peroxidation on mitochondria and microsomes of liver. *Chemical and Pharmaceutical Bulletin.* 31, 1625-1631.

- Pfaller, M.A., Bale, M., Buschelman, B., Lancaster, M., Espinel- Ingroff, A., Rex, J. X., Rinaldi, M.G., Cooper, C.R., and McGinnis, M.R., 1995. Quality Control Guidelines for National Committee for Clinical Laboratory Standards Recommended Broth Macrodilution Testing of Amphotericin B, Fluconazole, and Flucytosine. *J. Clinic. Microbiol.* 3, 1040-1107.
- Perez Ripoll, E.A., Rama, B.N. and Weber, M.M., 1986. Vitamin E enhances the chemotherapeutic effects of adriamycin on human prostatic carcinoma cells in vitro. *J. Urol.* 136, 529-531.
- Pokorny, J., Yanishlieva, N., Gordon, M. Antioxidants in Food. Practical Applications., 2001. Woodhead Publishing Limited, Cambridge. 124, 128-135.
- Potter, S.M., 1995. Overview of proposed mechanisms for the hypocholesterolemic effect of soy. *J. Nutr.* 125, 606-611.
- Pratt, D.E., Di Pietro, C., Porter, W.L. and Giffee, J.W., 1981. Phenolic antioxidants of soy protein hydrolyzates. *J. Food Sci.* 47, 24-25.
- Randhir, R., Vettem, D., and Shetty, K., 2004. Solid-state bioconversion of fava bean by *Rhizopus oligosporus* for enrichment of phenolic antioxidants and L-DOPA. *Innovative Food Sci. Technol.* 5, 235-244
- Robbins, R., 1980. Medical and nutritional aspects of citrus bioflavonoids. American Chemical Society, Washington DC. 43-59.
- Roberta, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M. and Rice-Evans, C., 1998. Antioxidant applying and improvement ABTS cation decolorization assay. *Free Radical Biology & Medicine.* Vol. 26, Nos. 9/10, 1231–1237.
- Ruiz-Larrea, M.B., Mohan, A.R., Paganga, G., Miller, N.J., Bolwell, G.P. and Rice-Evans, C.A., 1997. Antioxidant activity of phytoestrogenic isoflavones. *Free Radical Research.* 26, 63-70.

- Reverberi, M., Zjalic, S., Ricelli, A., Punelli, F., Camera, E., Fabbri, C., Picardo, M., Fanelli, C., Fabbri, AA., 2008. Modulation of Antioxidant defense in *Aspergillus Parasiticus* is involved in Aflatoxin Biosynthesis: A role for Apyap A gene. *Eukaryot Cell.*
- Roongsiri, M., 2006. The 1<sup>st</sup> Free Radical and Workshop. Faculty of Associated Medical Sciences, Chiang Mai University, Chiang Mai, Thailand. 1-5.
- Roebuck, BD., Kaplita, PV., Edwards, BR., Praissman, M., 1987. Effects of dietary fats and soybean protein on azaserine-induced pancreatic carcinogenesis and plasma cholecystokinin in the rat. *Cancer Res.* 47 (5): 1333–1338.
- Romero, A.M., Doval, M.M., Sturla, M.A. and Judis, M.A. 2004. Antioxidant properties of polyphenol-containing extract from soybean fermented with *Saccharomyces cerevisiae*. *Eur. J. Lipid Sci. Technol.* 106: 424-431.
- Sacks, FM., Lichtenstein, A., Van Horn, L, Harris, W., Kris-Etherton, P., Winston, M., 2006. Soy protein, isoflavones, and cardiovascular health: an American Heart Association Science Advisory for professionals from the Nutrition Committee. *Circulation.* 113 (7): 1034–1044.
- Santiago, L.A., Hiramatsu, M. and Mori, A., 1992. Japanese soybean paste miso scavenges free radicals and inhibits lipid peroxidation. *J. Nutr. Sci. Vitaminol.* 38, 297-304.
- Sasamura, H., Takahashi, A., Yuan, J., 2004. Antiproliferative and antiangiogenic activities of genistein in human renal cell carcinoma. *Urology.* 64 (2): 389–93.
- Schoene, N.W. and Guidry, C.A., 1996. Genistein reactive oxygen species (ROS) formation during activation of rat platelets in whole blood. In: The Second International Symposium on the Role of Soy in Preventing and Treating Chronic Disease. Protein Technologies International, St Louis, Missouri.

- Shacter, E., 2000. Quantification and significance of proteinoxidation biological samples. Drug Metab. Rev.32, 307-326.
- Shahidi F., Wanasundara U.N., Amarowicz R. 1994. Natural antioxidants from low-pungency mustard flour. Food Res. Int., 27 (5), pp. 489-493.
- Sjodin, B., Westing, Y.H., Apple, F.S., 1990. Biochemical mechanisms for oxygen free radical formation during exercise. Sport med. 10(4) : 236-254.
- Slater, T.F., 1984. Free radical mechanisms in tissue injury. Biochem J. 222, 1-15.
- Steel, R. G. D., & Torrie, J. H. (1980). Principles and procedures of statistics. New York: McGraw-Hill Book Co.
- Stagos, D., Umstead, T.M., Phelps, D.S., Skaltsounis, L., Haroutounian, S., Floros, J., and Kouretas, M. 2007. Inhibition of ozone-induced SP-A oxidation by plant polyphenols. Free Radic. Res. 1029-2470, Volume 41, Issue 3, P 357 – 366.
- Stohs, S.J., Bagchi, D., 1995. Oxidative mechanisms in the toxicity of metal ions. Free Radic. Biol. Med. 18(2), 321-336.
- Strain, J.J. and Benzie, I. F. F., 1999. Diet and antioxidant defence.in Sadler, Strain, J.J. and Caballero, B. editor. Antioxidant in Encyclopedia of human nutrition. Benjamin Academic Press. 1, 95-120.
- Siveski-Iliskovic, N., Hill, M., Chow, D.A. and Singal, P.K., 1995. Probucol protects against adriamycin cardiomyopathy without interfering with its antitumor effect. Circulation. 91, 10-15.
- Shahidi, F., Janitha, P.K., Wanasundara, P.D., 1992. Phenolic antioxidants. Food Sci. Nutr. 32, 67-103.
- Shahidi, F. and Wanasundara, P. K. J., 1992. Phenolic antioxidants. Food Sci. Nutri. 32, 67-103.

- Shimada, K., Fujikawa, K., Yahara, K. and Nakamura, T., 1992. Anti-oxidative properties of xanthan on the autoxidation of soy- bean oil in cyclodextrin emulsion. *J. Agri. Food Chem.* 40, 945-948.
- Shils, M.E., Olson, J.A., and Moshe Shike., 1994. Modern Nutrition in Health and Disease 8<sup>th</sup>ed. 49.
- Shurtleff William and Akiko Aoyagi., 1989. Bibliography of tempeh and tempeh products. Lafayette, California: Soyfoods Center. 1815-1989.
- Steinberg, D.; Parthasarathy, S.; Carew, T. E.; Khoo, J. C.; Witztum, J. L., 1989. Beyond cholesterol: modification of lowdensity lipoprotein that increase its atherogenicity. *New Engl. J. Med.* 320, 915-924.
- Steinberg, D., 1991. Antioxidants and atherosclerosis: acurrent assessment. *Circulation*, 84, 1420-1425.
- Symolon, H., Schmelz, E., Dillehay, D., Merrill, A., 2004. Dietary soy sphingolipids suppress tumorigenesis and gene expression in 1,2-dimethylhydrazine-treated CF1 mice and ApcMin mice. *J. Nutr.* 134 (5), 1157–1161.
- Sirtori, CR., 2001. Risks and benefits of soy phytoestrogens in cardiovascular diseases, cancer, climacteric symptoms and osteoporosis. *Drug safety : an international journal of medical toxicology and drug experience.* 24 (9): 665–682.
- Tan, C.M., Xenoyannis, S. and Feldman, R.D., 1995. Oxidant stress enhances adenylyl cyclase activation. *Circul. Res.* 77, 710-717.
- Tanaka Norio., 2000. Shoyu: The Flavor of Japan, The Japan Foundation Newsletter Vol. XXVII, (2), 2.

- Tapiero, H., Tew, K.D., Ba, G.N., and Mathe, G., 2002. Distribution of Quinic Acid Derivatives and Other Phenolic Compounds in Brazilian Propolis Biomed. Pharmacother. 56, 200-207.
- Tanasupawat Somboon., 2002. Lactic acid bacteria isolated from soy sauce mash in Thailand. Journal of General and Applied Microbiology. The Microbiology Research Foundation. 48 (4): 201–209.
- Tanaka, M., Kuie, C. W., & Nagashima, Y., & Taguchi, T., 1988. Application of antioxidative Maillard reaction products from histidine and glucose to sardine products. Nippon Suisan Gakkaishi. 54, 1409-1414.
- Thom, C., Church, M., 1926. The Aspergilli. Baltimore: The Williams & Wilkins Company. 23, 582-583.
- Thomas-Barberan, F.A., Martos, I., Ferreres, F., Radovic, B.S., and Anklam, E., 2001. HPLC flavonoid profiles as markers for the botanical origin of European unifloral honeys. J. Sci. Food Agri. 81, 485-496.
- Thompson, LU., Boucher, BA., Liu, Z., Cotterchio, M., Kreiger, N., 2006. Phytoestrogen content of foods consumed in Canada, including isoflavones, lignans, and coumestan. Nutr. Cancer. 54 (2): 184–201.
- Tikkanen, M.J., Wahala, K., Ojala, S., Vihma, V. and Adlercreutz, H., 1998. Effect of soybean phytoestrogen intake on low density lipoprotein oxidation resistance. Proceedings of the National Academy of Sciences, USA. 95, 3106-3110.
- Valeria Pala, Vittorio Krogh, Paola Muti, Veronique Chajes, Elio Riboli, Andrea Micheli, Mitra Saadatian, Sabina Sieri, Franco Berrino., 2001. Erythrocyte Membrane Fatty Acids and Subsequent Breast Cancer: a Prospective Italian Study. JNCL 93 (14): 1088.

- Velazquez, E., Tournier, H.A., Mordujovich de Buschiazzo, P., Saavedra, G., and Schinella, G.R., 2003. Antioxidant activity of Paraguayan plant extract. *Fitoterapia.* 79, 91-97.
- Vettem, D., and Shetty, K., 2002. Solid-state production of phenolic antioxidant from cranberry pomace by *Rhizopus oligosporous*. *Food Biotechnol.* 16, 189-210.
- Wang, Y.C., Yu, R.C., Chou, C.C., 2004. Viability of lactic acid bacteria and bifidobacteria in fermented soymilk after drying, subsequene rehydration and storage. *Int. J. Food Microbiol.* 93, 209–217.
- Wang, M.L., Gillaspie Jr, A.G., Morris, J.B., Pittman, R.N., Davis, J., Pederson, G.A. 2007. Variability of flavonoid content and seed-coat color in different legumes. *Plant Genetic Resources Newsletter.* 6(1): 300-325.
- Wei, H., Bowen, R., Cai, Q., Barnes, S. and Wang, Y., 1995. Antioxidant and antipromotional effects of the soy bean isoflavone genistein. *Proceedings of the Society for Experimental Biology and Medicine.* 208, 124-130.
- Wei, H., Cai, Q. and Ronald, R., 1996. Inhibition of UV light- and Fenton reaction-induced oxidative DNA damage by the soybean isoflavone genistein. *Carcinogenesis.* 17, 73-77.
- White, LR., Petrovitch, H., Ross, GW., 2000. Brain aging and midlife tofu consumption. *J. Am. Coll. Nutr.* 19 (2): 242–255.
- Wiseman, H., Lim, P. and Reilly, J., 1996. Inhibition of liposomal lipid peroxidation by isoflavonoid type phyto-oestrogens from soybeans of different countries of origin. *Biochemical Society Transactions.* 24, 392.
- Yang, J.H., 2000. Antioxidant activities of soybean as affected by *Bacillus*-fermentation to kinema. *Food Chem.* 71, 249-254.

- Yoshiki, Y., Kahara, T., Okubo, K., Igarashi, K., Yotsuhashi, K., 1996. Mechanism of catechin chemiluminescence in the presence of active oxygen. *J. Bioluminescence Chemiluminescence.* 11, 131-136.
- Zhishen, J., Mengcheng, T., and Jianming, W., 1999. The determination of flavonoid contents in mulberry and their scavenging effects on superoxide radicals. *Food Chem.* 64, 555-559.
- Zheng, G.L., Zhou, Y.G. and Gong, W.G., 1997. Isolation of soybean isoflavones from Tofu wastewater. *ACTA Academiae Medicinae Zhejiang.* 8, 23-25.