

LIST OF TABLES

Table	Page
1. The amount of essential amino acid in soybean compare with FAO/WHO recommendation.	8
2. The amount of fatty acid in soybean oil	8
3. Proximate composition of whole seeds of 6 soybean varieties	9
4. Moisture contents of soybean varieties	9
5. Reactive oxygen species found in vivo	30
6. Defenses systems against oxidative damage	38
7. Examples of some disorder and diseases associated with free-radical pathology	41
8. Analytical method for determining antioxidant activity	55
9. <i>Aspergillus</i> strains used in the screening test	65
10. Changes in isoflavone content of soybean fermented with and without inoculation of <i>A. oryzae</i> BCC 3088	97
11. Mass spectrometry analysis of isoflavones	98

LIST OF FIGURES

Figure	Page
1. Leaves and seed of soybean	4
2. <i>Aspergillus</i> conidium head and colony on agar medium	18
3. Oxidative stress and human diseases	34
4. The attack of hydroxyl radical on guanine in DNA which leads to mutation	35
5. Defense systems in vivo against oxidative damage	37
6. A representation of a free-radical-mediated disturbance producing a diverging set of metabolic perturbations, with some or al of these repaired or prevented by effective cell defenses involving free radical scavengers and antioxidants	42
7. The chemical structure of soybean isoflavones	48
8. Postulated mechanisms of protein oxidation in vivo	62
9. Antioxidative activity by scavenging effect on ABTS radical ability assay of fermented soybean broths with 33 strains of <i>Aspergillus</i>	79
10. β -glucosidase activity of fermented soybean broths with 6 strains of <i>Aspergillus</i>	81
11. β -glucosidase activity of fermented soybean with 6 strains of <i>Aspergillus</i> during 4-day fermentation	82
12. Antioxidative activity by scavenging effect on ABTS radical ability assay of fermented soybean in solid state with 6 strains of <i>Aspergillus</i> during 4-day fermentation	85

13. Antioxidative activity by ferric reducing ability power assay (FRAP) of fermented soybean in solid state with 6 strains of *Aspergillus* during 4-day fermentation 85
14. Total phenolic content of fermented soybean in solid state with 4 strains of *Aspergillus* at day0 and day4 fermentation 87
15. Total flavonoid content of fermented soybean in solid state with 4 strains of *Aspergillus* at day0 and day4 fermentation 89
16. The dose-response for the DPPH radical-scavenging activity of the methanol extract from fermented soybean with *Aspergillus oryzae* BCC 3088 and control at 4-day fermentation 90
17. The dose-response for lipid peroxidation assay of the methanol extract from fermented soybean with *Aspergillus oryzae* BCC 3088 and control at 4-day fermentation 92
18. The dose-response for plasmid DNA relaxation assay of the methanol extract from fermented soybean with *Aspergillus oryzae* BCC 3088 and control at 4-day fermentation 93
19. Protein oxidation inhibition assay of the methanol extracts of soybean fermented with (A) and without inoculation (B) of *A. oryzae* BCC 3088 95
20. HPLC chromatograms of fermented soybean extract inoculated with *Aspergillus oryzae* BCC 3088 during fermentation 98
21. Mass spectral analysis of isoflavones in the fourth day fermentation of soybean fermented with *Aspergillus oryzae* BCC 3088. 99

LIST OF SCHEMES

Schemes	Page
1. Proposed scheme for the formation of potent antioxidative substances by fermented with <i>Aspergillus</i>	20
2. The univalent pathway of O ₂ reduction	31
3. Haber-Weiss reaction and Fenton reaction	32
4. Ionizing radiation interacts with water	32
5. Formation of ABTS ^{•+} radical cation from activated myoglobin	57
6. Formation of ferrous tripyridyltriazine complex by ferric reduction	58
7. The mechanism of the reaction of antioxidant with a DPPH radical	58
8. Mechanism of lipid peroxidation	59
9. Reaction of phenolic antioxidants	60
10. The protocol of ABTS free radical cation decolorisation assay	68
11. The protocol of ferric reducing ability power assay (FRAP)	71