

REFERENCES

- Bansiddhi, J., Y. Techadumrongsin, K. Anulukkhanapakorn, B. Sriwanthana, T. Boonrod, S. Chairach, P. Wongsinkongmun, D. Pattamadilok and J. Mingmeung. 2003. *Houttuynia cordata* Thunb. Research Institute, Department of Medical Science, Nontaburi.
- Bauer, R., A. Proebstle, W. Wagner-Redecker, U. Matthiesen and R. Bauer. 1993. (I) Cyclooxygenase inhibitor constituent from *Houttuynia cordata*. Chemical abstract 125:81807t.
- Beery, K.E. and M.R. Ladisch. 2001. Chemistry and properties of starch based desiccants. Enzyme and Microbial Technology 28: 573-581.
- Benskey, D. 1993. Chinese Herbal Medicine, Morterial Medica. Eastland Press. Seattle, Wash: 93-94.
- Bian, Q.Q., J.Q. Lui and S. Li. 2005. Determination and comparasion of the content of quercetin in different linds of *Houttuynia cordatas* Thunb. Guangpu Shiyanshi 22(5). 1118-1120.
- Bruneton, J. 1999. Pharmaconosy Phytochemistry Medicinal Plants (2nd ed.). Lavoisier Publishing. p 310-328.

Díaz, L., C. Souto, A. Concheiro, L.M. Gomez-Amoza and R. Martinez-Pacheco. 1996.

Evaluation of Eudragit E as excipient in tablets of dry plant extracts. S.T.P.

Pharma 6 (2); 105–109.

Eilalifa, A. E. O., D.M.R. Georget, S.A. Barker and P.S. Belton. 2009. Study of the physical properties of kafirin during the fabrication of tablets for pharmaceutical applications. *Journal Cereal Science* 50: 159-165.

Formica, J. V. and W. Regelson. 1995. Review section: Review of the biology of quercetin and related bioflavonoids. *Fd Chem. Toxic.* 33(12):1061-1080.

Gierer, D.S. 2002. Method for manufacturing a low dose pharmaceutical composition having uniform drug distribution and potency using silicon dioxide, WO Patent 2002087546.

Havsteen, B. H. 2002. The biochemistry and medical significance of the flavonoids. *Pharmacology and Therapeutics* 96: 67-202.

Hong, Y. and S. Wu. 2001. Determination of baicalin in compound herba *Houttuynia* tablets by HPLC. *Zhongguo Yiyao Gongye Zazhi* 32(11). 510-511.

Huy, T.T., Minh, H.T. and Thi, H.N., 2004. Chemical composition of the essential oil from the aerial part of *Houttuynia cordata*, a traditional Chinese medicine. *Tap Chi Duoc Hoc*, 44(2A), 26-28.

Intranapakorn, R. Identification and Extraction major component form Herbal Plants.

Chulalongkorn University, 2007.

Jivraj, M., L.G. Martini and C.M. Thomson. 2000. An overview of the different excipients useful for the direct compression of tablets. *PSTT* 3(2): 58-63.

- Kachrimanis, K., M.F. Noisternig, U.J. Griesser and S. Malamataris. 2000. Dynamic moisture sorption and desorption of standard and silicified microcrystalline cellulose. *European Journal of Pharmaceutics and Biopharmaceutics* 64: 307-315.
- Kamboj, V. P. 2000. Herbal Medicine. *Current Science* 78(1): 35-39.
- Kameoka, H., Miyake and A. Hiro, N. 1972. Constituents of the essential oil from *Houttuynia cordata*. *Nippon Kagaku Kaishi*. 6: 1157-1160.
- Kang ,J.-M., I. Cha, Y. Lee and H. Ryu. 1997. Identification of volatile essential oil, and flavor characterization and antibacterial effect of fractions from *Houttuynia cordata* Thunb.I. Identification of volatile essential oil compounds from *Houttuynia cordata* Thunb. *Korean Society of Food Science and Nutrition*. 26(2): 209-213.
- Kim, S. K., S.Y. Ryu, J. No, S.U. Choi and Y.S. Kim. 2001. Cytotoxic alkaloids from *Houttuynia cordata*. *Arch Pharm Res*. 24(6): 518-521.
- Kurosawa, S. 1996. Cytological Studies on Some Eastern Himalayan Plants in Hara H (ed.). *The Flora of Eastern Himalaya*. Japan. P.659.
- Larsen, K. 2000. Saururaceae. *Fl Thailand* 7(2): 344-346.
- Lau, K., K. Lee, C. Koon, C.S. Cheung, C. Lau, H. Ho, M.Y. Lee, S.W. Au, C.H. Cheng, C.B. Lau, S.K. Tsui, D.C. Wan, M.M. Waye, K. Wong, C. Wong, C.W. Lam, P. Leung and K. Fung. 2008. Immunomodulatory and anti-SARS activities of *Houttuynia cordata*. *J Ethnopharm* 18(1): 79-85.
- Li, Chanfxin and X. Qi. 2005. Determination of baicalin content in compound *Houttuynia cordata* a tablets by HPLC. *Heilongjiang Yiyao* 18(5). 320-321.


- Li, X. 2003. A preparation containing the total flavonoids and polysaccharides from *Houttuynia cordata* thumb. for improving gastrointestinal function and resisting mutation, and its preparation method, CN patent 1457810.
- Liang, Y., P. Xieb and K. Chan. 2004. Quality control of herbal medicines. J. of Chromatography B 812: 53-70.
- Ling-Shang, W., S. Jin-Ping, Y. Xiao-Qing and S. Xue-Rong. 2009. Quantitive Variation of Flavonoids in *Houttuynia cordata* from Different Geographic Origins in China. Chinese J Nat Med 7(1): 40-46.
- Lui, S. and Q. Bian. 2006. Determination of rutinoid and quercetrin in *Houttuynia cordata* by reverse phase HPLC. Zhongchengyao 28(7). 1058-1059.
- Luukkonen, P., T. Schæfer, L. Helle'n, A.M. Juppo and J. Yliruusi. 1999. Rheological characterization of microcrystalline cellulose and silicified microcrystalline cellulose wet masses using a mixer torque rheometer. International Journal of Pharmaceutics 188: 181-192.
- Mabberley, D. J. 1997. The Plant-Book. 2nd ed. Chambridge University Press, Cambridge. P.642.
- Matsui, J., N. Kiyokawa, H. Takenouchi, T. Taguchi, K. Suzuki, Y. Shiozawa, M. Saito, W. Tang, Y.U. Katagiri, H. Okita and J. Fujimoto. 2005. Dietary bioflavonoids induce apoptosis in human leukemia cells. Leukemia Research 29: 573-581.
- Matsui, J., N. Kiyokawa, H. Takenouchi, T. Taguchi, K. Suzuki, Y. Shiozawa, M. Saito, W. Tang, Y.U. Katagiri, H. Okita and J. Fujimoto. 2005. Dietary bioflavonoids induce apoptosis in human leukemia cells. Leukemia Res 29: 573-581.

- Meng, J., K.S. Leung, Z. Jiang, X. Dong, Z. Zhao and L.J. Xu. 2005. Establishment of HPLC-DAD-MS fingerprint of fresh *Houttuynia cordata*. Chem Pharm Bull 53(12): 1604-1609
- Nilsumranchit, S., P. Siricome and P. Saumsiri. Influence environment on Flavonoid glycosides in *Houttuynia cordata* Thunb. Thailand Research Foundation. 1999.
- Ohwi, J. 1965. Saururaceae. Fl Thailand 7(2): 344-346.
- Ong, E. S. 2004. Extraction methods and chemical standardization of botanicals and herbal preparations Journal of Chromatography B 812: 23-33
- Palma, S., C. Luján, J.M. Llabot, G. Barboza, R.H. Manzo and D.A. Allemanni. 2002. Design of *Peumus boldus* tablets by direct compression using a novel dry plant extract. International Journal of Pharmaceutics 233: 191-198.
- Plazier-Vercamen, J.A. and C. Bruwier. 1986. Evaluation of excipients for direct compression of the spray-dried extract of *Harpagophytum procumbens*. S.T.P. Pharma 2 (17): 525-530.
- Renoux, R., J.A. Demazieres, J.M. Cardot and J.M. Aiache. 1996. Experimentally designed optimisation of direct compression tablets. Drug Dev. Ind. Pharm. 22 (2): 103-105.
- Rowe, R. C., P.J. Sheskey and S.C. Owen. 2003. *Handbook of Pharmaceutical Excipients*. Pharmaceutical Press and American Pharmaceutical Association, London.
- Sahoo, N., Manchikanti, P. and Dey, S. 2010. Herbal drugs: Standards and regulation. Fitoterapia xxx: xxx-xxx.

- Sirithunyalug, J., S. Yotsawimonwat, S. Okonoki, P. Leesawat, N. Kittipongpatana, O. S. Kittipongpatana. *Pharmaceutical Technology I*. Chiang Mai: Faculty of Pharmacy, Chiang Mai University, 2008.
- Sitthichai, N. 2004. Original article; Herbal standard in Thai herbal pharmacopoeia. *Thai Journal of Phytopharmacy* 11(1): 21-32.
- Somnapan, E. 1998. *Houttuynia cordata*. *Herbal Plants* 15(3): 254.
- Sriwanthana, B., W. Treesangsri, B. Boriboontrakul and P. Chavatumrong. 2007. In vitro effect of Thai medicinal plants on human lymphocyte activity. *Songklanakarin Journal of Science and Technology* 29 (1): 17-28.
- Teng, Y., Z. Qui and H. Wen. 2009. Systematical approach of formulation and process development using roller compaction. *European Journal of Pharmaceutics and Biopharmaceutics* 73: 219-229.
- Tobyn M. J., G.P. McCarthy, J.N. Staniforth and S. Edge. 1998. Physicochemical comparison between microcrystalline cellulose and silicified microcrystalline cellulose. *International Journal of Pharmaceutics* 169: 183-194.
- Tourtip, T. *Tablets* (1st ed.). Faculty of Pharmacy, Mahidol University: Bangkok. 1991.
- Upton, R. 2001. International Symposium on Quality of Traditional Chinese Medicine with Chromatographic Fingerprint. Guangzhou: i 2-1.
- van den Berg, C., F.S. Kaper, J.A.G. Weldring and I. Wolters. 1975. Water binding by potato starch. *Journal of Food Technology* 10:589-602.
- Wagner, H., S. Bladt and E.M. Zgainski. 1990. *Plant drug analysis*. Berlin: Springer-Verlag, pp. 19-23, 163-173, 303-304.

- Waldesch, F. G., B.S. Konigswinter and H.B. Remagen. 2003. Herbal Medicinal Products-Scientific and Regulatory Basis for Development Quality Assurance and Marketing Authorisation, Published by Medpharm Stuttgart and CRC Press, Washington D.C.: 37-52.
- Walter, S. J., C.S. Campbell, E.A. Kellogg and P.F. Stevens. 2002. Plant Systematics: A phylogenetic Approach. 2nd ed. Sinauer Associates, Inc. Publishers, USA. P.237.
- World Health Organization. Quality control methods for medicinal plant materials; 1998. <http://whqlibdoc.who.int/publications/1998/9241545100.pdf>, Last accessed on 3rd January 2010.
- Xuan, Z. and J.A. Lui. 2004. Traditional Chinese medicinal buccal tablet for treating acute and chronic pharyngitis and stomatitis and its preparation method, CN patent 1485081.
- Yadav, N.P. and V.K. Dixit. 2008. Recent Approaches in Herbal Drug Standardization. IJIB 2(3): 195-203
- Yang, Y.L., D.H. Lui, Y.L. Zao and Q. Zhou. 2006. Study on determination of flavonoid in *Houttuynia cordata* by solid phase extraction and reverse phase-HPLC. Ziran Kexueban, 28(2). 157-160.
- Yu, W. 2007. Manufacture of traditional Chinese medicinal composition for treating asthma, CN patent 1954854
- Zhang, T. and D. Chen. 2008. Anticomplementary principles of a Chinese multiherb remedy for the treatment and prevention of SARS. Journal of Ethnopharmacology 117: 351–361.

Zheng, Y.M., X.Y. Xu, S.Q. Fu and Y.H. Yang. 2005. Quantitative determination of hyperoside and quercitrin in *Houttuynia cordata* by HPLC. *Xiandia Zhongyao Yanjiu Yu shijian* 19(3). 27-28.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved