

REFERENCES

1. Melberg, T., R. Burman, and K. Dickstein, *The impact of the 2007 ESC-ACC-AHA-WHF Universal definition on the incidence and classification of acute myocardial infarction: A retrospective cohort study*. Int J Cardiol, 2008.
2. Sucher, R., et al., *Intracellular signaling pathways control mitochondrial events associated with the development of ischemia/ reperfusion-associated damage*. Transpl Int, 2009. **22**(9): p. 922-30.
3. Correa, F., et al., *Relationship between oxidative stress and mitochondrial function in the post-conditioned heart*. J Bioenerg Biomembr, 2008. **40**(6): p. 599-606.
4. Chen, Q., et al., *Ischemic defects in the electron transport chain increase the production of reactive oxygen species from isolated rat heart mitochondria*. Am J Physiol Cell Physiol, 2008. **294**(2): p. C460-6.
5. Farber, J.L., K.R. Chien, and S. Mittnacht, Jr., *Myocardial ischemia: the pathogenesis of irreversible cell injury in ischemia*. Am J Pathol, 1981. **102**(2): p. 271-81.
6. Niizuma, K., H. Endo, and P.H. Chan, *Oxidative stress and mitochondrial dysfunction as determinants of ischemic neuronal death and survival*. J Neurochem, 2009. **109 Suppl 1**: p. 133-8.
7. Aon, M.A., et al., *Synchronized whole cell oscillations in mitochondrial metabolism triggered by a local release of reactive oxygen species in cardiac myocytes*. J Biol Chem, 2003. **278**(45): p. 44735-44.

8. Lemasters, J.J., et al., *The mitochondrial permeability transition in cell death: a common mechanism in necrosis, apoptosis and autophagy*. Biochim Biophys Acta, 1998. **1366**(1-2): p. 177-96.
9. Hirsch, T., et al., *The apoptosis-necrosis paradox. Apoptogenic proteases activated after mitochondrial permeability transition determine the mode of cell death*. Oncogene, 1997. **15**(13): p. 1573-81.
10. Susin, S.A., et al., *The central executioner of apoptosis: multiple connections between protease activation and mitochondria in Fas/APO-1/CD95- and ceramide-induced apoptosis*. J Exp Med, 1997. **186**(1): p. 25-37.
11. Nulton-Persson, A.C. and L.I. Szweda, *Modulation of mitochondrial function by hydrogen peroxide*. J Biol Chem, 2001. **276**(26): p. 23357-61.
12. Zoratti, M. and I. Szabo, *The mitochondrial permeability transition*. Biochim Biophys Acta, 1995. **1241**(2): p. 139-76.
13. Petronilli, V., et al., *The mitochondrial permeability transition, release of cytochrome c and cell death. Correlation with the duration of pore openings in situ*. J Biol Chem, 2001. **276**(15): p. 12030-4.
14. Beutner, G., et al., *Complexes between kinases, mitochondrial porin and adenylate translocator in rat brain resemble the permeability transition pore*. FEBS Lett, 1996. **396**(2-3): p. 189-95.
15. McEnery, M.W., et al., *Isolation of the mitochondrial benzodiazepine receptor: association with the voltage-dependent anion channel and the adenine nucleotide carrier*. Proc Natl Acad Sci U S A, 1992. **89**(8): p. 3170-4.

16. Kinnally, K.W., et al., *Mitochondrial benzodiazepine receptor linked to inner membrane ion channels by nanomolar actions of ligands*. Proc Natl Acad Sci U S A, 1993. **90**(4): p. 1374-8.
17. Wojakowski, W., et al., *Mobilization of CD34/CXCR4+, CD34/CD117+, c-met+ stem cells, and mononuclear cells expressing early cardiac, muscle, and endothelial markers into peripheral blood in patients with acute myocardial infarction*. Circulation, 2004. **110**(20): p. 3213-20.
18. von Vietinghoff, S. and K. Ley, *Homeostatic regulation of blood neutrophil counts*. J Immunol, 2008. **181**(8): p. 5183-8.
19. Cheng, Z., et al., *Granulocyte colony-stimulating factor exacerbates cardiac fibrosis after myocardial infarction in a rat model of permanent occlusion*. Cardiovasc Res, 2008. **80**(3): p. 425-34.
20. Brunner, S., et al., *G-CSF treatment after myocardial infarction: impact on bone marrow-derived vs cardiac progenitor cells*. Exp Hematol, 2008. **36**(6): p. 695-702.
21. Okada, H., et al., *Effect of a long-term treatment with a low-dose granulocyte colony-stimulating factor on post-infarction process in the heart*. J Cell Mol Med, 2008. **12**(4): p. 1272-83.
22. Ostadal, B., et al., *Gender Differences in Cardiac Ischemic Injury and Protection - Experimental Aspects*. Exp Biol Med (Maywood), 2009.
23. van der Laan, A.M., J.J. Piek, and N. van Royen, *Targeting angiogenesis to restore the microcirculation after reperfused MI*. Nat Rev Cardiol, 2009.

24. Kalinkovich, A., et al., *Blood-forming stem cells are nervous: Direct and indirect regulation of immature human CD34(+) cells by the nervous system.* Brain Behav Immun, 2009.
25. Shimoda, K., et al., *Identification of a functional receptor for granulocyte colony-stimulating factor on platelets.* J Clin Invest, 1993. **91**(4): p. 1310-3.
26. Bussolino, F., et al., *Granulocyte- and granulocyte-macrophage-colony stimulating factors induce human endothelial cells to migrate and proliferate.* Nature, 1989. **337**(6206): p. 471-3.
27. Kawada, H., et al., *Nonhematopoietic mesenchymal stem cells can be mobilized and differentiate into cardiomyocytes after myocardial infarction.* Blood, 2004. **104**(12): p. 3581-7.
28. Hasegawa, H., et al., *Cardioprotective effects of granulocyte colony-stimulating factor in swine with chronic myocardial ischemia.* J Am Coll Cardiol, 2006. **47**(4): p. 842-9.
29. Orlic, D., et al., *Mobilized bone marrow cells repair the infarcted heart, improving function and survival.* Proc Natl Acad Sci U S A, 2001. **98**(18): p. 10344-9.
30. Souza, L.M., et al., *Recombinant human granulocyte colony-stimulating factor: effects on normal and leukemic myeloid cells.* Science, 1986. **232**(4746): p. 61-5.
31. Baldo, M.P., et al., *Granulocyte colony-stimulating factor reduces mortality by suppressing ventricular arrhythmias in acute phase of myocardial infarction in rats.* J Cardiovasc Pharmacol, 2008. **52**(4): p. 375-80.

32. Walter, M.R., et al., *Three-dimensional structure of recombinant human granulocyte-macrophage colony-stimulating factor*. J Mol Biol, 1992. **224**(4): p. 1075-85.
33. Abdel-Meguid, S.S., et al., *Three-dimensional structure of a genetically engineered variant of porcine growth hormone*. Proc Natl Acad Sci U S A, 1987. **84**(18): p. 6434-7.
34. Fukunaga, R., et al., *Expression cloning of a receptor for murine granulocyte colony-stimulating factor*. Cell, 1990. **61**(2): p. 341-50.
35. Tamada, T., et al., *Homodimeric cross-over structure of the human granulocyte colony-stimulating factor (GCSF) receptor signaling complex*. Proc Natl Acad Sci U S A, 2006. **103**(9): p. 3135-40.
36. Haniu, M., et al., *Extracellular domain of granulocyte-colony stimulating factor receptor. Interaction with its ligand and identification of a domain in close proximity of ligand-binding region*. Arch Biochem Biophys, 1995. **324**(2): p. 344-56.
37. Dai, Y., et al., *Mobilized bone marrow progenitor cells serve as donors of cytoprotective genes for cardiac repair*. J Mol Cell Cardiol, 2008. **44**(3): p. 607-17.
38. Thomas, J., F. Liu, and D.C. Link, *Mechanisms of mobilization of hematopoietic progenitors with granulocyte colony-stimulating factor*. Curr Opin Hematol, 2002. **9**(3): p. 183-9.
39. Abbott, J.D., et al., *Stromal cell-derived factor-1alpha plays a critical role in stem cell recruitment to the heart after myocardial infarction but is not*

- sufficient to induce homing in the absence of injury.* Circulation, 2004. **110**(21): p. 3300-5.
40. Vandervelde, S., et al., *Signaling factors in stem cell-mediated repair of infarcted myocardium.* J Mol Cell Cardiol, 2005. **39**(2): p. 363-76.
 41. Misao, Y., et al., *Importance of recruitment of bone marrow-derived CXCR4+ cells in post-infarct cardiac repair mediated by G-CSF.* Cardiovasc Res, 2006. **71**(3): p. 455-65.
 42. Misao, Y., et al., *Modification of post-myocardial infarction granulocyte-colony stimulating factor therapy with myelo-suppressives.* Circ J, 2007. **71**(4): p. 580-90.
 43. Leone, A.M., et al., *Endogenous G-CSF and CD34+ cell mobilization after acute myocardial infarction.* Int J Cardiol, 2006. **111**(2): p. 202-8.
 44. Fukuhara, S., et al., *G-CSF promotes bone marrow cells to migrate into infarcted mice heart, and differentiate into cardiomyocytes.* Cell Transplant, 2004. **13**(7-8): p. 741-8.
 45. Beltrami, A.P., et al., *Evidence that human cardiac myocytes divide after myocardial infarction.* N Engl J Med, 2001. **344**(23): p. 1750-7.
 46. Kuwabara, M., et al., *Granulocyte colony-stimulating factor activates Wnt signal to sustain gap junction function through recruitment of beta-catenin and cadherin.* FEBS Lett, 2007. **581**(25): p. 4821-30.
 47. Min, J.Y., et al., *Transplantation of embryonic stem cells improves cardiac function in postinfarcted rats.* J Appl Physiol, 2002. **92**(1): p. 288-96.

48. Payne, T.R., et al., *A relationship between vascular endothelial growth factor, angiogenesis, and cardiac repair after muscle stem cell transplantation into ischemic hearts*. J Am Coll Cardiol, 2007. **50**(17): p. 1677-84.
49. Cho, S.W., et al., *Granulocyte colony-stimulating factor treatment enhances the efficacy of cellular cardiomyoplasty with transplantation of embryonic stem cell-derived cardiomyocytes in infarcted myocardium*. Biochem Biophys Res Commun, 2006. **340**(2): p. 573-82.
50. Harada, M., et al., *G-CSF prevents cardiac remodeling after myocardial infarction by activating the Jak-Stat pathway in cardiomyocytes*. Nat Med, 2005. **11**(3): p. 305-11.
51. Okada, H., et al., *Combined therapy with cardioprotective cytokine administration and antiapoptotic gene transfer in postinfarction heart failure*. Am J Physiol Heart Circ Physiol, 2009. **296**(3): p. H616-26.
52. Li, H., et al., *Myocardial survival signaling in response to stem cell transplantation*. J Am Coll Surg, 2009. **208**(4): p. 607-13.
53. Minatoguchi, S., et al., *Acceleration of the healing process and myocardial regeneration may be important as a mechanism of improvement of cardiac function and remodeling by postinfarction granulocyte colony-stimulating factor treatment*. Circulation, 2004. **109**(21): p. 2572-80.
54. Sugano, Y., et al., *Granulocyte colony-stimulating factor attenuates early ventricular expansion after experimental myocardial infarction*. Cardiovasc Res, 2005. **65**(2): p. 446-56.

55. Deten, A., et al., *Changes in extracellular matrix and in transforming growth factor beta isoforms after coronary artery ligation in rats*. J Mol Cell Cardiol, 2001. **33**(6): p. 1191-207.
56. Takemura, G., et al., *Role of apoptosis in the disappearance of infiltrated and proliferated interstitial cells after myocardial infarction*. Circ Res, 1998. **82**(11): p. 1130-8.
57. Creemers, E.E., et al., *Matrix metalloproteinase inhibition after myocardial infarction: a new approach to prevent heart failure?* Circ Res, 2001. **89**(3): p. 201-10.
58. Spinale, F.G., *Matrix metalloproteinases: regulation and dysregulation in the failing heart*. Circ Res, 2002. **90**(5): p. 520-30.
59. Taniyama, Y., et al., *Potential contribution of a novel antifibrotic factor, hepatocyte growth factor, to prevention of myocardial fibrosis by angiotensin II blockade in cardiomyopathic hamsters*. Circulation, 2000. **102**(2): p. 246-52.
60. Lehrke, S., et al., *Aging impairs the beneficial effect of granulocyte colony-stimulating factor and stem cell factor on post-myocardial infarction remodeling*. Circ Res, 2006. **99**(5): p. 553-60.
61. Xiao, J., et al., *4'-Chlorodiazepam, a translocator protein (18 kDa) antagonist, improves cardiac functional recovery during postischemia reperfusion in rats*. Exp Biol Med (Maywood), 2010. **235**(4): p. 478-86.

62. Brennan, J.P., et al., *Mitochondrial uncoupling, with low concentration FCCP, induces ROS-dependent cardioprotection independent of KATP channel activation*. Cardiovasc Res, 2006. **72**(2): p. 313-21.
63. Sucher, R., et al., *Intracellular signaling pathways control mitochondrial events associated with the development of ischemia/ reperfusion-associated damage*. Transpl Int, 2009.
64. Fridovich, I., *Superoxide anion radical (O_2^-), superoxide dismutases, and related matters*. J Biol Chem, 1997. **272**(30): p. 18515-7.
65. Chance, B., H. Sies, and A. Boveris, *Hydroperoxide metabolism in mammalian organs*. Physiol Rev, 1979. **59**(3): p. 527-605.
66. Singal, P.K., et al., *The role of oxidative stress in the genesis of heart disease*. Cardiovasc Res, 1998. **40**(3): p. 426-32.
67. Zhu, Q.S., et al., *G-CSF induced reactive oxygen species involves Lyn-PI3-kinase-Akt and contributes to myeloid cell growth*. Blood, 2006. **107**(5): p. 1847-56.
68. Olas, B., B. Wachowicz, and A. Buczynski, *The effects of granulocyte colony stimulating factor on chemiluminescence and lipid peroxidation of blood platelets treated with cisplatin*. Anticancer Drugs, 2000. **11**(2): p. 79-84.
69. Li, L., et al., *Granulocyte colony-stimulating factor improves left ventricular function of doxorubicin-induced cardiomyopathy*. Lab Invest, 2007. **87**(5): p. 440-55.

70. Ueda, K., et al., *Granulocyte colony stimulating factor directly inhibits myocardial ischemia-reperfusion injury through Akt-endothelial NO synthase pathway*. *Arterioscler Thromb Vasc Biol*, 2006. **26**(6): p. e108-13.
71. Leone, A.M., et al., *Mobilization of bone marrow-derived stem cells after myocardial infarction and left ventricular function*. *Eur Heart J*, 2005. **26**(12): p. 1196-204.
72. Ince, H., et al., *Prevention of left ventricular remodeling with granulocyte colony-stimulating factor after acute myocardial infarction: final 1-year results of the Front-Integrated Revascularization and Stem Cell Liberation in Evolving Acute Myocardial Infarction by Granulocyte Colony-Stimulating Factor (FIRSTLINE-AMI) Trial*. *Circulation*, 2005. **112**(9 Suppl): p. I73-80.
73. Kuethe, F., et al., *Treatment with granulocyte colony-stimulating factor for mobilization of bone marrow cells in patients with acute myocardial infarction*. *Am Heart J*, 2005. **150**(1): p. 115.
74. Kang, H.J., et al., *Differential effect of intracoronary infusion of mobilized peripheral blood stem cells by granulocyte colony-stimulating factor on left ventricular function and remodeling in patients with acute myocardial infarction versus old myocardial infarction: the MAGIC Cell-3-DES randomized, controlled trial*. *Circulation*, 2006. **114**(1 Suppl): p. I145-51.
75. Kang, H.J., et al., *Effects of intracoronary infusion of peripheral blood stem-cells mobilised with granulocyte-colony stimulating factor on left ventricular systolic function and restenosis after coronary stenting in myocardial*

- infarction: the MAGIC cell randomised clinical trial*. Lancet, 2004. **363**(9411): p. 751-6.
76. Wang, Y., et al., *Changes in circulating mesenchymal stem cells, stem cell homing factor, and vascular growth factors in patients with acute ST elevation myocardial infarction treated with primary percutaneous coronary intervention*. Heart, 2006. **92**(6): p. 768-74.
 77. Ohtsuka, M., et al., *Cytokine therapy prevents left ventricular remodeling and dysfunction after myocardial infarction through neovascularization*. FASEB J, 2004. **18**(7): p. 851-3.
 78. Mitchell, P., *Chemiosmotic coupling in oxidative and photosynthetic phosphorylation*. Biol Rev Camb Philos Soc, 1966. **41**(3): p. 445-502.
 79. Liu, X., et al., *Induction of apoptotic program in cell-free extracts: requirement for dATP and cytochrome c*. Cell, 1996. **86**(1): p. 147-57.
 80. Kroemer, G., N. Zamzami, and S.A. Susin, *Mitochondrial control of apoptosis*. Immunol Today, 1997. **18**(1): p. 44-51.
 81. Hiraumi, Y., et al., *Granulocyte colony-stimulating factor protects cardiac mitochondria in the early phase of cardiac injury*. Am J Physiol Heart Circ Physiol, 2009. **296**(3): p. H823-32.
 82. Larche, J., et al., *Inhibition of mitochondrial permeability transition prevents sepsis-induced myocardial dysfunction and mortality*. J Am Coll Cardiol, 2006. **48**(2): p. 377-85.
 83. Walker, J.M., *The bicinchoninic acid (BCA) assay for protein quantitation*. Methods Mol Biol, 1994. **32**: p. 5-8.

84. Chelli, B., et al., *Peripheral-type benzodiazepine receptor ligands: mitochondrial permeability transition induction in rat cardiac tissue*. *Biochem Pharmacol*, 2001. **61**(6): p. 695-705.
85. Ruiz-Meana, M., et al., *Mitochondrial Ca²⁺ uptake during simulated ischemia does not affect permeability transition pore opening upon simulated reperfusion*. *Cardiovasc Res*, 2006. **71**(4): p. 715-24.
86. Novalija, E., et al., *Anesthetic preconditioning improves adenosine triphosphate synthesis and reduces reactive oxygen species formation in mitochondria after ischemia by a redox dependent mechanism*. *Anesthesiology*, 2003. **98**(5): p. 1155-63.
87. Tong, V., et al., *Valproic acid II: effects on oxidative stress, mitochondrial membrane potential, and cytotoxicity in glutathione-depleted rat hepatocytes*. *Toxicol Sci*, 2005. **86**(2): p. 436-43.
88. Di Lisa, F., et al., *Mitochondrial membrane potential in single living adult rat cardiac myocytes exposed to anoxia or metabolic inhibition*. *J Physiol*, 1995. **486 (Pt 1)**: p. 1-13.
89. Tompkins, A.J., et al., *Mitochondrial dysfunction in cardiac ischemia-reperfusion injury: ROS from complex I, without inhibition*. *Biochim Biophys Acta*, 2006. **1762**(2): p. 223-31.
90. Zorov, D.B., M. Juhaszova, and S.J. Sollott, *Mitochondrial ROS-induced ROS release: an update and review*. *Biochim Biophys Acta*, 2006. **1757**(5-6): p. 509-17.

91. Matejikova, J., et al., *Mitochondrial KATP opening confers protection against lethal myocardial injury and ischaemia-induced arrhythmias in the rat heart via PI3K/Akt-dependent and -independent mechanisms*. Can J Physiol Pharmacol, 2009. **87**(12): p. 1055-62.
92. Moncada, S., *Mitochondria as pharmacological targets*. Br J Pharmacol, 2010. **160**(2): p. 217-9.
93. Hausenloy, D.J., M.R. Duchen, and D.M. Yellon, *Inhibiting mitochondrial permeability transition pore opening at reperfusion protects against ischaemia-reperfusion injury*. Cardiovasc Res, 2003. **60**(3): p. 617-25.
94. Azzone, G.F. and A. Azzi, *Volume changes in liver mitochondria*. Proc Natl Acad Sci U S A, 1965. **53**(5): p. 1084-9.
95. Crompton, M., *The mitochondrial permeability transition pore and its role in cell death*. Biochem J, 1999. **341** (Pt 2): p. 233-49.
96. Brady, N.R., et al., *A wave of reactive oxygen species (ROS)-induced ROS release in a sea of excitable mitochondria*. Antioxid Redox Signal, 2006. **8**(9-10): p. 1651-65.
97. Vanden Hoek, T.L., et al., *Reactive oxygen species released from mitochondria during brief hypoxia induce preconditioning in cardiomyocytes*. J Biol Chem, 1998. **273**(29): p. 18092-8.
98. Zorov, D.B., et al., *Reactive oxygen species (ROS)-induced ROS release: a new phenomenon accompanying induction of the mitochondrial permeability transition in cardiac myocytes*. J Exp Med, 2000. **192**(7): p. 1001-14.

99. Cortassa, S., et al., *A mitochondrial oscillator dependent on reactive oxygen species*. Biophys J, 2004. **87**(3): p. 2060-73.
100. Carrao, A.C., et al., *Stimulation of coronary collateral growth by granulocyte stimulating factor: role of reactive oxygen species*. Arterioscler Thromb Vasc Biol, 2009. **29**(11): p. 1817-22.
101. Kroemer, G., L. Galluzzi, and C. Brenner, *Mitochondrial membrane permeabilization in cell death*. Physiol Rev, 2007. **87**(1): p. 99-163.