

## REFERENCES

1. Nesic D., Whiteside R., Brittberg M., Wendt D., Martin I., Mainil-Varlet P. **Cartilage tissue engineering for degenerative joint disease.** *Adv Drug Deliv Rev.* 2006; 58:300-22.
2. Jeffcott L.B., Rosedale P.D., Freestone J., Frank C.J., Towers-Clark P.F. **An assessment of wastage in thoroughbred racing from conception to 4 years of age.** *Equine Vet J.* 1982; 14:185-98.
3. Kim D.Y., Taylor H.W., Moore R.M., Paulsen D.B., Cho D.Y. **Articular chondrocyte apoptosis in equine osteoarthritis.** *Vet J.* 2003; 166:52-7.
4. Chung C., Burdick J.A. **Engineering cartilage tissue.** *Adv Drug Deliv Rev.* 2008; 60:243-62.
5. Hwang N.S., Kim M.S., Sampattavanich S., Baek J.H., Zhang Z., Elisseff J. **Effects of three-dimensional culture and growth factors on the chondrogenic differentiation of murine embryonic stem cells.** *Stem Cells.* 2006; 24:284-91.
6. Kim S.E., Park J.H., Cho Y.W., Chung H., Jeong S.Y., Lee E.B. **Porous chitosan scaffold containing microspheres loaded with transforming growth factor-beta1: implications for cartilage tissue engineering.** *J Control Release.* 2003; 91:365-74.
7. Lee J.E., Kim K.E., Kwon I.C., Ahn H.J., Lee S.H., Cho H. **Effects of the controlled-released TGF-beta 1 from chitosan microspheres on chondrocytes**

**cultured in a collagen/chitosan/glycosaminoglycan scaffold.** *Biomaterials.* 2004; 25:4163-73.

8. Javelaud D., Mauviel A. **Mammalian transforming growth factor-betas: Smad signaling and physio-pathological roles.** *Int J Biochem Cell Biol.* 2004; 36:1161-5.

9. Iqbal J., Dudhia J., Bird J.L., Bayliss M.T. **Age-related effects of TGF-beta on proteoglycan synthesis in equine articular cartilage.** *Biochem Biophys Res Commun.* 2000; 274:467-71.

10. Knudson W., Loeser R.F. **CD44 and integrin matrix receptors participate in cartilage homeostasis.** *Cell Mol Life Sci.* 2002; 59:36-44.

11. Ishida O., Tanaka Y., Morimoto I., Takigawa M., Eto S. **Chondrocytes are regulated by cellular adhesion through CD44 and hyaluronic acid pathway.** *J Bone Miner Res.* 1997; 12:1657-63.

12. Kujawa M.J., Caplan A.I. **Hyaluronic acid bonded to cell-culture surfaces stimulates chondrogenesis in stage 24 limb mesenchyme cell cultures.** *Dev Biol.* 1986; 114:504-18.

13. Frean S.P., Abraham L.A., Lees P. **In vitro stimulation of equine articular cartilage proteoglycan synthesis by hyaluronan and carprofen.** *Res Vet Sci.* 1999; 67:183-90.

14. Goodstone N.J., Cartwright A., Ashton B. **Effects of high molecular weight hyaluronan on chondrocytes cultured within a resorbable gelatin sponge.** *Tissue Eng.* 2004; 10:621-31.

15. Tanimoto K., Suzuki A., Ohno S., Honda K., Tanaka N., Doi T., et al. **Effects of TGF-beta on hyaluronan anabolism in fibroblasts derived from the synovial membrane of the rabbit temporomandibular joint.** *J Dent Res.* 2004; 83:40-4.
16. Venn M.F. **Chemical composition of human femoral and head cartilage: influence of topographical position and fibrillation.** *Ann Rheum Dis.* 1979; 38:57-62.
17. Chiang H., Jiang C.C. **Repair of articular cartilage defects: review and perspectives.** *J Formos Med Assoc.* 2009; 108:87-101.
18. Tatari H. **[The structure, physiology, and biomechanics of articular cartilage: injury and repair].** *Acta Orthop Traumatol Turc.* 2007; 41 Suppl 2:1-5.
19. Chen F.H., Rousche K.T., Tuan R.S. **Technology Insight: adult stem cells in cartilage regeneration and tissue engineering.** *Nat Clin Pract Rheumatol.* 2006; 2:373-82.
20. Poole A.R., Kojima T., Yasuda T., Mwale F., Kobayashi M., Lavery S. **Composition and structure of articular cartilage: a template for tissue repair.** *Clin Orthop Relat Res.* 2001; S26-33.
21. Goldring M.B. **Update on the biology of the chondrocyte and new approaches to treating cartilage diseases.** *Best Pract Res Clin Rheumatol.* 2006; 20:1003-25.
22. Blaney Davidson E.N., van der Kraan P.M., van den Berg W.B. **TGF-beta and osteoarthritis.** *Osteoarthritis Cartilage.* 2007; 15:597-604.

23. Pujol J.P., Galera P., Redini F., Mauviel A., Loyau G. **Role of cytokines in osteoarthritis: comparative effects of interleukin 1 and transforming growth factor-beta on cultured rabbit articular chondrocytes.** *J Rheumatol Suppl.* 1991; 27:76-9.
24. Dingle J.T. **Catabolin--a cartilage catabolic factor from synovium.** *Clin Orthop Relat Res.* 1981; 219-31.
25. Pujol J.P., Loyau G. **Interleukin-1 and osteoarthritis.** *Life Sci.* 1987; 41:1187-98.
26. de Caestecker M. **The transforming growth factor-beta superfamily of receptors.** *Cytokine Growth Factor Rev.* 2004; 15:1-11.
27. ten Dijke P., Hill C.S. **New insights into TGF-beta-Smad signalling.** *Trends Biochem Sci.* 2004; 29:265-73.
28. Blobel G.C., Schiemann W.P., Lodish H.F. **Role of transforming growth factor beta in human disease.** *N Engl J Med.* 2000; 342:1350-8.
29. Weiskirchen R., Meurer S.K., Gressner O.A., Herrmann J., Borkham-Kamphorst E., Gressner A.M. **BMP-7 as antagonist of organ fibrosis.** *Front Biosci.* 2009; 14:4992-5012.
30. Roberts A.B. **Molecular and cell biology of TGF-beta.** *Miner Electrolyte Metab.* 1998; 24:111-9.
31. Jobling A.I., Nguyen M., Gentle A., McBrien N.A. **Isoform-specific changes in scleral transforming growth factor-beta expression and the regulation of collagen synthesis during myopia progression.** *J Biol Chem.* 2004; 279:18121-6.

32. Govinden R., Bhoola K.D. **Genealogy, expression, and cellular function of transforming growth factor-beta.** *Pharmacol Ther.* 2003; 98:257-65.
33. Lawrence D.A. **Latent-TGF-beta: an overview.** *Mol Cell Biochem.* 2001; 219:163-70.
34. Todorovic V., Jurukovski V., Chen Y., Fontana L., Dabovic B., Rifkin D.B. **Latent TGF-beta binding proteins.** *Int J Biochem Cell Biol.* 2005; 37:38-41.
35. Seyedin S.M., Thompson A.Y., Bentz H., Rosen D.M., McPherson J.M., Conti A., et al. **Cartilage-inducing factor-A. Apparent identity to transforming growth factor-beta.** *J Biol Chem.* 1986; 261:5693-5.
36. Reddi A.H. **Cartilage morphogenetic proteins: role in joint development, homoeostasis, and regeneration.** *Ann Rheum Dis.* 2003; 62 Suppl 2:ii73-8.
37. Canalis E., Economides A.N., Gazzerro E. **Bone morphogenetic proteins, their antagonists, and the skeleton.** *Endocr Rev.* 2003; 24:218-35.
38. Grimaud E., Heymann D., Redini F. **Recent advances in TGF-beta effects on chondrocyte metabolism. Potential therapeutic roles of TGF-beta in cartilage disorders.** *Cytokine Growth Factor Rev.* 2002; 13:241-57.
39. Fan H., Hu Y., Qin L., Li X., Wu H., Lv R. **Porous gelatin-chondroitin-hyaluronate tri-copolymer scaffold containing microspheres loaded with TGF-beta1 induces differentiation of mesenchymal stem cells in vivo for enhancing cartilage repair.** *J Biomed Mater Res A.* 2006; 77:785-94.
40. Hardingham T.E., Fosang A.J. **Proteoglycans: many forms and many functions.** *FASEB J.* 1992; 6:861-70.

41. Knudson W., Knudson C. **An update on hyaluronan and CD44 in cartilage.** *Current Opinion in Orthopaedics*. 2004; 15:369–75.
42. Hiscock D.R., Caterson B., Flannery C.R. **Expression of hyaluronan synthases in articular cartilage.** *Osteoarthritis Cartilage*. 2000; 8:120-6.
43. Toole B.P. **Hyaluronan: from extracellular glue to pericellular cue.** *Nat Rev Cancer*. 2004; 4:528-39.
44. Brandt K.D., Smith G.N., Jr., Simon L.S. **Intraarticular injection of hyaluronan as treatment for knee osteoarthritis: what is the evidence?** *Arthritis Rheum*. 2000; 43:1192-203.
45. Knudson C.B., Knudson W. **Hyaluronan-binding proteins in development, tissue homeostasis, and disease.** *FASEB J*. 1993; 7:1233-41.
46. Prehm P. **Hyaluronate is synthesized at plasma membranes.** *Biochem J*. 1984; 220:597-600.
47. Spicer A.P., Seldin M.F., Olsen A.S., Brown N., Wells D.E., Doggett N.A., et al. **Chromosomal localization of the human and mouse hyaluronan synthase genes.** *Genomics*. 1997; 41:493-7.
48. Weigel P.H., Hascall V.C., Tammi M. **Hyaluronan synthases.** *J Biol Chem*. 1997; 272:13997-4000.
49. Itano N., Sawai T., Yoshida M., Lenas P., Yamada Y., Imagawa M., et al. **Three isoforms of mammalian hyaluronan synthases have distinct enzymatic properties.** *J Biol Chem*. 1999; 274:25085-92.

50. Spicer A.P., Tien J.Y. **Hyaluronan and morphogenesis.** *Birth Defects Res C Embryo Today.* 2004; 72:89-108.
51. Nishida Y., Knudson C.B., Nietfeld J.J., Margulis A., Knudson W. **Antisense inhibition of hyaluronan synthase-2 in human articular chondrocytes inhibits proteoglycan retention and matrix assembly.** *J Biol Chem.* 1999; 274:21893-9.
52. Yasui T., Akatsuka M., Tobetto K., Hayaishi M., Ando T. **The effect of hyaluronan on interleukin-1 alpha-induced prostaglandin E2 production in human osteoarthritic synovial cells.** *Agents Actions.* 1992; 37:155-6.
53. Tobetto K., Yasui T., Ando T., Hayaishi M., Motohashi N., Shinogi M., et al. **Inhibitory effects of hyaluronan on [14C]arachidonic acid release from labeled human synovial fibroblasts.** *Jpn J Pharmacol.* 1992; 60:79-84.
54. Larsen N.E., Lombard K.M., Parent E.G., Balazs E.A. **Effect of hylan on cartilage and chondrocyte cultures.** *J Orthop Res.* 1992; 10:23-32.
55. Presti D., Scott J.E. **Hyaluronan-mediated protective effect against cell damage caused by enzymatically produced hydroxyl (OH.) radicals is dependent on hyaluronan molecular mass.** *Cell Biochem Funct.* 1994; 12:281-8.
56. Gillard G.C., Caterson B., Lowther D.A. **The synthesis of hyaluronic acid by sheep and rabbit articular cartilage in vitro.** *Biochem J.* 1975; 145:209-13.
57. Morales T.I., Hascall V.C. **Correlated metabolism of proteoglycans and hyaluronic acid in bovine cartilage organ cultures.** *J Biol Chem.* 1988; 263:3632-8.
58. Ng C.K., Handley C.J., Mason R.M., Robinson H.C. **Synthesis of hyaluronate in cultured bovine articular cartilage.** *Biochem J.* 1989; 263:761-7.

59. Tien J.Y., Spicer A.P. **Three vertebrate hyaluronan synthases are expressed during mouse development in distinct spatial and temporal patterns.** *Dev Dyn.* 2005; 233:130-41.
60. Spicer A.P., McDonald J.A. **Characterization and molecular evolution of a vertebrate hyaluronan synthase gene family.** *J Biol Chem.* 1998; 273:1923-32.
61. Camenisch T.D., Spicer A.P., Brehm-Gibson T., Biesterfeldt J., Augustine M.L., Calabro A., Jr., et al. **Disruption of hyaluronan synthase-2 abrogates normal cardiac morphogenesis and hyaluronan-mediated transformation of epithelium to mesenchyme.** *J Clin Invest.* 2000; 106:349-60.
62. Lokeshwar V.B., Selzer M.G. **Differences in hyaluronic acid-mediated functions and signaling in arterial, microvessel, and vein-derived human endothelial cells.** *J Biol Chem.* 2000; 275:27641-9.
63. Lee J.Y., Spicer A.P. **Hyaluronan: a multifunctional, megaDalton, stealth molecule.** *Curr Opin Cell Biol.* 2000; 12:581-6.
64. Bourguignon L.Y., Zhu H., Shao L., Chen Y.W. **CD44 interaction with tiam1 promotes Rac1 signaling and hyaluronic acid-mediated breast tumor cell migration.** *J Biol Chem.* 2000; 275:1829-38.
65. Oliferenko S., Kaverina I., Small J.V., Huber L.A. **Hyaluronic acid (HA) binding to CD44 activates Rac1 and induces lamellipodia outgrowth.** *J Cell Biol.* 2000; 148:1159-64.

66. Slevin M., Kumar S., Gaffney J. **Angiogenic oligosaccharides of hyaluronan induce multiple signaling pathways affecting vascular endothelial cell mitogenic and wound healing responses.** *J Biol Chem.* 2002; 277:41046-59.
67. Grunder T., Gaissmaier C., Fritz J., Stoop R., Hortschansky P., Mollenhauer J., et al. **Bone morphogenetic protein (BMP)-2 enhances the expression of type II collagen and aggrecan in chondrocytes embedded in alginate beads.** *Osteoarthritis Cartilage.* 2004; 12:559-67.
68. Kongtawelert P., Ghosh P. **A method for the quantitation of hyaluronan (hyaluronic acid) in biological fluids using a labeled avidin-biotin technique.** *Anal Biochem.* 1990; 185:313-8.
69. Dische Z. **A new specific color reaction of hexuronic acids.** *J Biol Chem.* 1947; 167:189-98.
70. Waldman S.D., Grynepas M.D., Pilliar R.M., Kandel R.A. **The use of specific chondrocyte populations to modulate the properties of tissue-engineered cartilage.** *J Orthop Res.* 2003; 21:132-8.
71. Kim Y.J., Sah R.L., Doong J.Y., Grodzinsky A.J. **Fluorometric assay of DNA in cartilage explants using Hoechst 33258.** *Anal Biochem.* 1988; 174:168-76.
72. Stock A.E., Bouchard N., Brown K., Spicer A.P., Underhill C.B., Dore M., et al. **Induction of hyaluronan synthase 2 by human chorionic gonadotropin in mural granulosa cells of equine preovulatory follicles.** *Endocrinology.* 2002; 143:4375-84.

73. Fukuhira Y. **Effect of honeycomb-patterned structure on chondrocyte behavior in vitro** *Colloids and Surfaces A*. 2008; 313-314:520-5.
74. Wang Y., Blasioli D.J., Kim H.J., Kim H.S., Kaplan D.L. **Cartilage tissue engineering with silk scaffolds and human articular chondrocytes.** *Biomaterials*. 2006; 27:4434-42.
75. Wu H., Wan Y., Cao X., Wu Q. **Proliferation of chondrocytes on porous poly(DL-lactide)/chitosan scaffolds.** *Acta Biomater*. 2008; 4:76-87.
76. Ibold Y., Lubke C., Pelz S., Augst H., Kaps C., Ringe J., et al. **Effect of different ascorbate supplementations on in vitro cartilage formation in porcine high-density pellet cultures.** *Tissue Cell*. 2009; 41:249-56.
77. Takahashi N., Rieneck K., van der Kraan P.M., van Beuningen H.M., Vitters E.L., Bendtzen K., et al. **Elucidation of IL-1/TGF-beta interactions in mouse chondrocyte cell line by genome-wide gene expression.** *Osteoarthritis Cartilage*. 2005; 13:426-38.
78. Arai K., Kasashima Y., Kobayashi A., Kuwano A., Yoshihara T. **TGF-beta alters collagen XII and XIV mRNA levels in cultured equine tenocytes.** *Matrix Biol*. 2002; 21:243-50.
79. Watts E.J., Rose M.T. **Platelet-derived growth factor acts via both the Rho-kinase and p38 signaling enzymes to stimulate contraction in an in vitro model of equine wound healing.** *Domest Anim Endocrinol*. 2010; 38:253-9.

80. Chaipinyo K., Oakes B.W., van Damme M.P. **Effects of growth factors on cell proliferation and matrix synthesis of low-density, primary bovine chondrocytes cultured in collagen I gels.** *J Orthop Res.* 2002; 20:1070-8.
81. Strutz F., Zeisberg M., Renziehausen A., Raschke B., Becker V., van Kooten C., et al. **TGF-beta 1 induces proliferation in human renal fibroblasts via induction of basic fibroblast growth factor (FGF-2).** *Kidney Int.* 2001; 59:579-92.
82. Stouffer G.A., Owens G.K. **TGF-beta promotes proliferation of cultured SMC via both PDGF-AA-dependent and PDGF-AA-independent mechanisms.** *J Clin Invest.* 1994; 93:2048-55.
83. de Haart M., Marijnissen W.J., van Osch G.J., Verhaar J.A. **Optimization of chondrocyte expansion in culture. Effect of TGF beta-2, bFGF and L-ascorbic acid on bovine articular chondrocytes.** *Acta Orthop Scand.* 1999; 70:55-61.
84. Blanco F.J., Geng Y., Lotz M. **Differentiation-dependent effects of IL-1 and TGF-beta on human articular chondrocyte proliferation are related to inducible nitric oxide synthase expression.** *J Immunol.* 1995; 154:4018-26.