

REFERENCES

- Adams, M., Pacher, T., Greger, H., Bauer, R. 2005. Inhibition of leukotriene biosynthesis by stilbenoids from *Stemona* species. *Journal of Natural Product* **68**:83–85.
- Akanitapichat, P., Tongngok, P., Wangmaneerat, A., Sripanidkulchai, B. 2005. Antiviral and anticancer activities of *Stemona collinsae*. *Thai Journal of Pharmaceutical Science* **29**:125–136.
- Aldridge, W. N. 1950. Some properties of specific cholinesterase with particular reference to the mechanism of inhibition by diethyl p-nitrophenyl thiophosphate (E605) and analogues. *Biochemical Journal* **46**:451–460.
- Atta-ur-Rahman and Choudhary, M. I. 2001. Bioactive natural products as a potential source of new pharmacophores a theory of memory. *Pure and Applied Chemistry* **73**:555–560.
- Baird, M.C., G. Pyne, S.G., Ung, A.T., Lie, W., Sastraruji, T., Jatisatiennr, A., Jatisatiennr, C., Dheeranupattana, S., Lowlam, J. and Boonchalermkit, S. 2009. Semisynthesis and Biological Activity of Stemofoline Alkaloids. *Journal of Natural Products* **72**:679–684.
- Brem, B., Seger, C., Pacher, T., Hofer, O., Vajrodaya, S., and H. Greger. 2002. Feeding deterrence and contact toxicity of *Stemona* alkaloids - a source of potent natural insecticides. *Journal of Agricultural and Food Chemistry* **50**: 6383-6388.

- Brem, B., Seger, C., Pacher, T., Hartl, M., Hadacek, F., Hofer, O., Vajrodaya, S., Greger, H. 2004. Antioxidant dehydrotocopherols as a new chemical character of *Stemona* species. *Phytochemistry* **65**:2719–2729.
- Chaiyadej, K., Wongthap, H., Vadhanavikit, S. and Chantrapromma, K. 2004. Bioactive Constituents from the Twigs of *Sonneratia alba*. *Walailak Journal of Science and Technology* **1**:15-22.
- Chaiyong, S., Jatisatiens, A., Mungkornasawakul, P., Sastraruji, T., Pyne, S.G., Ung, A.T., Urathamakul, T. and Lie, W. 2010. Phytochemical Investigations of *Stemona curtisii* and Synthetic Studies on Stemocurtisine Alkaloids. *Journal of Natural Products* **73**:1833–1838.
- Chung, H.S., Hon, P.M., Lin, G., But, P.P.H. and Dong, H. 2003. Antitussive activity of Stemona alkaloids from *Stemona tuberosa*. *Planta Medica* **69**:914-920.
- Croteau, R., Kutchan, T.M., Lewis, N.G. 2000. Natural Products (secondary metabolites). In: Buchanan, B.B., Grussem, W., Jones, R.L. (Eds.), *Biochemistry and Molecular Biology of Plants*. American Society of Plant Physiologists, Rockville, MD, pp. 1250–1318.
- Darvesh, S., Walsh, R., Kumar, R., Caines, A., Roberts, S., Magee, D., Rockwood, K., Martin, E. 2003. Inhibition of human cholinesterases by drugs used to treat Alzheimer disease. *Alzheimer Disease and Associated Disorders* **17**:117–126.
- Dien, P.H., Lin, L.G., Tang, C.P., Chang-Qiang, K.E. and Ye, Y. 2008. Bisbenzopyrans and alkaloids from the roots of *Stemona cochinchinensis*. *Natural Product Research* **22**:915-920.
- Duyfjes, B. E. E. 1993. Stemonaceae. Flora Malesiana Series I **11**:399–409.

- Francis, P.T., Palmer, A.M., Snape, M., Wilcock, G.K. 1999. The cholinergic hypothesis of Alzheimer's disease: a review of progress. *Journal of Neurology, Neurosurgery and Psychiatry* **66**:137–147.
- Forgo, P. and Kover, K.E. 2004. Gradient enhanced selective experiments in the ^1H NMR chemical shift assignment of the skeleton and side-chain resonances of stigmasterol, a phytosterol derivative. *Steroids* **69**:43-50.
- Gasparic, J. and Churacek, J. 1978. Laboratory Handbook of Paper and Thin-Layer Chromatography. Wiley. New York.
- Gorham, J. 1995. The biochemistry of the stilbenoids. Chapman & Hall, UK.
- Gottwald, M.D. and Rozanski, R.I. 1999. Rivastigmine a brainregion selective acetylcholinesterase inhibitor for treating Alzheimer's disease: review and current status. *Expert Opinion on Investigational Drugs* **8**:1673–1682.
- Greger, H. 2006. Structure relationships, distribution and biological activities of *Stemona* alkaloids. *Planta Medica* **72**:99-113.
- Inthachub, P., Vajrodaya, S. and Duyfjes, B.E.E. 2010. Census of *Stemona* (Stemonaceae) in Thailand. *Blumea* **55**:143-152.
- Jiangsu New Medical College, 1986. Chinese Dictionary of Crude Drugs. Shanghai Scientific and Technologic Publisher, Shanghai, pp. 860.
- Jiwajinda, S., Hirai, N., Watanabe, K., Santisopasri, V., Chuengsamarnyart, N., Koshimizu, K. and Ohigashi. H. 2001. Occurrence of the insecticidal 16,17-didehydro-16(E)-stemofoline in *Stemona collinsae*. *Phytochemistry* **56**:693-695.
- Kaltenegger, E., Brem, B., Mereiter, K., Kalchhauser, H., Kahlig, H., Hofer, O., Vijrodaya, S. And Greger, H. 2003. Insecticidal pyrido[1,2-a]azepine alkaloids

- and related derivatives from *Stemona* species. *Phytochemistry* (Elsevier) **63**:803-816.
- Kapche, G.D.W.F., Fozing, C.D., Donfack, J.H., Fotso,G.W., Amadou, D., Tchana, A.N., Bezabih, M., Moundipa, P.F., Ngadjui, B.T., Abegaz, B. M. 2009. Prenylated arylbenzofuran derivatives from *Morus mesozygia* with antioxidant activity. *Phytochemistry* **70**:216–221.
- Kelly, C.A., Harvey, R.J., Cayton, H., 1997. Drug treatments for Alzheimer's disease. *British Medical Journal* **314**:693–694.
- Koneman, E.W., Allen, S.D., Janda, W.M., Schreckenber, P.C., Winn, W.C. 1997. Color Atlas of Diagnostic Microbiology, fifth ed. Lippincott.
- Komalamisra, N., Trongtokit, Y., Rongsriyam, Y., Apiwathnasorn C. 2005. Screening for larvicidal activity in some Thai plants against four mosquito vector species. *Southeast Asian Journal of Tropical Medicine and Public Health* **36**:1412-1422.
- Kostecki, K., Engelmeier, D., Pacher, T., Hofer, O., Vajrodaya, S., Greger, H. 2004. Dihydrophenanthrenes and other antifungal stilbenoids from *Stemona* cf. *pierrei*. *Phytochemistry* **65**:99–106.
- Lee, J.P., Min, B.S.,An, R.B., Na, M.K.,Lee, S.M., Lee, H.K., Kim, J.G., Bae K.H., Kang, S.S. 2003. Stilbenes from the roots of *Pleuropterus ciliinervis* and their antioxidant activities. *Phytochemistry* **64**:759–763.
- Lee, K.Y., Sung, S.H. and Kim, Y.C. 2006. Neuroprotective bibenzyl glycosides of *Stemona tuberosa* roots. *Journal of Natural Products* **69**:670-681.
- Le Bars, P.L. 2003. Response patterns of EGB 761 in Alzheimer's disease: influence of neuropsychological profiles. *Pharmacopsychiatry* **36** (Suppl. 1):50–55.

- Lin, L.G., Yang, X.Z., Tang, C.P., Ke, C.Q., Zhang, J.B., Ye, Y. 2008. Antibacterial stilbenoids from the roots of *Stemona tuberosa*. *Phytochemistry* **69**:457–463.
- Limtrakul, P., Siwanon, S., Yodkeeree, S. and Duangrat, C. 2007. Effect of *Stemona curtisii* root extract on P-glycoprotein and MRP-1 function in multidrug-resistant cancer cells. *Phytomedicine* **14**:381-389.
- Liu, Z.L., Goh, S.H., Ho, S.H. 2007. Screening of Chinese medicinal herbs for bioactivity against *Sitophilus zeamais* Motschulsky and *Tribolium castaneum* (Herbst). *Journal of Stored Products Research* **43**:290–296.
- Marston, A., Kissling, J. and Hostettmann, K. 2002. A rapid TLC bioautographic method for the detection of acetylcholinesterase and butyrylcholinesterase inhibitors in plants. *Phytochemical analysis* **13**: 51–54.
- Maxwell, J. F. 1991. Botanical notes on the vascular flora of Chiang Mai. *Natural History Siam Society* **39**:71–83.
- Mayer, B. N., Ferrigni, N. R., Putmann, J. E., Jacobsin, L. B., Nichols, D. E., and McLaughlin, J. L. 1982. Brine shrimp: a convenient general bioassay for active plant constituents. *Planta Medica* **45**:31–34.
- McLaughlin, J. C. 1991. Crown gall tumours on potato discs and brine shrimp lethality: two simple bioassays for higher plant screening. In: Hostettmann, k. (ed.), methods in Biochemistry, 6, Assays for Bioactivity. London, Academic Press, 1–32.
- Mungkornasawakul, P. 2004. Pesticidal Plant Extract for Reducing the Agricultural Use of Harmful Pesticides. Ph.D. Thesis, Chiang Mai University.

- Mungkornasawakul, P., Pyne, S. G., Jatisatiens, A., Supyeni, D., Lie, W., Ung, A. T., Skelton, B. W., and White, A. H. 2003. Stemocurtisine, the First Pyrido[1,2-a]azapine *Stemona* Alkaloid. *Journal of Natural Products* **66**:980-982.
- Mungkornasawakul, P., Pyne, S. G., Jatisatiens, A., Supyeni, D., Jatisatiens, C., Lie, W., Ung, A. T., Skelton, B. W., and White, A. H. 2004. Phytochemical and Larvicidal Studies on *Stemona curtisii*: Structure of a New Pyrido[1,2-a]azepine *Stemona* Alkaloid. *Journal of Natural Products* **67**:675-677.
- Mungkornasawakul, P., Chaiyong, S., Sastraruji, T., Jatisatiens, A., Jatisatiens, C., Pyne, S.G., Ung, A.T., Korth, J. and Lie, W. 2009. Alkaloids from the Roots of *Stemona aphylla*. *Journal of Natural Products* **72**:848–851.
- Nakatani, N. 2000. Phenolic antioxidants from herbs and spices. *Biofactors* **13**:141–146.
- Noguchi, M., Mochida, J., Shingu, T., Kozuka, M. and Fujitani, K. 1984. Components of the Chinese drug “Ti-ku-pi”, isolation and establishment of structure of a new dipeptide, lyciumamide. *Chemical and Pharmaceutical Bulletin* **32**:3584-3587.
- Oehmichen, M. and Besserer, K. 1982. Forensic significance of acetylcholineesterase histochemistry in organophosphate intoxication. Original investigations and review of the literature. *Z. Rechtsmed.* **89**, 149–165.
- Oken, B.S., Storzbach, D.M. and Kaye, J.A. 1998. The efficacy of Ginkgo biloba on cognitive function in Alzheimer disease. *Archives of Neurology* **55**:1409–1415.

- Pacher, T., Seger, C., Engelmeier, D., Vajrodaya, S., Hofer, O. and Greger., H. 2002. Antifungal stilbenoids from *Stemona collinsae*. *Journal of Natural Products* **65**:820-827.
- Pilli, R. A., and Ferreira de Oliveira, M. d. C. 2000. Recent progress in the chemistry of the *Stemona* alkaloids. *Natural Product Reports* **17**:117-127.
- Pilli, R. A., Rosso, G. B., and De Oliveira, M. d. C. 2010. The chemistry of *Stemona* alkaloids: An update. *Natural Product Reports* **27**:1908-1937.
- Pitiyont, B., Tikum, N. and Ohsawa, K. 2008. Bioefficacy of *Stemona burkillii* extracts on *Spodopter litura*. *Journal of ISSAAS* **13**(suppl.):31-37.
- Phattharaphan, N., Bongotrat Pitiyont, B. and Visetson, S. 2010. Potential of *Stemona* sp. for *Plutella xylostella* control. *Journal of Biopesticides* **3**:278–281.
- Prain, D. 1905. Note on the Roxburghiaceae. *Journal of the Asiatic Society of Bengal* **73**:39-44.
- Pyne, S.G., Ung, A.T., Jatisatiens, A. and Mungkornasawakul, P. 2007. The pyrido[1,2-a]azepine *Stemona* alkaloids. *Maejo International Journal of Science and Technology* **1**:157-165.
- Rice-Evans, C.A., Miller, N.J., Paganga, G., 1996. Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine* **20**:933–956.
- Richard, D.L., Frank, J.S., Mary, E.H., Miwako, K., Gerald, B.H. and Catherine, C.N. 2003. Use of a modified microplate bioassay method to investigate antibacterial activity in the Peruvian medicinal plant *Peperomia galloides*. *Journal of Ethnopharmacology* **94**:279-281.

Rungrojsakul, M. 2001. Morphological Characteristic, Chromosome Number and Propagation of *Stemona* spp. Master's thesis. Chiang Mai University, Chiang Mai.

Sakata, K., Aoki, K., Chang, C.F., Sakurai, A., Tamura, S. and Murakoshi, S. 1978. Stemospironine, a new insecticidal alkaloid of *Stemona japonica* Miq., isolation, structural determination and activity. *Agricultural and Biological Chemistry* **42**:457-463.

Sastraruji, T. 2006. Bioinsecticide production from *Stemona* extract and its application in agricultural. Ph.D. Thesis, Chiang Mai University.

Sastraruji, K., Sastraruji, T., Stephen G. Pyne, S.G., Alison T. Ung, A.T., Jatisatiennr, A. and Lie, W. 2010. Semisynthesis and Acetylcholinesterase Inhibitory Activity of Stemofoline Alkaloids and Analogues. *Journal of Natural Products* **73**:935–941.

Sastraruji, T., Chaiyong, S., Jatisatiennr, A., Pyne, S.G., Ung, A.T. and Lie, W. 2011. Phytochemical Studies on *Stemona aphylla*: Isolation of a New Stemofoline Alkaloid and Six New Stemofurans. *Journal of Natural Products* **74**:60-64.

Seger, C., Mereiter, K., Kaltenegger, E., Pacher, T., Greger, H. And Hofer, O. 2004. “Two pyrrolo[1,2-*a*]azipine type alkaloids from *Stemona collinsae*:structure elucidations, relationships to asparagamine A, and a new biogenetic concept of their formation”. *Chemistry and Biodiversity* **1**:265-279.

Scott, L.J. and Goa, K.L. 2000. Galantamine: a review of its use in Alzheimer's disease. *Drugs* **60**:1095–1122.

Sharma, O.P. and Bhat, T.K. 2009. DPPH antioxidant assay revisited. *Food Chemistry* **113**:1202–1205.

- Stahl, E. 1969. Thin-Layer Chromatography: A Laboratory Handbook. Springer-Verlag Berlin. Heidelberg. New York. 873–874.
- Teng, W. S. 1993. Toxicity Testing Using the Brine Shrimp: *Artemia salina*. p.441–456. In: S.M. Colegate and R.J. Molyneux. Bioactive Natural Product. Boca Raton, Florida.
- Tikum, N., Pitiyont, B., K. Shimomura and Ohsawa, K. 2008. Insecticidal Activity and Chemical Compositions of *Stemona burkilli* against *Spodoptera exigua* and *Spodoptera litura*. ISSAAS Congress 2008. February 23-27, 2009. Bangkok, Thailand.
- Tong, Z., Zhang, Y.Z. and Tao, J.S. 2007. Antibacterial constituents from *Stemona sessilifolia*. *Journal of Asian Natural Products Research* **9**:479-485.
- Tsi, Z.H., Duyfjes, B.E.E., Wu, Z.Y. and Raven, P.H. 2000. Stemonaceae: In Flora of China. Beijing: *Science Press* **24**:70-72.
- Wang, J. J., Cheng, W. X., Ding, W. and Zhao, Z. M. 2004. The effect of the insecticide dichlorvos on esterase activity extracted from the psocids, *Liposcelis bostrychophila* and *L. entomophila*. *Journal of Insect Science* **4**:1–5.
- Wang, P., Liu, A.L., An, Z., Li, Z.H., Du, G.H. and Qin, H.L. 2007. Novel alkaloids from the roots of *Stemona sessilifolia*. *Chemistry and Biodiversity* **4**:523-530.
- Waymire, J.C. 1997. “Acetylcholine Neurotransmission Part 4 of 8.” in *Cellular and Molecular Neurobiology* [Online]. Available: <https://oac22.hsc.uth.tmc.edu/courses/nba/s1/i12-4.html>.
- Whitehouse, P.J., 1993. Cholinergic therapy in dementia. *Acta Neurologica Scandinavica* **149**:42–45.

- Yang, X.-Z., Tang, C.-P., Ye, Y. 2006. Stilbenoids from *Stemona japonica*. *Journal of Asian Natural Products Research* **8**:47–53.
- Yang, X.H., Gulder, T.A.M., Reichert, M., Tang, C., Ke, C., Yea, Y. and Bringmann, G. 2007. Parvistemins A-D, a new type of demeric phenylethyl benzoquinones from *Stemona parviflora* Wright. *Tetrahedron* **63**:4688-4694.
- Ye, Y., Qin, G. W., and Xu, R. S. 1994a. Alkaloids of *Stemona japonica*. *Journal of Natural Products* **57**:665–669.
- Ye, Y., Qin, G. W., and Xu, R. S. 1994b. Alkaloids from *Stemona tuberosa*. *Phytochemistry* **37**:1201–1203.
- Yen, G.C. and Hsieh, G.L. 1997. Antioxidant effects on dopamine and related compounds. *Bioscience, Biotechnology and Biochemistry* **61**:1646–1649.
- Zheng, W. and Wang, S.Y. 2001. Antioxidant activity and phenolic compounds in selected herbs. *Journal of Agricultural and Food Chemistry* **49**:5165–5170.