

REFERENCES

- [1] Z. Gu, Y. Ma, W. Yang, G. Zhang and J. Yao, *Chem. Commun.*, **28** (2005) 3597–3599.
- [2] A. Phuruangrat, D.J. Ham, S.J. Hong, S. Thongtem and J.S. Lee, *J. Mater. Chem.*, **20** (2010) 1683–1690.
- [3] Z. Gu, H. Li, T. Zhai, W. Yang, Y. Xia, Y. Ma and J. Yao, *J. Solid State Chem.*, **180** (2007) 98–105.
- [4] E. Zelazowska and E. Rysiakiewicz-Pasek, *J. Non-Cryst. Solids*, **354** (2008) 4500–4505.
- [5] S.R. Bathe and P.S. Patil, *Solid State Ionics*, **179** (2008) 314–323.
- [6] J.H. Ha, P. Muralidharan and D.K. Kim, *J. Alloys Compd.*, **475** (2009) 446–451.
- [7] I.M. Szilagyí, S. Saukko, J. Mizsei, A.L. Toth, J. Madarasz and G. Pokol, *Solid Stat Sci.*, **12** (2010) 1857–1860.
- [8] X. Song, Y. Zhao and Y. Zheng, *Mater. Lett.*, **60** (2006) 3405–3408.
- [9] X.C. Song, Y.F. Zheng, E. Yang and Y. Wang, *Mater. Lett.*, **61** (2007) 3904–3908.
- [10] R. Huirache-Acuña, F. Paraguay-Delgado, M.A. Albitzer, J. Lara-Romero and R. Martínez-Sánchez, *Mater. Charact.*, **60** (2009) 932 – 937.
- [11] S. Salmaoui, F. Sediri and N. Gharbi, *Polyhedron*, **29** (2010) 1771–1775.
- [12] N. Shankar, M.F. Yu, S.P. Vanka and N.G. Glumac, *Mater. Lett.*, **60** (2006) 771–774.

- [13] K. Zhu, H. He, S. Xie, X. Zhang, W. Zhou, S. Jin and B. Yue, *Chem. Phys. Lett.*, **377** (2003) 317-321.
- [14] K.D. Lee, *Thin Solid Films*, **302** (1997) 84-88.
- [15] N. Asim, S. Radiman and M.A.bin Yarmo, *Mater. Lett.*, **61** (2007) 2652–2657.
- [16] R.F. Mo, G.Q. Jin and X.Y. Guo, *Mater. Lett.*, **61** (2007) 3787–3790.
- [17] http://www.thefullwiki.org/Tungsten_trioxide [28 January 2011]
- [18] Cui, Hai-Ning, “Preparation and characterization of optical multilayered coatings for smart windows applications, Chapter 7 Tungsten Oxide Films”, University of Minho press, Portugal, 2005.
- [19] Y.B. Li, Y. Bando, D. Golberg and K. Kurashima, *Chem. Phys. Lett.*, **367** (2003) 214–218.
- [20] K. Byrappa and T. Adschiri, *Prog. Cryst. Growth Charact. Mater.*, **53** (2007) 117-166.
- [21] T. Fujimoto, “New introduction to surface active agents”, Koyoto: Sanyo Chemical Industries, 1985.
- [22] Laurier L. Schramn, “Surfactants: Fundamentals and Applications in the Petroleum Industry”, Chapter 1: surfactants and their solutions: basic principles”, Cambridge university press, Cambridge, UK, 2000 pp.6.
- [23] Z. Luo, H. Li, J. Xia, W. Zhu, J. Guo and B. Zhang, *J. Cryst. Growth*, **300** (2007) 523-529.
- [24] C. O. Rangel-Yagui, A. Pessoa-Jr, and D. Blankschtein, *Braz. J. Chem. Eng.*, **21** (2004) 531 – 544.
- [25] S. Rajagopal, D. Nataraj, D. Mangalaraj, Y. Djaoued, J. Robichaud and O. Y. Khyzhun, *Nanoscale Res. Lett.*, **4** (2009) 1335–1342.

- [26] A. Yan, C. Xie, D. Zeng, S. Cai and M. Hu, *Mater. Res. Bull.*, **45** (2010) 1541–1547.
- [27] Y. Bi, D. Li and H. Nie, *Mater. Chem. Phys.*, **123** (2010) 225–230.
- [28] Y. Li, X. Su, J. Jian and J. Wang, *Ceram. Int.*, **36** (2010) 1917–1920.
- [29] Powder Diffract File, JCPDS-ICDD, 12 Campus Boulevard, Newtown Square, PA, U.S.A.
- [30] Z.M. Sui, X. Chen, L.Y. Wang, L.M. Xu, W.C. Zhuang, Y.C. Chai and C.J. Yang, *Physica E*, **33** (2006) 308–314.
- [31] H. Kavas, Z. Durmus, M. Senel, S. Kazan, A. Baykal and M.S. Toprak, *Polyhedron*, **29** (2010) 1375–1380.
- [32] G. Wang, Q. Mu, T. Chen and Y. Wang, *J. Alloys Compd.*, **493** (2010) 202–207.
- [33] Y.D. Wang, S. Zhang, C.L. Ma and H.D. Li, *J. Lumin.*, **126** (2007) 661–664.
- [34] A. Wolcott, T.R. Kuykendall, W. Chen, S. Chen and J.Z. Zhang, *J. Phys. Chem. B*, **110** (2006) 25288–25296.
- [35] I.M. Szilágyi, J. Madarász, G. Pokol, P. Király, G. Tárkányi, S. Saukko, J. Mizsei, A.L. Tóth, A. Szabó and K. Varga-Josepovits, *Chem. Mater.*, **20** (2008) 4116–4125.
- [36] J. Díaz-Reyes, R.J. Delgado-Macuil, V. Dorantes-García, A. Pérez-Benítez, J.A. Balderas-López and J.A. Ariza-Ortega, *Mater. Sci. Eng. B*, **174** (2010) 182–186.
- [37] E.V. Timofeeva, G.A. Tsirlina and O.A. Petrii, *Russ. J. Electrochem.*, **39** (2003) 716–726.
- [38] A. Phuruangrat, D.J. Ham, S. Thongtem and J.S. Lee, *Electrochem. Commun.*, **11** (2009) 1740–1743.

- [39] Z. Jiao, X.W. Sun, J. Wang, L. Ke and H.V. Demir, *J. Phys. D: Appl. Phys.*, **43** (2010) 285501.
- [40] X.M. Sun, X. Chen, Z.X. Deng and Y.D. Li, *Mater. Chem. Phys.*, **78** (2002) 99–104.
- [41] T. Thongtem, S. Kaowphong and S. Thongtem, *Appl. Surf. Sci.*, **254** (2008) 7765–7769
- [42] Q. Xiang, G.F. Meng, H.B. Zhao, Y. Zhang, H. Li, W.J. Ma and J.Q. Xu, *J. Phys. Chem. C*, **114** (2010) 2049–2055.
- [43] J.C. Sczancoski, L.S. Cavalcante, N.L. Marana, R.O. da Silva, R.L. Tranquilin, M.R. Joya, P.S. Pizani, J.A. Varela, J.R. Sambrano, M.S. Li, E. Longo and J. Andrés, *Curr. Appl. Phys.*, **10** (2010) 614–624.
- [44] J. Wang, P.S. Lee and J. Ma, *J. Cryst. Growth*, **311** (2009) 316–319.
- [45] A. Rougier, F. Portemer, A. Quede and M. El Marssi, *Appl. Surf. Sci.*, **153** (1999) 1–9.
- [46] <http://www.sciencelab.com/msds.php?msdsId=9925359> [13 February 2011]