# TABLE OF CONTENTS

	Page
ACKNOWLEDGMENTS	iii
ABSTRACT (ENGLISH)	iv
ABSTRACT (THAI)	vi
LIST OF TABLES	xi
LIST OF FIGURES	xii
LIST OF SCHEMES	xiv
ABBREVIATIONS AND SYMBOLS	XV
CHAPTER 1 INTRODUCTION	1
1.1 Common base reagents in organic synthesis	1
1.2 Solid supported base reagents	2
1.3 General procedure for preparation of magnetic nanoparticles	5
1.4 Modification surface of magnetic nanoparticles	6
1.5 Characterization of solid supported reagents	8
1.6 Aim of this research	9
Chiang Mai Univers	
2.1 Chemicals	e <sub>10</sub> 0
2.2 Instrumentals	11

2.3 Synthesis of magnetic nanoparticles supported DIPA	12
(Fe <sub>3</sub> O <sub>4</sub> -DIPA, Fe <sub>3</sub> O <sub>4</sub> -DIPAP) and nonmagnetic silica supported DIPA	
(Si-DIPA, Si-DIPAP)	
2.3.1 Synthesis magnetic nanoparticles silica supported DIPA	12
(Fe <sub>3</sub> O <sub>4</sub> -DIPA, Fe <sub>3</sub> O <sub>4</sub> -DIPAP)	
2.3.1.1 Synthesis of magnetic nanoparticles (Fe <sub>3</sub> O <sub>4</sub> )	12
2.3.1.2 Synthesis of 3-aminopropyl Fe <sub>3</sub> O <sub>4</sub> -1	12
2.3.1.3 Synthesis of Fe <sub>3</sub> O <sub>4</sub> -2 and Fe <sub>3</sub> O <sub>4</sub> -2-1	13
2.3.1.4 Synthesis of Fe <sub>3</sub> O <sub>4</sub> -DIPA and Fe <sub>3</sub> O <sub>4</sub> -DIPAP	13
2.3.2 Synthesis nonmagnetic silica supported DIPA	14
(Si-DIPA and Si-DIPAP)	
2.3.2.1 Silica pretreatment	14
2.3.2.2 Synthesis of 3-aminopropyl silica-1	14
2.3.2.3 Synthesis of silica-2 and silica-2-1	14
2.3.2.4 Synthesis of Si-DIPA and Si-DIPAP	15
2.4 Determine loading of amino group on 3-aminopropyl silica-1	15
and 3-aminopropyl Fe <sub>3</sub> O <sub>4</sub> -1	
2.5 Determine basicity of Fe <sub>3</sub> O <sub>4</sub> -DIPA and Si-DIPA base	16
2.6 Synthesis of N-Benzylbenzenesulfonamide	16
2.7 Stability of 3-aminopropyl (Fe <sub>3</sub> O <sub>4</sub> -Si-2)	S 18
2.8 Synthesis of magnetic silica nanoparticles supported base	18
reagents (Fe <sub>3</sub> O <sub>4</sub> -Si-base)	
2.8.1 Preparation of silica coated magnetic nanoparticle	19
$(Fe_3O_4-Si-1)$	

2.8.2 Synthesis of 3-aminopropyl Fe <sub>3</sub> O <sub>4</sub>	4-Si- <b>2</b>
2.8.3 Synthesis of Fe <sub>3</sub> O <sub>4</sub> -Si- <b>3</b>	
2.8.4 Synthesis of Fe <sub>3</sub> O <sub>4</sub> -Si-bases	
2.8 Synthesis of <i>N</i> -benzyl-benzenesulfonamide	e
2.9 Application of Fe <sub>3</sub> O <sub>4</sub> -Si-DIPA in sulfonation	on, acylation,
and alkylation	
2.11 Reusability of Fe <sub>3</sub> O <sub>4</sub> -Si-DIPA	
HAPTER 3 RESULTS AND DISCUSSION	
3.1 Magnetic nanoparticles supported DIPA (F	Fe <sub>3</sub> O <sub>4</sub> -DIPA, -DIPAP
3.1.2 Synthesis and Characterizations	
3.2 Synthesis of N-Benzyl-benzenesulfonamide	e
3.3 Synthesis of magnetic silica supported base	es (Fe <sub>3</sub> O <sub>4</sub> -Si-base)
3.4 Applications of Fe <sub>3</sub> O <sub>4</sub> -Si-DIPA	
	2
3.5 Stability study of 3-aminopropyl Fe <sub>3</sub> O <sub>4</sub> -Si-	

CHAPTER 4 CONCLUSIONS	45
REFERENCES by Chiang Mai Unive	48
APPENDICES 2 1 5 1 6 5 C 1 V	e <sup>53</sup>
APPENDIX A	54
APPENDIX B	67
CURRICULUM VITAE	69

#### LIST OF TABLES

Table	Page
1.1 Solid-supported base reagents and their applications	3
3.1 Characteristics of magnetic and non-magnetic supported bases	27
3.2 Showed the isolated yield of <i>N</i> -benzyl-benzenesulfonamide	33
using differentsupported bases	
3.3 Comparisons, percent yield, theoretical loading, basicity and	39
IR assignment of Fe <sub>3</sub> O <sub>4</sub> -Si-base	
3.4 The percentage yield obtained from the synthesis of	40
<i>N</i> -benzyl-benzenesulfonamide using Fe <sub>3</sub> O <sub>4</sub> -Si-base as base	
3.5 The structure and percentage yield obtained of product in sulfonation	42
3.6 The structure and percentage yield obtained of product in acylation	43
3.7 The structure and percentage yield obtained of product in alkylation	44
3.8 The percentage yield obtained of recycling a Fe <sub>3</sub> O <sub>4</sub> -Si-DIPA	45
on the synthesis of N-benzyl-benzenesulfonamide	

# ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright<sup>©</sup> by Chiang Mai University All rights reserved

### LIST OF FIGURES

Figure	Page
1.1 Silylation of a silica surface using triethoxysilane	8
3.1 Stack plot of NMR spectra of (a) benzenesulfonyl chloride	29
in CDCl <sub>3</sub> , (b) the solution of (a) after adding benzylamine, (c) the solution	
of (b) after adding DIPEA, (d) crude reaction mixture(c) after 15 min	
reaction time.	
3.2 Stack plots of NMR spectra of (a) benzenesulfonyl chloride	33
in CDCl <sub>3</sub> , (b) the solution of (a) after adding benzylamine, (c) the solution	
of (b) after adding Si-DIPA, (d) crude reaction, (c) after 5 min.	
(e) crude reaction (c) after 10 min. (f) crude reaction (c) after 15 min.	
3.3 NMR spectra of the crude reaction; NMR spectra of crude	31
reaction using Fe <sub>3</sub> O <sub>4</sub> -DIPA as base reagent.	
3.4 The concentration of iron ion (Fe <sup>+</sup> ) that leach out Fe <sub>3</sub> O <sub>4</sub> -Si-2 and Fe <sub>3</sub> O <sub>4</sub> -1)	37
3.5 Structure of Fe <sub>3</sub> O <sub>4</sub> -Si-base	38
3.6 The SEM images of $Fe_3O_4$ (a), $Fe_3O_4$ -Si-2 (b), $Fe_3O_4$ -Si-DIPA	39
(c), Fe <sub>3</sub> O <sub>4</sub> -Si-TEA (d), Fe <sub>3</sub> O <sub>4</sub> -Si-NMM (e), Fe <sub>3</sub> O <sub>4</sub> -Si-NMP (f)	
A.1 Calibration curve of 3-aminopropyltriethoxysilane [APTS] in ethanol	54
A.2 IR spectra of Silica (a), 3-aminopropyl silica 1 (b), silica-2 (c), Si-DIPA	55
A.3 IR spectra of Fe <sub>3</sub> O <sub>4</sub> (a), Fe <sub>3</sub> O <sub>4</sub> - <b>2</b> (b), Fe <sub>3</sub> O <sub>4</sub> - <b>3</b> (c), Fe <sub>3</sub> O <sub>4</sub> -DIPA (d)	e <sub>55</sub> 0
A.4 FTIR IR spectra of Fe <sub>3</sub> O <sub>4</sub> -Si-TEA	56
A.5 FTIR IR spectra of Fe <sub>3</sub> O <sub>4</sub> -Si-DIPA	56
A.6 FTIR IR spectra of Fe <sub>3</sub> O <sub>4</sub> -Si-NMM	57

A.7 FTIR IR spectra of Fe <sub>3</sub> O <sub>4</sub> -Si-NMP	57
A.8 IR spectra of Fe <sub>3</sub> O <sub>4</sub> (a), Fe <sub>3</sub> O <sub>4</sub> -2 (b), Fe <sub>3</sub> O <sub>4</sub> -3 (c), Fe <sub>3</sub> O <sub>4</sub> -Si-TEA	59
(d), Fe <sub>3</sub> O <sub>4</sub> -Si-DIPA (e), Fe <sub>3</sub> O <sub>4</sub> -Si-NMM (f), Fe <sub>3</sub> O <sub>4</sub> -Si-NMP (g)	
A.9 NMR Spectra of N-Benzyl-benzenesulfonamide	59
A.10 NMR Spectra of <i>N</i> -Phenyl-benzenesulfonamide	59
A.11 NMR Spectra of <i>N</i> -Propyl-benzenesulfonamide	60
A.12 NMR Spectra of 4-Benzenesulfonylmorpholine	60
A.13 NMR Spectra of 1-Benzenesulfonylpiperidine	61
A.14 NMR Spectra of N-Benzylbenzamide	61
A.15 NMR Spectra of <i>N</i> -Phenylbenzamide	62
A.16 NMR Spectra of <i>N</i> -Propylbenzamide	62
A.17 NMR Spectra of Morpholin-4-yl-phenylmethanone	63
A.18 NMR Spectra of Phenyl-piperidin-1-yl-methanon	63
A.19 NMR Spectra of Dibenzylamine	64
A.20 NMR Spectra of Benzylphenylamine	64
A.21 NMR Spectra of Benzylphenylamine	65
A.22 NMR Spectra of Benzylmorpholine	65
A.23 NMR Spectra of 1-Benzylpiperidine	66

#### LIST OF SCHEMES

Scheme Scheme	Page
3.1 Synthesis of magnetic nanoparticles supported DIPA (Fe <sub>3</sub> O <sub>4</sub> -DIPA	26
and Fe <sub>3</sub> O <sub>4</sub> -DIPAP) and silica supported DIPA (Si-DIPA and Si-DIPAP)	
3.2 Synthesis of <i>N</i> -benzyl-benzenesulfonamide (1a)	28
3.3 Using Si-DCT for scavenge excess amine	32
3.4 Synthesis of Fe <sub>3</sub> O <sub>4</sub> -Si-base	37

**ลิขสิทธิ์มหาวิทยาลัยเชียงใหม** Copyright<sup>©</sup> by Chiang Mai University All rights reserved

xiv

## ABBREVIATIONS AND SYMBOLS

APTS	3-Aminopropyltriethoxysilane
AAS	Atomic Absorbtion Spectroscopy
CH <sub>2</sub> Cl <sub>2</sub>	Dichloromethane
CDCl <sub>3</sub>	Deuterated chloroform
FT-IR	Fourier transform infrared spectra
МеОН	Methanol
NMR	Nuclear Magnetic Resonance
SEM	Scanning Electron Microscopy
TEOS	Tetraethoxysilane
UV	Ultraviolet
mM	Millimolar
ml	Milliliter
mg	Milligram
nm	Nanometer
mg/ml	Milligram per milliliter
mmol/g	Millimol per gram
v/v	Volumn by volumn
r <sub>λ</sub> i g h	Wavelength C S C M C C
$\lambda_{max}$	The wavelength of maximum absorbance
δ	Chemical Shift

gram N,N-Diispropylethylamine N-methylmorpholine Triethylamine N-methylpiperidine
N,N-Diispropylethylamine N-methylmorpholine Triethylamine N-methylpiperidine
N-methylmorpholine Triethylamine N-methylpiperidine
Triethylamine N-methylpiperidine
N-methylpiperidine
Dichlorotriazine

**ລິບສິກສົ້ມหາວົກຍາລັຍເຮີຍວໃหມ່** Copyright<sup>©</sup> by Chiang Mai University All rights reserved