

## REFERENCES

- [1] M. Mondal, K. Trivedy and S. N. Kumar, The silk proteins, sericin and fibroin in silkworm, *Bombyx mori* Linn., - a review. *Caspian J. Env. Sci.*, **5** (2007) 63–76.
- [2] C. Prommuak, W. De-Eknamkul and A. Shotipruk, Extraction of flavonoids and carotenoids from Thai silk waste and antioxidant activity of extract. *Sep. Purif. Technol.*, **62** (2008) 444–448.
- [3] <http://chemistry.tutorvista.com/inorganic-chemistry/properties-of-solutions-and-types-of-mixtures.html> [2011, July 3].
- [4] J. W. Gibbs, (no date). Chapter 8: Extraction [online]. Available: [www.che.boun.edu.tr/courses/che302/Chapter%208.pdf](http://www.che.boun.edu.tr/courses/che302/Chapter%208.pdf) [2011, June 24].
- [5] <http://library.thinkquest.org/11430/research/introduction.htm> [2011, July 22].
- [6] C. Bommarito, 2000. Analytical Techniques/Separation Techniques, 172–179 [online]. Available: [www.forsci.com/Services/separation%20techniques.pdf](http://www.forsci.com/Services/separation%20techniques.pdf) [2011, August 21].
- [7] S. Lal, 2010. Separation of Mixtures [online]. Available: <http://www.mentorials.com/high-school-chemistry-matter-separation-of-mixtures.htm> [2011, July 3].
- [8] W. H. Freeman, 2000. Molecular Cell Biology, 4<sup>th</sup> ed. [online]. Available: <http://www.ncbi.nlm.nih.gov/books/NBK21589/> [2011, June 25].

- [9] <http://chem-ilp.net/labTechniques/RotaryEvaporator.htm> [2011, July 4].
- [10] <http://wps.prenhall.com/wps/media/objects/165/169061/blb9ch0103.html> [2011, July 3].
- [11] [www.rci.rutgers.edu/~molbio/Courses/MBB\\_408\\_512/lect5.pdf](http://www.rci.rutgers.edu/~molbio/Courses/MBB_408_512/lect5.pdf) [2011, July 4].
- [12] <http://nanotech.sc.mahidol.ac.th/genchem/liquid1/distill.jpg> [2011, July 4].
- [13] <http://www.gcscience.com/e-separating-funnel.htm> [2011, July 4].
- [14] M. Gao and C.-Zhao Liu, Comparison of techniques for the extraction of flavonoids from cultured cells of *Saussurea medusa* Maxim. *World J. Microb. Biot.*, **21** (2005) 1461–1463.
- [15] W. Vongsangnak, J. Gua, S. Chauvatcharin and J. J. Zhong, Towards efficient extraction of notoginseng saponins from cultured cells of *Panax notoginseng*. *Biochem. Eng. J.*, **18** (2004) 115–120.
- [16] D. N Anfiteatro, 2009. A simple technique to retain essential compounds when preparing cooked food or herbal teas [online]. Available: <http://users.sa.chariot.net.au/~dna/Cooktip.html> [2011, July 4].
- [17] L. Wang and C. L. Weller, Recent advances in extraction of nutraceuticals from plants. *Trends Food Sci. Technol.*, **17** (2006) 300–312.
- [18] M. D. Luque de Castro, F. Priego-Capote, Soxhlet extraction: Past and present panacea, *J. Chromatogr. A*, **1217** (2010) 2383–2389.
- [19] J. L. Luque-García and M. D. Luque de Castro, Ultrasound-assisted Soxhlet extraction: an expeditive approach for solid sample treatment Application to the extraction of total fat from oleaginous seeds. *J. Chromatogr. A*, **1034** (2004) 237–242.

- [20] M. Ericsson and A. Colmsjo, Dynamic microwave-assisted extraction coupled on-line with solid-phase extraction and large-volume injection gas chromatography: determination of organophosphate esters in air samples. *Anal. Chem.*, **75** (2003) 1713–1719.
- [21] B. Kaufmann and P. Christen, Recent extraction techniques for natural products: microwave-assisted extraction and pressurised solvent extraction. *Phytochem. Anal.*, **13** (2002) 105–113.
- [22] I. D'Antuono, Use of sub-critical water for the extraction of natural antioxidants from byproducts and wastes of the food industry. *14<sup>th</sup> Workshop on the Developments in the Italian PhD Research on Food Science Technology and Biotechnology - University of Sassari, Oristano*, September 16 – 18, 2009.
- [23] S. Roe, Protein purification techniques: A practical approach, Oxford University Press, New York, 2001, 132–135.
- [24] R. K. Scopes, Protein purification, Principles and practice, 3<sup>rd</sup> ed., Springer-Verlag, New York, 1994.
- [25] S. M. Andrew, J. A. Titus and L. Zumstein, (no date). Dialysis and concentration of Protein Solutions [online]. Available: <http://www.nshtvn.org/ebook/molbio/.../CPI/ima03h.pdf> [2011, January 11].
- [26] [http://www.siumed.edu/~bbartholomew/course\\_material/protein\\_methods.htm](http://www.siumed.edu/~bbartholomew/course_material/protein_methods.htm) [2011, July 4].
- [27] W. Reusch, 2007. UV-Visible spectroscopy [Online]. Available: <http://www.cem.msu.edu/~reusch/VirtualText/Spectrpy/UV-Vis/spectrum.htm> [2011, June 2].

- [28] W. Gallagher, (no date). FTIR analysis of protein structure, A Introduction to protein structure [online]. Available: [www.chem.uwec.edu/Chem455\\_S05/.../FTIR\\_of\\_proteins.pdf](http://www.chem.uwec.edu/Chem455_S05/.../FTIR_of_proteins.pdf) [2011, June 2].
- [29] I. N. Serdyuk, J. Zaccai and G. Zaccai, *Methods in molecular biophysics: structure, dynamic, function*, Cambridge University Press, New York, (2007) 547–548.
- [30] S. Krimm and J. Bandekar, Vibrational spectroscopy and conformation of peptides, polypeptides and proteins. *Adv. Protein Chem.*, **38** (1986) 181–364.
- [31] J. Kong and S. Yu, Fourier Transform Infrared Spectroscopic Analysis of Protein Secondary Structures. *Acta Bioch. Bioph. Sin.*, **39** (2007) 549–559.
- [32] P. R. Griffiths and J. A. de Haseth, *Fourier transform infrared spectrometry*. Wiley, New York, **83** (1986).
- [33] M. D. Luque de Castro and L. E. Garcia-Ayuso, Soxhlet extraction of solid materials: An outdated technique with a promising innovative future. *Anal. Chim. Acta*, **369** (1998) 1–10.
- [34] B. Kaufmann and P. Christen, Recent extraction techniques for natural products: Microwave-assisted extraction and pressurized solvent extraction. *Phytochem. Analysis*, **13** (2002) 105–113.
- [35] M. Gao and C. Z. Liu, Comparison of techniques for the extraction of flavonoids from cultured cells of *Saussurea medusa* Maxim. *World J. Microbiol. Biotechnol.*, **21** (2005) 1461–1463.
- [36] W. Routray and V. Orsat, Microwave-assisted extraction of flavonoids: a review. *Food Bioprocess Technol.* (2011).

- [37] Y. Xu, R. Zhang and H. Fu, Studies on the optimal process to extract flavonoids from red-raspberry fruits. *Nat. Sci.*, **3** (2005) 43–46.
- [38] G. H. Altman, F. Diaz, C. Jakuba, T. Calabro, R. L. Horan, J. Chen, H. Lu, J. Richmond, and D. L. Kaplan, Silk-based biomaterials. *Biomaterial*, **24** (2003) 401–416.
- [39] M. N. Padamwar and A. P. Pawar, Silk sericin and its application: a review. *J. Sci. Ind. Res.*, **63** (2004) 323–329.
- [40] S. Farrell and J. Varner, 2010. *Zanzibar Trading Co.* Life cycle of silkworms [online]. Available: <http://zanzibartrading.com/lifecycleofsilkworm.htm> [2011, January 11].
- [41] Y. Q. Zhang, Application of natural silk protein sericin in biomaterials. *Biotechnol. Adv.*, **20** (2002) 91–100.
- [42] S. Walaiwan, S. Yodthong and S. Prasong, Silk fibroin/gelatin hybrid films for medical applications: Study on chlorhexidine diacetate. *J. Biol. Sci.*, **10** (2010) 455–459.
- [43] H. Zahn and A. Krasowski, Silk. *Ullmann's Fibers*, (2008) 391-404.
- [44] J. G. Hardy, L. M. Romer and T. R. Scheibel, Polymeric materials based on silk proteins. *Polymer*, **49** (2008) 4309–4327.
- [45] Y. W. Lee, Silk reeling and testing manual. *FAO Agricultural Services Bulletin*, No. 136. Rome, Italy, 1999.
- [46] J. Yao, H. Masuda, C. Zhao and T. Asakura, Artificial Spinning and Characterization of Silk Fiber from *Bombyx mori* Silk Fibroin in Hexafluoroacetone Hydrate. *Macromolecules*, **35** (2002) 6–9.

- [47] S. Putthanarat, S. Zarkoob, J. Magoshi and J. A. Chen, Effect of processing temperature on the morphology of silk membranes. *Polymer*, **43** (2002) 3405–3413.
- [48] H. P. Zhao, X. Q. Feng, S. W. Yu, W. Z. Cui, and F. Z. Zou, Mechanical properties of silkworm cocoons. *Polymer*, **46** (2005) 9192–9201.
- [49] S. J. Kim, Gas permeation through water-swollen sericin/PVA membranes. M.S. Thesis, University of Waterloo, Waterloo, 2007.
- [50] M. L. Gulrajani, R. Purwar and M. Joshi, A Value Added Finish from Silk Degumming Waste Liquor [online]. Available: <http://www.fibre2fashion.com/industry-article/16/1510/a-value-added-finish-from-silk-degumming-waste-liquor1.asp> [2011, July 4].
- [51] Y. Tamura, K. Nakajima, K. Nagayasu and C. Takabayashi, Flavonoid 5-glucosides from the cocoon shell of the silkworm, *Bombyx mori*. *Phytochemistry*, **59** (2002) 275–278.
- [52] V. Shanbhag, 2009. Chemical Processing of Silk [online]. Available: <http://www.ptj.com.pk/Web-2009/07-09/Practical-Hint.htm> [2011, April 1].
- [53] K. Uddin and S. Hossain, A comparative study on silk dyeing with acid dye and reactive dye. *Int. J. Eng. Tec. IJET-IJENS*, **10** (2010) 21–26.
- [54] N. Fujimoto, K. Hayashiya and K. Nakajima, Studies on the pigments of cocoon (IV); the formation and translocation of the pigments of green cocoon in silkworm larvae. *J. Seric. Sci. Jpn.*, **28** (1959) 30–32.
- [55] A. Kurioka and M. Yamasaki, Purification and identification of flavonoids from the yellow green cocoon shell (Sasamayu) of the silkworm, *Bombyx Mori*. *Biosci. Biotech. Bioch.*, **66** (2002) 1396–1399.



- [56] B. R. Hammond, B. R. Wooten and D. M. Snodderly, Density of the human crystalline lens is related to the macular pigment carotenoids, lutein and zeaxanthin. *Optom. Vis. Sci.*, **74** (1997) 499–504.
- [57] L. Kohlmeier and S.B. Hastings, Epidemiologic evidence of a role of carotenoids in cardiovascular disease prevention. *Am. J. Clin. Nutr.*, **62** (1995) 1370–1376.
- [58] F. Shahidi, Z. Yang and Z. O. Saleemi, Natural flavonoids as stabilizers. *J. Food Lipids*, **1** (1998) 69–75.
- [59] N. Eddine and E. Safi, Colour of a xanthylum pigment in aqueous solutions at different pH values. *Food Chem.*, **88** (2004) 367–372.
- [60] Wikipedia, the free encyclopedia, 2011. Pigment [online]. Available: <http://en.wikipedia.org/wiki/Pigment> [2011, April 2].
- [61] Wikipedia, the free encyclopedia, 2011. Chromophore [online]. Available: <http://en.wikipedia.org/wiki/Chromophore> [2011, April 2].
- [62] T. Sakudoh, H. Sezutsu, T. Nakashima, I. Kobayashi, H. Fujimoto, K. Uchino, Y. Banno, H. Iwano, H. Maekawa, T. Tamura, H. Kataoka, and K. Tsuchida, *PNAS May 22*, **104** (2007) 8941–8946.
- [63] H. Tabunoki, S. Higurashi, O. Ninagi, H. Fujii, Y. Banno, M. Nozaki, M. Kitajima, N. Miura, S. Atsumi, K. Tsuchida, H. Maekawa and R. Sato, A carotenoid-binding protein (CBP) plays a crucial role in cocoon pigmentation of silkworm (*Bombyx mori*) larvae. *FEBS Letters*, **567** (2004) 175–178.
- [64] A.Sonthisombat and P. T. Speakman, 2004. Silk; Queen of fibres-The concise story. [online]. Available: [www.en.rmutt.ac.th/prd/Journal/Silk\\_with\\_figuresnew.pdf](http://www.en.rmutt.ac.th/prd/Journal/Silk_with_figuresnew.pdf) [2011, January 2].

- [65] [http://203.154.212.59/qthaisilk/inside.php?com\\_option=page&aid=26](http://203.154.212.59/qthaisilk/inside.php?com_option=page&aid=26) [2011, January 2].
- [66] C. C. Trevithick-Sutton, C. S. Foote, M. Collins and John R Trevithick, The retinal carotenoids zeaxanthin and lutein scavenge superoxide and hydroxyl radicals: a chemiluminescence and ESR study. *Mol. Vis.*, **12** (2006) 1127–1135.
- [67] F. Delgado-Vargas, A. R. Jiménez, and O. Paredes-López, Natural pigments: carotenoids, anthocyanins, and betalains-characteristics, biosynthesis, processing, and stability. *Crit. Rev. Food Sci. Nutr.*, **40** (2000) 173–289.
- [68] T. W. Goodwin, *The Biochemistry of the Carotenoids, Vol. 1: Plants*, 2<sup>nd</sup>. ed., Chapman and Hall, New York, 1980, 1–95.
- [69] G. Britton, S. Liaaen-Jensen, and H. Pfander, Carotenoids Handbook. *Photosynthetica*, **42** (2004) 186.
- [70] A. Mortensen, Carotenoids and other pigments as natural colorants. *Pure. Appl. Chem.*, **78** (2006) 1477–1491.
- [71] W. J. Lessin, G. I. Catigani and S. J. Schwartz, Quantification of cis-trans isomers of provitamin A carotenoids in fresh and processed fruits and vegetables. *J. Agric. Food Chem.*, **45** (1997) 3728–3732.
- [72] U. Justesen, P. Knuthsen and T. Leth, Quantitative analysis of flavonols, flavones, and flavanones in fruits, vegetables and beverages by high-performance liquid chromatography with photo-diode array and mass spectrometric detection. *J. Chromatogr. A*, **799** (1998) 101–110.



- [73] P. Astrog, S. Gradelet, R. Berges and M. Suschetet, Dietary lycopene decreases initiation of liver preneoplastic foci by diethylnitrosamine in rat. *Nutr. Cancer*, **29** (1997) 60–68.
- [74] A. Zeb and S. Mehmood, Carotenoids Contents from Various Sources and Their Potential Health Applications. *Pakistan J. Nutr.*, **3** (2004) 199–204.
- [75] J. M. Seddon, U. A. Sperduto, R. D. Sperduto, R. Hiller, N. Blair, T. C. Burton, M. D. Farber, E. S. Gragoudas, J. Haller, D. T. Miller, L. A. Yannuzzi and W. Willett, Dietary carotenoids, vitamins A, C, and E, and advanced age-related macular degeneration. *J. Am. Med. Assoc.*, **272** (1994) 1413–1420.
- [76] S. Paiva and R. Russell, Beta carotene and other carotenoids as antioxidants. *J. Am. Coll. Nutr.*, **18** (1999) 426–33.
- [77] A. V. Rao and L. G. Rao, Carotenoids and human health. *Pharmacol. Res.*, **55** (2007) 207–216.
- [78] J. B. Harborne, and C. A. Williams, Advances in flavonoid research since 1992. *Phytochemistry*, **55** (2000) 481–504.
- [79] J. A. Ross and C. M. Kasum, Dietary flavonoids: Bioavailability, metabolic effects, and safety. *Annu. Rev. Nutr.*, **22** (2002) 19–34.
- [80] M. G. L. Hertog, P. C. H. Hollman and D. P. Venema, Optimization of a quantitative HPLC determination of potentially anticarcinogenic flavonoids in vegetables and fruits. *J. Agr. Food Chem.*, **40** (1992) 1591–1598.
- [81] C. R. Evans, N. Miller and G. Paganga, Antioxidant properties of phenolic compounds. *Trends Plant Sci.*, **2** (1997) 2152–2159.

- [82] R. Farid, Z. Rezaieyazdi, Z. Mirfeizi, M. R. Hatf, M. Mirheidari, H. Mansouri, H. Esmailib, G. Bentleyc, Y. Lud, Y. Food and R. R. Watson, Oral intake of purple passion fruit peel extract reduces pain and stiffness and improves physical function in adult patients with knee osteoarthritis. *Nutr. Res.*, **30** (2010) 601–606.
- [83] S. Majumdar, and R. Srirangam, Potential of the bioflavonoids in the prevention/treatment of ocular disorders. *J. Pharm. Pharmacol.*, **62** (2010) 951–965.
- [84] W. Cherdshewasart, S. Subtang and W. Dahlan, Major isoflavonoid contents of the phytoestrogen rich-herb *Pueraria mirifica* in comparison with *Pueraria lobata*. *J. Pharmaceut. Biomed.*, **43** (2007) 428–434.
- [85] M. A. Avila, J. A. Velasco, J. Cansado and V. Notario, Quercetin mediates the down-regulation of mutant p53 in the human breast cancer cell line MDA-MB468. *Cancer Res.*, **54** (1994) 2424–2428.
- [86] M. G. L. Hertog, E. J. M. Feskens, P. C. H. Hollman, M. B. Katan and D. Kromhout, Dietary antioxidant flavonoids and risk of coronary heart disease: The Zutphen elderly study. *Lancet*, **342** (1993) 1007–1011.
- [87] E. Middleton, C. Kandaswami and T. C. Theoharides, The effects of plant flavonoids on mammalian cells: Implications for inflammation, heart disease, and cancer. *Pharmacol. Rev.*, **52** (2000) 673–751.
- [88] C. D. Stalikas, Extraction, separation, and detection methods for phenolic acids and flavonoids. *J. Sep Sci.*, **30** (2007) 3268–3295.

- [89] E. De Ritter and A.E. Purcell, Carotenoid analytical methods. In: Bauernfeind, J.C., Ed. Carotenoids as Colorants and Vitamin A Precursors. Academic Press, New York, 1981, 815–882.
- [90] P. Aramwit, S. Damrongsakkul, S. Kanokpanont and T. Srichana, Properties and antityrosinase activity of sericin from various extraction methods. *Biotechnol. Appl. Bioc.*, **55** (2010) 91–98.
- [91] C. H. Lin and B.H. Chen, Determination of carotenoids in tomato juice by liquid chromatography. *J. Chromatogr. A*, **1012** (2003) 103–109.
- [92] E. L. Hernández, A. V. Villarreal, E. Ponce-Alquicira, F. C. Sosa and I. G. legarreta, (2001). Food Chemistry: Enzymes and Plant Pigments [online]. Available: [http://ift.confex.com/ift/2001/techprogram/paper\\_7047.htm](http://ift.confex.com/ift/2001/techprogram/paper_7047.htm) [2011, April 28].
- [93] C. Hirayama, H. Ono and Y. Tamura, C-prolinyl quercetins from the yellow cocoon shell of the silkworm, *Bombyx mori*. *Phytochemistry*, **67** (2006) 579–583.
- [94] A. J. day, Y. Bao, M. R. A. Morgan and G. Williamson, Conjugation position of quercetin glucuronides and effect on biological activity. *Free Radical Bio. Med.*, **29** (2000) 1234–1243.
- [95] N. Fabre, I. Rustan, E. de Hoffmann and J. Quetin-Leclercq, Determination of flavone, flavonol and flavanone aglycones by negative ion liquid chromatography electrospray ion trap mass spectrometry. *J. Am. Soc. Mass. Spectrom.*, **12** (2001) 707–715.

- [96] K. Zhang and Y. Zuo, GC-MS Determination of Flavonoids and Phenolic and Benzoic Acids in Human Plasma after Consumption of Cranberry Juice. *J. Agric. Food Chem.*, **52** (2004) 222–227.
- [97] Y. Numata and H. Tanaka, Quantitative analysis of quercetin using Raman spectroscopy. *Food Chem.*, **126** (2011) 751–755.
- [98] Peptides and proteins [online]. Available: [www.mpikg.mpg.de/pdf/Kolloid\\_Chemie/Scripte/Peptidevorlesung.pdf](http://www.mpikg.mpg.de/pdf/Kolloid_Chemie/Scripte/Peptidevorlesung.pdf) [2011, April 28].
- [99] S. Patnaik, 2005. Alignment And Prediction Of Secondary Structures Of Proteins [online]. Available: [http://stanxterm.aecom.yu.edu/wiki/index.php?page=Protein\\_secondary\\_Structures](http://stanxterm.aecom.yu.edu/wiki/index.php?page=Protein_secondary_Structures) [2011, April 25].
- [100] Chapter 5 review: structure and function of macromolecules [online]. Available: <http://www.biology.lsu.edu/introbio/summer/Summer2004/1201/RF/Chapter%205%20review.htm> [2011, April 28].
- [101] J. Teramoto and M. Miyazawa, Molecular orientation behavior of silk sericin film as revealed by ATR infrared spectroscopy. *Biomacromolecules*, **6** (2005) 2049–2057.
- [102] M. Tsukada and G. Bertholon, Preliminary study of the physicochemical characteristics of silk sericin. *Bull. Sci. Inst. Text. Fr.*, **10** (1981) 141–54.
- [103] M. Santin, A. Motta and G. Freddi, In vitro evaluation of the inflammatory potential of the silk fibroin. *J. Biomed. Mater. Res. B*, **46** (1999) 382–389.
- [104] M. J. Kronman, L. Cerankowski and L. G. Holmes, Inter- and Intramolecular Interactions of  $\alpha$ -Lactalbumin. III. Spectral Changes at Acid pH. *Biochemistry*, **4** (1965) 518–525.

- [105] G. Freddi, R. Mossotti and R. Innocenti, Degumming of silk fabric with several proteases. *J. Biotechnol.*, **106** (2003) 101–112.
- [106] J. J. Long, H. W. Wang, T. Q. Lu and R. C. Tang, Y. W. Zhu, Application of low-pressure plasma pretreatment in silk fabric degumming process. *Plasma Chem. Plasma Process.*, **28** (2008) 701–713.
- [107] D. Saravanan, (no date). Comprehensive Analysis of Silk Degumming Techniques [online]. Available: [http://articles.fibashion.com/extraimage/article/document/Article\\_201.doc](http://articles.fibashion.com/extraimage/article/document/Article_201.doc) [2011, January 21].
- [108] A. Nishida, M. Yamada, T. Kanazawa, Y. Takashima, K. Ouchi, H. Okada, Sustained-release of protein from biodegradable sericin film, gel and sponge. *Int. J. Pharm.*, **407** (2011) 44–52.
- [109] E. Sashina, A. Bochek, N. Novoselov and D. Kirichenko, Structure and solubility of natural silk fibroin. *Russ. J. Appl. Chem.*, **79** (2006) 869-876.
- [110] V. Charu and D. L. Kaplan, Silk as a biomaterial. *Prog. Polym. Sci.*, **32** (2007) 991–1007.
- [111] T. Yamane, K. Umenura and T. Asakura, The structural characteristics of *Bombyx mori* silk fibroin before spinning as studied with molecular dynamics simulation. *Macromolecules*, **35** (2002) 8831–8838.
- [112] B. Lotz and F. C. Cesari, The chemical structure and the crystalline structures of *Bombyx mori*. *Biochimie.*, **61** (1979) 205–214.
- [113] Y. Q. Zhang, R. A. Gu and J. Zhu, Improved biosensor for glucose based on glucose oxidase-immobilized silk fibroin membrane. *Appl. Biochem. Biotech.*, **75** (1998) 215–233.

- [114] H. Yamada, H. Nakao, Y. Takasu and K. Tsubouchi, Preparation of undegraded native molecular fibroin solution from silkworm cocoons. *Mater. Sci. Eng.*, **14** (2001) 41–46.
- [115] C. Liyana-Pathirana and F. Shahidi, Optimization of extraction of phenolic compounds from wheat using response surface methodology. *Food Chem.*, **93** (2005) 47–56.
- [116] C. P. Nobre, F. N. Raffin and T. F. Moura, Standardization of extracts from *Momordica charantia* L. (*Cucurbitaceae*) by total flavonoids content determination. *Acta Farm. Bonaerense*, **24** (2005) 526–566.
- [117] Z. E. Jouni and M. A. Wells, Purification and Partial Characterization of a Lutein-binding Protein from the Midgut of the Silkworm *Bombyx mori*. Issue of June 21, **271** (1996) 14722–14726.
- [118] M. L. Rahman, K. Yoshida, I. Maeda, H. Tanaka and S. Sugita, Distribution of Retinal Cone Photoreceptor Oil Droplets, and Identification of Associated Carotenoids in Crow (*Corvus macrorhynchos*). *Zoological Science*, **27** (2010) 514–521.
- [119] F. F. Bruno, A. Trotta, S. Fossey, S. Nagarajan, R. Nagarajan, L. A. Amuelson and J. Kumar, Enzymatic Synthesis and Characterization of PolyQuercetin. *J. Macromol. Sci. Phys. Puer.*, **47** (2010) 1191–1196.
- [120] T. Katsube, H. Tabata, Y. Ohta, Y. Yamasaki, E. Anuurad, K. Shiwaku and Y. Yamane, Screening for antioxidant activity in edible plant products: comparison of low-density lipoprotein oxidation assay, DPPH radical scavenging assay, and Folin-Ciocalteu assay. *J. Agric. Food Chem.*, **52** (2004) 2391–2396.



- [121] G. Q. He, H. P. Xiong, Q. H. Chen, H. Ruan, Z. Y. Wang and L. Traore, Optimization of conditions for supercritical fluid extraction of flavonoids from hops (*Humulus lupulus* L.). *J. Zhejiang Univ. Sci.*, **6** (2005) 999–1004.
- [122] V.B. Pratheesh, N. Benny and C.H. Sujatha, Isolation, Stabilization and Characterization of Xanthophyll from Marigold Flower-*Tagetes Erecta*-L. *Mod. Appl. Sci.*, **3** (2009) 19–28.
- [123] H. Tabunoki, H. Sugiyama, Y. Tanaka, H. Fujii, Y. Bannoy, Z. E. Jouni, M. Kobayashi, R. Sato, H. Maekawa and K. Tsuchida, Isolation, Characterization and cDNA Sequence of a Carotenoid Binding Protein from the silk Gland of *Bombyx mori* Larvae. *J. Biol. Chem.*, **277** (2002) 32133–32140.
- [124] P. Keusch, Demonstration of Microscale Projection Experiments - Chemistry en miniature: Anthocyanins as pH-Indicators and Complexing Agents [online]. Available: [http://www.demochem.de/p26\\_anth-e.htm](http://www.demochem.de/p26_anth-e.htm) [2011, April 25].
- [125] P. Kaewkumsan M. Sutheerawattananonda, Determination of lutein and its stereoisomer in yellow silk cocoons of silkworm (*Bombyx mori*) by high-performance liquid chromatography, [online]. Available: [http://ird.rmuti.ac.th/newweb/download\\_document.pdf](http://ird.rmuti.ac.th/newweb/download_document.pdf) [2011, June 24].
- [126] P. Ratanasongtham and S. Watanesk, Optimization of Extraction and purification conditions for sericin from silk cocoon, *Proceedings of Pure and Applied Chemistry International Conference*, 2010, 19–21.
- [127] P. Vaithanomsat, T. Malapant and W. Apiwattanapiwat, Silk degumming solution as substrate for microbial protease production. *J. Kasetsart*, **42** (2008) 543–551.

- [128] A. Jabs (no date), Determination of Secondary Structure in Proteins by Fourier Transform Infrared Spectroscopy (FTIR) [online]. Available: [http://webcache.googleusercontent.com/search?q=cache:iH45-Fx6L2cJ:www.imbjena.de/ImgLibDoc/ftir/IMAGE\\_FTIR.html](http://webcache.googleusercontent.com/search?q=cache:iH45-Fx6L2cJ:www.imbjena.de/ImgLibDoc/ftir/IMAGE_FTIR.html) [2011, April 25].
- [129] H. Y. Kweon, Y. H. Park, Structural and conformational changes of regenerated *Antheraea pernyi* silk fibroin films treated with methanol solution. *J. Appl. Polym. Sci.*, **73** (1999) 2887–2894.
- [130] T. Miyazawa and E. R. Blout, The infrared spectra of polypeptides in various conformations: amide I and II bands. *J. Am. Chem. Soc.*, **83** (1961) 712–719.
- [131] Z. X. Mei and W. Paul, Using FTIR spectroscopy to detect sericin on historic silk. *Sci. China Chem.*, **53** (2010) 626–631.
- [132] Y. Baimark, P. Srihanam and Y. Srisuwan, Preparation of Flexible Silk Fibroin Films Plasticized with Glucose. *Asian J. mater. Sci.*, **1** (2009) 29–35.
- [133] O. Bayraktar, Ö. Malay, Y. Özgarip and A. Batıgün, Silk fibroin as a novel coating material for controlled release of theophylline. *Eur. J. Pharm. Biopharm.*, **60** (2005) 373–381.
- [134] A. Takeuchi, C. Ohtsuki, T. Miyazaki, M. Kamitakahara, S. Ogata, M. Yamazaki, Y. Furutani, H. Kinoshita and M. Tanihara, Heterogeneous nucleation of hydroxyapatite on protein: structural effect of silk sericin. *J. R. Soc. Interface*, **2** (2005) 373–378.
- [135] K. Bernhard and M. Grosjean, 1995. Carotenoids Volume 1B: Spectroscopy Chapter 4: Infrared Spectroscopy [online]. Available: <http://lipidbank.jp/cgi-bin/detail.cgi?id=VCA0007#0065> [2011, April 25].