

**EXHAUSTIVE SEPARATION OF FIBROIN, SERICIN
AND PIGMENTS FROM YELLOW
THAI SILK COCOON**

RUCHIRA PINKAEW

**MASTER OF SCIENCE
IN CHEMISTRY**

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved

THE GRADUATE SCHOOL

CHIANG MAI UNIVERSITY

OCTOBER 2011

**EXHAUSTIVE SEPARATION OF FIBROIN, SERICIN
AND PIGMENTS FROM YELLOW
THAI SILK COCOON**

RUCHIRA PINKAEW

**A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN
PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
MASTER OF SCIENCE
IN CHEMISTRY**

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved

**THE GRADUATE SCHOOL
CHIANG MAI UNIVERSITY**

OCTOBER 2011

EXHAUSTIVE SEPARATION OF FIBROIN, SERICIN
AND PIGMENTS FROM YELLOW
THAI SILK COCOON

RUCHIRA PINKAEW

THIS THESIS HAS BEEN APPROVED
TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF MASTER OF SCIENCE
IN CHEMISTRY

EXAMINING COMMITTEE

THESIS ADVISOR

m. Rayanakorn

CHAIRPERSON

Associate Professor Dr. Mongkon Rayanakorn

S. Watanesak

Associate Professor Dr. Surasak Watanesak

S. Watanesak

MEMBER

Associate Professor Dr. Surasak Watanesak

Chumni

MEMBER

Dr. Chumni Sangphagdee

26 October 2011

© Copyright by Chiang Mai University

ACKNOWLEDGEMENTS

The author would like to express her sincere thanks and appreciation to Assoc. Prof. Dr. Surasak Watanesk, her thesis advisor, and also Assoc. Prof. Dr. Ruangsri Watanesk, for their kindness on giving such invaluable guidance, grateful supervision and many suggestions, and also continual encouragement and discussions.

The acknowledgement is also extended to the Center for Innovation in Chemistry (PERCH-CIC), Commission on Higher Education, Ministry of Education, for sponsoring the graduate scholarship. Thanks to the Graduate School, Chiang Mai University for additional financial supports to this research, and also to the Department of Chemistry, Faculty of Science, Chiang Mai University for supporting the facilities which enable this work to be carried out.

Thank to Queen Sirikit Sericulture Centre, Nan and Chiang Mai Province, Thailand, for the support of silk cocoon sample as raw material.

Thanks also to those who have one way or other contributions to the success of this work, especially members of the Chemical Modification of Natural Fibrous Materials Research Laboratory.

Finally, the author would like to greatly thank and express her appreciation to her parents for their love, encouragement, inspiration, understanding and support.

Ruchira Pinkaew