

REFERENCES

- Akan, H., Izbirak, G., Gurol, Y., Sarikaya, S., Gunduz, T. S., Yilmaz, G., et al. (2009). Rotavirus and adenovirus frequency among patients with acute gastroenteritis and their relationship to clinical parameters: a retrospective study in Turkey. *Asia Pac Fam Med* 8(1), 8.
- Akihara, S., Phan, T. G., Nguyen, T. A., Hansman, G., Okitsu, S., and Ushijima, H. (2005). Existence of multiple outbreaks of viral gastroenteritis among infants in a day care center in Japan. *Arch Virol* 150(10), 2061-2075.
- Ambert-Balay, K., Lorrot, M., Bon, F., Giraudon, H., Kaplon, J., Wolfer, M., et al. (2008). Prevalence and genetic diversity of Aichi virus strains in stool samples from community and hospitalized patients. *J Clin Microbiol* 46(4), 1252-1258.
- Anderson, E. J., and Weber, S. G. (2004). Rotavirus infection in adults. *Lancet Infect Dis* 4(2), 91-99.
- Aoki, K., Ishiko, H., Konno, T., Shimada, Y., Hayashi, A., Kaneko, H., et al. (2008). Epidemic keratoconjunctivitis due to the novel hexon-chimeric-intermediate 22,37/H8 human adenovirus. *J Clin Microbiol* 46(10), 3259-3269.
- Aung, T. S., Kobayashi, N., Nagashima, S., Ghosh, S., Aung, M. S., Oo, K. Y., et al. (2009). Detection of group B rotavirus in an adult with acute gastroenteritis in Yangon, Myanmar. *J Med Virol* 81(11), 1968-1974.

Banyai, K., Kiszfalvi, P., Bogdan, A., Martella, V., Melegh, B., Erdman, D., et al. (2009). Adenovirus gastroenteritis in Hungary, 2003-2006. *Eur J Clin Microbiol Infect Dis* 28(8), 997-999.

Baumgarte, S., de Souza Luna, L. K., Grywna, K., Panning, M., Drexler, J. F., Karsten, C., et al. (2008). Prevalence, types, and RNA concentrations of human parechoviruses, including a sixth parechovirus type, in stool samples from patients with acute enteritis. *J Clin Microbiol* 46(1), 242-248.

Benschop, K. S., Schinkel, J., Minnaar, R. P., Pajkrt, D., Spanjerberg, L., Kraakman, H. C., et al. (2006). Human parechovirus infections in Dutch children and the association between serotype and disease severity. *Clin Infect Dis* 42(2), 204-210.

Benschop, K., Molenkamp, R., van der Ham, A., Wolthers, K., and Beld, M. (2008). Rapid detection of human parechoviruses in clinical samples by real-time PCR. *J Clin Virol* 41(2), 69-74.

Benschop, K., Minnaar, R., Koen, G., van Eijk, H., Dijkman, K., Westerhuis, B., et al. (2010). Detection of human enterovirus and human parechovirus (HPEV) genotypes from clinical stool samples: polymerase chain reaction and direct molecular typing, culture characteristics, and serotyping. *Diagn Microbiol Infect Dis* 68(2), 166-173.

Blanton, L. H., Adams, S. M., Beard, R. S., Wei, G., Bulens, S. N., Widdowson, M. A., et al. (2006). Molecular and epidemiologic trends of caliciviruses associated with outbreaks of acute gastroenteritis in the United States, 2000-2004. *J Infect Dis* 193(3), 413-421.

Boivin, G., Abed, Y., and Boucher, F. D. (2005). Human parechovirus 3 and neonatal infections. *Emerg Infect Dis* 11(1), 103-105.

Bon, F., Ambert-Balay, K., Giraudon, H., Kaplon, J., Le Guyader, S., Pommepuy, M., et al. (2005). Molecular epidemiology of caliciviruses detected in sporadic and outbreak cases of gastroenteritis in France from December 1998 to February 2004. *J Clin Microbiol* 43(9), 4659-4664.

Boros, A., Pankovics, P., and Reuter, G. (2010). Detection and characterization of human parechoviruses in archived cell cultures, in Hungary. *J Clin Virol* 47(4), 379-381.

Bozdayi, G., Dogan, B., Dalgic, B., Bostanci, I., Sari, S., Battaloglu, N. O., et al. (2008). Diversity of human rotavirus G9 among children in Turkey. *J Med Virol* 80(4), 733-740.

Brown, M., Grydsuk, J. D., Fortsas, E., and Petric, M. (1996). Structural features unique to enteric adenoviruses. *Arch Virol Suppl* 12, 301-307.

Brown, B. A., Maher, K., Flemister, M. R., Naraghi-Arani, P., Uddin, M., Oberste, M. S., et al. (2009). Resolving ambiguities in genetic typing of human enterovirus species C clinical isolates and identification of enterovirus 96, 99 and 102. *J Gen Virol* 90(Pt 7), 1713-1723.

Buesa, J., Collado, B., Lopez-Andujar, P., Abu-Mallouh, R., Rodriguez Diaz, J., Garcia Diaz, et al. (2002). Molecular epidemiology of caliciviruses causing outbreaks and sporadic cases of acute gastroenteritis in Spain. *J Clin Microbiol* 40(8), 2854-2859.

Bull, R. A., Tu, E. T., McIver, C. J., Rawlinson, W. D., and White, P. A. (2006). Emergence of a new norovirus genotype II.4 variant associated with global outbreaks of gastroenteritis. *J Clin Microbiol* 44(2), 327-333.

Center for Disease Control and Prevention. Outbreak of norovirus illness associated with a swimming pool.(2007). Vermont Department of Health, Burlington, VT, USA

Campos, G. S., Moreau, V. H., Bandeira, A., Barberino, G., Almeida, P. F., Amador, D. M., et al. (2008). Molecular detection and genetic diversity of norovirus in hospitalized young adults with acute gastroenteritis in Bahia, Brazil. *Arch Virol* 153(6), 1125-1129.

Carraro, E., Perosa, A. H., Siqueira, I., Pasternak, J., and Martino, M. D. (2008). Rotavirus infection in children and adult patients attending in a tertiary Hospital of Sao Paulo, Brazil. *Braz J Infect Dis* 12(1), 44-46.

Chaimongkol, N., Khamrin, P., Suantai B., Saikhreang, W., Thongprachum, A., Malasao, R., et al. (2012). A wide variety of diarrheal viruses circulating in pediatric patients in Thailand. *Clin Lab* 58, (Inpress).

- Chen, B. C., Cheng, M. F., Huang, T. S., Liu, Y. C., Tang, C. W., Chen, C. S., et al. (2009). Detection and identification of human parechoviruses from clinical specimens. *Diagn Microbiol Infect Dis* 65(3), 254-260.
- Chiba, S., Sakuma, Y., Kogasaka, R., Akihara, M., Terashima, H., Horino, K., et al. (1980). Fecal shedding of virus in relation to the days of illness in infantile gastroenteritis due to calicivirus. *J Infect Dis* 142(2), 247-249.
- Ciarlet, M., Liprandi, F., Conner, M. E., and Estes, M. K. (2000). Species specificity and interspecies relatedness of NSP4 genetic groups by comparative NSP4 sequence analyses of animal rotaviruses. *Arch Virol* 145(2), 371-383.
- Clark, B., and McKendrick, M. (2004). A review of viral gastroenteritis. *Curr Opin Infect Dis* 17(5), 461-469.
- Cruz, J. R., Caceres, P., Cano, F., Flores, J., Bartlett, A., and Torun, B. (1990). Adenovirus types 40 and 41 and rotaviruses associated with diarrhea in children from Guatemala. *J Clin Microbiol* 28(8), 1780-1784.
- Cunliffe, N. A., Woods, P. A., Leite, J. P., Das, B. K., Ramachandran, M., Bhan, M. K., et al. (1997). Sequence analysis of NSP4 gene of human rotavirus allows classification into two main genetic groups. *J Med Virol* 53(1), 41-50.
- Dai, Y. C., Hu, G. F., Zhang, X. F., Song, C. L., Xiang, W. L., Wu, X. B., et al. (2011). Molecular epidemiology of norovirus gastroenteritis in children in Jiangmen, China, 2005-2007. *Arch Virol* 156(9), 1641-1646.

Davison, A. J., Benko, M., and Harrach, B. (2003). Genetic content and evolution of adenoviruses. *J Gen Virol* 84(Pt 11), 2895-2908.

Dey, S. K., Nguyen, T. A., Phan, T. G., Nishio, O., Salim, A. F., Rahman, M., et al. (2007). Molecular and epidemiological trend of norovirus associated gastroenteritis in Dhaka City, Bangladesh. *J Clin Virol* 40(3), 218-223.

Dey, S. K., Shimizu, H., Phan, T. G., Hayakawa, Y., Islam, A., Salim, A. F., et al. (2009). Molecular epidemiology of adenovirus infection among infants and children with acute gastroenteritis in Dhaka City, Bangladesh. *Infect Genet Evol* 9(4), 518-522.

Drexler, J. F., Grywna, K., Stocker, A., Almeida, P. S., Medrado-Ribeiro, T. C., Eschbach-Bludau, M., et al. (2009). Novel human parechovirus from Brazil. *Emerg Infect Dis* 15(2), 310-313.

Echeverria, P., Blacklow, N. R., Cukor, G. G., Vibulbandhitkit, S., Changchawalit, S., and Boonthai, P. (1983). Rotavirus as a cause of severe gastroenteritis in adults. *J Clin Microbiol* 18(3), 663-667.

Estes M. K., Kapikian A. Z, In: Knipe D. M., Howley P. M., (Eds.). (2007). *Caliciviridae. Fields virology*. 5th ed. Philadelphia: Lippincott Williams and Wilkins, p951-970

Fankhauser, R. L., Monroe, S. S., Noel, J. S., Humphrey, C. D., Bresee, J. S., Parashar, U. D., et al. (2002). Epidemiologic and molecular trends of "Norwalk-like viruses" associated with outbreaks of gastroenteritis in the United States. *J Infect Dis* 186(1), 1-7.

Feeney, S. A., Mitchell, S. J., Mitchell, F., Wyatt, D. E., Fairley, D., McCaughey, C., et al. (2006). Association of the G4 rotavirus genotype with gastroenteritis in adults. *J Med Virol* 78(8), 1119-1123.

Ferreira, M. S., Victoria, M., Carvalho-Costa, F. A., Vieira, C. B., Xavier, M. P., Fioretti, J. M., et al. (2010). Surveillance of norovirus infections in the state of Rio De Janeiro, Brazil 2005-2008. *J Med Virol* 82(8), 1442-1448.

Gao, Y., Jin, M., Cong, X., Duan, Z., Li, H. Y., Guo, X., et al. (2011). Clinical and molecular epidemiologic analyses of norovirus-associated sporadic gastroenteritis in adults from Beijing, China. *J Med Virol* 83(6), 1078-1085.

Giordano, M. O., Ferreyra, L. J., Isa, M. B., Martinez, L. C., Yudowsky, S. I., and Nates, S. V. (2001). The epidemiology of acute viral gastroenteritis in hospitalized children in Cordoba City, Argentina: an insight of disease burden. *Rev Inst Med Trop Sao Paulo* 43(4), 193-197.

Glass, R. I., Noel, J., Mitchell, D., Herrmann, J. E., Blacklow, N. R., Pickering, L. K., et al. (1996). The changing epidemiology of astrovirus-associated gastroenteritis: a review. *Arch Virol Suppl* 12, 287-300.

Glass, R. I., Parashar, U. D., and Estes, M. K. (2009). Norovirus gastroenteritis. *N Engl J Med* 361(18), 1776-1785.

Gordon, Y. J., Naesens, L., DeClercq, E., Maudgal, P. C., and Veckeneer, M. (1996). Treatment of adenoviral conjunctivitis with topical cidofovir. *Cornea* 15(5), 546.

Green, J., Vinje, J., Gallimore, C. I., Koopmans, M., Hale, A., Brown, D. W., et al. (2000). Capsid protein diversity among Norwalk-like viruses. *Virus Genes* 20(3), 227-236.

Green K. Y., In: Knipe D. M., Howley P. M., (Eds.). (2007). *Caliciviridae*. *Fields virology*. 5th ed. Philadelphia: Lippincott Williams and Wilkins, p951-970

Guntapong, R., Hansman, G. S., Oka, T., Ogawa, S., Kageyama, T., et al. (2004). Norovirus and sapovirus infections in Thailand. *Jpn J Infect Dis* 57(6), 276-278.

Guo, L., Song, J., Xu, X., Ren, L., Li, J., Zhou, H., et al. (2009). Genetic analysis of norovirus in children affected with acute gastroenteritis in Beijing, 2004-2007. *J Clin Virol* 44(1), 94-98.

Halvorsrud, J., and Orstavik, I. (1980). An epidemic of rotavirus-associated gastroenteritis in a nursing home for the elderly. *Scand J Infect Dis* 12(3), 161-164.

Han, T. H., Kim, C. H., Park, S. H., Chung, J. Y., and Hwang, E. S. (2011). Detection of human parechoviruses in children with gastroenteritis in South Korea. *Arch Virol* 156(8), 1471-1475.

Hansman, G. S., Katayama, K., Maneekarn, N., Peerakome, S., Khamrin, P., Tonusin, S., et al. (2004). Genetic diversity of norovirus and sapovirus in hospitalized infants with sporadic cases of acute gastroenteritis in Chiang Mai, Thailand. *J Clin Microbiol* 42(3), 1305-1307.

Hansman, G. S., Oka, T., Sakon, N., and Takeda, N. (2007). Antigenic diversity of human sapoviruses. *Emerg Infect Dis* 13(10), 1519-1525.

Harada, S., Okada, M., Yahiro, S., Nishimura, K., Matsuo, S., Miyasaka, J., et al. (2009). Surveillance of pathogens in outpatients with gastroenteritis and characterization of sapovirus strains between 2002 and 2007 in Kumamoto Prefecture, Japan. *J Med Virol* 81(6), 1117-1127.

Harvala, H., Robertson, I., McWilliam Leitch, E. C., Benschop, K., Wolthers, K. C., Templeton, K., et al. (2008). Epidemiology and clinical associations of human parechovirus respiratory infections. *J Clin Microbiol* 46(10), 3446-3453.

Herrmann, J. E., Blacklow, N. R., Perron-Henry, D. M., Clements, E., Taylor, D. N., and Echeverria, P. (1988). Incidence of enteric adenoviruses among children in Thailand and the significance of these viruses in gastroenteritis. *J Clin Microbiol* 26(9), 1783-1786.

Herrmann, J. E., Taylor, D. N., Echeverria, P., and Blacklow, N. R. (1991). Astroviruses as a cause of gastroenteritis in children. *N Engl J Med* 324(25), 1757-1760.

Horie, Y., Masamune, O., and Nakagomi, O. (1997). Three major alleles of rotavirus NSP4 proteins identified by sequence analysis. *J Gen Virol* 78 (Pt 9), 2341-2346.

Hrdy, D. B. (1987). Epidemiology of rotaviral infection in adults. *Rev Infect Dis* 9(3), 461-469.

Hyypia, T., Horsnell, C., Maaronen, M., Khan, M., Kalkkinen, N., Auvinen, P., et al. (1992). A distinct picornavirus group identified by sequence analysis. *Proc Natl Acad Sci U S A* 89(18), 8847-8851.

Iijima, Y., Iwamoto, T., Nukuzuma, S., Ohishi, H., Hayashi, K., and Kobayashi, N. (2006). An outbreak of rotavirus infection among adults in an institution for rehabilitation: long-term residence in a closed community as a risk factor for rotavirus illness. *Scand J Infect Dis* 38(6-7), 490-496.

Ike, A. C., Brockmann, S. O., Hartelt, K., Marschang, R. E., Contzen, M., and Oehme, R. M. (2006). Molecular epidemiology of norovirus in outbreaks of gastroenteritis in southwest Germany from 2001 to 2004. *J Clin Microbiol* 44(4), 1262-1267.

Ito, M., Yamashita, T., Tsuzuki, H., Takeda, N., and Sakae, K. (2004). Isolation and identification of a novel human parechovirus. *J Gen Virol* 85(Pt 2), 391-398.

Ito, M., Yamashita, T., Tsuzuki, H., Kabashima, Y., Hasegawa, A., Nagaya, S., et al. (2010). Detection of human parechoviruses from clinical stool samples in Aichi, Japan. *J Clin Microbiol* 48(8), 2683-2688.

Jeong, Y. G., Kim, T. H., Lee, C. M., Shim, K. S., Moon, I. K., Lee, S. I., et al. (2010). [A case of limited Wegener's granulomatosis with gastroenteritis and mesenteric lymphadenopathy]. *Korean J Gastroenterol* 55(5), 331-335.

Jeong, A. Y., Jeong, H. S., Jo, M. Y., Jung, S. Y., Lee, M. S., Lee, J. S., et al. (2011). Molecular epidemiology and genetic diversity of human astrovirus in South Korea from 2002 to 2007. *Clin Microbiol Infect* 17(3), 404-408.

Jiang, X., Graham D. Y., Wang N., Estes M. K. (1990). Norwalk virus genome cloning and characterization. *Science* 250, 1580-1583.

Jiang, X., Wang, M., Graham, D. Y., and Estes, M. K. (1992). Expression, self-assembly, and antigenicity of the Norwalk virus capsid protein. *J Virol* 66(11), 6527-6532.

Jiraphongsa, C., Bresee, J. S., Pongsuwanna, Y., Kluabwang, P., Poonawagul, U., Arpornitip, P., et al. (2005). Epidemiology and burden of rotavirus diarrhea in Thailand: results of sentinel surveillance. *J Infect Dis* 192 Suppl 1, S87-93.

Joki-Korpela, P., and Hyypia, T. (1998). Diagnosis and epidemiology of echovirus 22 infections. *Clin Infect Dis* 27(1), 129-136.

Jones, M. S., Harrach, B., Ganac, R. D., Gozum, M. M., Dela Cruz, W. P., Riedel, B., et al. (2007). New adenovirus species found in a patient presenting with gastroenteritis. *J Virol* 81(11), 5978-5984.

Kageyama, T., Shinohara, M., Uchida, K., Fukushi, S., Hoshino, F. B., Kojima, S., et al. (2004). Coexistence of multiple genotypes, including newly identified genotypes, in outbreaks of gastroenteritis due to Norovirus in Japan. *J Clin Microbiol* 42(7), 2988-2995.

Khamrin, P., Peerakome, S., Wongsawasdi, L., Tonusin, S., Sornchai, P., Maneerat, V., et al. (2006). Emergence of human G9 rotavirus with an exceptionally high frequency in children admitted to hospital with diarrhea in Chiang Mai, Thailand. *J Med Virol* 78(2), 273-280.

Khamrin, P., Maneekarn, N., Peerakome, S., Tonusin, S., Malasao, R., Mizuguchi, M., et al. (2007a). Genetic diversity of noroviruses and sapoviruses in children hospitalized with acute gastroenteritis in Chiang Mai, Thailand. *J Med Virol* 79(12), 1921-1926.

Khamrin, P., Maneekarn, N., Peerakome, S., Tonusin, S., Phan, T. G., Okitsu, S., et al. (2007b). Molecular characterization of rare G3P[9] rotavirus strains isolated from children hospitalized with acute gastroenteritis. *J Med Virol* 79(6), 843-851.

Khamrin, P., Okitsu, S., Ushijima, H., and Maneekarn, N. (2008). Novel nonstructural protein 4 genetic group in rotavirus of porcine origin. *Emerg Infect Dis* 14(4), 686-688.

Khamrin, P., Maneekarn, N., Thongprachum, A., Chaimongkol, N., Okitsu, S., and Ushijima, H. (2010). Emergence of new norovirus variants and genetic heterogeneity of noroviruses and sapoviruses in children admitted to hospital with diarrhea in Thailand. *J Med Virol* 82(2), 289-296.

Khamrin, P., Okame, M., Thongprachum, A., Nantachit, N., Nishimura, S., Okitsu, S., et al. (2011). A single-tube multiplex PCR for rapid detection in feces of 10 viruses causing diarrhea. *J Virol Methods* 173(2), 390-393.

Khananurak, K., Vutithanachot, V., Simakachorn, N., Theamboonlers, A., Chongsrisawat, V., and Poovorawan, Y. (2010). Prevalence and phylogenetic analysis of rotavirus genotypes in Thailand between 2007 and 2009. *Infect Genet Evol* 10(4), 537-545.

King, C. K., Glass, R., Bresee, J. S., and Duggan, C. (2003). Managing acute gastroenteritis among children: oral rehydration, maintenance, and nutritional therapy. *MMWR Recomm Rep* 52(RR-16), 1-16.

Kirkwood, C. D., and Palombo, E. A. (1997). Genetic characterization of the rotavirus nonstructural protein, NSP4. *Virology* 236(2), 258-265.

Kitamura, N., Semler, B. L., Rothberg, P. G., Larsen, G. R., Adler, C. J., Dorner, A. J., et al. (1981). Primary structure, gene organization and polypeptide expression of poliovirus RNA. *Nature* 291(5816), 547-553.

Kittigul, L., Pombubpa, K., Taweekate, Y., Yeephoo, T., Khamrin, P., and Ushijima, H. (2009). Molecular characterization of rotaviruses, noroviruses, sapovirus, and adenoviruses in patients with acute gastroenteritis in Thailand. *J Med Virol* 81(2), 345-353.

Kittigul, L., Pombubpa, K., Taweekate, Y., Diraphat, P., Sujirarat, D., Khamrin, P., et al. (2010). Norovirus GII-4 2006b variant circulating in patients with acute gastroenteritis in Thailand during a 2006-2007 study. *J Med Virol* 82(5), 854-860.

Lee, S. Y., Hong, S. K., Lee, S. G., Suh, C. I., Park, S. W., H., Kim, J. H., et al. (2009). Human rotavirus genotypes in hospitalized children, South Korea, April 2005 to March 2007. *Vaccine* 27 Suppl 5, F97-101.

Legay, V., Chomel, J. J., Fernandez, E., Lina, B., Aymard, M., and Khalfan, S. (2002). Encephalomyelitis due to human parechovirus type 1. *J Clin Virol* 25(2), 193-195.

Lennon, G., Cashman, O., Lane, K., Cryan, B., and O'Shea, H. (2007). Prevalence and characterization of enteric adenoviruses in the South of Ireland. *J Med Virol* 79(10), 1518-1526.

Li, L., Phan, T. G., Nguyen, T. A., Kim, K. S., Seo, J. K., Shimizu, H., et al. (2005). Molecular epidemiology of adenovirus infection among pediatric population with diarrhea in Asia. *Microbiol Immunol* 49(2), 121-128.

Li, L., Victoria, J., Kapoor, A., Naeem, A., Shaukat, S., Sharif, S., et al. (2009). Genomic characterization of novel human parechovirus type. *Emerg Infect Dis* 15(2), 288-291.

Li, D. D., Yu, Q. L., Qi, S. X., Xie, Y., Zhang, Q., Cui, S. X., et al. (2010). [Study on the epidemiological of rotavirus diarrhea in Lulong in 2008-2009]. *Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi* 24(1), 2-4.

Liu, L. J., Liu, W., Liu, Y. X., Xiao, H. J., Jia, N., Liu, G., et al. (2010). Identification of norovirus as the top enteric viruses detected in adult cases with acute gastroenteritis. *Am J Trop Med Hyg* 82(4), 717-722.

Lopman, B. A., Adak, G. K., Reacher, M. H., and Brown, D. W. (2003). Two epidemiologic patterns of norovirus outbreaks: surveillance in England and wales, 1992-2000. *Emerg Infect Dis* 9(1), 71-77.

Lopman, B. A., Hall, A. J., Curns, A. T., and Parashar, U. D. (2011). Increasing rates of gastroenteritis hospital discharges in US adults and the contribution of norovirus, 1996-2007. *Clin Infect Dis* 52(4), 466-474.

Madeley, C. R., and Cosgrove, B. P. (1975). Letter: Viruses in infantile gastroenteritis. *Lancet* 2(7925), 124.

Malasao, R., Maneekarn, N., Khamrin, P., Pantip, C., Tonusin, S., Ushijima, H., et al. (2008). Genetic diversity of norovirus, sapovirus, and astrovirus isolated from children hospitalized with acute gastroenteritis in Chiang Mai, Thailand. *J Med Virol* 80(10), 1749-1755.

Maneekarn, N., and Ushijima, H. (2000). Epidemiology of rotavirus infection in Thailand. *Pediatr Int* 42(4), 415-421.

Matsui, S. M., Kiang, D., Ginzton, N., Chew, T., and Geigenmuller-Gnirke, U. (2001). Molecular biology of astroviruses: selected highlights. *Novartis Found Symp* 238, 219-33; discussion 233-236.

Matthijnssens, J., Ciarlet, M., Rahman, M., Attoui, H., Banyai, K., Estes, M. K., et al. (2008). Recommendations for the classification of group A rotaviruses using all 11 genomic RNA segments. *Arch Virol* 153(8), 1621-1629.

Matthijnssens, J., Taraporewala, Z. F., Yang, H., Rao, S., Yuan, L., Cao, D., et al. (2010). Simian rotaviruses possess divergent gene constellations that originated from interspecies transmission and reassortment. *J Virol* 84(4), 2013-2026.

Matthijnssens, J., Ciarlet, M., McDonald, S. M., Attoui, H., Banyai, K., Brister, J. R., et al. (2011). Uniformity of rotavirus strain nomenclature proposed by the Rotavirus Classification Working Group (RCWG). *Arch Virol* 156(8), 1397-1413.

Mayo, M. A. (2002). A summary of taxonomic changes recently approved by ICTV. *Arch Virol* 147(8), 1655-1663.

McIntyre, L., Vallaster, L., Kurzac, C., Fung, J., McNabb, A., Lee, M. K., et al. (2002). Gastrointestinal outbreaks associated with Norwalk virus in restaurants in Vancouver, British Columbia. *Can Commun Dis Rep* 28(24), 197-203.

McNeill, J. R. (1999). Ecology, epidemics and empires: environmental change and the geopolitics of tropical America, 1600-1825. *Environ Hist Camb* 5(2), 175-184.

Mendez-Toss, M., Romero-Guido, P., Munguia, M. E., Mendez, E., and Arias, C. F. (2000). Molecular analysis of a serotype 8 human astrovirus genome. *J Gen Virol* 81(Pt 12), 2891-2897.

Michos, A. G., Syriopoulou, V. P., Hadjichristodoulou, C., Daikos, G. L., Lagona, E., Douridas, P., et al. (2007). Aseptic meningitis in children: analysis of 506 cases. *PLoS One* 2(7), e674.

Mirand, A., Henquell, C., Archimbaud, C., Peigue-Lafeuille, H., and Bailly, J. L. (2007). Emergence of recent echovirus 30 lineages is marked by serial genetic recombination events. *J Gen Virol* 88(Pt 1), 166-176.

Mladenova, Z., Korsun, N., Geonova, T., and Iturriza-Gomara, M. (2010). Molecular epidemiology of rotaviruses in Bulgaria: annual shift of the predominant genotype. *Eur J Clin Microbiol Infect Dis* 29(5), 555-562.

Mori, Y., Borgan, M. A., Ito, N., Sugiyama, M., and Minamoto, N. (2002). Diarrhea-inducing activity of avian rotavirus NSP4 glycoproteins, which differ greatly from mammalian rotavirus NSP4 glycoproteins in deduced amino acid sequence in suckling mice. *J Virol* 76(11), 5829-5834.

Moura, P. O., Roberto, A. F., Hein, N., Baldacci, E., Vieira, S. E., Ejzenberg, B., et al. (2007). Molecular epidemiology of human adenovirus isolated from children hospitalized with acute respiratory infection in Sao Paulo, Brazil. *J Med Virol* 79(2), 174-181.

Muir, P., Kammerer, U., Korn, K., Mulders, M. N., Poyry, T., Weissbrich, B., et al. (1998). Molecular typing of enteroviruses: current status and future requirements. The European Union Concerted Action on Virus Meningitis and Encephalitis. *Clin Microbiol Rev* 11(1), 202-227.

Mustafa, H., Palombo, E. A., and Bishop, R. F. (2000). Epidemiology of astrovirus infection in young children hospitalized with acute gastroenteritis in Melbourne, Australia, over a period of four consecutive years, 1995 to 1998. *J Clin Microbiol* 38(3), 1058-1062.

Nataraju, S. M., Ganesh, B., Das, S., Chowdhury, S., Nayak, M. K., Ghosh, M., et al. (2010). Emergence of Noroviruses homologous to strains reported from Djibouti (horn of Africa), Brazil, Italy, Japan and USA among children in Kolkata, India. *Eur Rev Med Pharmacol Sci* 14(9), 789-794.

Nataraju, S. M., Pativada, M., Chatterjee, D., Nayak, M. K., Ganesh, B., Bhattacharya, M. K., et al. (2011). Molecular epidemiology of norovirus infections in children and adults: sequence analysis of region C indicates genetic diversity of NVGII strains in Kolkata, India. *Epidemiol Infect* 139(6), 910-918.

Nguyen, T. A., Hoang, L., Pham le, D., Hoang, K. T., Mizuguchi, M., Okitsu, S., et al. (2008). Identification of human astrovirus infections among children with acute gastroenteritis in the Southern Part of Vietnam during 2005-2006. *J Med Virol* 80(2), 298-305.

Noel, J. S., Lee, T. W., Kurtz, J. B., Glass, R. I., and Monroe, S. S. (1995). Typing of human astroviruses from clinical isolates by enzyme immunoassay and nucleotide sequencing. *J Clin Microbiol* 33(4), 797-801.

Oberste, M. S., Maher, K., Michele, S. M., Belliot, G., Uddin, M., and Pallansch, M. A. (2005). Enteroviruses 76, 89, 90 and 91 represent a novel group within the species Human enterovirus A. *J Gen Virol* 86(Pt 2), 445-451.

Oberste, M. S., Nix, W. A., Maher, K., and Pallansch, M. A. (2003). Improved molecular identification of enteroviruses by RT-PCR and amplicon sequencing. *J Clin Virol* 26(3), 375-377.

Oh, D. Y., Silva, P. A., Hauroeder, B., Diedrich, S., Cardoso, D. D., and Schreier, E. (2006). Molecular characterization of the first Aichi viruses isolated in Europe and in South America. *Arch Virol* 151(6), 1199-1206.

- Oldak, E., Sulik, A., Rozkiewicz, D., and Liwoch-Nienartowicz, N. (2011). Norovirus infections in children under 5 years of age hospitalized due to the acute viral gastroenteritis in northeastern Poland. *Eur J Clin Microbiol Infect Dis*.1-6
- Oliver, A. R., and Phillips, A. D. (1988). An electron microscopical investigation of faecal small round viruses. *J Med Virol* 24(2), 211-218.
- Oliver, S. L., Dastjerdi, A. M., Wong, S., El-Attar, L., Gallimore, C., Brown, D. W., et al. (2003). Molecular characterization of bovine enteric caliciviruses: a distinct third genogroup of noroviruses (Norwalk-like viruses) unlikely to be of risk to humans. *J Virol* 77(4), 2789-2798.
- Pallansch, M. A., and Roos, R. P., In: Knipe D. M., Howley P. M., (Eds.). (2007). Enteroviruses: Polioviruses, Coxsackieviruses, Echoviruses, and Newer Enteroviruses. *Fields Virology*, 5th ed. Philadelphia: Lippincott Williams and Wilkins, p840-845.
- Parashar, U. D., Holman, R. C., Clarke, M. J., Bresee, J. S., and Glass, R. I. (1998). Hospitalizations associated with rotavirus diarrhea in the United States, 1993 through 1995: surveillance based on the new ICD-9-CM rotavirus-specific diagnostic code. *J Infect Dis* 177(1), 13-17.
- Parashar, U., Quiroz, E. S., Mounts, A. W., Monroe, S. S., Fankhauser, R. L., Ando, T., et al. (2001). "Norwalk-like viruses". Public health consequences and outbreak management. *MMWR Recomm Rep* 50(RR-9), 1-17.
- Parashar, U. D., Gibson, C. J., Bresse, J. S., and Glass, R. I. (2006). Rotavirus and severe childhood diarrhea. *Emerg Infect Dis* 12(2), 304-306.

Parashar, U. D., Burton, A., Lanata, C., Boschi-Pinto, C., Shibuya, K., Steele, D., et al. (2009). Global mortality associated with rotavirus disease among children in 2004. *J Infect Dis* 200 Suppl 1, S9-S15.

Paul, S. K., Kobayashi, N., Nagashima, S., Ishino, M., Watanabe, S., Alam, M. M., et al. (2008). Phylogenetic analysis of rotaviruses with genotypes G1, G2, G9 and G12 in Bangladesh: evidence for a close relationship between rotaviruses from children and adults. *Arch Virol* 153(11), 1999-2012.

Pavlov, D. N., Van Zyl, W. B., Van Heerden, J., Grabow, W. O., and Ehlers, M. M. (2005). Prevalence of vaccine-derived polioviruses in sewage and river water in South Africa. *Water Res* 39(14), 3309-3319.

Pham, N. T., Khamrin, P., Nguyen, T. A., Kanti, D. S., Phan, T. G., Okitsu, S., et al. (2007). Isolation and molecular characterization of Aichi viruses from fecal specimens collected in Japan, Bangladesh, Thailand, and Vietnam. *J Clin Microbiol* 45(7), 2287-2288.

Pham, N. T., Trinh, Q. D., Chan-It, W., Khamrin, P., Shimizu, H., Okitsu, S., et al. (2010a). A novel RT-multiplex PCR for detection of Aichi virus, human parechovirus, enteroviruses, and human bocavirus among infants and children with acute gastroenteritis. *J Virol Methods* 169(1), 193-197.

Pham, N. T., Trinh, Q. D., Khamrin, P., Maneekarn, N., Shimizu, H., Okitsu, S., et al. (2010b). Diversity of human parechoviruses isolated from stool samples collected from Thai children with acute gastroenteritis. *J Clin Microbiol* 48(1), 115-119.

Pham, N. T., Chan-It, W., Khamrin, P., Nishimura, S., Kikuta, H., Sugita, K., et al. (2011a). Detection of human parechovirus in stool samples collected from children with acute gastroenteritis in Japan during 2007-2008. *J Med Virol* 83(2), 331-336.

Pham, N. T., Takanashi, S., Tran, D. N., Trinh, Q. D., Abeysekera, C., Abeygunawardene, A., et al. (2011b). Human parechovirus infection in children hospitalized with acute gastroenteritis in Sri Lanka. *J Clin Microbiol* 49(1), 364-346.

Phan, T. G., Trinh, Q. D., Yagyu, F., Okitsu, S., and Ushijima, H. (2007). Emergence of rare sapovirus genotype among infants and children with acute gastroenteritis in Japan. *Eur J Clin Microbiol Infect Dis* 26(1), 21-27.

Phan, T. G., Trinh, Q. D., Yagyu, F., Sugita, K., Okitsu, S., Muller, W. E., et al. (2006). Outbreak of sapovirus infection among infants and children with acute gastroenteritis in Osaka City, Japan during 2004-2005. *J Med Virol* 78(6), 839-846.

Pietruchinski, E., Benati, F., Lauretti, F., Kisielius, J., Ueda, M., Volotao, E. M., et al. (2006). Rotavirus diarrhea in children and adults in a southern city of Brazil in 2003: distribution of G/P types and finding of a rare G12 strain. *J Med Virol* 78(9), 1241-1249.

Podkolzin, A. T., Fenske, E. B., Abramycheva, N. Y., Shipulin, G. A., Sagalova, O. I., Mazepa, V. N., et al. (2009). Hospital-based surveillance of rotavirus and other viral agents of diarrhea in children and adults in Russia, 2005-2007. *J Infect Dis* 200 Suppl 1, S228-233.

Racaniello, V. R. (2007). In: Knipe D. M., Howley P. M., (Eds.). (2007). *Picornaviridae. Fields virology*. 5th ed. Philadelphia: Lippincott Williams and Wilkins, p796-798.

Reuter, G., Boldizsar, A., Kiss, I., and Pankovics, P. (2008). Candidate new species of Kobuvirus in porcine hosts. *Emerg Infect Dis* 14(12), 1968-70.

Reuter, G., Krisztalovics, K., Vennema, H., Koopmans, M., and Szucs, G. (2005). Evidence of the etiological predominance of norovirus in gastroenteritis outbreaks--emerging new-variant and recombinant noroviruses in Hungary. *J Med Virol* 76(4), 598-607.

Reuter, G., Boldizsar, A., and Pankovics, P. (2009a). Complete nucleotide and amino acid sequences and genetic organization of porcine kobuvirus, a member of a new species in the genus Kobuvirus, family Picornaviridae. *Arch Virol* 154(1), 101-108.

Reuter, G., Boldizsar, A., Papp, G., and Pankovics, P. (2009b). Detection of Aichi virus shedding in a child with enteric and extraintestinal symptoms in Hungary. *Arch Virol* 154(9), 1529-1532.

Robinson, C. M., Seto, D., Jones, M. S., Dyer, D. W., and Chodosh, J. (2011). Molecular evolution of human species D adenoviruses. *Infect Genet Evol* 11(6), 1208-1217.

Rowe, W. P., Huebner, R. J., Gilmore, L. K., Parrott, R. H., and Ward, T. G. (1953). Isolation of a cytopathogenic agent from human adenoids undergoing spontaneous degeneration in tissue culture. *Proc Soc Exp Biol Med* 84(3), 570-573.

Rubilar-Abreu, E., Hedlund, K. O., Svensson, L., and Mittelholzer, C. (2005). Serotype G9 rotavirus infections in adults in Sweden. *J Clin Microbiol* 43(3), 1374-1376.

Russell, S. J., and Bell, E. J. (1970). Echoviruses and carditis. *Lancet* 1(7650), 784-785.

Saif, L. J., Bohl, E. H., Theil, K. W., Cross, R. F., and House, J. A. (1980). Rotavirus-like, calicivirus-like, and 23-nm virus-like particles associated with diarrhea in young pigs. *J Clin Microbiol* 12(1), 105-111.

Sakamoto, T., Negishi, H., Wang, Q. H., Akihara, S., Kim, B., Nishimura, S., et al. (2000). Molecular epidemiology of astroviruses in Japan from 1995 to 1998 by reverse transcription-polymerase chain reaction with serotype-specific primers (1 to 8). *J Med Virol* 61(3), 326-331.

Sanekata, T., Ahmed, M. U., Kader, A., Taniguchi, K., and Kobayashi, N. (2003). Human group B rotavirus infections cause severe diarrhea in children and adults in Bangladesh. *J Clin Microbiol* 41(5), 2187-2190.

Santos, R. A., Borges, A. M., da Costa, P. S., Teixeira, J. M., Giugliano, L. G., Leite, J. P., et al. (2007). Astrovirus infection in children living in the Central West region of Brazil. *Mem Inst Oswaldo Cruz* 102(2), 209-213.

Schuffenecker, I., Ando, T., Thouvenot, D., Lina, B., and Aymard, M. (2001). Genetic classification of "Sapporo-like viruses". *Arch Virol* 146(11), 2115-2132.

Schumann, T., Hotzel, H., Otto, P., and Johne, R. (2009). Evidence of interspecies transmission and reassortment among avian group A rotaviruses. *Virology* 386(2), 334-343.

Sdiri-Loulizi, K., Gharbi-Khelifi, H., de Rougemont, A., Chouchane, S., Sakly, N., Ambert-Balay, K., et al. (2008). Acute infantile gastroenteritis associated with human enteric viruses in Tunisia. *J Clin Microbiol* 46(4), 1349-1355.

Shan, T. L., Wang, C. M., Cui, L., Delwart, E., Yuan, C. L., Zhao, W., et al. (2010). Human parechovirus infections in monkeys with diarrhea, China. *Emerg Infect Dis* 16(7), 1168-1169.

Shimizu, H., Phan, T. G., Nishimura, S., Okitsu, S., Maneekarn, N., and Ushijima, H. (2007). An outbreak of adenovirus serotype 41 infection in infants and children with acute gastroenteritis in Maizuru City, Japan. *Infect Genet Evol* 7(2), 279-284.

Siebenga, J. J., Vennema, H., Duizer, E., and Koopmans, M. P. (2007). Gastroenteritis caused by norovirus GGII.4, The Netherlands, 1994-2005. *Emerg Infect Dis* 13(1), 144-146.

Sirinavin, S., Techasaensiri, C., Okascharoen, C., Nuntnarumit, P., Tonsuttakul, S., and Pongsuwan, Y. (2006). Neonatal astrovirus gastroenteritis during an inborn nursery outbreak. *J Hosp Infect* 64(2), 196-197.

Soares, C. C., Maciel de Albuquerque, M. C., Maranhao, A. G., Rocha, L. N., Ramirez, M. L., Benati, F. J., et al. (2008). Astrovirus detection in sporadic cases of diarrhea among hospitalized and non-hospitalized children in Rio De Janeiro, Brazil, from 1998 to 2004. *J Med Virol* 80(1), 113-117.

Stanway, G., and Hyypia, T. (1999). Parechoviruses. *J Virol* 73(7), 5249-5254.

Stanway, G., Joki-Korpela, P., and Hyypia, T. (2000). Human parechoviruses--biology and clinical significance. *Rev Med Virol* 10(1), 57-69.

Steele, A. D., Basetse, H. R., Blacklow, N. R., and Herrmann, J. E. (1998). Astrovirus infection in South Africa: a pilot study. *Ann Trop Paediatr* 18(4), 315-319.

Steil, B. P., and Barton, D. J. (2009). Conversion of VPg into VPgpUpUOH before and during poliovirus negative-strand RNA synthesis. *J Virol* 83(24), 12660-12670.

Su, C. Q., Wu, Y. L., Shen, H. K., Wang, D. B., Chen, Y. H., Wu, D. M., et al. (1986). An outbreak of epidemic diarrhoea in adults caused by a new rotavirus in Anhui Province of China in the summer of 1983. *J Med Virol* 19(2), 167-173.

Sumi, A., Kobayashi, N., and Ohtomo, N. (2005). Proportion of sporadic gastroenteritis cases caused by rotavirus, norovirus, adenovirus and bacteria in Japan from January 2000 to December 2003. *Microbiol Immunol* 49(8), 745-756.

Svraka, S., Rosario, K., Duizer, E., van der Avoort, H., Breitbart, M., and Koopmans, M. (2010). Metagenomic sequencing for virus identification in a public-health setting. *J Gen Virol* 91(Pt 11), 2846-2856.

Tamura, K., Dudley, J., Nei, M., and Kumar, S. (2007). MEGA4: Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0. *Mol Biol Evol* 24(8), 1596-1599.

Tan, D. M., Liu, W., and Deng, L. L. (2010). [Norovirus infection in adults with sporadic gastroenteritis during 2007-2008 in Nanning Municipal]. *Zhongguo Yi Miao He Mian Yi* 16(2), 132-135.

Tapia, G., Cinek, O., Witso, E., Kulich, M., Rasmussen, T., Grinde, B., et al. (2008). Longitudinal observation of parechovirus in stool samples from Norwegian infants. *J Med Virol* 80(10), 1835-1842.

Tatte, V. S., Gentsch, J. R., and Chitambar, S. D. (2010). Characterization of group A rotavirus infections in adolescents and adults from Pune, India: 1993-1996 and 2004-2007. *J Med Virol* 82(3), 519-527.

Uchida, R., Pandey, B. D., Sherchand, J. B., Ahmed, K., Yokoo, M., Nakagomi, T., et al. (2006). Molecular epidemiology of rotavirus diarrhea among children and adults in Nepal: detection of G12 strains with P[6] or P[8] and a G11P[25] strain. *J Clin Microbiol* 44(10), 3499-3505.

Van Damme, P., Giaquinto, C., Maxwell, M., Todd, P., and Van der Wielen, M. (2007). Distribution of rotavirus genotypes in Europe, 2004-2005: the REVEAL Study. *J Infect Dis* 195 Suppl 1, S17-25.

Wadell, G. (1984). Molecular epidemiology of human adenoviruses. *Curr Top Microbiol Immunol* 110, 191-220.

Wang, Y. H., Kobayashi, N., Zhou, D. J., Yang, Z. Q., Zhou, X., Peng, J. S., et al. (2007). Molecular epidemiologic analysis of group A rotaviruses in adults and children with diarrhea in Wuhan city, China, 2000-2006. *Arch Virol* 152(4), 669-685.

Wang, Y. H., Kobayashi, N., Zhou, X., Nagashima, S., Zhu, Z. R., Peng, J. S., et al. (2009). Phylogenetic analysis of rotaviruses with predominant G3 and emerging G9 genotypes from adults and children in Wuhan, China. *J Med Virol* 81(2), 382-389.

Watanabe, K., Oie, M., Higuchi, M., Nishikawa, M., and Fujii, M. (2007). Isolation and characterization of novel human parechovirus from clinical samples. *Emerg Infect Dis* 13(6), 889-895.

- Wiley, L. A., Roba, L. A., Kowalski, R. P., Romanowski, E. G., and Gordon, Y. J. (1996). A 5-year evaluation of the adenoclone test for the rapid diagnosis of adenovirus from conjunctival swabs. *Cornea* 15(4), 363-367.
- Wilhelmi, I., Roman, E., and Sanchez-Fauquier, A. (2003). Viruses causing gastroenteritis. *Clin Microbiol Infect* 9(4), 247-262.
- Wobus, C. E., Karst, S. M., Thackray, L. B., Chang, K. O., Sosnovtsev, S. V., Belliot, G., et al. (2004). Replication of Norovirus in cell culture reveals a tropism for dendritic cells and macrophages. *PLoS Biol* 2(12), e432.
- World, W. S. M., and Horowitz, M. S. (2007). In: Knipe D. M., Howley P. M., (Eds.). *Adenoviridae*, p. 2395–2436. *Fields virology*, 5th ed. Philadelphia: Lippincott Williams and Wilkins, p2355-2364.
- Wu, F. T., Oka, T., Takeda, N., Katayama, K., Hansman, G. S., Muo, C. H., et al. (2008). Acute gastroenteritis caused by GI/2 sapovirus, Taiwan, 2007. *Emerg Infect Dis* 14(7), 1169-1171.
- Yamashita, T., Kobayashi, S., Sakae, K., Nakata, S., Chiba, S., Ishihara, Y., et al. (1991). Isolation of cytopathic small round viruses with BS-C-1 cells from patients with gastroenteritis. *J Infect Dis* 164(5), 954-957.
- Yamashita, T., Sakae, K., Ishihara, Y., Isomura, S., and Utagawa, E. (1993). Prevalence of newly isolated, cytopathic small round virus (Aichi strain) in Japan. *J Clin Microbiol* 31(11), 2938-2943.

Yamashita, T., Sakae, K., Kobayashi, S., Ishihara, Y., Miyake, T., Mubina, A., et al. (1995). Isolation of cytopathic small round virus (Aichi virus) from Pakistani children and Japanese travelers from Southeast Asia. *Microbiol Immunol* 39(6), 433-435.

Yamashita, T., Sugiyama, M., Tsuzuki, H., Sakae, K., Suzuki, Y., and Miyazaki, Y. (2000). Application of a reverse transcription-PCR for identification and differentiation of Aichi virus, a new member of the Picornavirus family associated with gastroenteritis in humans. *J Clin Microbiol* 38(8), 2955-2961.

Yamashita, Y., Ootsuka, Y., Kondo, R., Oseto, M., Doi, M., Miyamoto, T., et al. (2010). Molecular characterization of Sapovirus detected in a gastroenteritis outbreak at a wedding hall. *J Med Virol* 82(4), 720-726.

Yan, H., Nguyen, T. A., Phan, T. G., Okitsu, S., Li, Y., and Ushijima, H. (2004). Development of RT-multiplex PCR assay for detection of adenovirus and group A and C rotaviruses in diarrheal fecal specimens from children in China. *Kansenshogaku Zasshi* 78(8), 699-709.

Yan, H., Yagyu, F., Okitsu, S., Nishio, O., and Ushijima, H. (2003). Detection of norovirus (GI, GII), Sapovirus and astrovirus in fecal samples using reverse transcription single-round multiplex PCR. *J Virol Methods* 114(1), 37-44.

Yoshida, T., Kasuo, S., Azegami, Y., Uchiyama, Y., Satsumabayashi, K., Shiraishi, T., et al. (2009). Characterization of sapoviruses detected in gastroenteritis outbreaks and identification of asymptomatic adults with high viral load. *J Clin Virol* 45(1), 67-71.

Zhang, Y., Zhu, S., Yan, D., Liu, G., Bai, R., Wang, D., et al. (2010). Natural type 3/type 2 intertypic vaccine-related poliovirus recombinants with the first crossover sites within the VP1 capsid coding region. *PLoS One* 5(12), e15300.

Zhang, D. L., Jin, Y., Li, D. D., Cheng, W. X., Xu, Z. Q., Yu, J. M., et al. (2011). Prevalence of human parechovirus in Chinese children hospitalized for acute gastroenteritis. *Clin Microbiol Infect* 17(10), 1563-1569.

Zheng, D. P., Ando, T., Fankhauser, R. L., Beard, R. S., Glass, R. I., and Monroe, S. S. (2006). Norovirus classification and proposed strain nomenclature. *Virology* 346(2), 312-23.

Zhong, H., Lin, Y., Sun, J., Su, L., Cao, L., Yang, Y., et al. (2011). Prevalence and genotypes of human parechovirus in stool samples from hospitalized children in Shanghai, China, 2008 and 2009. *J Med Virol* 83(8), 1428-1434.

Zoll, G. J., Melchers, W. J., Kopecka, H., Jambroes, G., van der Poel, H. J., and Galama, J. M. (1992). General primer-mediated polymerase chain reaction for detection of enteroviruses: application for diagnostic routine and persistent infections. *J Clin Microbiol* 30(1), 160-165.