

## REFERENCES

- Abbott WS. A method of computing the effectiveness of an insecticide. J Econ Entomol 1925; 18: 265-7.
- Afonina I, Zivarts M, Kutyavin I, Lukhtanov E, Gamper H and Meyer RB. Efficient priming of PCR with short oligonucleotides conjugated to a minor groove binder. Nucleic Acids Res 1997; 25: 2657-60.
- Bass C, Nikou D, Donnelly MJ, Williamson MS, Ranson H, Ball A, Vontas J and Field LM. Detection of knockdown resistance (kdr) mutations in *Anopheles gambiae*: a comparison of two new high-throughput assays with existing methods. Malaria journal 2007; 6: 111.
- Brengues C, Hawkes NJ, Chandre F, McCarroll L, Duchon S, Guillet P, Manguin S, Morgan JC and Hemingway J. Pyrethroid and DDT cross-resistance in *Aedes aegypti* is correlated with novel mutations in the voltage-gated sodium channel gene. Med Vet Entomol 2003; 17: 87-94.
- Brooke BD. kdr: can a single mutation produce an entire insecticide resistance phenotype? Trans R Soc Trop Med Hyg 2008; 102: 524-5.
- Busvine JR. Mechanism of resistance to insecticide in houseflies. Nature 1951; 168: 193-5.

Catterall WA. From ionic currents to molecular mechanisms: the structure and function of voltage-gated sodium channels. *Neuron* 2000; 26: 13-25.

Cestele S, Catterall WA. Molecular mechanisms of neurotoxin action on voltage-gated sodium channels. *Biochimie* 2000; 82: 883-92.

Cestele S, Yarov-Yarovoy V, Qu Y, Sampieri F, Scheuer T and Catterall WA. Structure and function of the voltage sensor of sodium channels probed by a beta-scorpion toxin. *J Biol Chem* 2006; 281: 21332-44.

Chanda B, Bezanilla F. Tracking voltage-dependent conformational changes in skeletal muscle sodium channel during activation. *J Gen Physiol* 2002; 120: 629-45.

Chandre F, Darriet F, Duchon S, Finot L, Manguin S, Carnevale P and Guillet P. Modifications of pyrethroid effects associated with kdr mutation in *Anopheles gambiae*. *Med Vet Entomol* 2000; 14: 81-8.

Chang C, Shen WK, Wang TT, Lin YH, Hsu EL and Dai SM. A novel amino acid substitution in a voltage-gated sodium channel is associated with knockdown resistance to permethrin in *Aedes aegypti*. *Insect Biochem Mol Biol* 2009; 39: 272-8.

Charoenviriyaphap T, Um-aung B and Ratanatham S. Current insecticide resistance patterns in mosquito vectors in Thailand. *Southeast Asian J Trop Med Public Health* 1999; 30: 184-94.

Clark AG, Shamaan NA. Evidence that DDT-dehydrochlorinase from the house fly is a glutathione S-transferase. Pestic Biochem Physiol 1984; 22: 249-61.

Davies TG, Field LM, Usherwood PN and Williamson MS. DDT, pyrethrins, pyrethroids and insect sodium channels. IUBMB Life 2007; 59: 151-62.

Derst C, Walther C, Veh RW, Wicher D and Heinemann SH. Four novel sequences in *Drosophila melanogaster* homologous to the auxiliary Para sodium channel subunit TipE. Biochem Biophys Res Commun 2006; 339: 939-48.

Dong K. A single amino acid change in the para sodium channel protein is associated with knockdown-resistance (kdr) to pyrethroid insecticides in German cockroach. Insect Biochem Mol Biol 1997; 27: 93-100.

Dong K. Insect sodium channels and insecticide resistance. Invert Neurosci 2007; 7: 17-30.

Elliott M. Synthetic pyrethroids. In: Synthetic pyrethroids, Elliott M, ed. p. 1-28. American Chem Soc., Washington 1977.

Feng G, Deak P, Chopra M and Hall LM. Cloning and functional analysis of TipE, a novel membrane protein that enhances *Drosophila* para sodium channel function. Cell 1995; 82: 1001-11.

Ffrench-Constant RH, Pittendrigh B, Vaughan A and Anthony N. Why are there so few resistance-associated mutations in insecticide target genes? Philos Trans R Soc Lond B Biol Sci 1998; 353: 1685-93.

Finney DJ. Probit analysis, Cambridge University Press Edn. London: 1971.

Georghiou GP. Genetics of resistance to insecticides in houseflies and mosquitoes.  
Exp Parasitol 1969; 26: 224-55.

Germer S, Higuchi R. Single-tube genotyping without oligonucleotide probes.  
Genome Res 1999; 9: 72-8.

Grant DF, Matsumura F. Glutathione S-transferase-1 in *Aedes aegypti* larvae:  
purification and properties. Insect Biochem 1988; 18: 615-22.

Harris AF, Rajatileka S and Ranson H. Pyrethroid Resistance in *Aedes aegypti* from  
Grand Cayman. American Journal of Tropical Medicine and Hygiene 2010; 83:  
277-84.

Hemingway J, Hawkes NJ, McCarroll L and Ranson H. The molecular basis of  
insecticide resistance in mosquitoes. Insect Biochem Mol Biol 2004; 34: 653-  
65.

Hu Z, Du Y, Nomura Y and Dong K. A sodium channel mutation identified in *Aedes aegypti* selectively reduces cockroach sodium channel sensitivity to type I, but  
not type II pyrethroids. Insect Biochem Mol Biol 2011; 41: 9-13.

Ingles PJ, Adams PM, Knipple DC and Soderlund DM. Characterization of voltage-  
sensitive sodium channel gene coding sequences from insecticide-susceptible  
and knockdown-resistant house fly strains. Insect Biochem Mol Biol 1996; 26:  
319-26.

Jirakanjanakit N, Rongnoparut P, Saengtharatip S, Chareonviriyaphap T, Duchon S, Bellec C and Yoksan S. Insecticide susceptible/resistance status in *Aedes (Stegomyia) aegypti* and *Aedes (Stegomyia) albopictus* (Diptera: Culicidae) in Thailand during 2003-2005. J Econ Entomol 2007; 100: 545-50.

Kawada H, Higa Y, Komagata O, Kasai S, Tomita T, Thi YN, Loan LL, Sanchez RA and Takagi M. Widespread distribution of a newly found point mutation in voltage-gated sodium channel in pyrethroid-resistant *Aedes aegypti* populations in Vietnam. PLoS Negl Trop Dis 2009; 3: e527.

Kulkarni MA, Rowland M, Alifrangis M, Mosha FW, Matowo J, Malima R, Peter J, Kweka E, Lyimo I, Magesa S, Salanti A, Rau ME and Drakeley C. Occurrence of the leucine-to-phenylalanine knockdown resistance (kdr) mutation in *Anopheles arabiensis* populations in Tanzania, detected by a simplified high-throughput SSOP-ELISA method. Malar J 2006; 5: 56.

Kutyavin IV, Afonina IA, Mills A, Gorn VV, Lukhtanov EA, Belousov ES, Singer MJ, Walburger DK, Likhov SG, Gall AA, Dempcy R, Reed MW, Meyer RB and Hedgpeth J. 3'-minor groove binder-DNA probes increase sequence specificity at PCR extension temperatures. Nucleic Acids Res 2000; 28: 655-61.

Lande R. The minimum number of genes contributing to quantitative variation between and within populations. Genetics 1981; 99: 541-53.

Lee SH, Yoon K-S, Williamson MS, Goodson SJ, Takano-Lee M, Edman JD, Devonshire AL and Marshall Clark J. Molecular analysis of kdr-like resistance in permethrin-resistant strains of Head Lice, *Pediculus capitis*. Pestic Biochem Physiol 2000; 66: 130-43.

Li AY, Davey RB, Miller RJ, Guerrero FD and George JE. Genetics and mechanisms of permethrin resistance in the Santa Luiza strain of *Boophilus microplus* (Acari: Ixodidae). J Med Entomol 2008; 45: 427-38.

Limsuwan S, Rongsriyam Y, Kerdpibule V, Apiwathnasorn C, Cheong WH. Rearing techniques for mosquitoes. In: Practical Entomology, Sucharit S, Supavej S, eds. Museum and Reference Centre, Faculty of Tropical Medicine, Mahidol University, Bangkok, Thailand 1987.

Littleton JT, Ganetzky B. Ion channels and synaptic organization: analysis of the *Drosophila* genome. Neuron 2000; 26: 35-43.

Liu Z, Chung I and Dong K. Alternative splicing of the BSC1 gene generates tissue-specific isoforms in the German cockroach. Insect Biochem Mol Biol 2001; 31: 703-13.

Livak KJ. Allelic discrimination using fluorogenic probes and the 5' nuclease assay. Genet Anal 1999; 14: 143-9.

Livak KJ, Flood SJ, Marmaro J, Giusti W and Deetz K. Oligonucleotides with fluorescent dyes at opposite ends provide a quenched probe system useful for detecting PCR product and nucleic acid hybridization. PCR Methods Appl 1995; 4: 357-62.

Long SB, Campbell EB and Mackinnon R. Crystal structure of a mammalian voltage-dependent Shaker family K<sup>+</sup> channel. *Science* 2005; 309: 897-903.

Loughney K, Kreber R and Ganetzky B. Molecular analysis of the para locus, a sodium channel gene in *Drosophila*. *Cell* 1989; 58: 1143-54.

Lund AE, Narahashi T. Kinetics of sodium channel modification by the insecticide tetramethrin in squid axon membranes. *Journal of Pharmacology and Experimental Therapeutics* 1981; 219: 464-73.

Lynd A, Ranson H, McCall PJ, Randle NP, Black WC, Walker ED and Donnelly MJ. A simplified high-throughput method for pyrethroid knock-down resistance (kdr) detection in *Anopheles gambiae*. *Malar J* 2005; 4: 16.

Martinez-Torres D, Chandre F, Williamson MS, Darriet F, Berge JB, Devonshire AL, Guillet P, Pasteur N and Pauron D. Molecular characterization of pyrethroid knockdown resistance (kdr) in the major malaria vector *Anopheles gambiae* s.s. *Insect Mol Biol* 1998; 7: 179-84.

Martinez-Torres D, Foster SP, Field LM, Devonshire AL and Williamson MS. A sodium channel point mutation is associated with resistance to DDT and pyrethroid insecticides in the peach-potato aphid, *Myzus persicae* (Sulzer) (Hemiptera: Aphididae). *Insect Mol Biol* 1999; 8: 339-46.

Martins AJ, Lins RM, Linss JG, Peixoto AA and Valle D. Voltage-gated sodium channel polymorphism and metabolic resistance in pyrethroid-resistant *Aedes aegypti* from Brazil. *Am J Trop Med Hyg* 2009; 81: 108-15.

Mathews GG. Mechanism of nerve action potential. In: Neurobiology: molecules cells and systems, p. 66-91. Blackwell Science, Inc., Malden, Massachusetts, USA 2001.

Milani R. Comportamento mendeliano della resistenza alla azione abbatente del DTT: correlazione tra abbatimento emortalia in *Musca domestica* L. Riv Parasitol 1954; 15: 513-42.

Miyazaki M, Ohyama K, Dunlap DY and Matsumura F. Cloning and sequencing of the para-type sodium channel gene from susceptible and kdr-resistant German cockroaches (*Blattella germanica*) and house fly (*Musca domestica*). Mol Gen Genet 1996; 252: 61-8.

Morgan K, Stevens EB, Shah B, Cox PJ, Dixon AK, Lee K, Pinnock RD, Hughes J, Richardson PJ, Mizuguchi K and Jackson AP. beta 3: an additional auxiliary subunit of the voltage-sensitive sodium channel that modulates channel gating with distinct kinetics. Proc Natl Acad Sci U S A 2000; 97: 2308-13.

Mutero A, Pralavorio M, Bride JM and Fournier D. Resistance-associated point mutations in insecticide-insensitive acetylcholinesterase. Proc Natl Acad Sci U S A 1994; 91: 5922-6.

Neely MJ. Insecticide resistance studies on *Aedes aegypti* in Thailand. Bull WHO 1964; 35: 91-2.

Nicholson GM. Insect-selective spider toxins targeting voltage-gated sodium channels. Toxicon 2007; 49: 490-512.

Nwane P, Etang J, Chouaibou M, Toto JC, Kerah-Hinzoumbe C, Mimpfoundi R, wono-Ambene HP and Simard F. Trends in DDT and pyrethroid resistance in *Anopheles gambiae s.s.* populations from urban and agro-industrial settings in southern Cameroon. BMC Infect Dis 2009; 9: 163.

O'Reilly AO, Khambay BP, Williamson MS, Field LM, Wallace BA and Davies TG. Modelling insecticide-binding sites in the voltage-gated sodium channel. Biochem J 2006; 396: 255-63.

Okimoto R, Dodgson JB. Improved PCR amplification of multiple specific alleles (PAMSA) using internally mismatched primers. Biotechniques 1996; 21: 20-2, 24, 26.

Paeporn P, Ya-umphan P, Supaphathom K, Savanpanyalert P, Wattanachai P and Patimaprakorn R. Insecticide susceptibility and selection for resistance in a population of *Aedes aegypti* from Ratchaburi province, Thailand. Trop Biomed 2004; 21: 1-6.

Paul A, Harrington LC and Scott JG. Evaluation of novel insecticides for control of dengue vector *Aedes aegypti* (Diptera : Culicidae). Journal of Medical Entomology 2006; 43: 55-60.

Pethuan S, Jirakanjanakit N, Saengtharatip S, Chareonviriyaphap T, Kaewpa D and Rongnoparut P. Biochemical studies of insecticide resistance in *Aedes (Stegomyia) aegypti* and *Aedes (Stegomyia) albopictus* (Diptera: Culicidae) in Thailand. Trop Biomed 2007; 24: 7-15.

- Pinto J, Lynd A, Elissa N, Donnelly MJ, Costa C, Gentile G, Caccone A and do R, V. Co-occurrence of East and West African kdr mutations suggests high levels of resistance to pyrethroid insecticides in *Anopheles gambiae* from Libreville, Gabon. Med Vet Entomol 2006; 20: 27-32.
- Ponlawat A, Scott JG and Harrington LC. Insecticide susceptibility of *Aedes aegypti* and *Aedes albopictus* across Thailand. J Med Entomol 2005; 42: 821-5.
- Prapanthadara L, Hemingway J and Ketterman AJ. DDT-resistance in *Anopheles gambiae* (Diptera: Culicidae) from Zanzibar, Tanzania, based on increased DDT-dehydrochlorinase activity of glutathione S-transferases. Bull Entomol Res 1995; 85: 267-74.
- Prapanthadara L, Promtet N, Koottathep S, Somboon P, Suwonkerd W, McCarroll L and Hemingway J. Mechanisms of DDT and permethrin resistance in *Aedes aegypti* from Chiang Mai, Thailand. Dengue Bulletin 2002; 26: 185-9.
- Prapanthadara L, Reunkum W, Leelapat P, Suwan W, Yanola J and Somboon P. Glutathione S-transferase isoenzymes and the DDTase activity in two DDT-resistant strains of *Aedes aegypti*. Dengue Bulletin 2005; 29: 183-91.
- Rajatileka S, Black WC, Saavedra-Rodriguez K, Trongtokit Y, Apiwathnasorn C, McCall PJ and Ranson H. Development and application of a simple colorimetric assay reveals widespread distribution of sodium channel mutations in Thai populations of *Aedes aegypti*. Acta Trop 2008; 108: 54-7.

Ranson H, Jensen B, Vulule JM, Wang X, Hemingway J and Collins FH. Identification of a point mutation in the voltage-gated sodium channel gene of Kenyan *Anopheles gambiae* associated with resistance to DDT and pyrethroids. Insect Mol Biol 2000; 9: 491-7.

Raymond-Delpech V, Matsuda K, Sattelle BM, Rauh JJ and Sattelle DB. Ion channels: molecular targets of neuroactive insecticides. Invert Neurosci 2005; 5: 119-33.

Robertson JL, Preisler HK. Pesticide Bioassays with Arthropods. Boca Raton, FL, U.S.A.: CRC Press, 1992.

Robertson JL, Russell RM, Preisler HK, Savin E. Bioassays with Arthropods, 2nd Edn. Boca Raton, FL, U.S.A.: CRC Press, 2007.

Roush RT, Daly JC. The role of population dynamics in resistance research and management. In: Pesticide resistance in arthropods, Roush RT, Tabashnik BE, eds. p. 97-152. Chapman and Hall, New York 1990.

Rozen S, Skaletsky H. Primer3 on the WWW for general users and for biologist programmers. Methods Mol Biol 2000; 132: 365-86.

Saavedra-Rodriguez K, Urdaneta-Marquez L, Rajatileka S, Moulton M, Flores AE, Fernandez-Salas I, Bisset J, Rodriguez M, McCall PJ, Donnelly MJ, Ranson H, Hemingway J and Black WC. A mutation in the voltage-gated sodium channel gene associated with pyrethroid resistance in Latin American *Aedes aegypti*. Insect Mol Biol 2007; 16: 785-98.

Salkoff L, Butler A, Wei A, Scavarda N, Giffen K, Ifune C, Goodman R and Mandel G. Genomic organization and deduced amino acid sequence of a putative sodium channel gene in *Drosophila*. *Science* 1987; 237: 744-9.

Shono T, Kasai S, Kamiya E, Kono Y and Scott JG. Genetics and mechanisms of permethrin resistance in the YPER strain of house fly. *Pest Biochem Physiol* 2002; 73: 27-36.

Smith RF, Wiese BA, Wojzynski MK, Davison DB and Worley KC. BCM Search Launcher--an integrated interface to molecular biology data base search and analysis services available on the World Wide Web. *Genome Res* 1996; 6: 454-62.

Soderlund DM. Sodium channels. In: *Comprehensive Molecular Insect Science*, Gilbert LI, Iatrou K, Gill SS, eds. p. 1-24. Elsevier, Oxford. 2005.

Soderlund DM, Bloomquist JR. Neurotoxic actions of pyrethroid insecticides. *Annu Rev Entomol* 1989; 34: 77-96.

Soderlund DM, Bloomquist JR. Molecular mechanisms of insecticide resistance. In: *Pesticide Resistance in Arthropods*, Roush RT, Tabashnik BE, eds. p. 58-96. Chapman and Hall, New York 1990.

Soderlund DM, Knipple DC. Knockdown resistance to DDT and pyrethroids in house fly (Diptera:Muscidae): from genetic trait to molecular mechanism., 92 Edn 1999.

Soderlund DM, Knipple DC. The molecular biology of knockdown resistance to pyrethroid insecticides. Insect Biochem Mol Biol 2003; 33: 563-77.

Somboon P, Prapanthadara L and Suwonkerd W. Insecticide susceptibility tests of *Anopheles minimus* s.l., *Aedes aegypti*, *Aedes albopictus*, and *Culex quinquefasciatus* in northern Thailand. Southeast Asian J Trop Med Public Health 2003; 34: 87-53.

Somwang P, Yanola J, Suwan W, Walton C, Lumjuan N, Prapanthadara LA and Somboon P. Enzymes-based resistant mechanism in pyrethroid resistant and susceptible *Aedes aegypti* strains from northern Thailand. Parasitol Res 2011.

Srisawat R, Komalamisra N, Eshita Y, Zheng MQ, Ono K, Itoh TQ, Matsumoto A, Petmitr S and Rongsriyam Y. Point mutations in domain II of the voltage-gated sodium channel gene in deltamethrin-resistant *Aedes aegypti* (Diptera: Culicidae). Applied Entomology and Zoology 2010; 45: 275-82.

Stone BF. A formula for determining degree of dominance in cases of monofactorial inheritance of resistance to chemicals. Bull World Health Organ 1968; 38: 325-6.

Tabashnik BE. Determining the mode of inheritance of pesticide resistance with backcross experiments. J Econ Entomol 1991; 84: 703-12.

Tabashnik BE, Schwartz JM, Finson N and Johnson MW. Inheritance of resistance to *Bacillus thuringiensis* in diamondback moth (Lepidoptera : Plutellidae). J Econ Entomol 1992; 85: 1046-55.

Tan J, Liu Z, Nomura Y, Goldin AL and Dong K. Alternative splicing of an insect sodium channel gene generates pharmacologically distinct sodium channels. *J Neurosci* 2002; 22: 5300-9.

Thistlewood HMA, Pree DJ and Crawford LA. Selection and genetic analysis of permethrin resistance in *Amblyseius fallacis* (Garman) (Acari:Phytoseiidae) from Ontario apple orchards. *Exp Appl Acarol* 1995; 19: 707-21.

Thompson JD, Higgins DG and Gibson TJ. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res* 1994; 22: 4673-80.

Tripet F, Wright J and Lanzaro G. A new high-performance PCR diagnostic for the detection of pyrethroid knockdown resistance kdr in *Anopheles gambiae*. *Am J Trop Med Hyg* 2006; 74: 658-62.

Vais H, Williamson MS, Hick CA, Eldursi N, Devonshire AL and Usherwood PN. Functional analysis of a rat sodium channel carrying a mutation for insect knock-down resistance (kdr) to pyrethroids. *FEBS Lett* 1997; 413: 327-32.

Verhaeghen K, Van Bortel W, Roelants P, Backeljau T and Coosemans M. Detection of the East and West African kdr mutation in *Anopheles gambiae* and *Anopheles arabiensis* from Uganda using a new assay based on FRET/Melt Curve analysis. *Malar J* 2006; 22: 16.

Vijverberg HP, van der Zalm JM and van der Bercken J. Similar mode of action of pyrethroids and DDT on sodium channel gating in myelinated nerves. *Nature* 1982; 295: 601-3.

Wang J, Chuang K, Ahluwalia M, Patel S, Umblas N, Mirel D, Higuchi R and Germer S. High-throughput SNP genotyping by single-tube PCR with Tm-shift primers. *Biotechniques* 2005; 39: 885-93.

Wang R, Huang ZY and Dong K. Molecular characterization of an arachnid sodium channel gene from the varroa mite (*Varroa destructor*). *Insect Biochem Mol Biol* 2003; 33: 733-9.

Wang SY, Wang GK. Voltage-gated sodium channels as primary targets of diverse lipid-soluble neurotoxins. *Cell Signal* 2003; 15: 151-9.

Warmke JW, Reenan RA, Wang P, Qian S, Arena JP, Wang J, Wunderler D, Liu K, Kaczorowski GJ, Van der Ploeg LH, Ganetzky B and Cohen CJ. Functional expression of *Drosophila* para sodium channels. Modulation by the membrane protein TipE and toxin pharmacology. *J Gen Physiol* 1997; 110: 119-33.

Watts DM, Burke DS, Harrison BA, Whitmire RE and Nisalak A. Effect of temperature on the vector efficiency of *Aedes aegypti* for dengue 2 virus. *Am J Trop Med Hyg* 1987; 36: 143-52.

West JW, Patton DE, Scheuer T, Wang Y, Goldin AL and Catterall WA. A cluster of hydrophobic amino acid residues required for fast Na<sup>(+)</sup>-channel inactivation. *Proc Natl Acad Sci U S A* 1992; 89: 10910-4.

WHO. Instructions for determining the susceptibility or resistance of mosquito larvae to insecticides. In: WHO/VBC/ 81.807, p. 1-6. 1981a.

WHO. Instructions for determining the susceptibility of adult mosquito to organochlorine, organophosphate and carbamate insecticides establishment of base line. In: WHO/VBC/81.806, p. 1-7. 1981b.

WHO. Vector surveillance and control. In: Dengue haemorrhagic fever, Diagnosis, treatment, prevention and control, World Health Organization, Geneva 1997.

WHO. Dengue and dengue haemorrhagic fever, revised March 2009. In: Fact sheet No.117, World Health Organization, Geneva 2009.

WHO/SEARO. Situation update of dengue in the SEA Region, 2010. World Health Organization Regional Office for South-East Asia, New Delhi 2010.

Williamson MS, Martinez-Torres D, Hick CA and Devonshire AL. Identification of mutations in the housefly para-type sodium channel gene associated with knockdown resistance (kdr) to pyrethroid insecticides. Mol Gen Genet 1996; 252: 51-60.

Wing KD, Andaloro JT, McCann SF, Salgado VL. Indoxacarb and the sodium channel blocker insecticides: chemistry, physiology and biology in insects. In: Comprehensive insect science, Gilbert LI, Iatrou K, Gill SS, eds. p. 30-53. Elsevier B.V., Amsterdam 2005.

Wing KD, Sacher M, Tsurubuchi Y, Mulderig L, Connair M and Schnee ME. Bioactivation and mode of action of the oxadiazine indoxacarb in insects. Crop Prot 2000; 19: 537-45.

Wing KD, Schnee ME, Sacher M and Connair M. A novel oxadiazine insecticide is bioactivated in lepidopteran larvae. Arch Insect Biochem Physiol 1998; 37: 91-103.

Yaicharoen R, Kiatfuengfoo R, Chareonviriyaphap T and Rongnoparut P. Characterization of deltamethrin resistance in field populations of *Aedes aegypti* in Thailand. J Vector Ecol 2005; 30: 144-50.

Yu FH, Catterall WA. Overview of the voltage-gated sodium channel family. Genome Biol 2003; 4: 207.

Zhou W, Chung I, Liu Z, Goldin AL and Dong K. A voltage-gated calcium-selective channel encoded by a sodium channel-like gene. Neuron 2004; 42: 101-12.