

REFERENCES

- Agol, V.I. 2002. Picornavirus genome: an overview. In: Semler, B.L., Wimmer, E. (Eds.), *Molecular Biology of Picornaviruses*. ASM Press, Washington DC, pp. 127-148.
- Aizawa, S., Cabanac, M. 2000. Temperature gradient across the skin's layers has no influence on local skin vasomotor responses. *J Therm Biol.*, 25 : 313-316.
- Albini, A., Benelli, R., Presta, M., Rusnati, M., Ziche, M., Rubartelli, A., Paglialunga, G., Bussolino, F., Noonan, D. 1996. HIV-tat protein is a heparin-binding angiogenic growth factor. *Oncogene.*, 12 : 289-297.
- Amidon, G.L., Lee, H.J. 1994. Absorption of peptide and peptidomimetic drugs. *Annu Rev Pharmacol Toxicol.*, 34 : 321-341.
- Amsden, B.G., Goosen, M.F.A. 2004. Transdermal delivery of peptide and protein drugs: An overview. *Am Chem Eng.*, 41 : 1972-1997.
- Ardailou, R. 1975. Kidney and calcitonin. *Nephron.*, 15 : 250-260.
- Axthelm, F. 2008. Polymeric membranes with selective permeability: shielding of an antioxidant enzyme. Ph.D thesis, University Basel, Switzerland.
- Azria, M. 1989. The calcitonins: Physiology and Pharmacology. Karger, Basel, New York.
- Bai, J.P., Amidon, G.L. 1992. Structural specificity of mucosal-cell transport and metabolism of peptide drugs: implication for oral peptide drug delivery. *Pharm Res.*, 9(8) : 969-978.

- Baker, R.C., Kramer, R.E. 1999. Cytotoxicity of short-chain alcohols. *Annu Rev Pharmacol. Toxicol.*, 39 : 127-50.
- Baker, R.T. 1996. Protein expression using ubiquitin fusion and cleavage. *Curr Opin Biotechnol.*, 7 : 541-546.
- Barbaric, S., Leustek, I., Pavlovic, B., Cesi, V., Mildner, P. 1988. Stabilization of glycoenzymes by cross-linking of their carbohydrate chains. *Ann NY Acad Sci.*, 542 : 173-179.
- Barka, T., Gresik, E.W., van Der Noen, H. 2000. Transduction of TAT-HA-beta-galactosidase fusion protein into salivary gland-derived cells and organ cultures of the developing gland, and into rat submandibular gland in vivo. *J Histochem Cytochem.*, 48 : 1453-1460.
- Baron, R., Ravesloot, J.H., Neff, L. 1993. Cellular and molecular biology of the osteoclast. In Noda M, ed. *Cellular and Molecular Biology of Bone*. Orlando, FL, Academic Press, pp. 445-495.
- Basavappa, R., Syed, R., Flore, O., Icenogle, J. P., Filman, D. J., Hogle, J. M. 1994. Role and mechanism of the maturation cleavage of VP0 in poliovirus assembly: structure of the empty capsid assembly intermediate at 2.9 Å resolution. *Protein Sci.*, 3 : 1651-1669.
- Bastiaens, P. I. H., Pepperkok, R. 2000. Observing proteins in their natural habitat: the living cell. *Trends Biochem. Sci.*, 25 : 631-637.
- Beavis, A., Kalejta, R. 1999. Three-color flow cytometry analysis of tricistronic expression of eBFP, eGFP, and eYFP using EMCV-IRES linkages. *Cytometry*, 37 : 51-59.

- Belnap, D.M., McDermott, B.M., Filman, D. J., Cheng, N., Trus, B. L., Zuccola, H. J., Racaniello, V. R., Hogle, J. M., Steven, A.C. 2000. Threedimensional structure of poliovirus receptor bound to poliovirus. *PNAS.*, 97 : 73-78.
- Bernkop-Schnurch, A. 1998. The use of inhibitory agents to overcome the enzymatic barrier to perorally administered therapeutic peptides and proteins. *J Control Release.*, 52(1-2) : 1-16.
- Bernkop-Schnurch, A., Walker, G. 2001. Multifunctional matrices for oral peptide delivery. *Crit Rev Ther Drug Carrier Syst.*, 18(5) : 459-501.
- Berschneider, H.M., Martens, H., Powell, D.W. 1988. Effect of BW 942C, an enkephalin like pentapeptide, on sodium and chloride transport in the rabbit ileum. *Gastroenterology.*, 94(1) : 127-136.
- Biju, S.S., Talegaonkar, S., Mishra, P.R., Khar, R.K. 2006. Vesicular systems: An overview. *Indian J Pharm Sci.*, 68 : 141-153.
- Bijvoet, O.L.M., Veer, J.S., De Vries, H.R., van Koppen, A.T.J. 1971. Natriuretic effect of calcitonin in man. *Engl J Med.*, 284 : 681-688.
- Binford, S.L., Maldonado, F., Brothers, M.A., Weady, P.T., Zalman, L.S., Meador 3rd, J.W., Matthews, D.A., Patick, A.K., 2005. Conservation of amino acids in human rhinovirus 3C protease correlates with broad-spectrum antiviral activity of rupintrivir, a novel human rhinovirus 3C protease inhibitor. *Antimicrob Agents Chemother*, 49: 619-626.
- Birchall, J.C., Marichal, C., Campbell, L., Alwan, A., Hadgraft, J., Gumbleton, M. 2000. Gene expression in an intact *ex-vivo* skin tissue model following percutaneous delivery of cationic liposome-plasmid DNA complexes. *Int J Pharm.*, 197 : 233-238.

- Bokman, S.H., Ward, W.W. 1981. Renaturation of Aequorea green fluorescent protein. *Biochem. Biophys. Res. Commun.*, 101 : 1372-1380.
- Bradford, M.A. 1976. A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem.* 72 : 248-254.
- Brgles, M., Jurašin, D., Sikirić, M.D., Frkanec, R., Tornašić, J. 2008. Entrapment of ovalbumin into liposomes-Factors affecting entrapment efficiency, liposome size and zeta potential. *J Lipo Res.*, 18(3) : 235-248.
- Brody, J.R., Kern, S.E. 2004. History and principles of conductive media for standard DNA electrophoresis. *Anal Biochem.*, 333(1) : 1-13.
- Brown, M.E., Antunes, E.M., Glass, B.D., Lebet, M., Walker, R.B. 1999. DSC screening of potential prochlorperazine-excipient interactions in preformulation studies. *J Ther Anal Calorim.*, 56 : 1317-1322.
- Brugidou, J., Legrand, C., Mery, J., Rabie A. 1995. The retro-inverso form of a homeobox-derived short peptide is rapidly internalised by cultured neurones: a new basis for an efficient intracellular delivery system. *Biochem Biophys Res Commun.*, 214 : 685-693.
- Bundgaard, H, Hansen, A.B., Kofod, H. 1982. Optimisation of Drug Delivery, Munksgaard, Copenhagen, pp. 351-353.
- Carrasco, L., 1994. Picornavirus inhibitors. *Pharmacol Ther*, 64: 215-290.
- Cefalu, W.T., Pardridge, W.M. 1985. Restrictive transport of a lipid-soluble peptide (cyclosporin) through the blood-brain barrier. *J Neurochem.*, 45(6) : 1954-1956.

- Chabardes, D., Imbert-Teboul, M., Montegut, M., Clique, A., Morel, F. 1976. Distribution of calcitonin-sensitive adenylate cyclase activity along the rabbit kidney. *PNAS.*, 73 : 3608-3612.
- Chalfie, M., Tu, Y., Euskirchen, G., Ward, W.W., Prasher, D.C. 1994. Green Fluorescent Protein as a Marker for Gene Expression. *Science*, 263 : 802-805.
- Chen, C.P., Chou, J.C., Liu, B.R., Chang, M., Lee, H.J. 2007. Transfection and expression of plasmid DNA in plant cells by an arginine-rich intracellular delivery peptide without protoplast preparation. *FEBS Lett.*, 581 : 1891-1897.
- Cheng, S., Fockler, C., Barnes, W.M., Higuchi, R. 1994. Effective amplification of long targets from cloned inserts and human genomic DNA. *PNAS.*, 91(12) : 5695-5699.
- Chesnut, C.H., Silverman, S., Andriano, K., Genant, H., Gimona, A., Harris, S., Kiel, D., LeBoff, M., Maricic, M., Miller, P., Moniz, C., Peacock, M., Richardson, P., Watts, N., Baylink, D. 2000. A randomized trial of nasal spray salmon calcitonin in postmenopausal women with established osteoporosis: the prevent recurrence of osteoporotic fractures study. *Am J Med.*, 109 : 267-276.
- Cho, M.W., Teterina, N., Egger, D., Bienz, K., Ehrenfeld, E. 1994. Membrane rearrangement and vesicle induction by recombinant poliovirus 2C and 2BC in human cells. *Viol.*, 202(1) : 129-145.
- Choi, M.J., Maibach, H.I. 2005. Elastic vesicles as topical/transdermal drug delivery systems. *Int J Cosmet Sci.*, 27 : 211-221.

- Clark, M.E., Hammerle, T., Wimmer, E., Dasgupta, A. 1991. Poliovirus proteinase 3C converts an active form of transcription factor IIC to an inactive form: a mechanism for inhibition of host cell polymerase III transcription by poliovirus. *EMBO J.*, 10(10) : 2941-2947.
- Colado, M., Ormazabal, M., Goicoechea, C., Lopez, F., Alfaro, M., Martin, M. 1994. Involvement of central serotonergic pathways in analgesia elicited by salmon calcitonin in the mouse. *Eur J Pharmacol.*, 252 : 291-297.
- Colston, E., Racaniello, V.R. 1994. Soluble receptor-resistant poliovirus mutants identify surface and internal capsid residues that control interaction with the cell receptor. *Embo J.*, 13(24) : 5855-5862.
- Combe, B., Cohe, C., Aubin, F. 1997. Equivalence of nasal spray and subcutaneous formulations of salmon calcitonin. *Calcif Tissue Int.*, 61 : 10-15.
- Console, S., Marty, C., Garcia-Echeverria, C., Schwendener, R., Ballmer-Hofer, K. 2003. Antennapedia and HIV transactivator of transcription (TAT) bprotein transduction domainsQ promote endocytosis of high molecular weight cargo upon binding to cell surface glycosaminoglycans. *J Biol Chem.*, 278 : 35109–35114.
- Copp, D.H., Cameron, E.C., Cheney, B.A., Davidson, A.G.F., Henze, K.G. 1962. Evidence for calcitonin: a new hormone from the parathyroid that lowers blood calcium. *Endocrinology*, 70 : 638-649.
- Cubbit, A. B., Woolenweber, L. A., Heim, R. 1999. Understanding structure-function relationships in the Aequorea victoria green fluorescent protein. *Methods Cell Biol.*, 58 : 19-30.

- Danet, A.R., Pr  at, V. 2003. Transdermal delivery of timolol by electroporation through human skin. *J Control Release.*, 88 : 253-262.
- Dennison, S.R., Baker, R.D., Nicholl, I.D., Phoenix, D.A. 2007. Interactions of cell penetrating peptide Tat with model membranes: A biophysical study. *Biochem Bioph Res Co.*, 363 : 178–182.
- Derossi, D., Calvet, S., Trembleau, A., Brunissen, A., Chassaing, G. and Prochiantz, A. 1996. Cell internalization of the third helix of the Antennapedia homeodomain is receptor independent. *J Biol Chem.*, 271 : 18188-18193.
- Deshayes, S., Morris, M. C., Divita, G., Heitz, F. 2004. Cell penetrating peptides: tools for intracellular delivery of therapeutics. *CMLS.*, 62 : 1839-1849.
- Donnelly, M., Fedeles, F., Wirstam, M., Siegbahn, P.E.M., Zimmer, M. 2001. Computational analysis of the autocatalytic posttranslational cyclization observed in histidine ammonia-lyase. A Comparison with Green Fluorescent Protein. *J Am Chem Soc.*, 123 : 4679-4686.
- Dulbecco, R., Vogt, M. 1954. Plaque formation and isolation of pure lines with poliomyelitis viruses. *J Exp Med.*, 99 : 167-182.
- Durocher, Y., Perre,t S., Kamen, A. 2002. High-level and high-throughput recombinant protein production by transient transfection of suspension growing human 293-EBNA1 cells. *Nucleic Acids Res.*, 30 : E9.
- Enders, J.F., Weller, T.H., Robbins, F.C. 1949. Cultivation of the Lansing strain of poliomyelitis virus in cultures of various human embryonic tissues. *Science*, 109 : 85-87.

- Endo, Y., Sawasaki, T. 2003. High-throughput, genome-scale protein production method based on the wheat germ cell-free expression system. *Biotechnol Adv.*, 21 : 695-713.
- European Pharmacopoeia 6.0, European Directorate for the Quality of Medicines & Healthcare, Strassbourg, France. 2007 : 1372-1375.
- Evans, G.A., Slee, G.C. 1977. Calcitonin for multiple fractures in Paget's disease. *Br Med J.*, 1 : 357.
- Fawell, S., Seery, J., Daikh, Y., Moore, C., Chen, L.L., Pepinsky, B., Barsoum, J. 1994. Tat-mediated delivery of heterologous proteins into cells. *PNAS.*, 91 : 664-668.
- Fischer, J.A., Born, W. 1987. Calcitonin gene products: evolution, expression and biological targets. *Bone Miner.*, 2 : 347-359.
- Fischer, R., Kohler, K., Fotin-Mleczek, M., Brock, R. 2004 A stepwise dissection of the intracellular fate of cationic cell-penetrating peptides. *J Biol Chem.*, 279 : 12625-12635.
- Fittipaldi, A., Ferrari, A., Zoppe, M., Arcangeli, C., Pellegrini, V., Beltram, F., Giacca, M. 2003. Cell membrane lipid rafts mediate caveolar endocytosis of HIV-1 tat fusion proteins. *J Biol Chem.*, 278 : 34141-34149.
- Foldvari, M., Kumar, P., King, M., Batta, R., Michell, D., Badea, I., Wloch, M. 2006. Gene delivery into human skin *in vitro* using biphasic lipid vesicles. *Curr Drug Deliv.*, 3 : 89-93.
- Fricks, C.E., Hogle, J.M. 1990. Cell-induced conformational change in poliovirus: externalization of the amino terminus of VP1 is responsible for liposome binding. *J Virol.*, 64(5) : 1934-1945.

Frucht, H., Gazdar, A.F., Park, J.A., Oie, H., Jensen, R.T. 1992. Characterization of functional receptors for gastrointestinal hormones on human colon cancer cells. *Cancer Res.*, 52 : 1114.

Fuki, I.I., Iozzo, R.V., Williams, K.J. 2000. Perlecan heparan sulfate proteoglycan. A novel receptor that mediates a distinct pathway for ligand catabolism. *J Biol Chem.*, 275 : 31554.

Furuhata, M., Kawakami, H., Toma, K., Hattori, Y., Maitani, Y. 2006. Intracellular delivery of proteins in complexes with oligoarginine-modified liposomes and the effect of oligoarginine length. *Bioconjugate Chem.*, 17 : 935-942.

Futaki, S., Ohashi, W., Suzuki, T., Niwa, M., Tanaka, S., Ueda, K., Harashima, H., Sugiura, Y. 2001. Stearilated arginine-rich peptides: a new class of transfection systems. *Bioconjug Chem.*, 12 : 1005-1011.

Futaki, S., Suzuki, T., Ohashi, W., Yagami, T., Tanaka, S., Ueda, K., Sugiura, Y. 2001. Arginine-rich peptides: An abundant source of membrane-permeable peptides having potential as carriers for intracellular protein delivery. *J Biol Chem.*, 276 : 5836–5840.

Gait, M.J. 2003. Peptide-mediated cellular delivery of antisense oligonucleotides and their analogues. *Cell Mol Life Sci.*, 60 : 844-853.

Gambaryan, A.S., Matrosovich, M.N. 1992. A solid-phase enzyme-linked assay for influenza virus receptor binding affinity. *J Virol Methods*, 39: 111-123.

Giranda, V.L., Heinz, B.A., Oliveira, M.A., Minor, I., Kim, K.H., Kolatkar, P.R., Rossmann, M.G., Rueckert, R.R. 1992. Acid-induced structural changes in human rhinovirus 14: possible role in uncoating. *PNAS.*, 89 : 10213-10217.

- Goldberg, M., Gomez-Orellana, I. 2003. Challenges for the oral delivery of macromolecules. *Nat Rev Drug Discov.*, 2(4): 289-295.
- Goltzman, D., Mitchell, J. 1985. Interaction of calcitonin and calcitonin gene-related peptide at receptor sites in target tissues. *Science*, 227 : 1343-1345.
- Gorn, A.H., Rudolph, S.M., Flannery, M.R., Morton, C.C., Weromowicz, S., Wang, J.T., Krane, S.M., Goldring, S.R. 1995. Expression of two human skeletal calcitonin receptor isoforms cloned from a giant tumor of bone. *J Clin Invest.*, 95 : 2680-2691.
- Górska, P, 2000. Principles in laboratory animal research for experimental proposes. *Med Sci Monit.* 6(1) : 171-180.
- Grant, R.A., Hiremath, C.N., Filman, D.J., Syed, R., Andries, K., Hogle, J.M. 1994. Structures of poliovirus complexes with anti-viral drugs: implications for viral stability and drug design. *Curr Biol.*, 4 : 784-797.
- Green, M., Loewenstein, P.M. 1988. Autonomous functional domains of chemically synthesized human immunodeficiency virus tat trans-activator protein. *Cell*, 55 : 1179-1188.
- Gromeier, M., Lu, H.H., Wimmer, E. 1995. Mouse neuropathogenic poliovirus strains cause damage in the central nervous system different from poliomyelitis. *Microb Pathog.*, 18 : 252-263.
- Gros, E., Deshayes, S., Morris, M.C., Aldrian-Herrada, G., Depollier, J., Heitz, F., Divita, G. 2006. A non-covalent peptide-based strategy for protein and peptide nucleic acid transduction. *Biochim Biophys Acta.*, 1758 : 384-393.
- Gustafsson, C., Govindarajan, S., Minshull, J. 2004. Codon bias and heterologous protein expression. *Trends Biotechnol.*, 22 : 346-353.

- Han, X., Bushweller, J.H., Cafiso, D.S., Tamm, L.K. 2001. Membrane structure and fusion-triggering conformational change of the fusion domain from influenza hemagglutinin. *Nat Struct Biol.*, 8 : 715-720.
- Harell, A., Binderman, I., Guez, M. 1975. Calcium uptake by cultured bone cells: The role of phosphate, calcitonin and $1,25-(OH)_2 D_3$. *Calcified Tissue Int.*, 21(1) : 332-338.
- Hartley, J.L., Temple, G.F., Brasch, M.A. 2000. DNA cloning using in vitro site-specific recombination. *Genome Res.*, 10 : 1788-1795.
- Hastings, J.W., Morin, J.G. In *Green Fluorescent Protein*; Chalfie, M., Kain, S., Eds.; Wiley-Liss: New York, 1998.
- He, Y., Bowman, V.D., Mueller, S., Bator, C.M., Bella, J., Peng, X., Baker, T.S., Wimmer, E., Kuhn, R.J., Rossmann, M.G. 2000. Interaction of the poliovirus receptor with poliovirus. *PNAS.*, 97(1) : 79-84.
- Heerklotz, H. 2008. Interactions of surfactants with lipid membranes. *Quart Rev Biophys.*, 41 : 205-264.
- Heinz, B.A., Vance, L.M., 1995. The antiviral compound enviroxime targets the 3A coding region of rhinovirus and poliovirus. *J Virol*, 69: 4189-4197.
- Hink, M.A., Griep, R.A., Borst, J.W., Vanhoek, A., Eppink, M.H.M., Schots, A., Visser, A.J.W.G. 2000. Structural Dynamics of Green Fluorescent Protein Alone and Fused with a Single Chain Fv Protein. *J Biol Chem.*, 275 : 17556-17560.
- Hiruta, Y., Hattori, Y., Kawano, K., Obata, Y., Maitani, Y. 2006. Novel ultra-deformable vesicles entrapped with bleomycin and enhanced to penetrate rat skin. *Journal of Control Release.*, 113 : 146-154.

- Hogle, J.M. 2002. Poliovirus cell entry: common structural themes in viral cell entry pathways. *Annu Rev Microbiol.*, 56 : 677-702.
- Holz, C., Hesse, O., Bolotina, N., Stahl, U., Lang, C. 2002. A micro-scale process for high-throughput expression of cDNAs in the yeast *Saccharomyces cerevisiae*. *Protein Express Purif.*, 25 : 372-378.
- Hou, Y.W., Chan, M.H., Hsu, H.R., Liu, B.R., Chen, C.P., Chen, H.H., Lee, H.J. 2007. Transdermal delivery of proteins mediated by non-covalently associated arginine-rich intracellular delivery peptides. *Exp Dermatol.*, 16 : 999-1006.
- Hu, J.W., Liu, B.R., Wu, C.Y., Lu, S.W., Lee, H.J. 2009. Protein transport in human cells mediated by covalently and noncovalently conjugated arginine-rich intracellular delivery peptides. *Peptides.*, 30 : 1669-1678.
- Hunt, I. 2005. From gene to protein: a review of new and enabling technologies for multi-parallel protein expression. *Protein Express. Purif.*, 40 : 1-22.
- Hyndman, L., Lemoine, J.L., Huang, L., Porteous, D.J., Boyd, A.C., Nan, X. HIV-1 Tat protein transduction domain peptide facilitates gene transfer in combination with cationic liposomes. *J Control Release.*, 99 : 435-444.
- Ida-Hosonuma, S., Sasaki, Y., Toyoda, H., Nomoto, A., Gotoh, A., Yonekawa, H., Koike, S. 2003. Host range of poliovirus is restricted to simians because of a rapid sequence change of the poliovirus receptor gene during evolution. *Arch Virol.*, 148 : 29-44.

- Ignatovich, I.A., Dizhe, E.B., Pavlotskaya, A.V., Akifiev, B.N., Burov, S.V., Orlov, S.V., Perevozchikov, A.P. 2003. Complexes of plasmid DNA with basic domain 47–57 of the HIV-1 Tat protein are transferred to mammalian cells by endocytosis-mediated pathways. *J Biol Chem.*, 278 : 42625-42636.
- Jackson, T., Ellard, F.M., Ghazaleh, R.A., Brookes, S.M., Blakemore, W.E., Corteyn, A.H., Stuart, D.I., Newman, J.W., King, A.M. 1996. Efficient infection of cells in culture by type O foot and mouth disease virus requires binding to cell surface heparan sulfate. *J Virol.*, 70 : 5282-5287.
- Jacobson, M.F., Asso, J., Baltimore, D. 1970. Further evidence on the formation of poliovirus proteins. *J Mol Biol.*, 49 (3) : 657-669.
- Jain, S., Sapre, R., Tiwary, A.K., Jain, N.K. 2005. Proultraflexible Lipid Vesicles for Effective Transdermal Delivery of Levonorgestrel: Development, Characterization, and Performance Evaluation. *AAPS Pharm Sci Tech.*, 6: Article 64 (<http://www.aapspharmscitech.org>).
- Jang, S.K., Davies, M.V., Kaufman, R.J., Wimmer, E. 1989. Initiation of protein synthesis by internal entry of ribosomes into the 5' nontranslated region of encephalomyocarditis virus RNA in vivo. *J Virol.*, 63(4) : 1651-1660.
- Kanis, J.A., Johnell, O., Gullberg, B., Allander, E., Dilsen, G., Gennari, C., Lopes Vaz, A.A., Lyritis, G.P., Mazzuoli, G., Miravet, L. 1992. Evidence for efficacy of drugs affecting bone metabolism in preventing hip fracture. *BMJ.*, 305 : 1124-1128.
- Kayes, J.B. 1977. Pharmaceutical suspensions: relation between zeta potential, sedimentation volume and suspension stability. *J Pharm Pharmacol.*, 29 : 199-204.

- Kiessig, S., Reissmann, J., Rascher, C., Kullertz, G., Fischer, A., Thünecke, F. 2001. Application of a green fluorescent fusion protein to study protein-protein interactions by electrophoretic methods. *Electrophoresis*, 22 : 1428-1435.
- Kikuchi, H, Suzuki, N, Ebihara, K, Morita, H, Ishii, Y, Kikuchi, A, Sugaya, S, Serikawa, T, Tanaka, K. 1999. Gene delivery using liposome technology. *J Control Release.*, 62 : 269-277.
- Kilic, G., Doctor, R.B., Fitz, J.G. 2001. Insulin stimulates membrane conductance in a liver cell line: evidence for insertion of ion channels through a phosphoinositide 3-kinase-dependent mechanism. *J Biol Chem.*, 276 : 26762-26768.
- Kim, J., Shim, J., Kim, Y.J., Char, K., Suh, K.D., Kim, J.W. 2010. The design of polymer-based nanocarriers for effective transdermal. *Macromol Biosci.*, 10(10) : 1171-1176.
- Kitamura, N., Semler, B.L., Rothberg, P.G., Larsen, G.R., Adler, C.J., Dorner, A.J., Emini, E.A., Hanecak, R., Lee, J.J., van der Werf, S., Anderson, C.W., Wimmer, E. 1981. Primary structure, gene organization and polypeptide expression of poliovirus RNA. *Nature*, 291(5816) : 547-553.
- Koike, S., Horie, H., Ise, I. 1990. The poliovirus receptor protein is produced both as membrane-bound and secreted forms. *EMBO.*, 9 : 3217-24.
- Kräusslich, H.G., Wimmer, E. 1988. Viral proteinases. *Ann Rev Biochem.*, 57 : 701-754.
- Kumar, M., Ahuja, M., Sharma, S.K. 2008. Hepatoprotective Study of Curcumin-Soya Lecithin Complex. *Sci Pharm.*, 76 : 761-774.

- Kurokawa, K., Fukagawa, M., Hayashi, M., Saxa, T. 1992. Renal receptors and cellular mechanisms of hormone action in the kidney. In Seldon, D.W., Giebisch, G., eds. *The Kidney: Physiology and Pathophysiology*. New York, Raven, pp. 1339-1372.
- Kurreck, J. 2003. Antisense technologies. Improvement through novel chemical modifications. *Eur J Biochem.*, 270 : 1628-1644.
- Kurtz, A., Muff, R., Fischer, J.A. 1989. Calcitonin gene products and the kidney. *Klin Wochenschr.*, 67 : 870-875.
- Landy, A. 1989. Dynamic, structural, and regulatory aspects of lambda site-specific recombination. *Annu Rev Biochem.*, 58 : 913-949.
- Lawson, M.A., Semler, B.L. 1992. Alternate poliovirus nonstructural protein processing cascades generated by primary sites of 3C proteinase cleavage. *Virol.*, 191(1) : 309-320.
- Ledger, R., Tucker, I.G., Walker, G.F. 2002. The metabolic barrier of the lower intestinal tract of salmon to the oral delivery of protein and peptide drugs. *J Control Release.*, 85 : 91-103.
- Lee, E.H., Kim, A., Oh, Y.K., Kim, C.K. 2005. Effect of edge activators on the formation and transfection efficiency of ultradeformable liposomes. *Biomaterials*, 26 : 205-210.
- Lee, H.E., Lee, M.J., Park, C.R., Kim, A.Y., Chun, K.H., Hwang, H.J., Oh, D.H., Jeon, S.O., Kang, J.S., Jung, T.S., Choi, G.J., Lee, S. 2010. Preparation and characterization of salmon calcitonin–sodium triphosphate ionic complex for oral delivery. *J Control Release.*, 143 : 251-257.

- Lee, H.J., Amidon, G.L. 2002. The effect of enzyme inhibitor and absorption site following [D-ala², D-leu⁵] enkephalin oral administration in rats. *Biopharm Drug Dispos.* 23 (4) : 131-141.
- Lee, T.H., Cheng, W.T., Lin, S.Y. 2009. Thermal stability and conformational structure of salmon calcitonin in the solid and liquid state. *Biopolymers*, 93(2) : 200-207.
- Lee, V.H.L. Protein and Peptide Drug Delivery. New York: Marcel Dekker, 1991.
- Leone-Bay, A., Ho, K.K., Agarwal, R., Baughman, R.A., Chaudhary, K., DeMorin, F. 1996. 4-[4-[(2-Hydroxybenzoyl)amino]phenyl]butyric acid as a novel oral delivery agent for recombinant human growth hormone. *J Med Chem.*, 39(13) : 2571-2578.
- Leone-Bay, A., Sato, M., Paton, D., Hunt, A.H., Sarubbi, D., Carozza, M. 2001. Oral delivery of biologically active parathyroid hormone. *Pharm Res.*, 18(7) : 964-970.
- Letoha, T., Gaal, S., Somlai, C., Czajlik, A., Perczel, A., Penke B. 2003. Membrane translocation of penetratin and its derivatives in different cell lines. *J Mol Recog.*, 16 : 272-279.
- Li, X., Zhang, G., Ngo, N., Zhao, X., Kain, S., Huang, C.C. 1997. Deletions of the *Aequorea victoria* green fluorescent protein define the minimal domain required for fluorescence. *J Biol Chem.*, 272 : 28545-28549.
- Lindgren, M., Hallbrink, M., Prochiantz, A., Langel Ü. 2000. Cell-penetrating peptides, *Trends Pharmacol. Sci.*, 21 : 99-103.

- Lindsay, M.A. 2002. Peptide-mediated cell delivery: application in protein target validation. *Curr Opin Pharmacol.*, 2 : 587-594.
- Lin-Lee, Y.C., Nakamura, S., Gandhi, V., Curley, S.A., Stüber, D., Burkot, T.R., Kuo, M.T. 2002. Prolonged Stability and Sustained Prodrug Cell Killing Activity Using Receptor-mediated Delivery of Malarial Circumsporozoite-Cytosine Deaminase Fusion Protein into Liver Cancer Cells. *Mol Cancer Ther.*, 1 : 461-467.
- Lippincott-Schwartz, J., Snapp, E., Kenworthy, A. 2001. Studying protein dynamics in living cells. *Nat Rev Mol Cell Biol.*, 2 : 444-456.
- Liu, Q., Yuan, Y.C., Shen, B., Chen, D.J., Chen, Y. 1999. Conformational Flexibility of a Ubiquitin Conjugation Enzyme (E2). *Biochem.*, 38 : 1415-1425.
- Liu, Y., Jones, M., Hingtgen, C.M., Bu, G., Laribee, N., Tanzi, R.E., Moir, R.D., Nath, A., He, J.J. 2000. Uptake of HIV-1 Tat protein mediated by low-density lipoprotein receptor-related protein disrupts the neuronal metabolic balance of the receptor ligands. *Nat Med.*, 6 : 1380-1387.
- Lopes, L.B., Furnish, E., Komalavilas, P., Seal, B.L., Panitch, A., Bentley, M.V., Brophy, C.M. 2008. Enhanced skin penetration of P20 phosphopeptide using protein transduction domains. *Eur J Pharm Biopharm.*, 68 : 441-445.
- Lowman, A.M., Morishita, M., Kajita, M., Nagai, T., Peppas, N.A. 1999. Oral delivery of insulin using pH-responsive complexation gels. *J Pharm Sci.*, 88 (9) : 933-937.

- Lundstrom, K. 2003. Semliki Forest virus vectors for rapid and high level expression of integral membrane proteins. *Biochim Biophys Acta.*, 1610 : 90-96.
- López-Pinto, J.M., González-Rodríguez, M.L. 2005. Effect of cholesterol and ethanol on dermal delivery from DPPC liposomes. *Int J Pharm.*, 298 : 1-12.
- Maghraby, G.M.M., Williams, A.C., Barry, B.W. 2004. Interactions of surfactants (edge activators) and skin penetration enhancers with liposomes. *Int J Pharm.*, 276 : 143-161.
- Magzoub, M., Kilk, K., Eriksson, L.E., Langel, U., Graslund, A. 2001. Interaction and structure induction of cell-penetrating peptides in the presence of phospholipid vesicles. *Biochim Biophys Acta.*, 1512 : 77-89.
- Makrides, S.C. 1996. Strategies for achieving high-level expression of genes in *Escherichia coli*. *Microbiol Rev.*, 60 : 512-538.
- Mann, D.A., Frankel, A.D. 1991. Endocytosis and targeting of exogenous HIV-1 Tat protein. *EMBO J.*, 10 : 1733-1739.
- Manosroi, A., Khanarin, P., Götz, F., Werner, R.G., Manosroi, J. 2010. Entrapment enhancement of peptide drugs in niosomes. *J Microencap.*, 27 : 272-280.
- Manosroi, A., Khositsuntiwong, N., Götz, F., Werner, R.G., Manosroi, J. 2009. Transdermal enhancement through rat skin of luciferase plasmid DNA loaded in elastic nanovesicles. *J Lipo Res.*, 19 : 91-98.
- Manosroi, A., Thathang, K., Werner, R.G., Schubert, R., Manosroi, J. 2008. Stability of luciferase plasmid entrapped in cationic bilayer vesicles. *Int J Pharm.*, 356: 291-299.

- Manosroi, A., Wongtrakul, P., Manosroi, J., Midorikawa, U., Hanyu, Y., Yuasa, M., Sugawara, F., Sakai, H., Abe, M. 2005. The entrapment of kojic oleate in bilayer vesicles. *Int J Pharm.*, 298 : 13-25.
- Masson, D., Jarry, A., Baury, B. 2001. Overexpression of the CD155 gene in human colorectal carcinoma. *Gut*, 48 : 236-240.
- Mazzola, P.G., Ishii, M., Chau, E., Cholewa, O., Penna, T.C.V. 2006. Stability of Green Fluorescent Protein (GFP) in Chlorine Solutions of Varying pH. *Biotechnol Prog.*, 22 : 1702-1707.
- McKinlay, M.A., 1993. Discovery and development of antipicornaviral agents. *Scand. J Infect Dis Suppl*, 88: 109-115.
- McLaughlin, S.G., Szabo, G., Eisenman, G. 1971. Divalent ions and the surface potential of charged phospholipid membranes. *J Gen Physiol.*, 58 : 667-87.
- Melnick, J.L. 1996. Enteroviruses: polioviruses, coxsackieviruses, echoviruses, and newer enteroviruses, vol. 1. In: Fields, B.N. (Ed.), *Virology*, third ed. Raven Press, New York, pp. 655-712.
- Milstein, S.J., Leipold, H., Sarubbi, D., Leone-Bay, A., Mlynek, G.M., Robinson, J.R. 1998. Partially unfolded proteins efficiently penetrate cell membranes—implications for oral drug delivery. *J Control Release.*, 53(1–3) : 259-267.
- Minor, P.D. 1990. Antigenic structure of picornaviruses. *Curr Top Microbiol Immunol.*, 161 : 124-134.
- Mizoguchi, H., Hara, S. 1998. Permeability barrier of the yeast plasma membrane induced by ethanol. *J Ferment Bioeng.*, 85 : 25-29.

- Mohanty, A.K., Wiener, M.C. 2004. Membrane protein expression and production: effects of polyhistidine tag length and position. *Protein Express Purif.*, 33 : 311-325.
- Morasco, B.J., Sharma, N., Parilla, J., Flanagan, J.B. 2003. Poliovirus cre(2C)-dependent synthesis of VPgpUpU is required for positive- but not negative-strand RNA synthesis. *J Virol.*, 77 (9) : 5136-5144.
- Morris, M.C., Chaloin, L., Mery, J., Heitz, F., Divita, G. 1999. A novel potent strategy for gene delivery using a single peptide vector as a carrier. *Nucleic Acids Res.*, 27 : 3510-3517.
- Morris, M.C., Depollier, J., Mery, J., Heitz, F., Divita, G. 2001. A peptide carrier for the delivery of biologically active proteins into mammalian cells. *Nat Biotechnol.*, 19 : 1173-1176.
- Morris, M.C., Vidal, P., Chaloin, L., Heitz, F., Divita, G. 1997. A new peptide vector for efficient delivery of oligonucleotides into mammalian cells. *Nucleic Acids Res.*, 25 : 2730-2736.
- Mueller, J., Kretzschmar, I., Volkmer, R., Boisguerin, P. 2008. Comparison of cellular uptake using 22 CPPs in 4 different cell lines. *Bioconjugate Chem.*, 19 : 2363-2374.
- Myrberg, H., Lingren, M., Langel, Ü. 2007. Protein delivery by the cell-penetrating peptide YTA2. *Bioconjugate Chem.*, 18 : 170-174.

- Nabeshi, H., Yoshikawa, T., Matsuyama, K., Nakazato, Y., Arimori, A., Isobe, M., Tochigi, S., Kondoh, S., Hirai, T., Akase, T., Yamashita, T., Yamashita, K., Yoshida, T., Nagano, K., Abe, Y., Yoshioka, Y., Kamada, H., Imazawa, T., Itoh, N., Tsunoda, S., Tsutsum, Y. 2010. Size-dependent cytotoxic effects of amorphous silica nanoparticles on Langerhans cells. *Pharmazie*, 65(3) : 199-201.
- Nathanson, N., Langmuir, A.D. 1963. The Cutter incidence. III. Comparison of the clinical character of vaccinated and contact cases occurring after use of high rate lots of Cutter vaccine. *Am J Hyg.*, 78 : 61-81.
- Naylor, L. H. 1999. Reporter gene technology: the future looks bright. *Biochem. Pharmacol.*, 58 : 749-757.
- Nokuchi, H., Matsumoto, S. 2006. Protein transduction technology A novel therapeutic perspective. *Acta Med Okayama.*, 60 (1) : 1-11.
- Ohka, S., Nomoto, A. 2001. Recent insights into poliovirus pathogenesis. *Trends Microbiol.*, 9 (10) : 501-506.
- Ozawa, T., Nogami, S., Sato, M., Ohya, Y., Umezawa, Y. 2000. A fluorescent indicator for detecting protein-protein interactions in vivo based on protein splicing. *Anal Chem.*, 72 : 5151-5157.
- Paul, A.V., van Boom, J.H., Filippov, D., Wimmer, E. 1998. Protein-primed RNA synthesis by purified poliovirus RNA polymerase. *Nature*, 393(6682) : 280-284.
- Pauletti, G.M., Okumu, F.W., Borchardt, R.T. 1997. Effect of size and charge on the passive diffusion of peptides across Caco-2 cell monolayers via the paracellular pathway. *Pharm Res.*, 14(2) : 164-168.

- Pearce, L.L., Gandley, R.E., Han, W., Wasserloos, K., Stitt, M., Kanai, A.J., McLaughlin, M.K., Pitt, B.R., Levitan, E.S. 2000. Role of metallothionein in nitric oxide signaling as revealed by a green fluorescent fusion protein. *PNAS.*, 97 : 477-482.
- Penna, T.C.V., Ishii, M., Junior, A.P., Cholewa, O. 2004. Thermal Stability of Recombinant Green Fluorescent Protein (GFPuv) at various pH values. *Applied Biochem Biotechnol.*, 113 : 469-483.
- Perez, R.S., Kwakkel, G., Zuurmond, W.W., de Lange, J.J. 2001. Treatment of reflex sympathetic dystrophy (CRPS type 1): a research synthesis of 21 randomized clinical trials. *J Pain Symptom Manage.*, 21 : 511-526.
- Persson, D., Thoré Per, E.G., Nordén, B. 2001. Penetratin-induced aggregation and subsequent dissociation of negatively charged phospholipid vesicles. *FEBS letters.*, 505 : 307-312.
- Pham, P.L., Perret, S., Doan, H.C., Cass, B., St Laurent, G., Kamen, A., Durocher, Y. 2003. Large-scale transient transfection of serumfree suspension-growing HEK293 EBNA1 cells: peptone additives improve cell growth and transfection efficiency. *Biotechnol Bioeng.*, 84 : 332-342.
- Pichayakorn, W., Kusonwiriawong, C., Ritthidej, G.C. 2003. Oral Peptide and Protein Drug Delivery. *Thai J Pharm Sci.*, 27(3-4) : 91-108.
- Pilipenko, E.V., Maslova, S.V., Sinyakov, A.N., Agol, V.I. 1992. Towards identification of *cis*-acting elements involved in the replication of enterovirus and rhinovirus RNAs: a proposal for the existence of tRNA-like terminal structures. *Nucl Acids Res.*, 20 : 1739-1745.

- Plessis, J., Egbaria, K., Weiner, N. 1992. Influence of formulation factors on the deposition of liposomal components into the different strata of the skin. *J Soc Cosmet Chem.*, 43 : 93–100.
- Pondel, M. 2000. Calcitonin and calcitonin receptor: bone and beyond. *Int J Exp Path.*, 81 : 405-422.
- Pooga, M., Soomets, U., Hallbrink, M., Valkna, A., Saar, K., Rezaei, K., Kahl, U., Hao, J.X., Xu, X.J., Wiesenfeld-Hallin, Z., Hokfelt, T., Bartfai, T., Langel, U. 1998. Cell penetrating PNA constructs regulate galanin receptor levels and modify pain transmission in vivo. *Nat Biotechnol.*, 16 : 857-861.
- Prasher, D.C., Eckenrode, V.K., Ward, W.W., Pendergast, F.G., Cormier, M.J. 1992. Primary structure of the *Aequoria victoria* green fluorescent protein. *Gene*, 111 : 229-233.
- Pujals, S., Giralt, E. 2008. Proline-rich, amphipathic cell-penetrating peptides. *Adv Drug Deliver Rev.*, 60(4-5) : 473-484.
- Ren, R.B. 1990. Transgenic mice expressing a human poliovirus receptor: a new model for poliomyelitis. *Cell*, 63 : 353-362.
- Rennert, R., Neundorff, I., Beck-Sickinger, A.G. 2008. Calcitonin-derived peptide carriers: mechanisms and application. *Adv Drug Deliv Rev.*, 60(4-5) : 485-498.
- Richard, J.P., Melikov, K., Brooks, H., Prevot, P., Lebleu, B., Chernomordik, L.V. 2005. Cellular uptake of unconjugated TAT peptide involves clathrin-dependent endocytosis and heparan sulfate receptors. *J Biol Chem.*, 280 : 15300-15306.

- Richard, J.P., Melikov, K., Vives, E., Ramos, C., Verbeure, B., Gait, M.J., Chernomordik, L.V., Lebleu, B. 2003. Cell-penetrating peptides. A re-evaluation of the mechanism of cellular uptake. *J Biol Chem.*, 278 : 585–590.
- Rieux, A., Fievez, V., Garinot, M., Schneider, Y.J., Pr  at, V. 2006. Nanoparticles as potential oral delivery systems of proteins and vaccines: A mechanistic approach. *J Control Release.*, 116 : 1-27.
- Rinne, J., Albarran, B., Jylh  v  , J., Ihalainen, T.O., Kankaanp   , P., Hyt  nen, V.P., Stayton, P.S., Kulomaa, M.S., Vihinen-Ranta, M. 2007. Internalization of novel non-viral vector TAT-streptavidin into human cells. *BMC Biotechnol.*, 7 : 1-14.
- Roemer, D., Buescher, H.H., Hill, R.C., Pless, J., Bauer, W., Cardinaux, F. 1977. A synthetic enkephalin analogue with prolonged parenteral and oral analgesic activity. *Nature*, 268(5620) : 547-549.
- Rost, K.S., Esko, J.D. 1997. Microbial adherence to and invasion through proteoglycans. *Infect Immun.*, 65 : 1-8.
- Rotbart, H.A., O’Connell, J.F., McKinlay, M.A., 1998. Treatment of human enterovirus infections. *Antiviral Res*, 38: 1-14.
- Rothbard, J.B., Garlington, S., Lin, Q., Kirschberg, T., Kreider, E., McGrane, P.L., Wender, P.A., Khavari, P.A. 2000. Conjugation of arginine oligomers to cyclosporin A facilitates topical delivery and inhibition of inflammation. *Nat Med.*, 6 : 1253-1257.
- Rusnati, M., Tulipano, G., Spillmann, D., Tanghetti, E., Oreste, P., Zoppetti, G., Giacca, M., Presta, M. 1999. Multiple interactions of HIV-I Tat protein with size-defined heparin oligosaccharides. *J Biol Chem.*, 274 : 28198-28205.

- Rusnati, M., Tulipano, G., Urbinati, C., Tanghetti, E., Giuliani, R., Giacca, M., Ciomei, M., Corallini, A., Presta, M. 1998. The basic domain in HIV-1 Tat protein as a target for polysulfonated heparin-mimicking extracellular Tat antagonists. *J. Biol Chem.*, 273 : 16027-16037.
- Rusnati, M., Urbinati, C., Caputo, A., Possati, L., Lortat-Jacob, H., Giacca, M., Ribatti, D., Presta, M. 2001. Pentosan polysulfate as an inhibitor of extracellular HIV-1 Tat. *J Biol Chem.*, 276 : 22420-22425.
- Rychlik, W., Spencer, W.J., Rhoads, R.E. 1990. Optimization of the annealing temperature for DNA amplification *in vitro*. *Nucl Acids Res.*, 18 (21) : 6409-6412.
- Ryman, B.E. and Tyrrell, D.A. 1980. Liposomes-bags of potential. *Essays Biochem.*, 16 : 49-98.
- Saalik, P., Elmquist, A., Hansen, M., Padari, K., Saar, K., Viht, K., Langel, U., Pooga, M. 2004. Protein cargo delivery properties of cell penetrating peptides: A comparative study. *Bioconjugate Chem.*, 15 : 1246-1253.
- Sabin, A.B. 1957. Properties of attenuated polioviruses and their behavior in human beings. *Spec Publ N.Y. Acad Sci.*, 5 : 113-127.
- Sakaguchi, M., Nukui, T., Sonegawa, H., Murata, H., Futami, J., Yamada, H., Huh, N.H. 2005. Targeted disruption of transcriptional regulatory function of p53 by a novel efficient method for introducing a decoy oligonucleotide into nuclei. *Nucleic Acids Res.*, 33 : 88.
- Salk, J.E., Krech, U., Younger, J.S., Bennett, B.L., Lewis, L.J., Bazeley, P.L. 1954. Formaldehyde treatment and safety testing of experimental poliomyelitis vaccines. *Am J Pub Health.*, 44 : 563.

- Sandgren, S., Cheng, F., Belting, M. 2002. Nuclear targeting of macromolecular polyanions by an HIV-Tat derived peptide. Role for cell-surface proteoglycans. *J Biol Chem.*, 277 : 38877-38883.
- Sawasaki, T., Seki, M., Sinozaki, K., Endo, Y. 2002. High-throughput expression of proteins from cDNAs catalogue from *Arabidopsis* in wheat germ cell-free protein synthesis system. *Tanpakushitsu Kakusan Koso.*, 47 : 1003-1008.
- Schägger, H., von Jagow, G. 1987. Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Anal Biochem.*, 166(2) : 368-379.
- Schelhaas, M., Malmström, J., Pelkmans, L., Haugstetter, L., Grünewald, K., Helenius, A. 2007. Simian virus 40 depends on ER protein folding and quality control factors for entry into host cells. *Cell*, 131 : 516-529.
- Schwarze, S.R., Ho, A., Vocero-Akbani, A., Dowdy, S.F. 1999. In vivo protein transduction : delivery of a biologically active protein into the mouse. *Science*, 285 : 1569-1572.
- Segre, G.V., Goldring, S.R. 1993. Receptors for secretin, calcitonin, parathyroid hormone/PTH-related peptide, vasoactive intestinal peptide, glucagon-like peptide I, growth hormone-releasing hormone, and glucagon belong to a newly discovered G-protein linked receptor family. *Trends Endocrinol Metab.*, 4 : 309 -314.
- Sexton, P.M. 1992. Central nervous system binding sites for calcitonin and calcitonin gene-related peptide. *Mol Neurobiol.*, 5 : 251-273.

- Shapiro, A.L., Vinuela, E., Maizel, J.V. 1967. Molecular weight estimation of polypeptide chains by electrophoresis in SDS-polyacrylamide gels. *Biochem Biophys Res Commu.*, 28(5) : 815-820.
- Shaw, J. E., Epand, R. F., Hsu, J., Gary, C.H., Richard, M., Epand, R.M., Christopher, M. 2008. Cationic peptide-induced remodelling of model membranes: Direct visualization by in situ atomic force microscopy. *J Struct Biol.*, 162(1) : 121-138.
- Shimomura, O. In *Green Fluorescent Protein*; Chalfie, M., Kain, S., Eds.; Wiley-Liss: New York, 1998.
- Siegbahn, P.E.M., Wirstam, M., Zimmer, M. 2001. Theoretical study of the mechanism of peptide ring formation in green fluorescent protein. *Int. J. Quantum Chem.*, 81 : 169-186.
- Silhol, M., Tyagi, M., Giacca, M., Lebleu, B., Vives, E. 2002. Different mechanisms for cellular internalization of the HIV-1 Tat-derived cell penetrating peptide and recombinant proteins fused to Tat. *Eur J Biochem.*, 269 : 494-501.
- Silk, D.B., Nicholson, J.A., Kim, Y.S. 1976. Relationships between mucosal hydrolysis and transport of two phenylalanine dipeptides. *Gut.*, 17(11) : 870-876.
- Simeoni, F., Morris, M.C., Heitz, F., Divita, G. 2003. Insight into the mechanism of the peptide-based gene delivery system MPG: implications for delivery of siRNA into mammalian cells. *Nucleic Acids Res.*, 31 : 2717-2724.
- Skehan, P., Storeng, R., Scudiero, D., Monks, A., McMahon, J., Vistica, D., Warren, J.T., Bokesch, H., Kenney, S., Boyd, M.R. 1990. New colorimetric

- cytotoxicity assay for anticancer-drug screening. *J Natl Cancer Inst.*, 82 : 1107-1112.
- Smith, D.B., Thorner, J. 2000. Generating fusions to glutathione S-transferase for protein studies. *Gene*, 326 : 254-270.
- Smith, T.J., Kremer, M.J., Luo, M., Vriend, G., Arnold, E., Kamer, G. 1986. The site of attachment in human rhinovirus 14 for anti-viral agents that inhibit uncoating. *Science*, 233 : 1286-1293.
- Sood, A., Panchagnula, R. 2001. Peroral route: an opportunity for protein and peptide drug delivery. *Chem Rev.*, 101(11) : 3275-3303.
- Stevens, R.C. 2000. Design of high-throughput methods of protein production for structural biology. *Struct Fold Des.*, 8 : R177-R185.
- Stevenson, C.L., Tan, M.M. 2000. Solution stability of salmon calcitonin at high concentration for delivery in an implantable system. *J peptide Res.*, 55 : 129-139.
- Stroop, S.D., Moore, E.E. 1995. Intracellular Calcium Increases Mediated by a Recombinant Human Calcitonin Receptor. *J Bone Miner Res.*, 10(4) : 524-532.
- Su, Y., Chakraborty, M., Nathanson, M., Baron, R. 1992. Differential effects of the 3', 5'-cyclic adenosine monophosphate and protein kinase C pathways on the response of isolated rat osteoclasts to calcitonin. *Endocrinology*, 131 : 1497-1502.

- Tanko, L.B., Bagger, Y.Z., Alexandersen, P., Devogelaer, J.P., Reginster, J.Y., Chick, R., Olson, M., Benmamar, H., Mindeholm, L., Azria, M., Christiansen, C. 2004. Safety and efficacy of a novel salmon calcitonin (sCT) technology-based oral formulation in healthy postmenopausal women: acute and 3-month effects on biomarkers of bone turnover. *J Bone Miner Res.*, 19 : 1531–1538.
- Tarr, B.D., Yalkowsky, S.H. 1989. Enhanced intestinal absorption of cyclosporine in rats through the reduction of emulsion droplet size. *Pharm Res.*, 6(1) : 40-43.
- Taylor, T.M., Gaysinsky, S., Davidson, P.M., Bruce, B.D., Weiss, J. 2007. Characterization of antimicrobial-bearing liposomes by ζ -potential, vesicle size and encapsulation efficiency. *Food biophysics.*, 2 : 1-9.
- Teterina, N.L., Gorbalenya, A.E., Egger, D., Bienz, K., Ehrenfeld, E. 1997. Poliovirus 2C protein determinants of membrane binding and rearrangements in mammalian cells. *J Virol.*, 71(12) : 8962-8972.
- Thorén, P.E., Persson, D., Isakson, P., Goksor, M., Onfelt, A., Norden, B. 2003. Uptake of analogs of penetratin, Tat(48–60) and oligoarginine in live cells. *Biochem Biophys Res Commun.*, 307 : 100-107.
- Thorén, P.E., Persson, D., Karlsson, M., Norden, B. 2000. The antennapedia peptide penetratin translocates across lipid bilayers – the first direct observation. *FEBS Lett.*, 482 : 265-268.

- Torchilin, V.P., Rammohan, R., Weissig, V., Levchenko, T.S. 2001. TAT peptide on the surface of liposomes affords their efficient intracellular delivery even at low temperature and in the presence of metabolic inhibitors. *PNAS.*, 98 : 8786-8791.
- Tosteson, M.T., Chow, M. 1997. Characterization of the ion channels formed by poliovirus in planar lipid membranes. *J Virol.*, 71 : 507-511.
- Touitou, E., Dayan, N., Bergelson, L., Godin, B., Eliaz, M. 2000. Ethosomes- novel vesicular carriers for enhanced delivery: characterization and skin penetration properties. *J control release.*, 65 : 402-418.
- Towbin, H., Staehelin, T., Gordon, J. 1979. Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. *PNAS.*, 76(9) : 4350-4354.
- Tréhin, R., Merkle, H.P. 2004. Chances and pitfalls of cell penetrating peptides for cellular drug delivery. *Eur J Pharm Biopharm.*, 58 : 209-223.
- Tseng, Y., Liu, J., Hong, R.L. 2002. Translocation of Liposomes into Cancer Cells by Cell-Penetrating Peptides Penetratin and Tat: A Kinetic and Efficacy Study. *Mol Pharmacol.*, 62 : 864-872.
- Tsien, R.Y. 1998. The green fluorescent protein. *Annu Rev Biochem.*, 67 : 509-544.
- Tung, C.H., Stein, S. 2000. Preparation and applications of peptide-oligonucleotide conjugates. *Bioconjug Chem.*, 11 : 605-618.
- Tyagi, M., Rusnati, M., Presta, M., Giacca, M. 2001. Internalization of HIV-1 tat requires cell surface heparan sulfate proteoglycans. *J Biol Chem.*, 276 : 3254-3261.

- Van den Bergh, B.A.I., Wertz, P.W., Junginger, H.E., Bouwstra, J.A. 2001. Elasticity of vesicles assessed by electron spin resonance, electron microscopy and extrusion measurement. *Int J Pharm.*, 21 : 13-24.
- Verma, D.D., Fahr, A. 2004. Synergistic penetration enhancement effect of ethanol and phospholipids on the topical delivery of cyclosporin A. *J Control Release.*, 97 : 55-66.
- Vives, E., Brodin, P., Lebleu, B. 1997. A truncated HIV-1 Tat protein basic domain rapidly translocates through the plasma membrane and accumulates in the cell nucleus. *J Biol Chem.*, 272 : 16010-16017.
- Vogel, B.E., Lee, S.J., Hildebrand, A., Craig, W., Pierschbacher, M.D., Wong-Staal, F., Ruoslahti, E. 1993. A novel integrin specificity exemplified by binding of the $\alpha_v\beta_5$ integrin to the basic domain of the HIV Tat protein and vitronectin. *J Cell Biol.*, 121 : 461– 468.
- Vyas, S.P., Singh, A., Sihorkar, V. 2001. Ligand-receptor-mediated drug delivery: an emerging paradigm in cellular drug targeting. *Crit Rev Ther Drug Carrier Syst.*, 18(1) : 1-76.
- Wadia, J.S., Stan, R.V., Dowdy, S.F. 2004. Transducible TAT-HA fusogenic peptide enhances escape of TAT-fusion proteins after lipid raft macropinocytosis. *Nat Med.*, 10 : 310-315.
- Wadia, J.S., Stan, R.V., Dowdy, S.F. 2004. Transducible TAT-HA fusogenic peptide enhances escape of TAT-fusion proteins after lipid raft macropinocytosis. *Nat Med.*, 10 : 310-315.
- Wagner, E., Culmsee, C., Boeckle, S. 2005. Targeting of polyplexes: toward synthetic virus vector systems. *Adv Genet.*, 53 : 333-354.

- Wang, Y., Wang, G., O’Kane, D.J., Szalay, A.A. 2001. Chemiluminescence energy transfer to study protein-protein interaction in living cells. *Mol Gen Genet.*, 264 : 578-587.
- Wang, Y.H., Chen, C.P., Chan, M.H., Chang, M., Hou, Y.W., Chen, H.H. 2006. Arginine-rich intracellular delivery peptides noncovalently transport protein into living cells. *Biochem Biophys Res Commun.*, 346 : 758-767.
- Watkins, C.L., Brennan, P., Fegan, C., Takayama, K., Nakase, I., Futaki, S., Jones, A.T. 2009. Cellular uptake, distribution and cytotoxicity of the hydrophobic cell penetrating peptide sequence PFVYLI linked to the proapoptotic domain peptide PAD. *J Control Release.*, 140 : 237-244.
- Watnasirichaikul, S., Davies, N.M., Rades, T., Tucker, I.G. 2000. Preparation of biodegradable insulin nanocapsules from biocompatible microemulsions. *Pharm Res.*, 17(6) : 684-689.
- Weeks, B.S., Desai, K., Loewenstein, P.M., Klotman, M.E., Klotman, P.E., Green, M., Kleinman, H.K. 1993. Identification of a novel cell attachment domain in the HIV-1 Tat protein and its 90 kDa cell surface binding protein. *J Biol Chem.*, 268 : 5279- 5284.
- Wender, P.A., Mitchell, D.J., Pattabiraman, K., Pelkey, E.T., Steinman, L., Rothbard, J.B. 2000. The design, synthesis, and evaluation of molecules that enable or enhance cellular uptake: peptoid molecular transporters. *PNAS.*, 97: 13003-13008.
- White, J., Stelzer, E. 1999. Photobleaching GFP reveals protein dynamics inside live cells. *Trends Cell Biol.*, 9 : 61-65.

- Willingmann, P. 1989. Recovery of structurally intact and infectious poliovirus type 1 from HeLa cells during receptor-mediated endocytosis. *Virol.*, 168 : 417-420.
- Wimalawansa, S.J. 1997. Combined therapies with calcitonin and corticosteroids, or bisphosphonate, for treatment of hypercalcemia of malignancy. *J Bone Miner Metab.*, 15 : 160-164.
- Wimmer, E., Hellen, C.U., Cao, X. 1993. Genetics of poliovirus. *Annu Rev Genet.* 27 : 353-436.
- Woods, A.S., Huestis, M.A. 2001. A study of peptide-peptide interaction by matrix-assisted laser desorption/ionization. *J Am Soc Mass Spectrom.*, 12 : 88-96.
- Yamamoto, A., Taniguchi, T., Rikyu, K., Tsuji, T., Fujita, T., Murakami, M., Muranishi, S. 1994. Effects of various protease inhibitors on the intestinal absorption and degradation of insulin in rats. *Pharm Res.*, 11(10) : 2496-2500.
- Yang, M., Baranov, E., Li, X.M., Wang, J.W., Jiang, P., Li, L., Moossa, A.R., Penman, S., Hoffman, R.M. 2001. Whole-body and intravital optical imaging of angiogenesis in orthotopically implanted tumors *PNAS.*, 98 : 2616-2621.
- Yang, T., Hussain, A., Bai, S., Khalil, I.A., Harashima, H., Ahsan, F. 2007b. Positively Charged Polyethylenimines Enhance Nasal Absorption of the Negatively Charged Drug, Low Molecular Weight Heparin. *J Control Release.*, 115(3) : 289-297.

- Yang, M., Velaga, S., Yamamoto, H., Takeuchi, H., Kawashima, Y., Hovgaard, L., Van de Weert, M., Frokjaer, S. 2007a. Characterisation of salmon calcitonin in spray-dried powder for inhalation effect of chitosan. *Int J Pharm.*, 331 : 176-181.
- Zaidi, M., Moonga, B.S., Bevis, P.J.R., Bascal, Z.A., Breimer, L.H. 1990. The calcitonin gene peptides: biology and clinical relevance. *Crit Rev Clin Lab Sci.*, 28 : 109-174.
- Zhou, X., Carranco, R., Vitha, S., Hall, T.C. 2005. The dark side of green fluorescent protein. *New Phytologist.*, 168 : 313-322.
- Zhou, X.H. 1994. Overcoming enzymatic and absorption barriers to non-parenterally administered protein and peptide drugs. *J Control Release.*, 29 : 239-252.
- Zhu, M., Fahl, W.E. 2000. Development of a green fluorescent protein microplate assay for the screening of chemopreventive agents. *Anal Biochem.*, 287 : 210-217.
- Ziegler, A., Nervi, P., Dürrenberger, M., Seelig, J. 2005. The Cationic Cell-Penetrating Peptide CPP^{TAT} Derived from the HIV-1 Protein TAT Is Rapidly Transported into Living Fibroblasts: Optical, Biophysical, and Metabolic Evidence. *Biochem.*, 44 : 138-148.
- Zimmer, M. 2002. Green fluorescent protein (GFP): Applications, structure and related photophysical behavior. *Chem Rev.*, 102 : 759-781.