

## REFERENCES

- [1] World Health Organization. Research guideline for evaluating the safety and efficacy of herbal medicines. Manila: *WHO Publications* 1993.
- [2] World Health Organization. Guidelines for the appropriate use of herbal medicines. Manila: *WHO Publications* 1998.
- [3] Gallin J, Snyderman R. Overview. In: Gallin J, Snyderman R, eds. *Inflammation basic principles and clinical correlates*. 3rd ed. Philadelphia: Lippincott Williams & Wilkins 1999:1-4.
- [4] Farnsworth N, Bunyaphraphatsara N. Introduction. In: Farnsworth N, Bunyaphraphatsara N, eds. *Thai medicinal plants: recommended for primary health care system*. Bangkok: Prachachon Co. Ltd 1992:1.
- [5] Murphy H, Ward P. Inflammation. In: Rubin E, ed. *Rubin's pathology: clinicopathologic foundations of medicine*. 4th ed. Philadelphia: Lippincott Williams & Wilkins 2005:40-83.
- [6] Serhan C, Savill J. Resolution of inflammation: the beginning programs the end. *Nature Immunology*. 2005;6:1191-97.
- [7] Kumar V, Abbas A, Fausto N. Acute and chronic inflammation. In: Robbins S, Cotran R, eds. *Robbins & Cotran pathologic basis of disease*. 7th ed. Philadelphia: W.B. Saunders Company 2005:48-85.
- [8] Brunton L, Parker K. Analgesic-antipyretic and anti-inflammatory agents: pharmacotherapy of gout. In: Brunton L, Parker K, eds. *Goodman & Gilman's manual of pharmacology and therapeutics*. international ed. New York: McGraw-Hill Companies 2008:428-61.
- [9] Klymkowsky M. Integrating Cells into Tissues In: Lodish H, Berk A, Zipursky L, Matsudaira P, Baltimore D, Darnell J, eds. *Molecular Cell Biology*: W. H. Freeman and Company 2000.
- [10] Janeway C, Travers P. Host defense against infection. In: Walport M, Capra J, eds. *Immunobiology: the immune system I health and disease*. 4th ed. New York: Garland Publishing 1999:363-415.
- [11] Furst D, Robert W. Nonsteroidal anti-inflammatory drugs, disease-modifying antirheumatic drugs, nonopioid analgesic, and drug used in gout. In: Katzung B, ed. *Basic and clinical pharmacology*. 10th ed. Singapore: McGraw-Hill Companies 2007:573-98.
- [12] Stein C, Pincus T. Glucocorticoids. In: Ruddy S, Harris E, Sledge C, eds. *Kelley's textbook of rheumatology*. 6th ed. Philadelphia: W.B. Saunders Company 2001:823-40.
- [13] Wu T, Wu L, Larsen K. *Stahlianthus*. In: Wu Z, Wu Y, Raven P, eds. *Flora of China*. Beijing: Sci. Press 2000:368.
- [14] Baker J. The genus *Kaempferia involucrata* King ex Baker. *Flora of British India*. 1890;6:221.
- [15] Loesener T. Zingiberaceae. In: Engler A, Prantl K, eds. *Naturliche Pflanzenfamilien*. Leipzig: W. Engelmann 1930:541-640.

- [16] Wu T, Wu L, Larsen K. Zingiberaceae. In: Wu Z, Wu Y, Raven P, eds. *Flora of China*. Beijing: Sci. Press 2000:333-46.
- [17] National Agrobiodiversity Center. Asia Medicinal Plants Database. 2003 [cited 2009, May 14]; Available from: [http://www.genebank.rda.go.kr/asiamediplants/home/doc\\_1\\_view.asp?Seqno=1575.html](http://www.genebank.rda.go.kr/asiamediplants/home/doc_1_view.asp?Seqno=1575.html)
- [18] Kress W, Prince L, Williams K. The phylogeny and a new classification of the gingers (Zingiberaceae): evidence from molecular data. *Am J Bot* 2002;89:1682-96.
- [19] Larsen K, Ibrahim H, Khaw S, Saw L. Gingers of Peninsular Malaysia and Singapore. *Nat Hist Publ* 1999;127-31.
- [20] Li S. Ben-cao gang-mu. In: Jiangxi, ed. *people's health pub*. Beijing: House 1977:880-5.
- [21] Perry L. Medicinal plant of East and Southeast Asia: attributed properties and uses. *The MIT Press* 1980:439.
- [22] Hoffman D. *The New Holistic Herbal*. Rockport. Massachusetts: Element Books Ltd 1990.
- [23] Ozaki Y. Anti-inflammatory effect of *Curcuma xanthorrhiza* Roxb. and its active principles. *Chem Pharm Bull* 1990;38:1045-8.
- [24] Srimal R. Turmeric: a brief review of medicinal properties. *Phytotherapy*. 1997;68:483-93.
- [25] Mascolo N, Jain R, Jain S, Capasso F. Ethnopharmacologic investigation of ginger (*Zingiber officinale*). *J Ethnopharmacol* 1989;27:129-40.
- [26] Thomson M, Al-Qattan K, AL-Sawan S, Alnaqeeb M, Khan I, Ali M. The use of ginger (*Zingiber officinale* Rosc.) as a potential anti-inflammatory and antithrombotic agent. *Prostag Leukot Essent Fatty Acids*. 2002;67:475-8.
- [27] George M, Pandalai K. Investigations on plant antibiotics part IV further search for antibiotic substances in Indian medicinal plants. *Indian Journal of medical Research*. 1949;37:169-81.
- [28] Vimala S, Norhanom A, Yadav M. Anti-tumor promoter activity in Malaysian ginger rhizobia used in traditional medicine. *British Journal of Cancer*. 1999;80:110-6.
- [29] Kosuge T, Yokota M, Sugiyama K, Saito M, Iwata Y, Nakura M, et al. Studies of anticancer principles in Chinese medicines II cytotoxic principles in *Biota orientalis* (L.) ENDL. and *Kaempferia galanga* L.. *Chem Pharm Bull* 1985;33:5565-7.
- [30] Gupta S, Banerjee A. Isolation of ethyl p-methoxycinnamate, the major antifungal principle of *Curcuma zedoaria*. *Loldia*. 1976;39:218-22.
- [31] Mustafa M, Mustafa A, Hashim S. Vasorelaxant effects of the chloroform extract of *Kaempferia galanga* on smooth muscles of the rat aorta. *J Pharmacol* 1996;11:97-101.
- [32] Sharma S, Kochupillai V, Gupta S, Seth S, Gupta Y. Antiemetic efficacy of ginger (*Zingiber officinale*) against cisplatin-induced emesis in dogs. *J Ethnopharmacol*. 1997;57:93-6.
- [33] Huang L, Yagura T, Chen S. Sedative activity of hexane extract of *Keampferia galanga* L. and its active compounds. *J Ethnopharmacol*. 2008;120:123-5.

- [34] Kikuchi F, Shibuya M, Sankawa U. Inhibitors of prostaglandin biosynthesis from *Alpinia officinarum*. *Chem Pharm Bull* 1982;30:2279-82.
- [35] Kikuchi F, Iwakami S, Shibuya M, Hanaoka F, Sankawa U. Inhibition of prostaglandin and leukotriene biosynthesis by gingerols and diarylheptanoids. *Chem Pharm Bull* 1992;40:387-91.
- [36] Srivastava K. Aqueous extracts of onion, garlic and ginger inhibit platelet aggregation and alter arachidonic acid metabolism. *Biomed Biochim Acta* 1984;43:S335-46.
- [37] Fouada A, Berika M. Evaluation of the effect of hydroalcoholic extract of *Zingiber officinale* rhizomes in rat collagen-induced arthritis. *Basic & Clinical Pharmacology & Toxicology*. 2009;104:262-71.
- [38] Pongbunrod S, Mai-Tet-Murng-Thai. *Medicinal characteristic of foreign and Thai traditional medicines*. Bangkok: Khrungthon Press 1979:493.
- [39] Reannmongkol W, Subhadhirasakul S, Khaisombat N, Fuengnawakit P, Jantasila S, Khamjun A. Investigation the antinociceptive, antipyretic and anti-inflammatory activities of *Curcuma aeruginosa* Roxb. extracts in experimental animals. *Songklanakarin J Sci Technol* 2006;28:999-1008.
- [40] Gupta S, Agarwal R, Srivastava S, Agarwal P, Agrawal S, Saxena R, et al. The Anti-inflammatory effects of *Curcuma longa* and *Berberis aristata* in endotoxin-induced uveitis in rabbits. *Investigative Ophthalmology and Visual Science*. 2008;49:4036-40.
- [41] Mukophadhyay A, Basu N, Ghatak N, Gujral P. Anti-inflammatory and irritant activities of curcumin analogues in rats. *Agents and Actions* 1982;12:508-15.
- [42] Ammon H, Anazodo M, Safayhi H, Dhawan B, Srimal R. Curcumin: a potent inhibitor of leukotriene B<sub>4</sub> formation in rat peritoneal polymorphonuclear neutrophils (PMNL). *Planta Med* 1992;58:26.
- [43] Chainani-Wu N. Safety and anti-inflammatory activity of curcumin: a component of tumeric (*Curcuma longa*). *J Altern Complement Med*. 2003;9:161-8.
- [44] Lee H, Kim J, Ryu J-H. Suppression of inducible nitric oxide synthase expression by diarylheptanoids from *Alpinia officinarum*. *Planta Med* 2006;72:68-71.
- [45] Penna S, Medeiros M, Aimbre F, Faria-Neto H, Sertie J, Lopes-Martins R. Anti-inflammatory effect of the hydroalcoholic extract of *Zingiber officinale* rhizomes on rat paw and skin edema. *Phytomedicine*. 2003;10:381-5.
- [46] Tripathi S, Maier K, Bruch D, Kittur D. Effect of 6-gingerol on pro-inflammatory cytokine production and costimulatory molecule expression in murine peritoneal macrophages. *J Surg Res*. 2007;138:209-13.
- [47] Roughley P, Whiting D. Experiments in the biosynthesis of curcumin. *J Chem Soc* 1973;20:2379-88.
- [48] Brattsand R, Thalen A, Roempler K, Kallstrom L, Gruvstad E. Influence of 16  $\alpha$ , 17  $\alpha$ -acetal substitution and steroid nucleus fluorination on the topical to systemic activity ratio of glucocorticoids. *J Steroid Biochem*. 1982;16(6):779-86.
- [49] Winter C, Risley E, Nuss G. Carrageenin-induced edema in hind paw of the rat as an assay for anti-inflammatory drug. *Proc soc for Exp Biol Med*. 1962;11:544-7.

- [50] Di Martino M, Campbell G, Wolff C, Hanna N. The pharmacology of arachidonic acid-induced rat paw edema. *Agents Actions* 1987;21(3-4):303-5.
- [51] Swingle K, Shideman F. Phases of the inflammatory response to subcutaneous implantation of a cotton pellet and their modification by certain anti-inflammatory agents. *J Pharmacol Exp Ther*. 1972;183:226-34.
- [52] Bessey O, Lowry H, Brock M. Method for the determination of alkaline phosphatase with five cubic millimeters of serum. *J Biol Chem*. 1946;164:321-9.
- [53] Milano F, Serrano JS, Pascual J, Sancibrain M. Effects of GABA on gastric acid secretion and ulcer formation in rats. *Life Sci*. 1987;41(13):1651-58.
- [54] Collier H, Dinneen L, Johnson C, Schneider C. The abdominal constriction response and its suppression by analgesic drugs in the mouse. *Br J Pharmacol Chemother* 1968;32:295-310.
- [55] Nakamura H, Shimoda A, Ishii K, Kadokawa T. Central and peripheral analgesic action of non-acidic non-steroidal anti-inflammatory drugs in mice and rats. *Arch Int de Pharmacodyn Ther*. 1986;282:16-25.
- [56] D'Amour F, Smith D. A method for determining loss of pain sensation. *J Pharmacol Exp Ther* 1941;72:74-9.
- [57] Gray W, Osterberg A, Scute T. Measurement of the analgesic efficacy and potency of pentazocine by the D'Amour and Smith method. *J Pharmacol Exp Ther*. 1970;172:154-62.
- [58] Teotin U, Friz L, Gandini A, Bella D. Thio derivatives of 2, 3-dihydro-4H-1, 3-benzoazin-4-one synthesis and pharmacological properties. *J Med Chem* 1963;6:248-50.
- [59] Carlson R, O'Neill-Davis L, Chang J, Lewis A. Modulation of mouse ear edema by cyclooxygenase and lipoxygenase inhibitors and other pharmacologic agents. *Agents Actions*. 1985;17(2):197-204.
- [60] Di Rosa M, Sorrentino L. The mechanism of the inflammatory effect of carrageenin. *Eur J Pharmacol*. 1968;4(3):340-42.
- [61] Di Rosa M, Giroud J, Willoughby D. Studies on the mediators of the acute inflammatory response induced in rats in different sites by carrageenin and turpentine. *J Pathol*. 1971;104:15-29.
- [62] Di Rosa M, Willoughby D. Screens for anti-inflammatory drugs (Letter to the Editor). *J Pharm Pharmacol* 1971;23:297-8.
- [63] Vinegar R, Schreiber W, Hugo R. Biphasic development of carrageenin edema in rats. *J Pharmacol Exp Ther*. 1969;166(1):96-103.
- [64] Vinegar R, Macklin A, Traux J, Selph J. Histopathological and pharmacological study of carrageenan inflammation in the rat. *Pharmacologist*. 1971;13:284-90.
- [65] Di Rosa M. Biological properties of carrageenan. *J Pharm Pharmacol*. 1972;24(2):89-102.
- [66] Sarraf P, Sneller M. Pathogenesis of Wegener's granulomatosis: current concepts. *Expert Rev Mol Med*. 2005;7(8):1-19.
- [67] Furst D, Munster T. Nonsteroidal anti-inflammatory drugs, disease-modifying antirheumatic drugs, nonopioid analgesics and drugs used in gout. In: Kartzung B, ed. *Basis and Clinical Pharmacology*. 8th ed. New York: Mc Graw-Hill 2001:596-623.

- [68] Murugesh N, Vember S, Damondaran C. Studies on erythrocyte membrane IV: *in vitro* haemolytic activity of oleander extract. *Toxicol Lett.* 1981;8:33-8.
- [69] Orhan H, Sahin G. *In vitro* effects of NSAIDs and paracetamol on oxidative stress-related parameters of human erythrocytes. *Exp Toxicol Pathol.* 2001;53(2-3):133-40.
- [70] Berne R, Levy M. The adrenal glands. In: Berne R, Levy M, eds. *physiology*. 5th ed. Missouri: Mosby Inc 2004:883-919.
- [71] Schimmer B, Parker K. Adrenocorticotrophic hormone; Adrenocortical steroids and their synthetic analogs; Inhibitors of synthesis and actions of adrenocortical hormones. In: Brunton L, Lazo J, Parker K, eds. *Goodman & Gilman's the pharmacological basis of therapeutics*. 11th ed. New York: Mc Graw-Hill 2006:1587-612.
- [72] Srivastava A. Pain: Physiological Consideration. *Homeopathic Journal.* 2010;3(9).
- [73] Raj P. Pain mechanisms. In: Raj P, ed. *Pain Medicine: A Comprehensive Review*. Missouri: Mosby-Year Book 1996:12-23.
- [74] Siegmund E, Cadmus R, Lu G. A method for evaluating both non-narcotic and narcotic analgesics. *Proc Soc exp Biol Med.* 1957;95:729-31.
- [75] Vander Wende C, Margolin S. Analgesic tests based upon experimentally induced acute abdominal pain in rats *Fedn Proc.* 1956;15:494.
- [76] Hendershot L, Forsaith J. Antagonism of the frequency of phenylquinone-induced writhing in the mouse by weak analgesics and non-analgesics. *J Pharmacol Exp Ther.* 1959;125:237-40.
- [77] Koster R, Anderson M, De Beer E. Acetic acid for analgesic screening. *Fedn Proc.* 1959;18:412.
- [78] Keith E. Evaluation of analgesic substances. *Am J Pharm.* 1960;132:202-30.
- [79] D'Amour F, Smith D. A method for determining loss of pain sensation. *JPET.* 1941;72:74-9.
- [80] Gray W, Osterberg A, Scute T. Measurement of the analgesic efficacy and potency of pentazocine by the D'Amour and Smith method. *JPET.* 1970;172:154-62.
- [81] Nakamura H, Shimoda A, Ishii K, Kadokawa T. Central and peripheral analgesic action of non-acidic non-steroidal anti-inflammatory drugs in mice and rats. *Archives Internationales de Pharmacodynamic et de Therapie.* 1986;282:16-25.
- [82] Di Carlo F, Fiore J. On the composition of zymosan. *Science.* 1958;127:756-7.
- [83] Au B, Williams T, Collins P. Zymosan-induced IL-8 release from human neutrophils involves activation of the CD8. *J Immunol.* 1994;152:5411-9.
- [84] Sanguedolce M, Capo C, Bongrand P, Mege J. Zymosan-stimulated tumor necrosis factor-alpha production by human monocytes. Down-modulation by phorbol ester. *J Immunol.* 1992;148:2229-36.
- [85] Kevin M, Gordon D. The role of the beta-glucan receptor Dectin-1 in control of fungal infection. *J Leukoc Biol.* 2007;82:253-8.
- [86] Benjamin N, Randi M, Scott J, Shizuo A, David M. Collaborative induction of inflammatory responses by Dectin-1 and Toll-like receptor 2. *J Exp Med.* 2003;197:1107-17.

- [87] Ganong W. Functions of the nervous system: central regulation of visceral function. In: Ganong W, ed. *Review of medical physiology*. 20th ed. New York: McGraw-Hill 2001:245-7.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved