

REFERENCES

- (1) Montagna W, Parakkal P. The structure and function of skin. 3rd ed. New York: Academic; 1974.
- (2) Rona C, Berardesca E. Aging skin and food supplements: the myth and the truth. *Clinic in Dermatology*. 2008; 26: 641-7.
- (3) Ratnam DV, Ankola DD, Bhardwaj V, Sahana DK, Kumar MNVR. Role of antioxidants in prophylaxis and therapy: A pharmaceutical perspective. *Journal of Controlled Release*. 2006; 113: 189–207.
- (4) Vuong LT. Gac: a fruit from heaven. *Journal of Vietnam* 2001: 1-22.
- (5) Vuong LT. Momordica cochinchinensis (Spreng.) beta-carotene and method. US patent 6,770,585. Davis: Vitalea Science; August 3, 2004.
- (6) Edge R, McGarvey DJ, Truscott TG. The carotenoids as anti-oxidants - a review. *Journal of Photochemistry and Photobiology B: Biology* 1997; 41: 180-200.
- (7) Rodriguez-Amaya DB, editors. A guide to carotenoid analysis in foods. Washington DC: OMNI; 2001.
- (8) Müller RH, Radtke M, Wissing SA. Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) in cosmetic and dermatological preparations. *Advanced Drug Delivery Reviews*. 2002; 54(Suppl. 1): 131–55.
- (9) Müller RH, Petersen RD, A.Hommoss, Pardeike J. Nanostructured lipid carriers (NLC) in cosmetic dermal products. *Advanced Drug Delivery Reviews*. 2007; 59: 522–30.
- (10) Teeranachaideekul V, Müller RH, Junyaprasert VB. Encapsulation of ascorbyl palmitate in nanostructured lipid carriers (NLC) - Effects of formulation parameters on physicochemical stability. *International Journal of Pharmaceutics*. 2007; 340: 198–206.
- (11) Tortora G. Introduction to the human body: the essentials of anatomy and physiology. 2nd ed. New York: Harper Collins; 1991.

- (12) Thody AJ, Friedmann PS. Function of the skin. Hongkong: Longman Group; 1986.
- (13) Parker F, editor. Dermatology. New Jersey: Prentice Hall; 1991.
- (14) Spence AP. Biology of human aging. New Jersey: Prentice Hall; 1989.
- (15) Balin AK, editor. Oxford textbook of geriatric medicine. New York: Oxford University; 1992.
- (16) Montagna W, Carlisle K. Structure changes in aging human skin. *Journal of Investigation Dermatology*. 1979; 73(1): 47-53.
- (17) Pugliese PT. Free radicals and the skin. In: Pugliese PT, editor. *Physiology of the skin*. Illinois: Allured Publishing; 1996. p. 163-82.
- (18) Özben T. Free radical, oxidative stress and antioxidants: pathological and physiological significance. New York: Plenum Press; 1998.
- (19) Roberfroid M, Calderon PB. Free radicals and oxidation phenomena in biological systems. New York: Marcel Dekker; 1995.
- (20) Cornelli U. Antioxidant use in nutraceuticals. *Clinics in Dermatology*. 2009; 27: 175–94.
- (21) Jannat MR, Maria DL. Lycopene: the need for better methods for characterization and determination. *Trends in Analytical Chemistry*. 2007; 26(2).
- (22) Alam Z, Sultan M. Carotenoids Contents from Various Sources and Their Potential Health Applications. *Pakistan Journal of Nutrition*. 2004; 3(3): 199-204.
- (23) Munzel K. Carotenoids in pharmaceutical and cosmetic products. In: Bauernfeind JC, editor. *Carotenoids as colorants and vitamin A precursors*. New York: Academic Press; 1981. p.373-8.
- (24) Rodriguez-Amaya DB, Raymundo LC, Lee TC, Simpson KL, Chichester CO. Carotenoid pigment changes in ripening *Momordica charantia* fruits. *Annals of Botany*. 1976; 40: 615-24.
- (25) Rodriguez-Amaya DB. Carotenoids and food preparation: the retention of provitamin A carotenoids in prepared, processed and stored foods. Campinas: John Snow; 1997.
- (26) Bonnie TY, Choo Y. Oxidation and thermal degradation of carotenoids. *Journal of oil palm research*. 1999; 2(1): 62-78.

- (27) Ritter ED, Purcell AE. Carotenoid analytical methods. In: Bauernfeind JC, editor. Carotenoids as colorants and vitamin A precursors. New York: Academic Press; 1981. p.373-8.
- (28) Kenneth LS, editor. Relative value of carotenoids as precursors of vitamin A. Proceedings of the Nutrition Society; Great Britain; 1983.
- (29) Chen HE, Peng HY, Chen BH. Stability of carotenoids and vitamin A during storage of carrot juice. Food Chemistry. 1996; 57(4): 497-503.
- (30) Michael AG. Genomics-assisted plant improvement to benefit human nutrition and health. Trends in Plant Science. 2000; 4(5): 164-6.
- (31) Cheryl LR. Carotenoids: biology and treatment . Pharmacology & Therapeutics. 1997; 75(3): 185-97.
- (32) Krinsky NI. Antioxidant functions of carotenoids. Free Radical Biology & Medicine 1989; 7: 617-35.
- (33) Gaziano JM, Manson JE, Branch LG, Colditz GA, Willett WC, Buring JE. A prospective study of consumption of carotenoids in fruits and vegetables and decreased cardiovascular mortality in the elderly. Annals of Epidemiology. 1995; 5(4): 255-60.
- (34) Paola P, Simona S, Fiorella DN, Gabriella C. Modulation of apoptotic signalling by carotenoids in cancer cells. Archives of Biochemistry and Biophysics. 2004; 430(1): 104-9.
- (35) Wikipedia [homepage on the internet]. Gac [updated 2010 Sep 19; cited 2010 Nov 8]. Available from: www.wikipedia.com.
- (36) Peng C-I. Flora of Taiwan. Vol. 3. 2nd ed. 1993. p. 861.
- (37) Perry LM. Medicinal plants of east and south-east asia: attributed properties and uses. Cambridge University: MIT Press; 1980.
- (38) Herklots GAC. Vegetables in southeast asia. London: George Allen & Unwin 1972. p. 338-9.
- (39) Vijay OP, Jalikop SH. Production of parthenocarpic fruit with growth regulators in Kakrol (*Momordica Cochinchinensis* Spreng). Indian Journal Horticulture. 1980; 37(2): 167-9.
- (40) Institute of Materia Medica; World Health Organization. Medicinal plants in Viet Nam. 3rd editor. Hanoi: WHO Regional Publications; 1990.

- (41) Murakami T, Nagasawa M, Itokawa H, Tachi Y, Tanaka K. The structure of a new triterpene, momordic acid, obtained from *Momordica cochinchinensis* Spreng. *Tetrahedron Letters*. 1996; 42: 5137-40.
- (42) Ng TB, Li WW, Yeung HW. A steryl glycoside fraction with hemolytic activity from tubers of *Momordica cochinchinensis*. *Journal of Ethnopharmacology*. 1986; 18: 55-61.
- (43) Bolognesi A, Barbieri L, Carnicelli D, Abbondanza A, Cenini P, Falasca AI, et al. Purification and properties of a new ribosome-inactivating protein with RNA N-glycosidase activity suitable for immunotoxin preparation from the seeds of *Momordica cochinchinensis*. *Biochimica et Biophysica Acta*. 1989; 993: 287-92.
- (44) Huang B, Ng TB, Fong WP, Wan CC, Yeung HW. Isolation of a trypsin inhibitor with deletion of N-terminal pentapeptide from the seeds of *Momordica cochinchinensis*, the Chinese drug mubiezhi. *The International Journal of Biochemistry & Cell Biology*. 1990; 31: 707-15.
- (45) Kawamura N, Watanabe H, Oshio H. Saponin from roots of *Momordica cochinchinensis*. *Phytochemistry*. 1988; 27(11): 3585-91.
- (46) Vuong LT, Franke AA, Laurie J. Custer, Murphy SP. *Momordica cochinchinensis* Spreng. (gac) fruit carotenoids reevaluated. *Journal of Food Composition and Analysis*. 2006; 19: 664-8.
- (47) Vuong LT, King JC. A method of preserving and testing the acceptability of gac fruit oil, a good source of b-carotene and essential fatty acids. *Food and Nutrition Bulletin*; 24(2): 224-230.
- (48) Vien DD editor. *Thanh Phan Dinh Duong Thuc An Viet Nam* [Food products in Vietnam composition and nutritive value]. Hanoi: Nha Xuat Ban Y Hoc; 1995.
- (49) Vuong LT, Dueker SR, Murphy SP. Plasma β-carotene and retinol concentrations of children increase after a 30-d supplementation with the fruit *Momordica cochinchinensis* (gac). *American Journal of Clinical Nutrition*. 2002; 75(5): 872-9.

- (50) Alfred S. Xerophthalmia and vitamin a status. *Progress in Retinal and Eye Research.* 1998; 17(1): 9-31.
- (51) Suphachinda W. The development and clinical evaluation of standardized gac fruit extract [dissertations]. Thailand: Mae Fah Luang University; 2006.
- (52) Müller RH, Radtke M, Wissing SA. Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) in cosmetic and dermatological preparations. *Advanced Drug Delivery Reviews.* 2002; 54 Suppl. 1: S131–S55.
- (53) Müller RH, Petersen RD, Hommoss A, Pardeike J. Nanostructured lipid carriers (NLC) in cosmetic dermal products. *Advanced Drug Delivery Reviews.* 2007; 59: 522–30.
- (54) Jenning V, Gohla SH. Encapsulation of retinoids in solid lipid nanoparticles (SLN). *Journal of Microencapsulation.* 2001; 18(2): 149–58.
- (55) Dingler A. Solid lipid nanoparticles (SLN/Lipopearls) — a pharmaceutical and cosmetic carrier for the application of vitamin E in dermal products. *Journal of Microencapsulation.* 1999; 16(6): 751–67.
- (56) Wissing SA, Müller RH, Manthei L, Mayer C. Structural characterization of Q10-loaded solid lipid nanoparticles by NMR spectroscopy. *Pharmaceutical Res.* 2004; 21(3): 400–5.
- (57) Radtke M, Müller RH. Nanostructured lipid drug carriers. *New Drugs.* 2001; 2: 48-52.
- (58) Vijay OP, Jaikop SH. Encapsulation of retinoids in solid lipid nanoparticles (SLN). *Journal of Microencapsulation.* 2001; 18: 149–58.
- (59) Üner M, Wissing SA, Yener G, Müller RH. Solid lipid nanoparticles (SLN) and nanostrutured lipid carriers (NLC) for application of ascorbyl palmitate. *Pharmazie.* 2005b; 60: 577–82.
- (60) Mehnert W, Mader K. Solid lipid nanoparticles production, characterization and applications. *Advanced Drug Delivery Reviews.* 2001; 47: 165-96.
- (61) Thassu D, Deleers M, Pathak Y. *Drug and the pharmaceutical sciences New York:* Informahealthcare; 2007.

- (62) Han F, Li S, Yin R, Liu H, Xu L. Effect of surfactants on the formation and characterization of a new type of colloidal drug delivery system: nanostructured lipid carriers. *Colloids and Surfaces A*. 2008; 315: 210–6.
- (63) Liu D, Shi J, Ibarra AC, Kakuda Y, Xue SJ. The scavenging capacity and synergistic effects of lycopene, vitamin E, vitamin C, and β-carotene mixtures on the DPPH free radical. *LWT*. 2008; 41: 1344-9.
- (64) Basuny AM, Gaafar AM, Arafat SM. Tomato lycopene is a natural antioxidant and can alleviate hypercholesterolemia. *African Journal of Biotechnology*. 2008; 8(23): 6627-33.
- (65) Britton G. General carotenoids methods. *Methods in Enzymology*. 1985; 111 Part B: 113-49.
- (66) Benzie IFF, Strain JJ. The ferric reducing ability of plasma (FRAP) as a measure of “antioxidant power”: the FRAP assay. *Analytical biochemistry*. 1996; 239: 70-6.
- (67) Bashir SJ, Maibach HI. In vivo irritation. In: Barel AO, Paye M, Maibach I, editors. *Hand book of Cosmetic science and Technology*. New York: Informa Healthcare; 2001. p. 107-16.
- (68) Basketter DA, York M, Mcfadden JP, Robinson MK. Determination of skin irritation potential in the human 4-h patch test. *Contact Dermatitis*. 2004; 51: 1-4.
- (69) Lee K-K, Choi J-D. The effect of Areca catechu extract on anti-aging. *International Journal of Cosmetic Science*. 1999; 21: 285-95.
- (70) Abella ML. Evaluation of anti-wrinkle efficacy of adenosine-containing products using the FOITS technique. *International Journal of Cosmetic Science*. 2006; 28: 447-51.
- (71) Huang OB, Hampschwoowill D, Flanagan M, Deemer TA. Analysis of antioxidant activities of common vegetables employing oxygen radical absorbance capacity and FRAPassays: a comparative study. *Journal of Agricultural and Food Chemistry*. 2002; 50: 3122–8.