

## REFERENCES

- ATSDR. Toxicological profile for cadmium. Agency for toxic substances and disease registry, Atlanta, GA 1998.
- Aritajat S, Wutteerapol S, Saenphet K. Anti-diabetic effect of *Thunbergia laurifolia* Linn. aqueous extract. *Southeast Asian J Trop Med Public Health* 2004; 35: 53-8.
- Aughey E, Fell GS, Scott R, Black M. Histopathology of early effects of oral cadmium in the rat kidney. *Environ Health Persp* 1984; 54: 153-61.
- Bhattacharyya HM. Cadmium osteotoxicity in experimental animals: Mechanisms and relationship to human exposures. *Toxicol Appl Pharm* 2009; 238: 258-65.
- Boonyarat S. Effect of *Thunbergia laurifolia* Lindl. Leaf extract on micronucleus induction by methomyl insecticide. M.S. Thesis, Chaing Mai University, 2004.
- Brzóska MM, Kamin´ska M, Supernak-Bobko D, Zwierz K, Moniuszko-Jakoniuk J. Changes in the structure and function of the kidney of rats chronically exposed to cadmium. I. Biochemical and histopathological studies. *Arch Toxicol* 2003; 77: 344-52.
- Chaiwong S, Sthiannopkao S, Kim WK, Chuenchoojit S, Poopatpiboon K, Poodendean C, et al. Urinary cadmium level in children between nine to fifteen years old in three Sub-districts of Tak Province in Thailand. *Physics Procedia* 2009; 2: 121-5.

- Chaiyasing K. Effect of *Thunbergia laurifolia* Lindl. Leaf extract on methomyl-induced cholinesterase inhibition. M.S.Thesis, Chiang Mai University, 2005.
- Charumanee S, Vejabhikul S, Taesotikul T, Netsingha W, Sirisaad P, Leelapornpisit P. Development of topical anti-inflammatory preparations from *Thunbergia laurifolia* Linn. phase 1 research report. Faculty of Pharmacy Chiangmai University, 1998.
- Chattaviriya P, Morkmek N, Lertprasertsuke N, Ruangyuttikarn W. Drinking *Thunbergia laurifolia* Lindl. leaf extract helps prevent renal toxicity induced by cadmium in rats. *Thai J Toxicology* 2010; 25: 124-32.
- Chivapat S, Chavalittumrong P, Attawish A, Bansiddhi J, Padungpat S. Chronic toxicity of *Thunbergia laurifolia* Lindl. extract. *J Trad Thai Alt Med* 2009; 7: 17-25.
- Chowdhury BA, Friel KJ, Chandra KR. Cadmium-induced immunopathology is prevented by zinc administration in mice. *Nutrition and Immunology* 1987; 117: 1788-94.
- El-Sokkary G, Nafady A, Shabash E. Melatonin administration ameliorates cadmium-induced oxidative stress and morphological changes in the liver of rat. *Ecotox Environ Safe* 2010; 73: 456-63.
- Eum DK, Lee SM, Paek D. Cadmium in blood and hypertension. *Science of the total environment* 2008; 407: 147-53.
- Griffin JL, Walker LA, Troke J, Osborn D, Shore RF, Nicholson JK. The initial pathogenesis of cadmium induced renal toxicity. *Febs Lett* 2000; 478: 147-50.

- Haouem S, Hmad N, Najjar FM, Hani EA, Sakly R. Accumulation of cadmium and its effects on liver and kidney functions in rats given diet containing cadmium-polluted radish bulb. *Exp Toxicol Pathol* 2007; 59: 77-80.
- Honda R, Swaddiwudhipong W, Nishijo M, Mahasakpan P, Teeyakasem W, Ruangyuttikarn W, et al. Cadmium induced renal dysfunction among residents of rice farming area downstream from a zinc-mineralized belt in Thailand. *Toxicol Lett* 2010; 198: 26-32.
- Imed M, Jihen EH, Fatima H, Khaled S, Abdelhamid K. Protective Effects of selenium, zinc, or their combination on cadmium-induced oxidative stress in rat kidney. *Biol Trace Elem Res* 2009; 130: 152-61.
- Jitpuwngam W. The studies of compounds in *Thunbergia laurifolia* Lindl. M.S.Thesis, Chaing Mai University, 1997.
- Jihen EH, Imed M, Fatima H, Abdelhamid K. Protective effects of selenium (Se) and zinc (Zn) on cadmium (Cd) toxicity in the liver and kidney of the rat: Histology and Cd accumulation. *Food Chem Toxicol* 2008; 46: 3522-7.
- Jarup L. Cadmium overload and toxicity. *Nephrol Dial Transpl* 2002; 17: 35-9.
- Joseph P. Mechanisms of cadmium carcinogenesis. *Toxicol Appl Pharm* 2009; 238: 272-9.
- Kanchanapoom T, Kasai R, Yamasaki K. Iridoid glucosides from *Thunbergia laurifolia*. *Phytochemistry* 2002; 60: 769-71.
- Karadeniz A, Cemek M, Simsek N. The effects of Panaxginseng and Spirulina platensis on hepatotoxicity induced by cadmium in rats. *Ecotox Environ Safe* 2009; 72: 231-5.

Klaassen CD, Liu J, Bhalchandra AD. Metallothionein protection of cadmium toxicity. *Toxicol Appl Pharm* 2009; 238: 215-20.

Kocak M, Akcil E. The effects of chronic cadmium toxicity on the hemostatic system. *Pathophysiol Haemost Thromb* 2006; 35: 411-6.

Krairachareon K, Srichaitum N, Rodtong P. The study of active constituents from leaves of *Thunbergia laurifolia* Lindl. Special Problem. Faculty of Pharmacy, Chiang Mai University, 1999.

Méndez-Armenta A, Ríos C. Cadmium neurotoxicity. *Environ Toxicol Pharm*. 2007; 23: 350-8.

Morales AI, Vicente-Sánchez C, Santiago Sandoval JM, Egido J, Mayoral P, Arevalo MA, et al. Protective effect of quercetin on experimental chronic cadmium nephrotoxicity in rats is based on its antioxidant properties. *Food Chem Toxicol* 2006; 44: 2092-100.

Morkmek N, Chattaviriya P, Lertprasertsuke N, Chuncharunee S, Ruangyuttikarn W. Detoxification of cadmium induced renal and hepatic injuries in rats by *Thunbergia laurifolia* Linld. leaf extract. *Thai J Toxicology* 2010; 25: 116-23.

Morkmek N. Detoxification of cadmium induced renal and hepatic injuries in rats by *Thunbergia laurifolia* Lindl. leaf extract. M.S.Thesis, Chaing Mai University, 2011.

Nambunmee K, Honda R, Nishijo M, Swadiwudhipong W, Nakagawa H, Ruangyuttikarn W. Bone resorption acceleration and calcium reabsorption impairment in a Thai population with high cadmium exposure. *Toxicol Mech Method* 2010; 20: 7-13.

- Nambunmee K, Honda R, Nishijo M, Swaddiwudhipong W, Nakagawa H, Ruangyuttikarn W. High Cadmium exposure in Mae Sot's population is associated with high anemia prevalence. *Thai J Toxicology* 2011; 26: 29-43.
- Nordberg FG. Historical perspectives on cadmium toxicology. *Toxicol Appl Pharm* 2009; 238: 192-200.
- Obioha UE, Suru SM, Ola-Mudathir KF, Faremi TY. Hepatoprotective potentials of onion and garlic extracts on cadmium-induced oxidative damage in rats. *Biol Trace Elem Res.* 2009; 129: 143-56.
- Ola-Mudathir KF, Suru SM, Fafunso MA, Obioha UE, Faremi TY. Protective roles of onion and garlic extracts on cadmium-induced changes in sperm characteristics and testicular oxidative damage in rats. *Food Chem Toxicol* 2008; 46: 3604-11.
- Oonsivilai R, Cheng C, Bomser J, Ferruzzi GM, Ningsanond S. Phytochemical profiling and phase II enzyme-inducing properties of *Thunbergia laurifolia* Lindl. (RC) extracts. *J Ethnopharm* 2007; 114: 300-6.
- Oonsivilai R, Ferruzzi GM, Ningsanond S. Antioxidant activity and cytotoxicity of Rang Chuet (*Thunbergia laurifolia* Lindl.) extracts. *As J Food Ag-Ind* 2008; 1: 116-28.
- Putiyanan S, Chansakaow S, Phrutivorapongkul A, Charoensup W. Standard pharmacoagnostic characteristic of some Thai herbal medicine. *CMU J Nat Sci* 2008; 7: 239-55.
- Panichayupakaranunt P. Rangjert. [online]. Available:  
[http://www.pcog.pharmacy.psu.ac.th/thi/Article/2544/11\\_44/Thunbergia.pdf](http://www.pcog.pharmacy.psu.ac.th/thi/Article/2544/11_44/Thunbergia.pdf)  
[9 Aug 2011].

Praditsathawong S. Horseshoe Crab Poisoning: Report of four cases and the results of treatment with *Thunbergia laurifolia*. *J Trad Thai Alt Med* 2009; 7: 84-8.

Purnima M, Gupta P. Colouring matters from the flowers of *Thunbergia laurifolia*. *J Indian Chem Soc* 1978; 55: 622-3.

Prozialeck WC, Edwards JR, Lamar PC, Liu J, Vaidya VS, Bonventre JV. Expression of kidney injury molecule-1 (Kim-1) in relation to necrosis and apoptosis during the early stages of Cd-induced proximal tubule injury. *Toxicol Appl Pharm* 2009; 238: 306-14.

Panyamoon A, Nambunmee K, Nishijo M, Swaddiwudhipong W, Ruangyuttikarn W. Detection of urinary kidney injury molecule-1 in a chronic cadmium exposed population, Mae Sot district, Tak province. *Thai J Toxicology* 2009; 24: 72-80.

Ruangyuttikarn W. The pharmacological studies of Rang Jert leaves. M.S.Thesis, Chaing Mai University, 1980.

Renugadevi J, Prabu SM. Naringenin protects against cadmium-induced oxidative renal dysfunction in rats. *Toxicology* 2009; 256: 128-34.

Renugadevi J, Prabu SM. Quercetin protects against oxidative stress-related renal dysfunction by cadmium in rats. *Exp Toxicol Pathol* 2010a; 62: 471-81.

Renugadevi J, Prabu SM. Cadmium-induced hepatotoxicity in rats and the protective effect of naringenin. *Exp Toxicol Pathol* 2010b; 62: 171-81.

Simmon WR, Pongsakul P, Saiyasitpanich D, Klinphoklap S. Elevated levels of cadmium and zinc in paddy soils and elevated levels of cadmium in rice grain downstream of a zinc mineralized area in Thailand: implications for public health. . *Environ Geochem Hlth* 2005; 27: 501-11.

Suru S. Onion and garlic extracts lessen cadmium-induced nephrotoxicity in rats. *Bio Metals* 2008; 21: 623-33.

Swaddiwudhipong W, Limpatanachote P, Mahasakpan P, Krinratun S, Padungtod C. Cadmium-exposed population in Mae Sot District, Tak Province: 1. prevalence of high urinary cadmium levels in the adults. *J Med Assoc Thai* 2007; 90: 143-8.

Swaddiwudhipong W, Mahasakpan P, Limpatanachote P, Krinratun S. Correlations of urinary cadmium with hypertension and diabetes in persons living in cadmium-contaminated villages in northwestern Thailand: A population study. *Environ Res* 2010; 110: 612-6.

Tangpong J, Satarug S. Alleviation of lead poisoning in the brain with aqueous leaf extract of the *Thunbergia laurifolia* (Linn.). *Toxicol Lett* 2010; 198: 83-8.

Tarasub N, Narula K, Devakul Na Ayutthaya W. Effects of curcumin on cadmium-induced hepatotoxicity in rats. *Thai J Toxicology* 2008; 23: 100-7.

Teeyakasem W, Nishijo M, Honda R, Satarug S, Swaddiwudhipong W, Ruangyuttikarn W. Monitoring of cadmium toxicity in a Thai population with high-level environmental exposure. *Toxicol Lett* 2007; 169: 185-95.

Thijssen S, Maringwa J, Faes C, Lambrechts I, Kerkhove EV. Chronic exposure of mice to environmentally relevant, low doses of cadmium leads to early renal damage, not predicted by blood or urine cadmium levels. *Toxicology* 2007; 229: 45-56.

Thompson J, Bannigan J. Cadmium: Toxic effects on the reproductive system and the embryo. *Reproductive Toxicology* 2008; 25: 304-15.

Thongsaard W, Marsden CA. A herbal medicine used in the treatment of addiction mimics the action of amphetamine on in vitro rat striatal dopamine release. *Neurosci Lett* 2002; 329: 129-32.

Wagner WL, Herbst DR, Sohmer SH. Manual of the flowering plants of Hawai'i. 2 vols. Bishop Museum Special Publication 83, University of Hawai'i and Bishop Museum Press, Honolulu, HI, 1999.

WHO, "Environmental health criteria 134: Cadmium", World health Organization, Geneva, 1992.

Wisitpongpan W, Ruangyuttikarn W, Rujjanavet C. Toxicity tests of Rang Jert (*Thunbergia laurifolia* Linn.) leaves aqueous extracts in rats. *Thai J Phytopharm* 2003; 10: 23-36.

Yang LY, Wu KH, Chiu WT, Wang SH, Shih CM. The cadmium-induced death of mesangial cells results in nephrotoxicity. *Autophagy* 2009; 4: 571-2.

Zalups RK, Ahmad S. Molecular handling of cadmium in transporting epithelia.

*Toxicol Appl Pharm* 2003; 186: 163-88.