

REFERENCES

Abed, R. M. M., Garcia-Pichel, F. and Hernández-Mariné, M. 2002. Polyphasic characterization of benthic, moderately halophilic, moderately thermophilic cyanobacteria with very thin trichomes and the proposed of *Halomicronema excentricum* gen. nov., sp. nov. *Archive Microbiology*, 177(5):361-370.

Abed, R. M. M., Dobrestov, S, Al-Krarusi, S, Schramm, A, Jupp, B. and Golubic, S. 2011. Cyanobacterial diversity and bioactivity of inland hypersaline microbial mats from a desert stream in the sultanate of Oman. *Fottea*, 11(1):215-225.

Allen, M. B. and Arnan, D. I. 1955. Studies on nitrogen fixing blue-green algae I: Growth and nitrogen fixation by *Anabaena cylindrica*. *Plant Physiology*, 30:366-372.

Anagnostidis, K. (1961). *Untersuchungen über die Cyanophyceen einiger Thermen in Griechenland*. (pp.1-322). Institute of Systematic Botany, Pflanzengeogr, Univ. Thessaloniki.

Anagnostidis, K. and Komarek, J. 1985. Modern approach to the classification system of cyanophytes 1-Introduction. *Archive Hydrobiology Supplement* 71, *Algological Studies*, 38/39:291-302.

Anagnostidis K and Komarek J. 1988. Modern approach to the classification system of cyanophytes 3-Oscillatoriales. *Archive Hydrobiology Supplement* 80, *Algological Studies*, 50/53:327-472.

Anagnostidis, K. and Komarek, J. 1990. Modern approach to the classification system of cyanophytes 5-Stigonematales. Archive Hydrobiology Supplement 86, Algological studies, 59:1-73.

Apte, S. K. and Thomas, J. 1980. Sodium is require for nitrogenase activity in cyanobacteria. Current Microbiology, 3:291-293.

Asha, K. R. T., Vinitha, D. A. J., Kiran, S. G., Manjusha, W. A. and Salvin, J. 2005. Isolation and cultivation of halophilic archaea from solar salterns located in peninsular coast of India. The International Journal of Microbiology, 1:2.

Baker, J. A., Entsch, B., Neilan, B. A. and McKay, D. B. 2002. Monitoring changing toxigenicity of a cyanobacterial bloom by molecular methods. Applied Environmental Microbiology, 68(12):6070-6076.

Batterton, J. C. Jr. and Van Baalen. C. 1971. Growth responses of blue green algae to sodium chloride concentrations. Archives Microbiology, 76:151-165.

Bauld. J. (1984). Microbial mats in marginal marine environments: Shark Bay, Western Australia, and Spencer Gulf, South Australia. in Y, Cohen., R.W. Castenholz and H. O. Halvorson (eds), *Microbial mats: stromatolites* (pp.39-58), Alan R. Liss Inc., New York.

Ben-Amotz, A. and Arvon, M. 1983. Accumulation of metabolites by halotolerant algae and its industrial potential. Annual Reviews Microbiology, 37:95-119.

Bernt, K., Canfield, D. E., Teske, A. P. and Oren, A. 2005. Community composition of a hypersaline endoevaporitic microbial mat. *Applied and Environmental Microbiology*, 71:7352-7365.

Bold, H. C. and Wynne, M. J. (1978). *Introduction to the Algae: Structure and Reproduction*. New Jersey: Prentice-Hall.

Borge, O. 1933. Schwedisch-Chinesische Wissenschaftliche Expedition den Northwestlichen Provinzen Chinas. *Arkiv für Botanik*, 25A (17):1-18.

Borowitzka, L. J., Demmerle, S., Mackay, M. A. and Norton, R. S. 1980. Carbon-13 nuclear magnetic resonance study of osmoregulation in a blue-green alga. *Science*, 210(4470):650-651.

Borowitzka, L.J. 1981. The microflora: Adaptation to life in extremely saline lakes. *Hydrobiologia*, 81:33-46.

Brock, T. D. 1973. Lower pH limit for the existence of blue-green algae; evolutionary and ecological implication. *Science*, 179:480-483.

Burn, B. P., Goh, F., Allen, M. and Neilan, B. A. 2004. Microbial diversity of extent stromatolites in the hypersaline marine environment of Shark Bay, Australia. *Environmental Microbiology*, 6:1096-1101.

Campbell, S. E. and Golubic, S. 1985. Benthic cyanophytes (cyanobacteria) of Solar Lake (Sinai). *Archive Hydrobiology*, 71(1/2):311-329.

Carr, N. G. and Whitton, B. A. (1982). *The Biology of cyanobacteria: Botanical Monographs 19*. Oxford: Blackwell.

Castenholtz, R. (1981). Isolation and cultivation of thermophilic cyanobacteria. in M.P. Starr, H. Stolp, H. G. Trüper, A. Balows and H. G. Schlegel (eds.), *A handbook on habitats, isolation and identification of bacteria*, Vol. I (pp. 236-246), Berlin: Springer-Verlag.

Caumette, P., Matheron, R., Raymond, N. and Relexans, J. C. 1994. Microbial mat in the hypersaline pond of Mediterranean salterns (Salins-de-Giraud, France). *FEM Microbiology Ecology*, 13:273-286.

Chapman, A. D. and Schelske, C. L. 1997. Recent appearance of *Cylindrospermopsis* (Cyanobacteria) in five hypereutrophic Florida lakes. *Journal of Phycology*, 33:191-195.

Chatchawan, T., Peerapornpisal, Y. and Komárek, J. 2011. Diversity of cyanobacteria in man-made solar saltern, Petchaburi Province, Thailand-a pilot study. *Fottea*, 11(1):203-214.

Chatchawan, T., Komárek, J., Strunecky, O., Šmarda, J. and Peerapornpisal, Y. 2012. *Oxynema*, a new genus separated from the genus *Phormidium* (Cyanophyta). *Cryptogamie/Algologie*, 33(1):41-59.

Christer, J. and Trent, N. 2010. Calcifying cyanobacteria-the potential of biomineralization for carbon capture and storage. *Current Opinion in Biotechnology*, 21:1-7.

Claus, G. 1961. Contribution to the knowledge of the blue-green algae of the Salzlackengebiet in Austria. *International Review gesamten Hydrobiologie*, 46(4):514-541.

Cohen, Y. and Ideses, R. 1989. Hypersaline cyanobacterial mats: environmental manipulations for the production of specific carotenoids and specific polysaccharides. in S. Miyachi, I. Karube and Y. Ishida (Eds.), *Current topics in marine biotechnology* (pp.135-138), Tokyo : Japanese Society for Marine Biotechnology.

Cohen, Y., Krumbein, W. E. and Shilo, M. 1977. Solar Lake (Sinai). 2. Distribution of photosynthetic microorganisms and primary production. *Limnology and Oceanography*, 22(4):609-620.

Das Sarma, S. and Arora, P. 2001. Halophiles. *Encyclopedia of life science*. Nature Publishing Groups, 8:458-466.

Deepa, D. S., Gunapati, O., Indrama, D., Oinam, Th., Avijeet, S., Tiwari, O. N. and Sharma, G. D. 2010. Ecology and Biodiversity Analysis of Cyanobacteria. *Assam University Journal of Science & Technology: Biological and Environmental Sciences*, 5(1):6-13.

Dennis, P. P. and Shimmin, L. C. 1997. Evolutionary divergence and salinity – mediated selection in halophilic archaea. *Microbiology and Molecular Biology Review*, 61(1):90-104.

Desikachary, T. V. (1959). *Cyanophyta*. ICAR Monographs, New Delhi: Indian Council of Agriculture Research Publisher.

Dor, I. and Hornoff, M. (1985). Salinity – temperature relations and morphotypes of a mixed population of coccoid cyanobacteria from a hot, hypersaline pond in Israel. in A., Oren *Salt and brines*, in B. A. Whitton and M. Potts (eds), *The ecology of cyanobacteria: Their diversity in time and space* (pp. 234-306), Dordrecht : Kluwer Academic Publishers.

Embry, T.M. and Stackebrandt, E. (1997). Species in practice: exploring uncultured prokaryote diversity in natural samples. in M.F. Claridge, H.A. Dawah, and Wilson, M.R. (eds), *Species: The units of biodiversity* (pp. 61-81). London: Chapman and Hall.

Erdmann, N. and Hagemann, M. (2001). Salt acclimation of algae and cyanobacteria: A comparison. in L. C. Rai and J. P. Gaur (Eds.), *Algal adaptation to environmental stresses: physiological, biochemical and molecular mechanisms* (pp. 323-361), Berlin : Springer-Verlag,

Finni, T., Kononen, K., Olsonen, R. and Wallström, K. 2001. The history of cyanobacterial blooms in the Baltic Sea. *A Journal of the Human Environment*, 30(4):172-178.

Fogg, G. E., Stewart, W. D. P., Fay, P. and Walsby, A. E. (1973). *The blue-green algae*. London: Academic Press.

Garcia-Pichel, F., Prufert-Bebout, F. and Muyzer, G. 1996. Phenotypic and phylogenetic analyses show *Microcoleus chthonoplastes* to be a cosmopolitan cyanobacterium. *Applied Environmental Microbiology*, 62:3284-3291.

Garcia-Pichel, F., Nübel, U., Muyzer, G. 1998. The phylogenetic of unicellular, extremely halotolerant cyanobacteria. *Archives of Microbiology*, 169:469-482.

morphological diversity of cyanobacteria in soil desert crusts from the Colorado Plateau. *Applied Environmental Microbiology*, 67:1902-1910.

Gerasimenko, L. M., Mitiushina, L. L. and Namasaraev, B. B. 2003. Mats of *Microcoleus* from alkaliphilic and halophilic communities. *Mikrobiologia*, 72(1):84-92.

Gilmour, D. (1990). Halotolerant and halophilic microorganisms. in C. Edwards (ed.), *Microbiology of extreme environments* (pp. 147-177), Milton Keynes: Open University Press.

Golubic, S. 1980. Halophily and halotolerance in cyanophytes. *Original of Life*, 10:169-183.

Gomont, M. 1899: Sur quelques Oscillariées nouvelles. *Bulletin de la Société Botanique, France* 46:25-43.

Gomont, M. 1982. Monographie des Oscillariées. *Annales des Sciences Naturelles; Botanique*, 7 Sér 15:263-368; 16:91-264. J Crammer, Weinheim.

Hall, T. A. 1999. BioEdit: a user – friendly biological sequence alignment editor and analysis program for windows 95/98/NT. *Nucleic Acids Synposium*, 41:95-98.

Halldal, P. and French, C.S. 1958. Algal growth in the crossed gradients of light intensity and temperature. *Physiologia Plantarum*, 11:401-420.

Heresztyn, T. and Nicholson, B. C. 1996. Nodularin concentrations in Lake Alexandrina and Albert, South Australia, during a bloom of the cyanobacterium (blue-green algae) *Nodularia spumigena* and degradation of the toxin. *Environmental Toxicology and Water Quality*, 12(4):273-282.

Hernández-Mariné, M. 1996. Electron microscopic characterization of *Microcoleus chthonoplastes* Thuret (cyanobacteria). *Archive Hydrobiology/Algological Studies*, 83:347-365.

Hof, T. and Frey, P. 1933. On myxophyceae living in strong brines. *Rec Trav Bot Gnarl*, 30:140-162.

Howsley, R. and Pearsons, H.W. 1979. pH dependent sulphide toxicity to oxygenic photosynthesis in cyanobacteria. *FEM. Microbiology Letter*, 6:287-292.

Huelsenbeck, J. P. and Ronquist, F. 2001. MRBAYES: Bayesian inference of phylogeny bioinformatics. 17:754-755.

Irisarri, P. (2006). Hand book of microbial biofertilizers. in R. M. Rai (ed.), *Hand book of microbial biofertilizers* (pp. 417-458), New York: Haworth Press.

Javor, B. A. 1989. Hypersaline environments. *Microbiology and Biogeochemistry*. Springer-Verlag, Berlin.

Jensen, D. B., Torn, M. and Harte, J. 1990. In our own hands: A strategy for conserving biological diversity in California. California Policy Seminar, University of California, Berkeley.

Jørgensen, B.B. and Cohen, Y. 1977. Solar lakes (Sinai) 5. The sulfur cycle of the benthic cyanobacterial mats. *Limnology Oceanography*, 22:657-666.

Katoh, K. and Toh, H. 2010. Parallelization on MAFFT multiple sequence alignment program. *Bioinformatics*, 26:1899-1900.

Kellenberger, E., Ryter, A. and Sechaud, J. 1958. Electron microscope study of DNA-containing plasms II. Vegetative and mature phage DNA as compared with normal bacterial nucleoids in different physiological states. *Journal of Biophysiological and Biochemical Cytology*, 4:671-678.

Kirkwood, A. E., Buchheim, J. A, Buchheim, M. A. and Henley, W. J. 2007. Cyanobacterial diversity and halotolerance in a variable hypersaline environment. *Microbial Ecology*, 42:537-547.

Kirkwood, A. and Henley, W. 2006. Algal community dynamics and halotolerance in a terrestrial hypersaline environment. *Journal of Phycology*, 42:537-547.

Komárek, J. 2003. Coccoid and colonial cyanobacteria. in J. D. Wehr and R. G. Sheath (eds.), *Freshwater algae of north America: Ecology and classification* (pp. 55-116), California: Academic Press.

Komarék, J. and Anagnostidis, K. 1989. Modern approach to the classification system of Cyanophytes 4-Nostocales. *Archive Hydrobiology Supplement*, 82:3(Algological Studies), 56:247-345.

Komarék, J. and Anagnostidis, K. (1998). *Cyanoprokaryota: Chroococcales, I. Teil*. München: Gustav fischer Verlaq.

- Komárek, J. and Anagnostidis, K. 2005. *Cyanoprokaryota: Oscillatoriales, II*. München : Spektrum Akademischer Verlag.
- Komárek, J. and Lukavský, J. 1988. *Arthronema*, a new cyanophyte genus from Afro-Asian deserts. *Algological Studies*, 50-53:249-267.
- Komárek, J., Kaštovský, J., Ventura, S. Turicchia, S. and Šmarda, J. 2009. The cyanobacterial genus *Phormidesmis*. *Algological Studies*, 129:41-59.
- Krehenbrink, M. Oppermann-Sanio, F. B. and Steinbüchel, A. 2002. Evaluation of non-cyanobacterial genome sequences for occurrence of genes encoding proteins homologous to cyanophycin synthetase and cloning of an active cyanophycin synthetase from *Acinetobacter* sp. strain DSM 587. *Archives Microbiology*, 177(5): 371-380.
- Kushner, D. J., (1978). Life in high salt and solute concentrations. in D. J. Kushner (ed), *Microbial life in extreme environments* (pp. 317-368), London: Academic Press.
- Kushner, D. J. and Kamekura, M. (1988). Physiology of halophilic eubacteria. In F. Rodriguez-Valera and F. L. Boca Raton (eds). *Halophilic bacteria* (pp. 109-138), Florida: CRC Press.
- Kvíděrová, J. and Lukavský, J. 2001. A new unit for crossed gradients of temperature and light. *Nova Hedwigia: Algae and extreme environments*, 123:541-550.

- Kvíděrová, J. and Lukavský, J. 2005. The comparison of ecological characteristics of *Stichococcus* (Chlorophyta) strains isolated from polar and temperature regions. *Algological Studies*, 118:127-140.
- Lane, D. J. 1991. 16S/23S rRNA sequencing. in E. Stackebrandt and M. Goodfellow (eds). *Nucleic acid techniques* (pp. 115-175), New York : John Wiley and Sons.
- Lavens, P. and Sorgeloos, P. 1996. Manual on the production and use of live food for aquaculture (295 pp.). FAO Fisheries technical paper No.361, Rome.
- Lee, R. E., (1999). *Phycology*. Third edition (pp.67–103). London : Cambridge University Press,
- Lewmanomont, K., Wongrat, L. and Supanwanid, C. (1995). *Algae in Thailand*. Office of Environmental Policy and Planning, Ministry of Science & Technology. Bangkok.
- Mackay, M.A., Norton, R.S. and Borowitzka, L.J. 1984. Organic osmoregulatory solutes in cyanobacteria. *Journal of General Microbiology*, 130:2177-2191.
- Margheri, M. C., Bosco, M., Giovannetti, L. and Ventura, S. 1999. Assessment of the genetic diversity of halotolerant coccoid cyanobacteria using amplified 16S rDNA restriction analysis. *FEMS. Microbiology Letters*, 173:9-16.
- Margheri, M. C., Ventura, S., Kaštovský, J. and Komárek, J. 2008. The taxonomic validation of the cyanobacteria genus *Halotheca*. *Phycologia*, 47(5):477-486.
- Mazur, H. and Plinska, M. 2003. *Nodularia spumigena* blooms and the occurrence of hepatotoxin in the Gulf of Gdansk. *Oceanologia*, 45(1):305-316.

Montoya, H. (2009). Algal and cyanobacterial saline biofilms of the Grande coastal lagoon, Lima, Peru. in A. Oren, D.Naftz, P.Palacios and W. A. Wurtsdaugh (eds.), *Saline Lakes Around the World: Unique Systems with Unique Values* (pp. 127-134). Natural Research and Environmental Issues Volume 15.

Nagasathya, A. and Thajuddin, N. 2008. Cyanobacterial diversity in the hypersaline environment of the saltpans of southeastern coast of India. *Asian Journal of Plants Sciences*, 7:5:473-478.

Nicholson, J., Stolz, D.F. and Pierson, B.K. 1987. Structure of a microbial mat at Great Sippewissett Marsh, Cape Cod, Massachusetts. *FEMS Microbial Ecology*, 45:343-364.

Nübel, U, Garcia-Pichel, F. and Muyzer, G. 1997. PCR primers to amplify 16S rRNA genes from cyanobacteria. *Applied Environment Microbiology*, 63:3327-3332.

Oliva, M. G., Lugo, A., Alcocoer, J., Peralta, L. and Oseguera, L. A. (2009). Planktonic bloom-forming *Nodularia* in the Saline lake Alchichica, Mexico. in A. Oren, D.Naftz, P.Palacios and W. A. Wurtsdaugh (eds.), *Saline Lakes Around the World: Unique Systems with Unique Values* (pp. 121-126). Natural Research and Environmental Issues Volume 15.

Olson, J.M. 2001. Photosynthesis in the archaean era. *Photosynthesis Research*, 88:109-117.

Ollivier, B., Caumette, P., Garcia, J. L. and Mah, R. A. 1994. Anaerobic bacteria from hypersaline environments. *Microbiological Reviews*, 58(1):27-38.

Oren, A. and Seckbach, J. (2001). Oxygenic photosynthetic microorganisms in extreme environments. in J. Elster, J. Seckbach, W. F. Vincent and O. Lhotsky (eds.), *Algae and extreme environments: Ecology and physiology*. Nova Hedwigia, 123:13-31.

Oren, A. (2000). Salt and brines. in: B. A. Whitton and M. Potts (eds), *The ecology of cyanobacteria: Their diversity in time and space* (pp. 280-306), Dordrecht : Kluwer Academic Publishers.

Oren, A. (2002). Halophilic microorganisms and their environments. in *Cellular origin and life in extreme habitats*. Dordrecht : Kluwer Academic Publishers.

Oren, A. 2008. Microbial life at high salt concentrations; phylogenetic and metabolic diversity. *Saline Systems*, 4:2.

Oren, A., Danny, L., Hindiyan, M., and Malkawi, H. 2008. Microalgae and cyanobacteria of the Dead Sea and its surrounding springs. *Israel Journal of Plants Sciences*, 56(1-2):1-13.

Padhi, H., Rath, B. and Adhikary, S. P. 1998. Tolerance of nitrogen-fixing cyanobacteria to NaCl. *Biologia Plantarum*, 40:261-268.

Peerapornpisal, Y. (2005). *Freshwater algae of Northern Thailand*. Chiang Mai: Chotana Printing.

Pentecost, A and Whitton, B. A. (2000). Limestones. in B. A. Whitton and M. Potts (eds), *The ecology of cyanobacteria: Their diversity in time and space* (pp. 257-279), Dordrecht: Kluwer Academic Publishers.

Pierson, B, Oesterle, A. and Murphy, G.L. 1987. Pigments, light penetration, and photosynthetic activity in the multi-layered microbial mats of Great Sippewisset salt marsh, Massachusetts. FEMS. Microbial Ecology, 45:365-376.

Post, F. J. 1977. The microbial ecology of the great salt lake. Microbial Ecology, 3: 143-165.

Post, F. J. 1981. Microbiology of the great salt lake north arm. Hydrobiologia, 81:59-69.

Power, I. M., Wilson, S. A., Thom, J. M., Dopple, G. M., Southam, G. 2007. Biologically induced mineralization of dypingite by cyanobacteria from an alkaline wetland near Altin, British Columbia, Canada. in C. Jansson and T. Northen (eds.), *Calcifying cyanobacteria – the potential of biomineralization for carbon capture and storage*. 2010. Current Opinion in Biotechnology, 21:1-7.

Prommana, P., Peerapornpisal, Y., Whangchai, N., Morrison, L. F., Metcalf, J. S., Ruangyuttikarn, W. and Cod, G. A. 2006. Microcystins in cyanobacterial blooms from two freshwater prawn (*Macrobrachium rosenbergii*) ponds in Northern Thailand. Science Asia, 32:356-370.

Quispel, A. (1974). *The biology of nitrogen fixation*. Amsterdam. North-Holland : Publishing Company.

Richert, L., Golubic, S., Le quédès, R., Herué, A. and Payri, C. 2006. Cyanobacterial populations that build “kopara” microbial mat in Rangiroa, Tuamotu Archipelago, French Polynesia. European Journal of Phycology, 41(3):259-279.

- Rino, J.A. 1972. Contribução para o conhecimento das algas de agua doce de Moçambique III. *Revista de Ciencias Biologicas*, ser A, 5:121-264.
- Rippka, R., Deruelles, J., Waterbury, J. B., Herdman, M. and Stanier, R. Y. 1975. Generic assignments strain histories and properties of pure cultures of cyanobacteria. *Journal of General Microbiology*, 111:1-61.
- Roger, P. A. and Kulasooriya, S. A. (1980). *Blue-green algae and rice*. Manila : The international rice research institute.
- Roger, P. A., Santiago-Ardales, S. Reddy, P. M. and Watanaabe, I. 1987. The abundance of heterocystous blue-green algae in rice soils and inocula used for application in rice fields, *Biology and Fertility of Soils*, 5:98-105.
- Roussomoustakaki, M. 1996. Variability and adaptations of some halobiotic cyanophytes in solar salt works and under stressing laboratory conditions (abstract). *Algological Studies*, 83:483-484.
- Santos, H., and Da Costa, M. S. 2002. Compatible solutes of organisms that live in hot saline environments. *Environmental Microbiology*, 4:501-509.
- Satyanarayana, T., Raghukumur, C. and Shivaji, S. 2005. Extremophilic microbes; diversity and perspectives. *Current Science*, 89:78-90.
- Siegesmund, M., Johansen, J., Karsten, U and Friedl, T. 2008. *Coleofasiculus* gen. nov. (Cyanobacteria): Morphological and Molecular criteria for revision of the genus *Microcoleus* Gomont. *Journal of Phycology*, 44:1572-1585.
- Siver, P.A. 1983. A new thermal gradients device for culturing algae. *British Phycological Journal*, 18(2):159-164.

Sivonen, K., Kononen, K., Carmichael, W. W., Dahlem, A. M., Rineltart, K. L., Kiviranta, J. and Niemela, I. 1989. Occurrence of the hepatotoxin cyanobacterium *Nodularia spumigena* in the Baltic Sea and structure of the toxin. *Applied Environmental Microbiology*, 55(8):1990-1995.

Soil Science Society of America. 1996. Methods of soil analysis part 3 chemical methods (pp1-1200), American society of soil sciences and agronomy, Wisconsin.

Sompong, U. (2006). *Morphological and phylogenetic criteria in taxonomic studies of cyanobacteria at some hot spring areas in Thailand*. Ph.D's thesis. Chiang Mai University, Chiang Mai, Thailand.

Stal, L. J. (2000). Cyanobacterial mat and stromatolites. In B. A. Whitton and M. Potts (eds), *The ecology of cyanobacteria: Their diversity in time and space* (pp. 61-120), Dordrecht : Kluwer Academic Publishers.

Stanier, R.Y., Kunisawa, R., Mandel, M. and Cohen-Bazire, G. 1971. Purification and properties of unicellular blue-green algae (Order Chroococcales). *Bacteriological Reviews* 35:171-205. [Appendix B]

Stanier, R. Y., Cohen – Bazire, G. 1977. Phototrophic prokaryotes: the cyanobacteria 1. *Annual Review of Microbiology*, 31:225-74.

Stewart, W. D. P. (1966). *Nitrogen fixation in plants*. London: Athlone Press.

Strunecký, O., Elster, J. and Komárek, J. 2010. Phylogenetic relationships between geographically separate *Phormidium* cyanobacteria: Is there a link between north and south polar regions?. *Polar Biology*, 33:1419-1428.

Strunecký, O., Elster, J. and Komárek, J. 2011. Taxonomic revision of the freshwater cyanobacterium "*Phormidium murrayi*" = *Wilmottia murrayi*. *Fottea*, 11(1):57-71.

Swofford, D. L. 2001. PAUP*:phylogenetic analysis using pasimony (and other methods) 4.0 Beta. Florida State Univrsity, CD Rom.

Tamura, K., Peterson, D., Peterson, N., Stecher, G., Nei, M. and Kumar, S. 2007. Mega 5: Molecular evolutionary genetic analysis using maximum likelihood, evolutionary distance, and maximum pasimony methods. *Molecular Biology and Evolution*, 28(10):2731-2739.

Turicchia, S., Ventura, S., Komárková, J. and Komárek, J. 2009. Taxonomic evaluation of cyanobacterial microflora from alkaline marshes of northern Belize. 2. Diversity of oscillatorialelean genera. *Nova Hedwigia*, 89(1-2):165-200.

United States Salinity Labolatory Staff. 1954. Diagnosis and improvement of saline and alkaline soils. Agriculture handbook. No. 60. United States Deparment of Agriculture: in Im-Erb, R. and Arunun, S. 2001. Saline soils. (pp. 1-330), Land Development Department.

Ventosa, A. 2006. Unusual micro-organisms from unusual habitats: hypersaline environments. in Longan, N.A., Lappin-Scott, H.M. and Oyston, P.C.F. (eds), *Prokaryotic diversity – mechanisms and significance* (pp. 223-253), Cambridge University Press.

Vinogradova, O. M. and Darienko, T. M. 2008. Terrestrial algae of hypersaline environments of the central Syvash Islands (Kherson region, Ukraine). *Biologia*, 63:6:813-823.

Volcani, B. E. (1944).The microorganisms of the Dead Sea. in: A. Oren (Ed.). *Salt and brines*, in B. A. Whitton and M. Potts,(eds), *The ecology of cyanobacteria: Their diversity in time and space* (pp. 234-306), Dordrecht : Kluwer Academic Publishers.

Vonshak, A., Guy., R. and Guy, M. 1988. The response of filamentous cyanobacterium *Spirulina platensis* to salt stress. *Archives Microbiology*, 150:417-420.

Walsby, A. E., Rijn, van J. and Cohen, Y. 1983. The biology of a new gas-vacuolate cyanobacterium, *Dactylococcopsis salina* sp.nov., in Solar Lake. *Proceedings of the Royal Society of London Biological Sciences*, 217:417-447.

Ward, D.M., Weller, R. and Bateson, M.M. 1990. 16S Ribosomal RNA sequences reveal numerous uncultured microorganisms in a natural community. *Nature*, 345:63-65.

Waterbury, J. B. and Rippka, R. 1989. Subsection I. Order Chlorococcales Wettstein 1924, emend. In: Stanley, J. T., Bryant, M. P., Pfening, N. and Halt, J. G. (eds.), *Bergey's manual of systematic bacteriology*, second edition. Vol. III (pp.1728-1746), Baltimore: Williams and Wilkins.

Wehr, J. D. and Sheath, R. G. 2003. Freshwater algae of North America, ecology and classification. Academic Press. San Diego. U.S.A.

Whitton, B. A. and Potts, M. (2000). Introduction to the cyanobacteria. In: Whitton, B. A. and Potts, M. *The ecology of cyanobacteria: Their diversity in time and space* (pp. 1-11), Dordrecht: Kluwer Academic Publishers.

Wilmotte, A., Van der Auwera, G. and De Wachter, R. 1993. Structure of the ribosomal RNA of the cyanobacterium *Chlorogloeopsis* HTF (*Mastigocladus laminosus* HTF) strain PCC7518, and phylogenetic analysis. *FEMs Letters*, 317:96-100.

Wilmotte, A. and Herdman, M. 2001. Phylogenetic relationships among cyanobacteria based on 16S rRNA sequence. In: Boone, D. R. and Castenholz, R. W. (eds.), *Bergey's Manual of Systematic Bacteriology* (pp. 487-493). Springer, New York.

Yilmaz, M., Philips, E. J. and Tillett, D. 2009. Improved methods for the isolation for cyanobacterial DNA from environmental samples. *Journal of Phycology*, 45:517-521.

Yopp, J. H., Tindall, D. R., Miller, D. M. and Schmid, W. E. 1978. Isolation, purification and evidence for a halophilic nature of the blue-green algae *Aphanothece halophytica* Frey (Chroococcales). *Phycologia*, 17(2):172-178.

Zarrouk, C. 1966. Contribution à l'étude d'une Cyanophycée. Influence de divers facteurs physiques et chimiques sur la croissance et la photosynthèse de *Spirulina maxima*. (Seton et Gardner) Geitler. Ph. Dr. Thèse, University. Paris, France.

Ziegler, K., Diener, A., Herpin, C., Richter, R., Deutzmann, R. and Lockau, W. 1998. Molecular characterization of cyanophycin synthetase, the enzyme catalyzing the biosynthesis of the cyanobacterial reserve material multi-L-arginyl-poly-L-aspartate (cyanophycin). *European Journal of Biochemistry*, 254(1):154-159.

Znachor, P., Jurczak, T., Komárková, J., Jezberová, J., Mankiewicz, J., Kaštovská, K. and Zampomělová, E. 2006. Summer changes in cyanobacterial bloom composition and microcystin concentration in eutrophic Czech reservoirs. *Environmental Toxicology*, 21:236-243.

“Production of Sodium Chloride” 2011. [online]. Available [http://www.lks.ac.th/](http://www.lks.ac.th/student/kroo_su/chem10/notel1.html)

[student/kroo_su/chem10/notel1.html](http://www.lks.ac.th/student/kroo_su/chem10/notel1.html) (25 June 2011).

“Salt productions” 2011. [online]. Available <http://www.mkh.in.th/index.php/2010-03-22-18-05-14/2010-03026-05-53-43> (25 June 2011).

“The Dead Sea” 2011. [online]. Available http://mystic-sea.net/index.php?target=pages&Page_id=DeadSea (27 June 2011).

“Thailand geography” 2011. [online]. Available [http://en.wikipedia.org/wiki/Thai Land#Geography](http://en.wikipedia.org/wiki/Thai_Land#Geography) (1 July 2011).

“Rainfall” 2011. [online]. Available <http://www.tmd.go.th/en/climate.php?flieID=7> (1 July 2011).

“Climatology data of some area in Thailand” 2011. [online]. Available <http://www.tmd.go.th> (4 July 2011)

“*Avicennia marina*” 2011. [online]. Available <http://tmerr.org/invasive/plant.html&plantID=46> (5 July 2011).

“*Rhizophora apiculata*”. [online]. Available www.niobioinformatic.in/mangrovesMANGCD/indo/p22.htm (5 July 2011).

“*Thespesia populnea*”. [online]. Available www.wellgrowherti.com/page/landscape/plants/Trees/Tree%20Images%20T.htm (5 July 2011).

“*Keedad*”. [online]. Available www.samutsongkhram.go.th/km/2.doc (20 July 2012).

“*Step of sea salt production*”. [online]. Available www.lks.ac.th/student/kroo_su/chem3/NaCl_produce.htm. (20 July 2012).

“*What is Keedad?*”. [online]. Available www.kesetporpeang.com/forums/index.php?Topic=752.0 (20 July 2012).