

REFERENCES

- Amiot, C., Lorvelec, O., Mandon-Dalger, I., Sardella, A., Lequilliec, P., and Clergeau, P. 2007. Rapid morphological divergence of introduced Red-whiskered Bulbuls in contrasting environments. *Ibis*, 482-489.
- Anderson, W. W. 2005. Beyond the cockfight: Masculinity and the Thai dove-cooing contest. *Manusya Journal of Humanities*, 9, 80-91.
- Awise, J. C. 1986. Mitochondrial DNA and the evolutionary genetics of higher animals. *Philosophical Transactions of the Royal Society of London Series B*, 312, 325-342.
- Balakrishnan, C. N. 2010. Parental care strategies of Grey-headed Bulbul, *Pycnonotus priocephalus*, in the Western Ghats, South India. *Current Science*, 98: 5, 673-680.
- Barker, M. C., and Boylan, J. T. 1999. Singing behavior, mating associations and reproductive success in a population of Hybridizing Lazuli and Indigo Buntings. *Condor*, 101: 3, 493-504.
- Becker, G. J. L., and Ten Cate, C. 2001. Perceptual relevance of species-specific differences in acoustic signal structure in *Streptopelia* Doves. *Animal Behaviour*, 62: 3, 511-518.
- Bensch, S., Irwin, D. E., Irwin, J. H., Kvist, L., and Åkesson, S. 2006. Conflicting patterns of mitochondrial and nuclear DNA diversity in *Phylloscopus* warbler. *Molecular Ecology*, 15, 161-171.
- Bhatt, D., and Kumar, A. 2001. Foraging ecology of Red-vented Bulbul *Pycnonotus cafer* in Haridwar, India. *Forktail*, 17, 109-110.
- Bradbury, J. W., and S. L. Vehrencamp. 2011. *Principles of Animal Communication*, 2nd Edn. Sunderland, MA, USA: Sinauer Associates.
- Brooks, R. J., and Falls, J. B. 1975. Individual recognition by song in White-throated Sparrows. III. Song features used in individual recognition. *Canadian Journal of Zoology*, 53, 1749-1761.
- Cadena, C. D., and Cuervo, A. M. 2010. Molecules, ecology, morphology, and songs in concert: how many species is *Arremon torquatus* (Aves: Emberizidae)? *Biological Journal of the Linnean Society*, 99, 152-176.

- Cardoso, G. C., and Price, T. D. 2010. Community convergence in bird song. *Evolutionary Ecology*, 24, 447-461.
- Catchpole, C. K., and Slater, P. J. 2008. *Bird Song: Biological Themes and Variations*, 2nd Edn.). Cambridge University Press.
- Chang, H. -W., Chou, Y. -C., Su, Y. -F., Cheng, C. -A., Yao, C. -T., Tsai, C. -L., Lee, H. -C., Wen, C. -H., and Cheng, C. -C. 2010. Molecular phylogeny of the *Pycnonotus sinensis* and *Pycnonotus taivanus* in Taiwan based on sequence variations of nuclear CHD and mitochondrial *cytochrome b* genes. *Biochemical Systematics and Ecology*, 38, 195-201.
- Chatterjee, S., and Price, B. 1977. *Regression Analysis by Example*. New York, USA: John Wiley & Sons.
- Clergeau, P., and Mandon-Dalger, I. 2006. Fast colonization of an introduced bird: the case of *Pycnonotus jocosus* on the Mascarene Islands. *Biotropica*, 33, 542-546.
- Corlett, R. T. 1998. Frugivory and seed dispersal by birds in Hong Kong shrubland. *Forktail*, 13, 23-27.
- Dobzhansky, T. 1937. *Genetics and the origin of species*. New York: Columbia University Press.
- Fishpool, L., and Tobias, J. 2005. Family Pycnonotidae (Bulbuls). In d. H. J., E. A., & D. A. Christie, *Handbook of the Birds of the World*, Vol. 10. Cuckoo-shrikes to Thrushes. Barcelona: Lynx Edicions.
- Fukui, A. W. 1995. The role of the Brown-eared Bulbul *Hypsypetes amaurotis* as a seed dispersal agent. *Research on Population Ecology*, 37: 2, 211-218.
- Gaston, K. J. 2000. Global patterns in biodiversity. *Nature*, 405, 220-227.
- González, C., Ornelas, J. F., and Gutiérrez-Rodríguez, C. 2011. Selection and geographic isolation influence hummingbird speciation: genetic, acoustic and morphological divergence in the Wedge-tailed Sabrewing (*Campylopterus curvipennis*). *BMC Evolutionary Biology*, 11: 38, 1-19.
- Goodale, E. and Kotagama, W. S. 2005. Alarm calling in Sri Langkan mixed-species bird flocks. *Auk*, 122: 1, 108-120.
- Grant, B. R., and Grant, P. R. 1996. Cultural inheritance of song and its role in the evolution of Darwin's finches. *Evolution*, 50: 6, 2471-2487.

- Grava, T., Mathevon, N., Place, E., and Balluet, P. 2008. Individual acoustic monitoring of the European Eagle Owl *Bubo bubo*. *Ibis*, 150, 279-287.
- Grether G. F., Losin, N., Anderson, N. C., and Okamoto, K. 2009. The role of interspecific interference competition in character displacement and the evolution of competitor recognition. *Biological Reviews*, 84, 617-635.
- Griffiths, R. and Korn, M. R. 1997. A CHD1 gene is Z chromosome linked in the chicken *Gallus domesticus*. *Gene*, 197, 225-229.
- Griffiths, R., Double, M. C., Orr, K., and Dawson, J. G. R. 1998. A DNA test to sex most birds. *Molecular Ecology*, 7, 1071-1075.
- Haselmayer, J., and Quinn, J. S. 2000. A comparison of point counts and sound recording as bird survey method in Amazonian southeast Peru. *Condor*, 102, 887-893.
- Irwin, D. E., Thimgan, M. P., and Irwin, J. H. 2008. Call divergence is correlated with geographic and genetic distance in Greenish Warblers (*Phylloscopus trochiloides*): a strong role for stochasticity in signal evolution? *Journal of Evolutionary Biology*, 21, 435-448.
- Irwin, D. E. 2000. Song variation in an avian ring species. *Evolution*, 54: 3, 998-1010.
- Irwin, D. E., Bensch, S., and Price, T. D. 2001. Speciation in a ring. *Nature*, 409, 333-337.
- Johansson, U. S., Fjeldså, J., Lokudalappatti S. L. G., and Bowie, R. C. K. 2007. A nuclear DNA phylogeny and proposed taxonomic revision of African Greenbul (Aves, Passeriformes, Pycnonotidae). *Zoologica Scripta*, 36: 5, 417-427.
- Johnson, K. P., De Kort, S., Dinwoodey, K., Mateman, A. C., Ten Cate, C., Lessells, C. M., and Clayton, D. H. 2001. A molecular phylogeny of the dove genera *Streptopella* and *Columba*. *Auk*, 118: 4, 874-887.
- Kahn N. W., St. John, J., and Quinn, T. W. 1998. Chromosome-specific intron size differences in the Avian CHD gene provide an efficient method for sex identification in birds. *Auk*, 115: 4, 1074-1078.
- Kirschel, A. N. G., Blumsteina, D. T., and Smith T. B. 2009. Character displacement of song and morphology in African Tinkerbirds. *Proceedings of the National Academy of Sciences* 106, 8256-8261.

- Kitamura, S., Yumoto, T., Poonswad, P., Chuailua, P. Plongmai, K., Maruhashi, T., and Noma, N. 2002. Interactions between fleshy fruits and frugivores in a tropical seasonal forest in Thailand. *Oecologia*, 133, 559-572.
- Kocher, T. D., Thomas, W. K., Meyer, A., Edwards, S. V., Paabo, S., Villablanca, F. X., and Wilson, A. C. 1989. Dynamics of mitochondrial DNA evolution in animals: Amplification and sequencing with conserved primers. *Proceedings of the National Academy of Sciences*, 86, 6196-6200.
- Koetz, A., Westcott, D. A., and Congdon, B. C. 2007. Spatial pattern of song element sharing and its implications for song learning in the Chowchilla, *Orthonyx spaldingii*. *Animal Behaviour*, 74, 1019-1028.
- Kumar, A. 2004. Acoustic communication in the Red-vented Bulbul *Pycnonotus cafer*. *Annals of the Brazilian Academy of Sciences*, 76: 2, 350-358.
- Kumar, A., and Bhatt, D. 2000. Vocal signals in a tropical avian species, the Red-vented Bulbul *Pycnonotus cafer*: their characteristics and importance. *Journal of Biosciences*, 25: 4, 387-396.
- Langmore, N. E. 1998. Functions of duet and solo songs of female birds. *Trends in Ecology and Evolution*, 13, 136-140.
- Lanyon, S. M., and Omland, K. E. 1999. A molecular phylogeny of the blackbirds (Icteridae): Five lineages revealed by *cytochrome-b* sequence data. *Auk*, 116: 3, 629-639.
- Lekagul, B., and Round, F. D. 1991. A guide to the birds of Thailand, 3rd Edn. Bangkok: Saha Karn Bhaet.
- Leppert, L., Zadorozhny, T. V., Belthoff, J. R., Dufty, A. M., Stock, S. L., Kaltenecker, G., and Smith, J. F. 2006. Sex identification in four owl species from Idaho: DNA and morphometric. *Journal of Raptor Research*, 40: 4, 291-294.
- Lloyd, P., Hullea, P. E., and Craig, A. J. F. K. 1999. Song sharing by neighbourhood groups of territorial male Blackeyed Bulbuls. *Ostrich*, 70: 3, 208-213.
- Marler, P. R. 2004. Science and birdsong: the good old days. In M. a. Slabbekoorn, & M. a. Slabbekoorn (Ed.), *Nature's music, the science of birdsong*. San Diego, CA: Elsevier Academic Press.

- Martin, J. P., Doucet, S. M., Knox, R., and Mennill, D. J. 2011. Body size correlates negatively with the frequency of distress calls and songs of Neotropical birds. *Journal of Field Ornithology*, 82: 3, 259-268.
- Maxwell, J. F. 1992. Lowland vegetation (450-800 m) of Doi Chiang Dao Wildlife Sanctuary, Chiang Mai Province, Thailand. *Tigerpaper* FAO, 19, 21-25.
- Maxwell, J. F. 2007. Vegetation of Doi Tung, Chiang Rai Province, Northern Thailand. *Maejo International Journal of Science and Technology*, 01, 10-63.
- Mennill, D. J., and Vehrencamp, S. L. 2005. Sex differences in the singing and duetting behavior of neotropical Rufous-and-white Wrens. *Auk*, 122: 1, 175-186.
- Moyle, R. G., and Mark, B. D. 2006. Phylogenetic relationships of the Bulbuls (Aves: Pycnonotidae) based on mitochondrial and nuclear DNA sequence data. *Molecular Phylogenetics and Evolution*, 40, 687-695.
- Ngoenjun, P., and Sitasuwan, N. 2009. Post-hatching growth and development of the Asian Paradise Flycatcher (*Terpsiphone paradisi*). *Research Journal of Biological Science*, 4: 12, 1241-1249.
- Päckert, M., Martens, J., Kosuch, J., Nazarenko, A. A., and Veith, M. 2003. Phylogenetic signal in the song of Crests and Kinglets (Aves: *Regulus*). *Evolution*, 57, 616-629.
- Pasquet, È., Han, L., Khobkhet, O., and Cibois, A. 2001. Towards a molecular systematics of the genus *Criniger*, and a preliminary phylogeny of the bulbuls (Aves, Passeriformes, Pycnonotidae). *Zoosystema*, 23: 4, 857-863.
- Pasquet, E., Bourdon, E., Kalyakin, M. V., and Cibois, A. 2006. The Fulvettas (*Alcippe*, Timaliidae, Aves): a polyphyletic group. *Zoologica Scripta*, 35: 6, 559-566.
- Patten, M. A., Rotenberry, J. T., and Zuk, M. 2004. Habitat selection, acoustic adaptation, and the evolution of reproductive isolation. *Evolution*, 58, 2144-2155.
- Peh, K. S.-H., and Ong, L. 2002. A preliminary radio-tracking study of the ranging behaviour of Olive-winged Bulbul (*Pycnonotus plumosus*) and Cream-vented Bulbul (*P. simplex*) in a lowland secondary rainforest in Singapore. *Raffles Bulletin of Zoology*, 50, 251-256.

- Petrusková, T., Osiejuk, T. S., and Petrusek, A. 2010. Geographic variation in songs of the Tree Pipit (*Anthus trivialis*) at two spatial scales. *Auk*, 127: 2, 274-282.
- Pierce, A. J. 2009. Observation on breeding and moulting of the Grey-eyed Bulbul, *Iole propinqua*, in Thailand. *Raffles Bulletin of Zoology*, 57: 1, 207-211.
- Podos, J. 2001. Correlated evolution of morphology and vocal signal structure in Darwin's Finches. *Nature*, 409, 185-188.
- Price, J. J., and Lanyon, S. M. 2002. Reconstructing the evolution of complex bird song in the Oropendolas. *Evolution*, 56, 1514-1529.
- Price, T. 1998. Sexual selection and natural selection in bird speciation. *Philosophical Transactions of the Royal Society of London Series B*, 353, 251-260.
- Price, J. J., Friedman, N. R., and Omland, K. E. 2007. Song and plumage evolution in the New World Orioles (*Icterus*) show similar lability and convergence in patterns. *Evolution*, 61: 4, 850-863.
- Riebel, K. and Slater, P. J. B. 2003. Temporal variation in male Chaffinch song depends on the singer and the song type. *Behaviour*, 140, 269-288.
- Robson, C. 2000. A field guide to the birds of Thailand and South-east Asia. Bangkok: Asia Books Company.
- Ruegg, K., Slabbekoorn, H., Clegg, S., and Smith, T. B. 2006. Divergence in mating signals correlates with ecological variation in the migratory songbird, Swainson's Thrush (*Catharus ustulatus*). *Molecular Ecology*, 15, 3147-3156.
- Sanitjan, S., and Chen, J. 2009. Habitat and fig characteristics influence the bird assemblage and network properties of fig trees from Xishuangbanna, South-West China. *Journal of Tropical Ecology*, 25, 161-170.
- Sankamethawee, W., Hardesty, B. D., and Gale, G. A. 2010. Sex-bias and timing of natal dispersal in cooperatively breeding Puff-throated Bulbuls *Alophoixus pallidus*. *Journal of Ornithology*, 151, 779-789.
- Seddon, N. 2005. Ecological adaptation and species recognition drives vocal evolution in Neotropical suboscine birds. *Evolution*, 59: 1, 200-215.
- Seddon, N., and Tobias, J. A. 2010. Character displacement from the receiver's perspective: species and mate recognition despite convergent signals in suboscine birds. *Philosophical Transactions of the Royal Society of London Series B*, 277, 2475-2483.

- Singhrattna, N., Babel, M. S., and Perret, S. R. 2009. Hydroclimate variability and its statistical links to the large-scale climate indices for the Upper Chao Phraya River Basin, Thailand. *Hydrology and Earth System Sciences Discussions*, 6, 6659-6690.
- Slabbekoorn, H., and Peet, M. 2003. Birds sing at a higher pitch in urban noise. *Nature*, 424, 267.
- Slabbekoorn, H., and Smith, T. B. 2002. Bird song, ecology and speciation. *Philosophical Transactions of the Royal Society of London series B*, 357, 493-503.
- Sreekar, R., Le, N. T. P., and Harrison, R. D. 2010. Vertebrate assemblage at a Fruiting Fig (*Ficus caulocarpa*) in Maliau basin, Malaysia. *Tropical Conservation Science*, 3, 218-227.
- Stutchbury, B. J. M., and Morton, E. S. 2001. *Behavioral ecology of tropical birds*. San Diego, USA: Academic Press.
- Sætre, G. -P., Moum, T., Bures, S., Kral, M., Adamjank, M., and Moreno, J. 1997. Asexually selected character displacement in flycatchers reinforces premating isolation. *Nature*, 387, 589-592.
- Tamura, K., Dudley, J., Nei, M., and Kumar, S. 2007. MEGA4: Molecular evolutionary genetics analysis (MEGA) software version 4.0. *Molecular Biology and Evolution*, 24: 8, 1596-1599.
- Thompson, N. S., LeDoux, K., and Moody, K. 1994. A system for describing bird song units. *Bioacoustics*, 5, 267-279.
- Tobias, J. A., and Seddon, N. 2009. Signal design and perception in *Hypocnemis* antbirds: evidence for convergent evolution via social selection. *Evolution*, 63, 3168-3189.
- Vaidhayakarn, C., and Maxwell, J. F. 2010. Ecological status of the lowland deciduous forest in Chang Kian Valley, Chiang Mai, northern Thailand. *Maejo International Journal of Science and Technology*, 4: 2, 268-317.
- Valderama, S. V., Parra, J. E., and Mennill, D. J. 2007. Species differences in the songs of the critically endangered Niceforo's Wren and the related Rufous-and-white Wren. *Condor*, 109, 870-877.

- Waide, R. B., and Naring, P. M. 1988. Tropical forest bird counts and the effect of sound attenuation. *Auk*, 105, 296-302.
- West-Eberhard, M. J. 1983. Sexual selection, social competition, and speciation. *Quarterly Review of Biology*, 58, 155-183.
- Wiley, R. H. and Richards, D. G. 1978. Physical constraints on acoustic communication in the atmosphere: Implication for the evolution of animal vocalization. *Behavioral Ecology and Sociobiology*, 3, 69-94.
- Wood, W. E., and Yezerinac, S. M. 2006. Song Sparrow (*Melospiza melodia*) song varies with urban noise. *Auk*, 123: 3, 650-659.
- Woxvold, I. A., Duckworth, J. W., and Timmins, R. J. 2009. An unusual new bulbul (Passeriformes: Pycnonotidae) from the limestone karst of Lao PDR. *Forktail*, 25, 1-12.
- Wu, C. -P., Horng, Y. -M., Wang, R. -T., Yang, K. -T., and Huang, M. -C. 2007. A novel sex-specific DNA marker in Columbidae birds. *Theriogenology*, 67, 328-333.
- Wydhayagarn, C., Elliott, S., and Wangpakapattanawong, P. 2009. Bird communities and seedling recruitment in restoring seasonally dry forest using the framework species method in Northern Thailand. *New Forests*, 38, 81-97.
- Zou, F., Limb, H. C., Moyle, R. G. and Sheldon, F. H. 2007. Molecular phylogenetic analysis of the Grey-cheeked Fulvetta (*Alcippe morrisonia*) of China and Indochina: A case of remarkable genetic divergence in a “species”. *Molecular Phylogenetics and Evolution*, 44, 165-174.