

## REFERENCES

- Afaq, F., and Mukhtar, H. 2002. Photochemoprevention by botanical antioxidants. *Skin Pharmacol Appl Skin Physiol* 15:297-306.
- Anand, K.K., Singh, B., Saxena, A.K., Chandan, B.K., Gupta, V.N., and Bhardwaj, V. 1997. 3,4,5-Trihydroxy benzoic acid (gallic acid), the hepatoprotective principle in the fruits of *Terminalia belerica*-bioassay guided activity. *Pharmacol Res* 36:315-321.
- Andrighetti-Frohner, C.R., Antonio, R.V., Creczynski-Pasa, T.B., Barardi, C.R., and Simoes, C.M. 2003. Cytotoxicity and potential antiviral evaluation of violacein produced by *Chromobacterium violaceum*. *Mem Inst Oswaldo Cruz* 98:843-848.
- Banasiak, D., Barnetson, A.R., Odell, R.A., Mameghan, H., and Russell, P.J. 1999. Comparison between the clonogenic, MTT, and SRB assays for determining radiosensitivity in a panel of human bladder cancer cell lines and a ureteral cell line. *Radiat Oncol Investig* 7:77-85.
- Barkman, T.J., Bendiksby, M., Lim, S.H., Salleh, K.M., Nais, J., Madulid, D., and Schumacher, T. 2008. Accelerated rates of floral evolution at the upper size limit for flowers. *Curr Biol* 18:1508-1513.
- Barthakur, N.N., and Arnold, N.P. 1991. Nutritive value of the chebulic myrobalan (*Terminalia chebula* Retz.) and its potential as a food source. *Food Chemistry* 40:213-219.

Baumann, L. 2007. Botanical ingredients in cosmeceuticals. *J Drugs Dermatol* 6:1084-1088.

Boskabady, M.H., Kiani, S., and Rakhshandah, H. 2006. Relaxant effects of Rosa damascena on guinea pig tracheal chains and its possible mechanism (s). *Journal of Ethnopharmacology* 106:377-382.

Carino-Cortes, R., Hernandez-Ceruelos, A., Torres-Valencia, J.M., Gonzalez-Avila, M., Arriaga-Alba, M., and Madrigal-Bujaidar, E. 2007. Antimutagenicity of *Stevia pilosa* and *Stevia eupatoria* evaluated with the Ames test. *Toxicol In Vitro* 21:691-697.

Chan, E.W.C., Lim, Y.Y., Ling, S.K., Tan, S.P., Lim, K.K., and Khoo, M.G.H. 2009. Caffeoylquinic acids from leaves of *Eplingera species* (Zingiberaceae). *LWT - Food Science and Technology* 42:1026-1030.

Chan, E.W.C., Lim, Y.Y., and Omar, M. 2007. Antioxidant and antimicrobial activity of leaves of *Eplingera species* (Zingiberaceae) in Peninsular Malaysia. *Food Chem* 104:1586-1593.

Chan, E.W.C., Lim, Y.Y., Wong, L.F., Lianto, F.S., Wong, S.K., Lim, K.K., Joe, C.F., and Lim, T.Y. 2008. Antioxidant tyrosinase inhibition properties of leaves and rhizomes of ginger species. *Food Chem* 109:477-483

Chan, E.W.C., Lim, Y.Y., Wong, S.K., Lim, K.K., Tan, S.P., Lianto, F.S., and Yong, M.Y. 2009. Effects of different drying methods on the antioxidant properties of leaves and tea of ginger species. *Food Chem* 113:166-172.

Chang, T.S. 2009. An updated review of tyrosinase inhibitors. *Int J Mol Sci* 10:2440-2475.

- Chattopadhyay, R.R., and Bhattacharyya, S.K. 2007. *Terminalia chebula*: an update. *Pharmacogn Rev* 1:151-156.
- Cheng, H.Y., Lin, T.C., Yu, K.H., Yang, C.M., and Lin, C.C. 2003. Antioxidant and free radical scavenging activities of *Terminalia chebula*. *Biol Pharm Bull* 26:1331-1335.
- Cherdshewasart, W., Sutjit, W., Pulcharoen, K., Panriansaen, R., and Chulasiri, M. 2008. Antimutagenic potential of the Thai herb, *Mucuna collettii* Lace. *J Ethnopharmacol* 115:96-103.
- Chulasiri, M., Wanawas, P., Sriam, D., Nakamat, S., Wongkrajang, Y., Kongsaktrakoon, B., Phornchirasilp, S., Songchitsomboon, S., and Leelarungrayub, D. 2010. Utilizing hydroglycolic extract from myrobalan fruits to counteract reactive oxygen species. *Int J Cosmet Sci* 33:371-376.
- Dai, J., and Mumper, R.J. 2010. Plant phenolics: extraction, analysis and their antioxidants and anticancer properties. *Molecules* 15:7313-7352.
- de Gruijl, F.R. 2002. Photocarcinogenesis: UVA vs. UVB radiation. *Skin Pharmacol Appl Skin Physiol* 15:316-320.
- del Marmol, V., and Beermann, F. 1996. Tyrosinase and related proteins in mammalian pigmentation. *FEBS Lett* 381:165-168.
- Djeridane, A., Yousfi, M., Nadjemi, B., Vidal, N., and Lesgards, J.F., and Stocker P. 2007. Screening of some Algerian medicinal plants for the phenolic compounds and their antioxidant activity *Eur Food Res Technol* 224:801–809.
- Elizabeth, K.M. 2005. Antimicrobial activity of *Terminalia bellerica*. *Indian J Clin Biochem* 20:150-153.

- Ersöz, T., Harput, U. S., Saracoglu, I., Calis, I. and Ogihara, Y. 2002. Phenolic compounds from *Scutellaria pontica*. *Turk J Chem* 26:581-588.
- Freimoser, F.M., Jakob, C.A., Aebi, M., and Tuor, U. 1999. The MTT [3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide] assay is a fast and reliable method for colorimetric determination of fungal cell densities. *Appl Environ Microbiol* 65:3727-3729.
- Fujii, T., Ikeda, K., and Saito, M. Inhibitory effect of rose hip (*Rosa canina* L.) on melanogenesis in mouse melanoma cells and on pigmentation in brown guinea pigs. *Biosci Biotechnol Biochem* 75:489-495.
- Gholamhoseinian, A., Fallah, H., and Sharififar, F. 2009. Inhibitory effect of methanol extract of *Rosa damascena* Mill. Flowers on  $\alpha$ -glucosidase activity and postprandial hyperglycemia in normal and diabetic rats. *Phytomedicine* 16:935-941.
- Harborne, J.B., and Nash, R.J. 1984. Flavonoid pigments responsible for ultraviolet patterning in petals of the genus *Potentilla*. *Biochem Syst Ecol* 12:315-318.
- Heo, S.J., Ko, S.C., Kang, S.M., Cha, S.H., Lee, S.H., Kang, D.H., Jung, W.K., Affan, A., Oh, C., and Jeon, Y.J. 2010. Inhibitory effect of diphlorethohydroxycarmalol on melanogenesis and its protective effect against UV-B radiation-induced cell damage. *Food Chem Toxicol* 48:1355-1361.
- Hodek, P., Trefil, P., and Stiborova, M. 2002. Flavonoids-potent and versatile biologically active compounds interacting with cytochromes P450. *Chem Biol Interact* 139:1-21.

Houghton, P., Fang, R., Techatanawat, I., Steventon, G., Hylands, P.J., and Lee, C.C.

2007. The sulphorhodamine (SRB) assay and other approaches to testing plant extracts and derived compounds for activities related to reputed anticancer activity. *Methods* 42:377-387.

Huang, D., Ou, B., and Prior, R.L. 2005. The chemistry behind antioxidant capacity assays. *J Agric Food Chem* 53:1841-1856.

Jaafar, F.M., Osman, C.P., Ismail, N.H., and Awang, K. 2007. Analysis of essential oils of leaves, stems, flowers and rhizomes of *Etingera elatior* (Jack) R. M. Smith. *Malaysian J Anal Sci* 11:269-273.

Juang, L.J., Sheu, S.J., and Lin, T.C. 2004. Determination of hydrolyzable tannins in the fruit of *Terminalia chebula* Retz. by high-performance liquid chromatography and capillary electrophoresis. *J Sep Sci* 27:718-724.

Kalim, M.D., Bhattacharyya, D., Banerjee, A. and Chattopadhyay, S. 2010. Oxidative DNA damage preventive activity and antioxidant potential of plants used in Unani system of medicine. *BMC Complement Altern Med* 10:77.

Kanchanapoom, T., Kamel, M.S., Picheansoonthorn, C., Luecha, P., Kasai, R., and Yamasaki, K. 2007. Hydrolyzable tannins and phenylpropanoid from *Rafflesia kerrii* Meijer (*Rafflesiaceae*). *J Nat Med* 61:478-479.

Kashiwada, Y., Nonaka, G., Nishioka, I., Chang, J.J., and Lee, K.H. 1992. Antitumor agents, 129. Tannins and related compounds as selective cytotoxic agents. *J Nat Prod* 55:1033-1043.

Kaur, S., Michael, H., Arora, S., Häkkinen, P.L. and Kumar, S. 2005. The in vitro cytotoxic and apoptotic activity of Triphala an Indian herbal drug. *J Ethnopharmacol* 97:15-20.

- Kim, S.J., Sancheti, S.A., Sancheti, S.S., Um, B.H., Yu, S.M., and Seo, S.Y. 2010. Effect of 1,2,3,4,6-penta-O-galloyl-beta-D-glucose on elastase and hyaluronidase activities and its type II collagen expression. *Acta Pol Pharm* 67:145-150.
- Kitajima, S., and Yamaguchi, K. 2009. Silybin from *Silybum marianum* seeds inhibits confluent-induced keratinocytes differentiation as effectively as retinoic acid without inducing inflammatory cytokine. *J Clin Biochem Nutr* 45:178-184.
- Kono, Y., Kashine, S., Yoneyama, T., Sakamoto, Y., Matsui, Y., and Shibata, H. 1998. Iron chelation by chlorogenic acid as a natural antioxidant. *Biosci Biotechnol Biochem* 62:22-27.
- Kono, Y., Kashine, S., Yoneyama, T., Sakamoto, Y., Matsui, Y., and Shibata, H. 1998. Iron chelation by chlorogenic acid as a natural antioxidant. *Biosci Biotechnol Biochem* 62:22-27.
- Lee, H.S., Won, N.H., Kim, K.H., Lee, H., Jun, W., and Lee, K.W. 2005. Antioxidant effects of aqueous extract of Terminalia chebula in vivo and in vitro. *Biol Pharm Bull* 28:1639-1644.
- Lim, S.Y., Hwang, J.Y., Yoon, H.R., and Paik, Y.S. 2007. Antioxidative Phenolics from the Petals of *Carthamus tinctorius*. *J Appl Biol Chem* 50:304-307.
- Mackeen, M.M., Ali, A.M., El-Sharkawy, S.H., Manap, M.Y., Salleh, K.M., Lajis,, and N.H., Kawazu, K. 1997. Antimicrobial and cytotoxic properties of some Malaysian traditional vegetables (ulam). *Pharm Biol* 35:174-178.
- Mahmood, A.A., Khaled, A.A., Hapipah, M.A., Suzita, M.N., and Salmah, I. 2009. Wound healing activities of *Rafflesia hasseltii* extract in rats. *J Clin Biochem Nutr* 45(3):304-308.

- Manosroi, A., Jantrawut, P., Akazawa, H., Akihisa, T., and Manosroi, J. 2011. Biological activities of phenolic compounds isolated from galls of Terminalia chebula Retz. (Combretaceae). *Nat Prod Res* 24:1915-1926.
- Marinova, D., Ribarova, F., and Atanassova, M. 2005. Total phenolics and total flavonoids in Bulgarian fruits and vegetables. *J. Univ. Chem. Technol. Metall* 40:255-260.
- Marnewick, J.L., Gelderblom, W.C., and Joubert, E. 2000. An investigation on the antimutagenic properties of South African herbal teas. *Mutat Res* 471:157-166.
- Maron, D.M., and Ames, B.N. 1983. Revised methods for the *Salmonella* mutagenicity test. *Mutat Res* 113:173-215.
- Matsumura, Y., and Ananthaswamy, H.N. 2004. Toxic effects of ultraviolet radiation on the skin. *Toxicol Appl Pharmacol* 195:298-308.
- Meijer, W. 1984. New species of *Rafflesia* (Rafflesiaceae). *Blumea* 30:209-215.
- Michalak, A. 2006. Phenolic compounds and their antioxidant activity in plants growing under heavy metal stress. *Polish J Environ Studies* 15(4):523-530.
- Miyazawa, M., Oshima, T., Koshio, K., Itsuzaki, Y., and Anzai, J. 2003. Tyrosinase inhibitor from black rice bran. *J Agric Food Chem* 51:6953-6956.
- Mohamed, I.H., Giorgio, C., Bruni, R., Flammini, L., Barocelli, E., Rossi, D., Domenichini, G., Poli, F. and Tognolini, M. 2011. Polyphenol rich botanicals used as food supplements interfere with EphA2-ephrinA1 system. *Pharmacol Res* 64: 464-470.
- Mortelmans, K., and Zeiger, E. 2000. The Ames *Salmonella*/microsome mutagenicity assay. *Mutat Res* 455:29-60.

- Mosmann, T. 1983. Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J Immunol Methods* 65:55-63.
- Nandy, A.K., Podder, G., P. Sahu, N., and Mahato, S.B. 1989. Triterpenoids and their glucosides from *Terminalia bellerica*. *Phytochemistry* 28:2769-2772.
- Ozkan, G., Sagdic, O., Baydar, N.G., and Baydar, H. 2004. Antioxidant and antibacterial activities of *Rosa damascena* flower extracts. *Food Sci Technol Int* 10:277-281.
- Papazisis, K.T., Geromichalos, G.D., Dimitriadis, K.A., and Kortsaris, A.H. 1997. Optimization of the sulforhodamine B colorimetric assay. *J Immunol Methods* 208:151-158.
- Pfundstein, B., El Desouky, S.K., Hull, W.E., Haubner, R., Erben, G., and Owen, R.W. 2010. Polyphenolic compounds in the fruits of Egyptian medicinal plants (*Terminalia bellerica*, *Terminalia chebula* and *Terminalia horrida*): characterization, quantitation and determination of antioxidant capacities. *Phytochemistry* 71:1132-1148.
- Pinmai, K., Chunlaratthanabhorn, S., Ngamkitidechakul, C., Soonthornchareon, N., and Hahnvajanawong, C. 2008. Synergistic growth inhibitory effects of *Phyllanthus emblica* and *Terminalia bellerica* extracts with conventional cytotoxic agents: doxorubicin and cisplatin against human hepatocellular carcinoma and lung cancer cells. *World J Gastroenterol* 14:1491-1497.
- Rakhshandeh, H., Vahdati-mashhadian, N., Dolati, K., and Hosseini, M. 2008. Antinociceptive effect of *Rosa damascena* in mice. *J Biol Sci* 8:176-180.

- Reddy, D.B., Reddy, T.C., Jyotsna, G., Sharan, S., Priya, N., Lakshmi pathi, V., and Reddanna, P. 2009. Chebulagic acid, a COX-LOX dual inhibitor isolated from the fruits of *Terminalia chebula* Retz., induces apoptosis in COLO-205 cell line. *J Ethnopharmacol* 124:506-512.
- Rubinstein, L.V., Shoemaker, R.H., Paull, K.D., Simon, R.M., Tosini, S., Skehan, P., Scudiero, D.A., Monks, A., and Boyd, M.R. 1990. Comparison of *in vitro* anticancer-drug-screening data generated with a tetrazolium assay versus a protein assay against a diverse panel of human tumor cell lines. *J Natl Cancer Inst* 82:1113-1118.
- Sabu, M.C., and Kuttan, R. 2009. Antidiabetic and antioxidant activity of *Terminalia belerica* Roxb. *Indian J Exp Biol* 47:270-275.
- Sakuma, K., Ogawa, M., Sugabayashi, K., Yamada, K., and Yamamoto, K. 1999. Relationship between tyrosinase inhibitory action and oxidation-reduction potential of cosmetic whitening ingredients and phenol derivatives. *Arch Pharm Res* 22:335-339.
- Saleem, A., Husheem, M., Harkonen, P., and Pihlaja, K. 2002. Inhibition of cancer cell growth by crude extract and the phenolics of *Terminalia chebula* Retz. fruit. *J Ethnopharmacol* 81:327-336.
- Scudiero, D.A., Shoemaker, R.H., Paull, K.D., Monks, A., Tierney, S., Nofziger, T.H., Currens, M.J., Seniff, D., and Boyd, M.R. 1988. Evaluation of a soluble tetrazolium/formazan assay for cell growth and drug sensitivity in culture using human and other tumor cell lines. *Cancer Res* 48:4827-4833.

Seo, Y. K., Jung, S.H., Song, K.Y., Park, J.K., and Park, C.S. 2010. Anti-photoaging effect of fermented rice bran extract on UV-induced normal skin fibroblasts.

*Eur Food Res Technol*:163-169.

Shafei, M.N., Rakhshandah, H., and Boskabady, M.H. 2003. Antitussive effect of *Rosa damascena* in Guinea pigs. *Iranian Journal of Pharmaceutical Research* 2:231-234.

Sharafi, S.M., Rasooli, I. Kashani, D.A., Owlia, P., Rezaee, B.M. and Astaneh, A.D.S. 2010. Cytobiochemical potentials of *Rosa damascena* Mill. extract. .

*Iranian Journal of Pathology* 5:184-193.

Shin, T.Y., Jeong, H.J., Kim, D.K., Kim, S.H., Lee, J.K., Chae, B.S., Kim, J.H., Kang, H.W., Lee, C.M., Lee, K.C., Park, S.T., Lee, E.J., Lim, J.P., Kim, H.M. and Lee, Y.M. 2001. Inhibitory action of water soluble fraction of *Terminalia chebula* on systemic and local anaphylaxis. *J Ethnopharmacol* 74:133-140.

Shirasugi, I., Kamada, M., Matsui, T., Sakakibara, Y., Liu, M.C., and Suiko, M. 2010. Sulforaphane inhibited melanin synthesis by regulating tyrosinase gene expression in B16 mouse melanoma cells. *Biosci Biotechnol Biochem* 74:579-582.

Singleton, V.L., and Rossi, J.A. 1965. Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *Am J Enol Vitic* 16:144-158.

Sinha, R.P., and Hader, D.P. 2002. UV-induced DNA damage and repair: a review.

*Photochem Photobiol Sci* 1:225-236.

- Skehan, P., Storeng, R., Scudiero, D., Monks, A., McMahon, J., Vistica, D., Warren, J.T., Bokesch, H., Kenney, S., and Boyd, M.R. 1990. New colorimetric cytotoxicity assay for anticancer-drug screening. *J Natl Cancer Inst* 82:1107-1112.
- Smee, D.F., Morrison, A.C., Barnard, D.L., and Sidwell, R.W. 2002. Comparison of colorimetric, fluorometric, and visual methods for determining anti-influenza (H1N1 and H3N2) virus activities and toxicities of compounds. *J Virol Methods* 106:71-79.
- Smit, N., Vicanova, J., and Pavel, S. 2009. The hunt for natural skin whitening agents. *Int J Mol Sci* 10:5326-5349.
- Soliman, F.M., Shehata, A.H., Khaleel, A.E., and Ezzat, S.M. . 2002. An acylated kaempferol glycoside from flowers of *Foeniculum vulgare* and *F.Dulce*. *Molecules* 7:245-251.
- Speit, G. 2009. How to assess the mutagenic potential of cosmetic products without animal tests? *Mutat Res* 678:108-112.
- Svobodova, A., Psotova, J., and Walterova, D. 2003. Natural phenolics in the prevention of UV-induced skin damage. A review. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* 147:137-145.
- Takeuchi, H., Baba, M., and Shigeta, S. 1991. An application of tetrazolium (MTT) colorimetric assay for the screening of anti-herpes simplex virus compounds. *J Virol Methods* 33:61-71.
- Tate, P., Stanner, A., Shields, K., Smith, S. and Larcom, L. 2006. Blackberry extracts inhibit UV-induced mutagenesis in *Salmonella typhimurium* TA100. *Nut Res* 26:100-104.

- Trautinger, F. 2001. Mechanisms of photodamage of the skin and its functional consequences for skin ageing. *Clin Exp Dermatol* 26:573-577.
- Ulusoy, S., Bosgelmez-Tinaz, G., and Secilmis-Canbay, H. 2009. Tocopherol, carotene, phenolic contents and antibacterial properties of rose essential oil, hydrosol and absolute. *Curr Microbiol* 59:554-558.
- Valsaraj, R., Pushpangadan, P., Smitt, U.W., Adsersen, A., Christensen, S.B., Sittie, A., Nyman, U., Nielsen, C., and Olsen, C.E. 1997. New anti-HIV-1, antimalarial, and antifungal compounds from *Terminalia bellerica*. *J Nat Prod* 60:739-742.
- Waterhouse, A.L. 2002. Wine phenolics. *Ann N Y Acad Sci* 957:21-36.
- Webster, R.P., Gawde, M.D., and Bhattacharya, R.K. 1996. Protective effect of rutin, a flavonol glycoside, on the carcinogen-induced DNA damage and repair enzymes in rats. *Cancer Lett* 109:185-191.
- Wiart, C., Mogana, S., Khalifah, S., Mahan, M., Ismail, S., Buckle, M., Narayana, A.K., and Sulaiman, M. 2004. Antimicrobial screening of plants used for traditional medicine in the state of Perak, Peninsular Malaysia. *Fitoterapia* 75:68-73.
- Wilson, A.P. 2000. Cytotoxicity and viability assays. In JRW Masters, *Animal Cell Culture*, 3rd ed., Oxford University, Oxford, pp. 175-219.
- Yadava, R.N., and Rathore, K. 2001. A new cardenolide from the seeds of *Terminalia bellerica*. *Fitoterapia* 72:310-312.
- Yassa, N., Masoomi, F., Rohani Rankouhi, S.E., Hadjiakhoondi, A. . 2009. Chemical Composition and Antioxidant Activity of the Extract and Essential oil of *Rosa damascena* from Iran, Population of Guilan. *DARU J pham Sci* 17.

- Yoshioka, K., Kataoka, T., Hayashi, T., Hasegawa, M., Ishi, Y., and Hibasami, H. 2000. Induction of apoptosis by gallic acid in human stomach cancer KATO III and colon adenocarcinoma COLO 205 cell lines. *Oncol Rep* 7:1221-1223.
- Youn, H.Y., Bantseev, V., Bols, N.C., Cullen, A.P., and Sivak, J.G. 2007. *In vitro* assays for evaluating the ultraviolet B-induced damage in cultured human retinal pigment epithelial cells. *J Photochem Photobiol B* 88:21-28.
- Zargari, A. 1992. Medicinal plants. vol 2:5<sup>th</sup>ed. TehranUniversity Press, Tehran, pp. 281-284.

Zu, Y., Yu, H., Liang, L., Fu, Y., Efferth, T., Liu, X., and Wu, N. Activities of ten essential oils towards Propionibacterium acnes and PC-3, A-549 and MCF-7 cancer cells. *Molecules* 15:3200-3210.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright<sup>©</sup> by Chiang Mai University  
All rights reserved