

REFERENCES

- Adedeji, J., Hartman, T. G., & Ho, C. T. (1993). Flavor Characterization of Different Varieties of Vanilla Beans. *Perfumer and flavorist*, 18(2), 25-33.
- Ahmad, S., Ahmad, A., Schneider, K., & White, C. (2006). Cholesterol interferes with the MTT assay in human epithelial-like (A549) and endothelial (HLMVE and HCAE) cells. *International Journal of Toxicology*, 25(1), 17-23.
- Albanese, C. V., Cudd, A., Argentino, L., Zambonin-Zallone, A., & MacIntyre, I. (1994). Ipriflavone directly inhibits osteoclastic activity. *Biochemical And Biophysical Research Communications*, 199(2), 930-936.
- Anwar, M. H. (1963). Paper chromatography of monohydroxyphenols in vanilla extract. *Analytical Chemistry*, 35, 1974-1976.
- Arnold, S. F., Robinson, M. K., Notides, A. C., Guillette, L. J., Jr., & McLachlan, J. A. (1996). A Yeast Estrogen Screen for Examining the Relative Exposure of Cells to Natural and Xenoestrogens. *Environmental Health Perspectives*, 104(5), 544-548.
- Axelsson, M., Kirk, D. N., Farrant, R. D., Cooley, G., Lawson, A. M., & Setchell, K. D. (1982). The identification of the weak oestrogen equol [7-hydroxy-3-(4'-hydroxyphenyl)chroman] in human urine. *The Biochemical Journal*, 201(2), 353-357.

Bahram, H., & Arjmandi, B. H. (2001). The role of phytoestrogens in the prevention and treatment of osteoporosis in ovarian hormone deficiency. *Journal of The American College of Nutrition*, 20, 398S-402S.

Bailey, A. E. (1951). *Industrial oil and fat products*: New York, Interscience Publishers.

Bitto, A., Burnett, B. P., Polito, F., Marini, H., Levy, R. M., Armbruster, M. A., et al. (2008). Effects of genistein aglycone in osteoporotic, ovariectomized rats: a comparison with alendronate, raloxifene and oestradiol. *British Journal Of Pharmacology*, 155(6), 896-905.

Boonchird, C., Mahapanichkul, T., & Cherdshewasart, W. (2010). Differential binding with ER alpha and ER beta of the phytoestrogen-rich plant *Pueraria mirifica*. *Brazilian Journal of Medical and Biological Research*, 43(2), 195-200.

Brunschwig, C., Senger-Emonnot, P., Aubanel, M. L., Pierrat, A., George, G., Rochard, S., et al. (2012). Odor-active compounds of Tahitian vanilla flavor. *Food Research International*, 46, 148-157.

Cassidy, A. (2003). Dietary phytoestrogens and bone health. *The Journal Of The British Menopause Society*, 9(1), 17-21.

Chen, X. W., Garner, S. C., & Anderson, J. J. B. (2002). Isoflavones regulate interleukin-6 and osteoprotegerin synthesis during osteoblast cell differentiation via an estrogen-receptor-dependent pathway. *Biochemical and Biophysical Research Communications*, 295(2), 417-422.

- Coldham, N. G., Dave, M., Sivapathasundaram, S., McDonnell, D. P., Connor, C., & Sauer, M. J. (1997). Evaluation of a Recombinant Yeast Cell Estrogen Screening Assay. *Environmental Health Perspectives*, 105(7), 734-742.
- Dignum, M., van der Heijden, R., Kerler, J., Winkel, C., & Verpoorte, R. (2004). Identification of glucosides in green beans of *Vanilla planifolia* Andrews and kinetics of vanilla beta-glucosidase. *Food Chemistry*, 85(2), 199-205.
- Ducy, P., Schinke, T., & Karsenty, G. (2000). The Osteoblast: A Sophisticated Fibroblast under Central Surveillance. *Science*, 289(5484), 1501-1504.
- Ehlers, D., Pfister, M., & Bartholomae, S. (1994). Analysis of Tahiti vanilla by high-performance liquid chromatography. *Hochdruckflüssigchromatographische Untersuchung von Tahiti-Vanille.*, 199(1), 38-42.
- Farnsworth, N. R., Bingel, A. S., Cordell, G. A., Crane, F. A., & Fong, H. S. (1975). Potential value of plants as sources of new antifertility agents II. *Journal Of Pharmaceutical Sciences*, 64(5), 717-754.
- Fini, M., Giavaresi, G., Torricelli, P., Borsari, V., Giardino, R., Nicolini, A., et al. (2004). Osteoporosis and biomaterial osteointegration. *Biomedicine & Pharmacotherapy*, 58(9), 487-493.
- Gerasimov, A. V., Gornova, N. V., & Rudometova, N. V. (2003). Determination of vanillin and ethylvanillin in vanilla flavorings by planar (thin-layer) chromatography. *Journal of Analytical Chemistry*, 58, 677-684.

Haeng, S. L., Miyauchi, K., & Nagata, Y. (2002). Employment of the Human Estrogen Receptor β Ligand-Binding Domain and Co-Activator SRC1 Nuclear Receptor-Binding Domain for the Construction of a Yeast Two-Hybrid Detection System for Endocrine Disrupters. *Journal of Biochemistry*, 131(3), 399-405.

Hall, J. M., Couse, J. F., & Korach, K. S. (2001). The multifaceted mechanisms of estradiol and estrogen receptor signaling. *Journal of Biochemistry*, 276(40), 36869-36872.

Harborne, J. B. (1989). General procedures in measurement of total phenolics, *In Methods in Plant Physiology, Vol. 1. Plant Phenolics B2 - In Methods in Plant Physiology, Vol. 1. Plant Phenolics*. London, UK: Chapman & Hall.

Harris, S. A., Enger, R. J., Riggs, B. L., & Spelsberg, T. C. (1995). Development and characterization of a conditionally immortalized human fetal osteoblastic cell line. *Journal Of Bone And Mineral Research: The Official Journal Of The American Society For Bone And Mineral Research*, 10(2), 178-186.

Harris, S. A., Tau, K. R., Enger, R. J., Toft, D. O., Riggs, B. L., & Spelsberg, T. C. (1995). Estrogen response in the hFOB 1.19 human fetal osteoblastic cell line stably transfected with the human estrogen receptor gene. *Journal Of Cellular Biochemistry*, 59(2), 193-201.

Hendrich, S. (2002). Bioavailability of isoflavones. *Journal of Chromatography B-Analytical Technologies in the Biomedical and Life Sciences*, 777(1-2), 203-210.

Hou-de, Z., Yan-hong B., Ai-guo T., Hui, X., Er-yuan, L. (2006). Time course of the osteoprotegerin gene expression in human primary osteoblasts as well as MG-63 cell lines and the effect of 17β -estradiol on it. *Journal of Chinese Clinical Medicine*, 7(1), 61-66.

Huang, M.-H., Norris, J., Han, W., Block, T., Gold, E., Crawford, S., et al. (2012). Development of an Updated Phytoestrogen Database for Use With the SWAN Food Frequency Questionnaire: Intakes and Food Sources in a Community-Based, Multiethnic Cohort Study. *Nutrition & Cancer*, 64(2), 228-244.

Ito, K., Minegishi, T., Takayama, T., Tamura, T., Yamada, Y., & Sato, S. (2007). Effects of ipriflavone on augmented bone using a guided bone regeneration procedure. *Clinical Oral Implants Research*, 18(1), 60-68.

Itoh, T., Tamura, T., & Matsumoto, T. (1973). Methylsterol compositions of 19 vegetable oils. *Journal of the American Oil Chemists' Society (JAOCS)*, 50(8), 300-303.

Kennedy, A., Shogren, K., Zhang, M., Turner, R., Spelsberg, T., & Maran, A. (2005). 17β estradiol-dependent activation of signal transducer and activator of transcription-1 in human fetal osteoblasts is dependent on Src kinase activity. *Endocrinology*, 146(1), 201-207.

Keshava, C., Keshava, N., Ong, T. M., & Nath, J. (1998). Protective effect of vanillin on radiation-induced micronuclei and chromosomal aberrations in V79 cells. *Mutation Research*, 397(2), 149-159.

- Koike, M., Shimokawa, H., Kanno, Z., Ohya, K., & Soma, K. (2005). Effects of mechanical strain on proliferation and differentiation of bone marrow stromal cell line ST2. *Journal of Bone and Mineral Metabolism*, 23(3), 219-225.
- Le Bail, J., Pouget, C., Fagnere, C., Basly, J., Chulia, A., & Habrioux, G. (2001). Chalcones are potent inhibitors of aromatase and 17 beta-hydroxysteroid dehydrogenase activities. *Life Sciences*, 68(7), 751-761.
- Le Bail, J. C., Champavier, Y., Chulia, A. J., & Habrioux, G. (2000). Effects of phytoestrogens on aromatase, 3beta and 17beta-hydroxysteroid dehydrogenase activities and human breast cancer cells. *Life Sciences*, 66(14), 1281-1291.
- Li, H., Li, J., Prasain, J. K., Tezuka, Y., Namba, T., Miyahara, T., et al. (1998). Antiosteoporotic activity of the stems of *Sambucus sieboldiana*. *Biological & Pharmaceutical Bulletin*, 21(6), 594-598.
- Majeska, R. J., Ryaby, J. T., & Einhorn, T. A. (1994). Direct modulation of osteoblastic activity with estrogen. *The Journal Of Bone And Joint Surgery. American Volume*, 76(5), 713-721.
- Manolagas, S. C., & Jilka, R. L. (1995). Bone marrow, cytokines, and bone remodeling. Emerging insights into the pathophysiology of osteoporosis. *The New England Journal Of Medicine*, 332(5), 305-311.
- Martin, J. H. J., Crotty, S., Warren, P., & Nelson, P. N. (2007). Does an apple a day keep the doctor away because a phytoestrogen a day keeps the virus at bay? A review of the anti-viral properties of phytoestrogens. *Phytochemistry*, 68(3), 266-274.

- Martini, M., Formigli, L., Tonelli, P., Giannelli, M., Amunni, F., Naldi, D., et al. (1998). Effects of ipriflavone on perialveolar bone formation. *Calcified Tissue International*, 63(4), 312-319.
- Mei, J., Yeung, S., & Kung, A. (2001). High dietary phytoestrogen intake is associated with higher bone mineral density in postmenopausal but not premenopausal women. *Journal of Clinical Endocrinology & Metabolism*, 86(11), 5217-5221.
- Miller, D., Wheals, B. B., Beresford, N., & Sumpter, J. P. (2001). Estrogenic activity of phenolic additives determined by an in vitro yeast bioassay. *Environmental Health Perspectives*, 109(2), 133-138.
- Miller, J. H. (1972). Assay of β -galactosidase, *Experiments in molecular genetics B2 - Experiments in molecular genetics* (pp. 352-355), New York: CSH Laboratory Press, Cold Spring Harbor.
- Morito, K., Aomori, T., Hirose, T., Kinjo, J., Hasegawa, J., Ogawa, S., et al. (2002). Interaction of Phytoestrogens with Estrogen Receptors α and β (II). *Biological and Pharmaceutical Bulletin*, 25(1), 48-52.
- Morito, K., Hirose, T., Kinjo, J., Hirakawa, T., Okawa, M., Nohara, T., et al. (2001). Interaction of phytoestrogens with estrogen receptors alpha and beta. *Biological & Pharmaceutical Bulletin*, 24(4), 351-356.
- Morris, C., Thorpe, J., Ambrosio, L., & Santin, M. (2006). The soybean isoflavone genistein induces differentiation of MG63 human osteosarcoma osteoblasts. *Journal of Nutrition*, 136(5), 1166-1170.
- Mundy, G. R. (1992). Cytokines and local factors which affect osteoclast function. *International Journal Of Cell Cloning*, 10(4), 215-222.

- Mundy, G. R. (1993). Factors which stimulate bone growth in vivo. *Growth Regulation*, 3(2), 124-128.
- Nijweide, P. J., Burger, E. H., & Feyen, J. H. M. (1986). Cells of bone: proliferation, differentiation, and hormonal regulation. *Physiological Reviews*, 66, 855-886.
- Nishihara, T., Nishikawa, J., Kanayama, T., Dakeyama, F., Saito, K., Imagawa, M., et al. (2000). Estrogenic activities of 517 chemicals by yeast two-hybrid assay. *Journal of Health Science*, 46(4), 282-298.
- Nishikawa, J., Saito, K., Goto, J., Dakeyama, F., Matsuo, M., & Nishihara, T. (1999). New screening methods for chemicals with hormonal activities using interaction of nuclear hormone receptor with coactivator. *Toxicology And Applied Pharmacology*, 154(1), 76-83.
- Pearce, V., Nawaz, Z., Xiao, W., Wiedenfeld, D., Boyle, N., & Smith, D. (2003). 4-Ethoxymethylphenol: a novel phytoestrogen that acts as an agonist for human estrogen receptors. *Journal of Steroid Biochemistry and Molecular Biology*, 84(4), 431-439.
- Perez-Silva, A., Odoux, E., Brat, P., Ribeyre, F., Rodriguez-Jimenes, G., Robles-Olvera, V., et al. (2006). GC-MS and GC-olfactometry analysis of aroma compounds in a representative organic aroma extract from cured vanilla (*Vanilla planifolia* G. Jackson) beans. *Food Chemistry*, 99(4), 728-735.
- Piironen, V., Lindsay, D. G., Miettinen, T. A., Toivo, J., & Lampi, A. M. (2000). Plant sterols: biosynthesis, biological function and their importance to human nutrition. *Journal of the science of Food and Agriculture*, 80(7), 939-966.

Radford, N., Church, T., Speizer, F. E., Murphy, B. E. P., Davis, S. R., Burger, H. G., et al. (2002). Risks of postmenopausal hormone replacement. Writing Group for the Women's Health Initiative Investigators. Risk and benefits of estrogen plus progestin in healthy postmenopausal women: principal results from the Women's Health Initiative randomized controlled trial. *Journal of the American Medical Association*, 288(22), 2819-2824.

Ranadive, A. S. (1994). Vanilla - Cultivation, Curing, Chemistry, Technology and Commercial Products. *Developments in Food science*, 34, 517-577.

Rao, S. R., & Ravishankar, G. A. (2000). Vanilla flavour: production by conventional and biotechnological routes. *Journal of the science of Food and Agriculture*, 80(3), 289-304.

Riley, K. A., & Kelyn, D. H. (1989). Fundamental principles of vanilla/vanilla extract processing and methods of detecting adulteration in vanilla extracts. *Food Technology*, 43, 64-77.

Sawa, T., Nakao, M., Akaike, T., Ono, K., & Maeda, H. (1999). Alkylperoxyl radical-scavenging activity of various flavonoids and other phenolic compounds: implications for the anti-tumor-promoter effect of vegetables. *Journal Of Agricultural And Food Chemistry*, 47(2), 397-402.

Schwartz, J. A., Liu, G., & Brooks, S. C. (1998). Genistein-mediated attenuation of tamoxifen-induced antagonism from estrogen receptor-regulated genes. *Biochemical And Biophysical Research Communications*, 253(1), 38-43.

Setchell, K. D. R. (1985). Naturally occurring non-steroidal estrogens of dietary origin, *Estrogens in the Environment II: Influences on Development B2 - Estrogens in the Environment II: Influences on Development* (pp. 69-85). New York, NY: Elsevier.

Sharpe, R., Drolet, M., & MacLatchy, D. (2006). Investigation of de novo cholesterol synthetic capacity in the gonads of goldfish (*Carassius auratus*) exposed to the phytosterol beta-sitosterol. *Reproductive Biology and Endocrinology*, 21(4), 60-71.

Sinha, A. K., Sharma, U. K., & Sharma, N. (2008). A comprehensive review on vanilla flavor: Extraction, isolation and quantification of vanillin and others constituents. *International Journal of Food science and Nutrition*, 59(4), 299-326.

Sugawara, Y., Suzuki, K., Koshikawa, M., Ando, M., & Iida, J. (2002). Necessity of enzymatic activity of alkaline phosphatase for mineralization of osteoblastic cells. *Japanese Journal of Pharmacology*, 88(3), 262-269.

Sundeeep, K., Merry Jo, O., & David, G. M. Review: Estrogen and the skeleton. *Trends in Endocrinology & Metabolism* [Online]. Available: <http://dx.doi.org/10.1016/j.tem.2012.03.008> [2012, May 15].

Toshio, H., Koichiro, I., Morihiko, M., & Hideki, N. (2011). The effects of selective estrogen receptor modulator treatment following hormone replacement therapy on elderly postmenopausal women with osteoporosis. *Nitric Oxide*, 24, 199-203.

Tripathi, Y. B., Tripathi, P., Korlagunta, K., Chai, S. C., Smith, B. J., & Arjmandi, B.

H. (2008). Role of Sandhika: a polyherbal formulation on MC3T3-E1 osteoblast-like cells. *Inflammation*, 31(1), 1-8.

Tsuda, H., Uehara, N., Iwahori, Y., Asamoto, M., Iigo, M., Nagao, M., et al. (1994).

Chemopreventive effects of beta-carotene, alpha-tocopherol and five naturally occurring antioxidants on initiation of hepatocarcinogenesis by 2-amino-3-methylimidazo[4,5-f]quinoline in the rat. *Japanese Journal Of Cancer Research: Gann*, 85(12), 1214-1219.

Turner, R. T., Riggs, B. L., & Spelsberg, T. C. (1994). SKELETAL EFFECTS OF

ESTROGEN. *Endocrine Reviews*, 15(3), 275-300.

Verma, P. C., Chakrabarty, D., Jena, S. N., Mishra, D. K., Singh, P. K., Sawant, S. V.,

et al. (2009). The extent of genetic diversity among Vanilla species: Comparative results for RAPD and ISSR. *Industrial Crops and Products*, 29(2-3), 581-589.