

## REFERENCES

- 1 Nic, M.; Jirat, J.; Kosata, B. "Quinones". IUPAC Compendium of Chemical Terminology. **2006**.
- 2 [Online]. Available: <http://en.wikipedia.org/wiki/Quinone> (December 6, 2011).
- 3 Liu, H. Extraction and Isolation of Compounds from Herbal Medicines in 'Traditional Herbal Medicine Research Methods', ed by Willow JH Liu John Wiley and Sons, Inc. **2011**.
- 4 Qian, W.; Shichi, H. Naphthoquinone-Induced Cataract in Mice: Possible Involvement of  $\text{Ca}^{2+}$  Release and Calpain Activation. *Journal of Ocular Pharmacology and Therapeutics*. **2001**, 17, 383-392.
- 5 [Online]. Available: <http://en.wikipedia.org/wiki/1,4-Naphthoquinone> (December 9, 2011).
- 6 Babula, P.; Adam, V.; Havel, L.; Kizek, R. Naphthoquinones and their Pharmacological Properties (in Czech). *Ceská a Slovenská Farmacie*. **2007**, 56, 114-120.
- 7 [Online]. Available: <http://en.wikipedia.org/wiki/Lawsone> (December 6, 2011).
- 8 Khalafy, J. and Bruce, J. M. Oxidative dehydrogenation of 1-tetralones: Synthesis of juglone, naphthazarin, and [alpha]-hydroxyanthraquinones. *Journal of Sciences, Islamic Republic of Iran*. **2002**, 13, 131-139.
- 9 Thomson, R. H. Naturally Occurring Quinones III. Chapman and Hall, London. Quoted by Khalafy and Bruce. **1987**.
- 10 Dweek, A. C. Natural ingredients for colouring and styling. *Int. J. Cosmetic Sci.* **2002**, 24, 287-302.

- 11 Roy, P. K.; Singh, M.; Tewari, P. Composition of Henna Powder, Quality Parameters and Changing Trends in its Usage. *Henna: Cultivation, Improvement, and Trade. Jodhpur: Central Arid Zone Research Institute. 2005*, 39-40.
- 12 Bosoglu, A.; Birdane, F.; Solmaz, H. The effect of Henna (*Folium lawsoniae*) paste in ringworm in calves. *Indian Vet. J.* **1998**, 75, 83-84.
- 13 [Online]. Available: <http://www.chemeurope.com/en/encyclopedia/Lawsone.html> (December 6, 2011)
- 14 Khalafy, J. and Bruce, J. M. *Oxidative dehydrogenation of 1-tetralones: Synthesis of juglone, naphthazarin, and  $\alpha$ -hydroxyanthraquinones*. Journal of Sciences, Islamic Republic of Iran, **2002**, 13, 131-139.
- 15 [Online]. Available: <http://www.chemeurope.com/en/encyclopedia/Juglone.html> (December 6, 2011)
- 16 Padhye, S. B; Kulkarni, B. A. Studies on the root constituents of *Plumbago zeylanica*. *J Univ Poona Sci Technol.* **1973**, 27-44.
- 17 Rahul, C.; Sharma, D.; Santosh, K. S.; Subrahmanyam, G.; Krishnan, S.; Poduval, T. B. and Sainis, K. B. *J Cell Biochem.* **2010**, 110, 1082-1093.
- 18 Naresh, R. A; Udupa, N.; Devi, P. U. Niosomal plumbagin with reduced toxicity and improved anticancer activity in BALB/C mice. *J Pharm Pharmacol.* **1996**, 48, 1128-1132.
- 19 Singh, U. V. and Udupa, N. Reduced toxicity and enhanced antitumor efficacy of betacyclodextrin plumbagin inclusion complex in mice bearing Ehrlich ascites carcinoma. *Indian J Physiol Pharmacol.* **1997**, 41, 171-175.

- 20 Hazra, B.; Sarkar, R.; Bhattacharyya, S.; Ghosh, P. K.; Chel, G.; Dinda, B.  
Synthesis of plumbagin derivatives and their inhibitory activities against Ehrlich ascites carcinoma in vivo and *Leishmania donovani* Promastigotes in vitro. *Phytother Res.* **2002**, 16, 133-137.
- 21 [Online]. Available: [http://en.wikipedia.org/wiki/Black\\_pepper](http://en.wikipedia.org/wiki/Black_pepper) (December 10, 2011)
- 22 U.S. Library of Congress Science Reference Services "Everyday Mysteries" "Why does pepper make you sneeze?". Retrieved November 12, **2005**.
- 23 Lichtenberger, L. M.; Romero, J. J.; Carryl, O. R.; Illich, P. A.; Walters, E. T.  
Effect of pepper and bismuth subsalicylate on gastric pain and surface hydrophobicity in the rat. *Aliment Pharmacol Ther.* **1998**, 2, 483-490.
- 24 GÜLÇİN, İ. The antioxidant and radical scavenging activities of black pepper (*Piper nigrum*) seeds. *Int J Food Sci Nutr.* **2005**, 56, 491-499.
- 25 Nalini, N.; Manju, V.; Menon, V. P. Effect of spices on lipid metabolism in 1,2-dimethylhydrazine-induced rat colon carcinogenesis. *J Med Food.* **2006**, 9, 237-245.
- 26 [Online]. Available: [http://www.uni-graz.at/~katzner/engl/Pipe\\_nig.html](http://www.uni-graz.at/~katzner/engl/Pipe_nig.html) (June 12, 2012)
- 27 Ribeiro, T. S.; Lima, L. F.; Previato, J. O.; Previato, L. M.; Heise, N.; Lima, M. D. Toxic effects of natural piperine and its derivatives on epimastigotes and amastigotes of *Trypanosoma cruzi*. *Bioorg. Med. Chem. Lett.* **2004**, 14, 3555-3558.

- 28 Epstein, W. W.; Netz, D. F.; Seidel, J. L. Isolation of piperine from black pepper. *J. Chem. Ed.* **1993**, 70, 598-599.
- 29 Gaikar, V. G.; Raman, G. Process for extraction of piperine from piper species. United States Patent US 6365601. **2002**.
- 30 McNamara, F. N.; Randall, A.; Gunthorpe, M. J. Effects of piperine, the pungent component of black pepper, at the human vanilloid receptor (TRPV1). *Br. J. Pharmacol.* **2005**, 144, 781-790.
- 31 Bhardwaj, R. K.; Glaeser, H.; Becquemont, L.; Klotz, U.; Gupta, S. K.; Fromm, M. F. Piperine, a major constituent of black pepper, inhibits human P-glycoprotein and CYP3A4. *J. Pharmacol. Exp. Ther.* **2002**, 302, 645-650.
- 32 Reen, R. K.; Jamwal, D. S.; Taneja, S. C. Impairment of UDP-glucose dehydrogenase and glucuronidation activities in liver and small intestine of rat and guinea pig in vitro by piperine. *Biochem. Pharmacol.* **1993**, 46, 229-238.
- 33 Faas, L.; Venkatasamy, R.; Hider, R. C.; Young, A. R.; Soumyanath, A. In vivo evaluation of piperine and synthetic analogues as potential treatments for vitiligo using a sparsely pigmented mouse model. *British Journal of Dermatology.* **2008**, 158, 941-950.
- 34 Wattanathorn, J.; Chonpathompikunlert, P.; Muchimapura, S.; Priprem, A.; Tankamnerdthai, O. Piperine, the potential functional food for mood and cognitive disorders. *Food & Chemical Toxicology.* **2008**, 46, 3106-3110.

- 35 Leonardo, F. Lima, L. F.; Ribeiro, T. S.; Rocha, G. M.; Bruno Alves Brandão, B. A.; Romeiro, A.; Mendonça-Previato, L.; Previato, O.; Freire de Lima, M. E.; Ulisses de Carvalho, T. M.; Heise, N. The toxic effects of piperine against *Trypanosoma cruzi*: ultrastructural alterations and reversible blockage of cytokinesis in epimastigote forms. *Parasitology Research*. **2008**, 102, 1059-1067.
- 36 Koul, S.; Koul, J. L.; Taneja, S. C.; Dhar, K. L.; Jamwal, D. S.; Singh, K.; Reen, R. K. Structure-Activity Relationship of Piperine and its Synthetic Analogues for their Inhibitory Potentials of Rat Hepatic Microsomal Constitutive and Inducible Cytochrome P450 Activities. *Bioorg. Med. Chem.* **2000**, 8, 251-268.
- 37 Baramée, A.; Coppin, A.; Mortuaire, M.; Pelinski, L.; Tomavo, S.; Brocard, J. *Bioorg. Med. Chem.* **2006**, 14, 1294-1302.
- 38 Ngampong, K.; Boonsong, K.; Pongpun, S.; Chak, S.; Suwaporn, L.; Momad, N.; Suppachai, P.; Suratsawadee, P.; Palangpon, K. Potent Antitumor Activity of Synthetic 1,2-Naphthoquinones and 1,4-Naphthoquinones. *Bioorg. Med. Chem.* **2003**, 11, 3179-3191.
- 39 Cristina, P. V. F.; Sabrina, B. F.; Nivea, S. M. O.; Ani, B. J. M.; Ivson, L. G.; Fernando, C. S.; Maria, B. V. S.; Emerson, S. L.; Vitor, F. F. Synthesis and biological evaluation of substituted  $\alpha$ - and  $\beta$ -2,3-dihydrofuran naphthoquinones as potent anticandidal agents. *Med. Chem. Commun.* **2010**, 1, 229-232.
- 40 Satyendra, M.; Upma, N.; Roli, M.; Krishna, M. Design, development and synthesis of mixed bioconjugates of piperic acid–glycine, curcumin–

glycine/alanine and curcumin–glycine–piperic acid and their antibacterial and antifungal properties. *Bioorg. Med. Chem.* **2005**, 13, 1477-1486.

- 41 da Silva, F. W.; Freire-de-Lima, L.; Saraiva, V. B.; Alisson-Silva, F.; Mendonca-Pre-viato, L.; Previato, J. O.; Echevarria, A.; de Lima, M. E. F. Novel 1,3,4-thiadiazolium-2-phenylamine chlorides derived from natural piperine as trypanocidal agents: Chemical and biological studies. *Bioorg. Med. Chem.* **2008**, 16, 2984-2991.
- 42 Trager, W.; Jensen, J. B. Human malaria parasites in continuous culture. *Science*. **1976**, 193, 673-675.
- 43 Desjardins, R. E.; Canfield, C. J.; Haynes, J. D.; Chulay, J. D. Quantitative assessment of antimalarial activity *in vitro* by a semiautomated microdilution technique. *Antimicrob Agents Chemother.* **1979**, 16, 710-718.
- 44 Changsen, C.; Franzblau, S. G.; Palittapongarnpim, P. Improved green fluorescent protein reporter gene-based microplate screening for antituberculosis compounds by utilizing an acetamidase promoter. *Antimicrob. Agents Chemother.* **2003**, 47, 3682-3687.
- 45 Brien, J. O.; Wilson, I.; Orton, T.; Pognan, F. Investigation of the alamar blue (resazurin) fluorescent dye for the assessment of mammalian cell cytotoxicity, *Eur. J. Biochem.*, **2000**, 267, 5421-5426.
- 46 Hunt, L.; Jordan, M.; De Jesus, M.; Wurm, F. M. GFP-expressing mammalian cells for fast, sensitive, noninvasive cell growth assessment in a kinetic mode. *Biotechnol and Bioeng.* **1999**, 65, 201-205.
47. Lee, H.; Lee, K.; Jung, J.; Cho, J.; Theodorakis, E. Synthesis and evaluation of



6-hydroxy-7-methoxy-4-chromanone- and chroman-2-carboxamides as antioxidants. *Bioorg. Med. Chem. Lett.* **2005**, 15, 2745-2748

- 48 Phattanasarin, S. Synthesis and Bioactivity Tests of the Novel Piperine Analogues. M.S. Thesis, Chiang Mai University, **2011**.
- 49 Phichai, N. Synthesis and Bioactivities Testings of Some Piperine Derivatives. M.S. Thesis, Chiang Mai University, **2008**.
- 50 โชคชัย โชคบัณฑิต. การสังเคราะห์สารใหม่เอสเตอร์ที่คล้ายพิเพอริน. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต (เคมี), มหาวิทยาลัยเชียงใหม่ เชียงใหม่, **2550**.
- 51 Reid, K. F. Properties and reactions of bonds in organic molecules. London: Longmans, **1968**.
- 52 [Online]. Available: [http://en.wikipedia.org/wiki/Mannich\\_reaction](http://en.wikipedia.org/wiki/Mannich_reaction) (November, 18, 2012)