BIBLIOGRAPHY

1.

- Steinberg S. A paradigm shift in the treatment of caries. *Gen Dent.* 2002; 50: 333-338.
- Orhan AI, Oz FT, Orhan K. Pulp exposure occurrence and outcomes after 1or 2-visit indirect pulp therapy vs complete caries removal in primary and permanent molars. *Pediatr Dent.* 2010; 32: 347-355.
 - Bjorndal L, Reit C, Bruun G, Markvart M, Kjaeldgaard M, Nasman P, et al. Treatment of deep caries lesions in adults: randomized clinical trials comparing stepwise vs. direct complete excavation, and direct pulp capping vs. partial pulpotomy. *Eur J Oral Sci.* 2010; 118: 290-297.
- 4. Lula EC, Monteiro-Neto V, Alves CM, Ribeiro CC. Microbiological analysis after complete or partial removal of carious dentin in primary teeth: a randomized clinical trial. *Caries Res.* 2009; 43: 354-358.
- AAPD. Guideline on pulp therapy for primary and immature permanent teeth. *Reference manual*. 2011-2012; 33: 212-219.
- 6. Ricketts D. Management of the deep carious lesion and the vital pulp dentine complex. *Br Dent J.* 2001; 191: 606-610.
- Fuks AB. Vital pulp therapy with new materials for primary teeth: new directions and treatment perspectives. *J Endod*. 2008; 34: S18-24.
- . Farooq NS, Coll JA, Kuwabara A, Shelton P. Success rates of formocresol pulpotomy and indirect pulp therapy in the treatment of deep dentinal caries in primary teeth. *Pediatr Dent*. 2000; 22: 278-286.

- Vij R, Coll JA, Shelton P, Farooq NS. Caries control and other variables associated with success of primary molar vital pulp therapy. *Pediatr Dent*. 2004; 26: 214-220.
- 10. Huth KC, Hajek-Al-Khatar N, Wolf P, Ilie N, Hickel R, Paschos E. Long-term effectiveness of four pulpotomy techniques: 3-year randomised controlled trial. *Clin Oral Investig.* 2012; 16: 1243-1250.
- Vargas KG, Packham B. Radiographic success of ferric sulfate and formocresol pulpotomies in relation to early exfoliation. *Pediatr Dent*. 2005; 27: 233-237.
- Holan G, Eidelman E, Fuks AB. Long-term evaluation of pulpotomy in primary molars using mineral trioxide aggregate or formocresol. *Pediatr Dent*. 2005; 27: 129-136.
- 13. Coll JA. Indirect pulp capping and primary teeth: is the primary tooth pulpotomy out of date? *J Endod*. 2008; 34: S34-39.
- 14. Kidd EA. How 'clean' must a cavity be before restoration? *Caries Res.* 2004; 38: 305-313.
- Kidd EA, Fejerskov O. What constitutes dental caries? Histopathology of carious enamel and dentin related to the action of cariogenic biofilms. *J Dent Res.* 2004; 83: C35-38.
- Bjorndal L. The caries process and its effect on the pulp: the science is changing and so is our understanding. *Pediatr Dent.* 2008; 30: 192-196.
- Bjorndal L, Kidd EA. The treatment of deep dentine caries lesions. *Dent Update*. 2005; 32: 402-413.

- Gruythuysen RJ, van Strijp AJ, Wu MK. Long-term survival of indirect pulp treatment performed in primary and permanent teeth with clinically diagnosed deep carious lesions. *J Endod*. 2010; 36: 1490-1493.
- 19. Al-Zayer MA, Straffon LH, Feigal RJ, Welch KB. Indirect pulp treatment of primary posterior teeth: a retrospective study. *Pediatr Dent*. 2003; 25: 29-36.
- 20. Falster CA, Araujo FB, Straffon LH, Nor JE. Indirect pulp treatment: in vivo outcomes of an adhesive resin system vs calcium hydroxide for protection of the dentin-pulp complex. *Pediatr Dent*. 2002; 24: 241-248.
- 21. Marchi JJ, de Araujo FB, Froner AM, Straffon LH, Nor JE. Indirect pulp capping in the primary dentition: a 4 year follow-up study. *J Clin Pediatr Dent*. 2006; 31: 68-71.
- 22. Casagrande L, Falster CA, Di Hipolito V, De Goes MF, Straffon LH, Nor JE, et al. Effect of adhesive restorations over incomplete dentin caries removal: 5-year follow-up study in primary teeth. *J Dent Child*. 2009; 76: 117-122.
- 23. Keyes PH. Present and future measures for dental caries control. *J Am Dent Assoc.* 1969; 79: 1395-1404.
- Seow WK. Biological mechanisms of early childhood caries. *Community Dent* Oral Epidemiol. 1998; 26: 8-27.
- 25. Bjorndal L. Dentin and pulp reactions to caries and operative treatment:
 biological variables affecting treatment outcome. *Endodontic Topics*. 2002; 3: 123-136.
- Aminzadeh Aea. Infra-red and Raman Spectroscopic Studies of Infected and Affected dentine. *Iran J Chem & Chem Eng.* 2002; 21: 87-90.

- 27. Mjor IA, Sveen OB, Heyeraas KJ. Pulp-dentin biology in restorative dentistry.
 Part 1: normal structure and physiology. *Quintessence Int*. 2001 Jun; 32: 427-446.
- 28. Bjorndal L. Indirect pulp therapy and stepwise excavation. *J Endod*. 2008; 34: S29-33.
- McDonald RE, Avery DR, Dean JA. Treatment of deep caries, vital pulp exposure, and pulpless teeth. In: McDonald RE, Avery DR, Dean JA, editors. *Dentistry for child and adolescent*. 8th ed. St. Louis, Mo: Elsevier Saunders Co; 2004: 388-412.
- 30. Seale NS, Glickman GN. Contemporary perspectives on vital pulp therapy: views from the endodontists and pediatric dentists. *J Endod*. 2008; 34: S57-61.
- 31. Thompson V, Craig RG, Curro FA, Green WS, Ship JA. Treatment of deep carious lesions by complete excavation or partial removal: a critical review. J Am Dent Assoc. 2008; 139: 705-712.
- 32. Kopel HM. Considerations for the direct pulp capping procedure in primary teeth: a review of the literature. *J Dent Child*. 1992; 59: 141-149.
- 33. Salako N, Joseph B, Ritwik P, Salonen J, John P, Junaid TA. Comparison of bioactive glass, mineral trioxide aggregate, ferric sulfate, and formocresol as pulpotomy agents in rat molar. *Dent Traumatol.* 2003; 19: 314-320.
- 34. Eidelman E, Holan G, Fuks AB. Mineral trioxide aggregate vs. formocresol in pulpotomized primary molars: a preliminary report. *Pediatr Dent*. 2001; 23: 15-18.
- 35. Tyas MJ, Anusavice KJ, Frencken JE, Mount GJ. Minimal intervention dentistry--a review. FDI Commission Project 1-97. *Int Dent J.* 2000; 50: 1-12.

- 36. Ricketts DN, Kidd EA, Innes N, Clarkson J. Complete or ultraconservative removal of decayed tissue in unfilled teeth. *Cochrane Database Syst Rev.* 2006; 3: CD003808.
- 37. Kato S, Fusayama T. Recalcification of artificially decalcified dentin in vivo.*J Dent Res.* 1970; 49: 1060-1067.
- Maltz M, de Oliveira EF, Fontanella V, Bianchi R. A clinical, microbiologic, and radiographic study of deep caries lesions after incomplete caries removal. *Quintessence Int.* 2002; 33: 151-159.
- 39. Wambier DS, dos Santos FA, Guedes-Pinto AC, Jaeger RG, Simionato MR. Ultrastructural and microbiological analysis of the dentin layers affected by caries lesions in primary molars treated by minimal intervention. *Pediatr Dent*. 2007; 29: 228-234.
- 40. Orhan AI, Oz FT, Ozcelik B, Orhan K. A clinical and microbiological comparative study of deep carious lesion treatment in deciduous and young permanent molars. *Clin Oral Investig.* 2008; 12: 369-378.
- Kneist S, Schmidt F, Callaway A, Willershausen B, Rupf S, Wicht M, et al. Diversity of Lactobacillus species in deep carious lesions of primary molars. *Eur Arch Paediatr Dent.* 2010; 11: 181-186.
- 42. Duque C, Negrini Td, Sacono N, Spolidorio D, de Souza Costa C, Hebling J.
 Clinical and microbiological performance of resin-modified glass-ionomer liners after incomplete dentine caries removal. *Clin Oral Invest.* 2009; 13: 465-471.

- 43. Bjorndal L, Larsen T, Thylstrup A. A clinical and microbiological study of deep carious lesions during stepwise excavation using long treatment intervals. *Caries Res.* 1997; 31: 411-417.
- 44. Massara ML, Alves JB, Brandao PR. Atraumatic restorative treatment: clinical, ultrastructural and chemical analysis. *Caries Res.* 2002; 36: 430-436.
- 45. Marchi JJ, Froner AM, Alves HL, Bergmann CP, Araujo FB. Analysis of primary tooth dentin after indirect pulp capping. *J Dent Child*. 2008; 75: 295-300.
- 46. Franzon R, Gomes M, Pitoni CM, Bergmann CP, Araujo FB. Dentin rehardening after indirect pulp treatment in primary teeth. *J Dent Child*. 2009; 76: 223-228.
- 47. Bjorndal L, Thylstrup A. A practice-based study on stepwise excavation of deep carious lesions in permanent teeth: a 1-year follow-up study. *Community Dent Oral Epidemiol.* 1998; 26: 122-128.
- 48. McDonald RE, Avery DR, Dean JA. Restorative dentistry. In: McDonald RE, Avery DR, Dean JA, editors. *Dentistry for the child and adolescent*. 8th ed. St. Louis, Mo Elsevier Saunders Co; 2004: 364-387.
- 49. Sonmez D, Duruturk L. Success rate of calcium hydroxide pulpotomy in primary molars restored with amalgam and stainless steel crowns. *Br Dent J*. 2010; 208: E18; discussion 408-409.
- 50. Randall RC. Preformed metal crowns for primary and permanent molar teeth: review of the literature. *Pediatr Dent*. 2002; 24: 489-500.
- 51. Seale NS. The use of stainless steel crowns. *Pediatr Dent.* 2002; 24: 501-505.

75

- 52. Roberts JF, Attari N, Sherriff M. The survival of resin modified glass ionomer and stainless steel crown restorations in primary molars, placed in a specialist paediatric dental practice. *Br Dent J.* 2005; 198: 427-431.
- 53. Qvist V, Manscher E, Teglers PT. Resin-modified and conventional glass ionomer restorations in primary teeth: 8-year results. *J Dent.* 2004; 32: 285-294.
- 54. Kotsanos N, Arizos S. Evaluation of a resin modified glass ionomer serving both as indirect pulp therapy and as restorative material for primary molars.
 Eur Arch Paediatr Dent. 2011; 12: 170-175.
- Sidhu SK. Clinical evaluations of resin-modified glass-ionomer restorations. Dental Materials. 2010; 26: 7-12.
- 56. Hill EE, Lott J. A clinically focused discussion of luting materials. *Aust Dent* J. 2011; 56: 67-76.
- 57. Chandrasekhar V. Post cementation sensitivity evaluation of glass Ionomer, zinc phosphate and resin modified glass Ionomer luting cements under class II inlays: An in vivo comparative study. *J Conserv Dent.* 2010; 13: 23-27.
- 58. Smith DC, Ruse ND. Acidity of glass ionomer cements during setting and its relation to pulp sensitivity. *J Am Dent Assoc*. 1986; 112: 654-657.
- 59. Yilmaz Y, Simsek S, Dalmis A, Gurbuz T, Kocogullari ME. Evaluation of stainless steel crowns cemented with glass-ionomer and resin-modified glass-ionomer luting cements. *Am J Dent.* 2006; 19: 106-110.
- Subramaniam P, Kondae S, Gupta KK. Retentive strength of luting cements for stainless steel crowns: an in vitro study. *J Clin Pediatr Dent*. 2010; 34: 309-312.

- 61. Yilmaz Y, Dalmis A, Gurbuz T, Simsek S. Retentive force and microleakage of stainless steel crowns cemented with three different luting agents. *Dent Mater J*. 2004; 23: 577-584.
- Dunston B, Coll JA. A survey of primary tooth pulp therapy as taught in US dental schools and practiced by diplomates of the American Board of Pediatric Dentistry. *Pediatr Dent.* 2008; 30: 42-48.
- 63. Banerjee A, Watson TF, Kidd EA. Dentine caries excavation: a review of current clinical techniques. *Br Dent J.* 2000; 188: 476-482.
- Fusayama T, Terachima S. Differentiation of two layers of carious dentin by staining. *J Dent Res.* 1972; 51: 866.
- 65. Fusayama T. Two layers of carious dentin; diagnosis and treatment. *Oper Dent.* 1979; 4: 63-70.
- 66. Ngo HC, Mount G, Mc Intyre J, Tuisuva J, Von Doussa RJ. Chemical exchange between glass-ionomer restorations and residual carious dentine in permanent molars: an in vivo study. *J Dent.* 2006; 34: 608-613.
- 67. Bonifacio CC, van Amerongen WE, Meschini TG, Raggio DP, Bonecker M.
 Flowable glass ionomer cement as a liner: improving marginal adaptation of atraumatic restorative treatment restorations. *J Dent Child*. 2010; 77: 12-16.
- 68. Vaikuntam J. Resin-modified glass ionomer cements (RM GICs) implications for use in pediatric dentistry. *J Dent Child*. 1997; 64: 131-134.
- 69. Fuks AB. Pulp therapy for the primary and young permanent dentitions. *Dent Clin North Am.* 2000; 44: 571-596.

- Mertz-Fairhurst EJ, Curtis JW, Jr., Ergle JW, Rueggeberg FA, Adair SM. Ultraconservative and cariostatic sealed restorations: results at year 10. J Am Dent Assoc. 1998; 129: 55-66.
- 71. Innes N, Evans D, Hall N. The Hall Technique for managing carious primary molars. *Dent Update*. 2009; 36: 472-478.
- 72. Innes NP, Evans DJ, Stirrups DR. The Hall Technique; a randomized controlled clinical trial of a novel method of managing carious primary molars in general dental practice: acceptability of the technique and outcomes at 23 months. *BMC Oral Health*. 2007; 7: 18.
- 73. Innes NP, Stirrups DR, Evans DJ, Hall N, Leggate M. A novel technique using preformed metal crowns for managing carious primary molars in general practice a retrospective analysis. *Br Dent J*. 2006; 200: 451-454.
- 74. Foley JI. Management of carious primary molar teeth by UK postgraduates in paediatric dentistry. *Eur Arch Paediatr Dent*. 2010; 11: 294-297.
- 75. Dupont WD, Plummer WD. PS: Power and Sample Size Calculation. http://biostatmcvanderbiltedu/wiki/Main/PowerSampleSize. 2009.
- Rogers T. The Central Limit Theorem How to Tame Wild Populations. http://wwwintuitorcom/statistics/CentralLimhtml. 1996-2009.
- 77. Encyclopedia WTF. Central limit theorem.http://enwikipediaorg/wiki/Central_limit_theorem. 2012.
- 78. Mickenautsch S, Yengopal V, Banerjee A. Pulp response to resin-modified glass ionomer and calcium hydroxide cements in deep cavities: A quantitative systematic review. *Dental Materials*. 2010; 26: 761-770.

79. Weiner R. Liners and bases in general dentistry. Aust Dent J. 2011; 56: 11-22.

- 80. Hilton TJ. Keys to Clinical Success with Pulp Capping: A Review of the Literature. *Oper Dent.* 2009; 34: 615-625.
- 81. Francisconi LFv, Freitas APd, Scaffa PMC, Mondelli RFL, Francisconi PAS.
 Water sorption and solubility of different calcium hydroxide cements. *J Appl Oral Sci.* 2009; 17: 427-431.
- 82. Wilson NHF. Direct adhesive materials: current perceptions and evidencefuture solutions. *J Dent.* 2001; 29: 307-316.
- 83. McCabe JF. Resin-modified glass-ionomers. *Biomaterials*. 1998; 19: 521-527.
- 84. Yiu CKY, Tay FR, King NM, Pashley DH, Carvalho RM, Carrilho MRO.
 Interaction of resin-modified glass-ionomer cements with moist dentine. J Dent. 2004; 32: 521-530.
- 85. Yoshiyama M, Tay FR, Doi J, Nishitani Y, Yamada T, Itou K, et al. Bonding of Self-etch and Total-etch Adhesives to Carious Dentin. *J Dent Res.* 2002; 81: 556-560.
- 86. Nakornchai S, Harnirattisai C, Surarit R, Thiradilok S. Microtensile bond strength of a total-etching versus self-etching adhesive to caries-affected and intact dentin in primary teeth. *J Am Dent Assoc*. 2005; 136: 477-483.
- 87. Seraj B, Shahrabi M, Motahari P, Ahmadi R, Ghadimi S, Mosharafian S, et al. Microleakage of Stainless Steel Crowns Placed on Intact and Extensively Destroyed Primary First Molars: An In Vitro Study. *Pediatr Dent.* 2011; 33: 525-528.
- Hill EE. Dental Cements for Definitive Luting: A Review and Practical Clinical Considerations. *Dent Clin N Am.* 2007; 51: 643-658.

- 89. Nicholson JW, Czarnecka B. The biocompatibility of resin-modified glassionomer cements for dentistry. *Dental Materials*. 2008; 24: 1702-1708.
- 90. Memarpour M, Mesbahi M, Rezvani G, Rahimi M. Microleakage of Adhesive and Nonadhesive Luting Cements for Stainless Steel Crowns. *Pediatr Dent*. 2011; 33: 501-504.
- 91. Rossetti PHO, Valle ALd, Carvalho RMd, Goes MFD, Pegoraro LF. Correlation between margin fit and microleakage in complete crowns cemented with three luting agents. *J Appl Oral Sci.* 2008; 16: 64-69.
- 92. Sastararuji T, Trairatvorakul C. Success of calcium hydroxide indirect pulp treatment versus three mix antibiotics vital pulp therapy in lower primary molars. *CU Dent J.* 2009; 32: 157-166.
- 93. Ruby JD, Cox CF, Mitchell SC, Makhija S, Chompu-Inwai P, Jackson J. A randomized study of sodium hypochlorite versus formocresol pulpotomy in primary molar teeth. *Int J Paediatr Dent.* 2012; 13.
- 94. Fuks AB. Pulp therapy for the primary dentition. In: Pinkham JR, Casamassimo PS, Fields HJ, McTigue DJ, Nowak A, editors. *Pediatric Dentistry: Infancy Through Adolescence*. 4th ed. St. Louis: Elsevier Saunders Co; 2005: 375-393.
- 95. Virajsilp V, Thearmontree A, Paiboonwarachat D, Aryatawong S. Comparison of Proximal Caries Detection in Primary Teeth between Laser Fluorescence and Bitewing Radiography. *Pediatr Dent.* 2005; 27: 493-499.
- 96. Espelid I, Tveit ABS. Clinical and radiographic assessment of approximal carious lesions. *Acta Odontol Scand*. 1986; 44: 31-37.

97. Lancaster PE, Craddock HL, Carmichael FA. Estimation of remaining dentine thickness below deep lesions of caries. *Br Dent J*. 2011; 211: E20.



ลิ<mark>ขสิทธิ์มหาวิทยาลัยเชียงใหม่</mark> Copyright[©] by Chiang Mai University All rights reserved