

REFERENCES

- Adisorn Thomya, 2012, Design of Control System of Hydrogen and Oxygen Flow Rate for Proton Exchange Membrane Fuel Cell Using Fuzzy Logic Controller, Master of Engineering Thesis, Energy Engineering Program, Chiang Mai University, pp. 166
- Alejandro J. del Real, Alicia Arce, and Carlos Bordons, (2007), Development and experimental validation of a PEM fuel cell dynamic model, *Journal of Power Sources*, 173, pp. 310-324
- Alejandro J. del Real, Alicia Arce, and Carlos Bordons, (2007) "Hybrid Model Predictive Control of a Two-Generator Power Plant Integrating Photovoltaic Panels and a Fuel cell" *Proceeding of the 46th IEEE Conference on Decision and Control*, New Orleans, LA, USA, Dec. 12-14, pp. 5447-5452
- Ahmad W., Al-Dabbagh, Lixuan Lu, and Antonio Mazza, (2010), Modeling, Simulation and control of a proton exchange membrane fuel cell (PEMFC) power system, *International Journal of Hydrogen Energy*, vol. 35, pp. 5061-5069
- Andreas Jossen, Juergen Garche, Harry Doering, Markus Goetz, Werner Knaupp, and Ludwig Joerissen, (2005), Hybrid systems with lead-acid battery and proton-exchange membrane fuel cell, *Journal of Power Sources*, 144, pp. 395-401
- Andrew F. Burke, (2007), Batteries and Ultracapacitors for Electric, Hybrid, and Fuel Cell Vehicles, *Proceeding of the IEEE*, Vol. 95, No. 4, pp. 806-820
- A. M. O. Haruni, A. Gargoom, M. E. Haque, and M. Negnevitsky, (2010), Dynamic Operation and Control of Hybrid Wind-Diesel Stand Alone Power Systems, *Applied Power Electronics Conference and Exposition (APEC), Twenty-Fifth Annual IEEE*, February 21-25 2010, Palm Springs, USA, pp. 162-169
- Ballard, (2003), , Nexa™ Power Module User's Manual, BALLARD POWER SYSTEMS INC.
- Bard, A. J. and L. R. Faulkner, (1980) *Electrochemical Methods* (John Wiley & Sons, New York).
- Barsali S., Miulli C., and Possenti A., (2004) "A Control strategy to minimize fuel consumption of series hybrid electric vehicle" *IEEE Trans. Energy Conversion*. Vol 19, pp. 187-195.
- C. Bernay, M. Marchand, and M. Cassir, (2002), Prospects of different fuel cell technologies for vehicle applications, *Journal of Power Sources*, vol. 108, pp. 139-152
- Colleen Spiegle, (2008), *PEM Fuel Cell Modeling and Simulation Using MATLAB* (ELSEVIER, USA)
- Dongji Xuan, Zhenzhe Li, Jinwan Kim, and Youngbae Kim, (2009), Optimal operating points of PEM fuel cell with RSM, *Journal of Mechanical Science and Technology*, vol. 23, pp. 717-728
- Ehsani M., Gao Y., Gay S. E., and Emadi A., (2004), "Modern Electric, Hybrid Electric, and Fuel Cell Vehicles Fundamentals, Theory, and Design" CRC Press, Boca Raton, London New York Washington, D.C.

- Fang-Bor Weng, Ay Su, Guo-Bin Jung, Yen-Chiao Chin, and Shih-Hung Chan, (2005) "Numerical prediction of concentration and current distributions in PEMFC" *Journal of Power Sources*, August 2005, vol. 145, pp. 546-554
- Fabio Musio, Fausto Tacchi, Luca Omati, Paola Gallo Stampino, Giovanni Dotelli, Stefano Limonta, Davide Brivio, and Paolo Grassini, (2011), PEMFC system simulation in MATLAB-simulink environment, *International Journal of Hydrogen Energy*, vol. 36, pp. 8045-8052
- Fei Gao, Benjamin Blunier, Marcelo Simoes, Abdellatif Miraoui, and Abdellah El-Moudni, (2009), Pem Fuel Cell Stack Hardware-in-the-Loop Emulation Using DC/DC Converter Design, In Proc. of IEEE Electrical Power & Energy Conference (EPEC), pp. 1-6
- G. Kovacevic, A. Tenconi, and Bojoi, (2008), Advanced DC-DC converter for power conditioning in hydrogen fuel cell systems, *International Journal of Hydrogen Energy*, Vol. 33, pp. 3215 – 3219
- Guo-Bin Jung, Kai-Fan Lo, Ay Su, Feng-Bor Weng, Cheng-Hsin Tu, Teng-Fu Yang, and Shih-Hung Chan, (2008), Experimental evaluation of an ambient forced-feed air-supply PEM fuel cell, *International Journal of Hydrogen Energy*, vol. 33, pp. 2980-2985
- Hui Xu, H. Russell Kunz, and James M. Fenton, (2007), "Analysis of proton exchange membrane fuel cell polarization losses at elevated temperature 120°C and reduced relative humidity", *Journal of Electrochimica Acta*, vol. 52, pp. 3525-3533
- Jiang Z., Gao L., Blackwelder M., and Dougal R., (2003) "Design and experimental tests of control strategies for active hybrid fuel cell / battery power sources" *Journal of Power Sources*, Vol. 130, pp. 163-171
- J. J. Hwang, L. K. Lai, W. Wu, and W. R. Chang, (2009), Dynamic modeling of a photovoltaic hydrogen fuel cell hybrid system, *International Journal of Hydrogen Energy*, vol. 34, pp. 9531-9542
- John B. Heywood, (1988), *Internal Combustion Engine Fundamentals*, McGraw Hill Series in Mechanical Engineering. Printed in Singapore
- Joon-Ho Koh, Hai-Kyung Seo, Choong Gon Lee, Young-Sung Yoo, and Hee Chun Lim, (2003), Pressure and flow distribution in internal gas manifolds of a fuel cell stack, *Journal of Power Sources*, vol. 115, pp. 54-65
- Karen L. Butler, Mehrdad Ehsani, and Preyas Kamath, (1999), A Matlab-Base d Modeling and Simulation Package for Electric and Hybrid Electric Vehicle Design, *IEEE Transaction on Vehicular Technology*, Vol. 48, No. 6, November, pp. 1170-1178
- Kelly K. J., Zolot M., Glinsky G., and Hieronymus A., (2001), "Test Results and Modeling of the Honda Insight using ADVISOR" *SAE Future Transportation Technologies Conference*, Costa Mesa, CA, August 20-22, pp. 1-12
- Laminie, J. and A. Dicks(2003), *Fuel cell Systems Explained*, Second ed. (John Wiley & Sons, Chichester, England.
- Leonard J. Bonville, H. Russell Kunz, Ying Song, Anthony Mientek, Minkmas, Albert Ching, and James M. Fenton, (2005), Development and demonstration of a higher temperature PEM fuel cell stack, *Journal of Power Sources*, vol. 144, pp. 107-112

- Lijun Gao, Zhenhua Jiang, and Roger A. Dougal, (2004), An actively controlled fuel cell/battery hybrid to meet pulsed power demands, *Journal of Power Sources*, May, 2004, Vol. 130, pp. 202-207
- Lin Wang, Attila Husar, Tianhong Zhou, and Hongtan Liu, (2003) “A parametric study of PEM fuel cell performances” *International Journal of Hydrogen Energy*, Vol. 28, pp. 1263-1272
- Markel T., Brooker A., Hendricks T., Johnson V., Kelly K., Kramer B., O’Keefe M., Sprik S., and Wipke K., (2002), “ADVISOR: a systems analysis tool for advanced vehicle modeling” *Journal of Power Sources*, June, 2002, Vol. 110., pp. 255-266.
- M. Ceraolo, C. Miulli, and A. Pozio, (2003), Modeling static and dynamic behavior of proton exchange membrane fuel cells on the basis of electro-chemical description, *Journal of Power Sources*, vol. 113, pp. 131-144
- Mierlo J. V., Maggetto G., and Lataire Ph., (2006), “Which energy source for road transport in the future? A comparison of battery, hybrid and fuel cell vehicles” *Journal of Energy Conversion and Management*, March, 2006, Vol. 47. pp. 2748-2760.
- Mehdi Soltani and S. Mohammad Taghi Bathaee, (2010), Development of an empirical dynamic model for a Nexa PEM fuel cell power module, *Journal of Energy Conversion and Management*, May, 2010, vol.51-pp. 2492-2500
- M. Hatti, A. Meharrar, and M. Tioursi, (2011), Power management strategy in the alternative energy photovoltaic/PEM Fuel Cell hybrid system, *Journal of Renewable and Sustainable Energy Reviews*, September, 2011, vol. 15, pp. 5104-5110
- M. J. Khan, and M. T. Iqbal, (2005), Dynamic modeling and simulation of a small wind-fuel cell hybrid energy system, *Journal of Renewable Energy*, vol. 30, pp. 421-439
- M. M. Hussain, J. J. Baschuk, X. Li, and I. Dincer, (2005), Thermodynamic analysis of a PEM fuel cell power system, *International Journal of Thermal Sciences*, April, 2005, vol. 44, pp. 903-911
- M. T. Iqbal, (2003), Simulation of a small wind fuel cell hybrid energy system, *Journal of Renewable Energy*, October, 2002, vol. 28, pp. 511-522
- M. Tohidi, S. H. Mansouri, and H. Amiri, (2010), Effect of primary parameters on the performance of PEM fuel cell, *International Journal of Hydrogen Energy*, September, 2010, vol. 35, pp. 9338 – 9348
- M. T. Outeiro, R. Chibante, A. S. Carvalho, and A. T. de Almeda, (2008), A parameter optimized model of a Proton Exchange Membrane fuel cell including temperature effects, *Journal of Power Sources*, December, 2008, vol. 185, pp. 952-960
- Nadal M., and Barbir F., (1996), “Development of A Hybrid Fuel Cell/Battery Powered Electric Vehicle” *International Association for Hydrogen Energy*, Vol. 21, No. 6, pp. 497-505
- Nirunsin S., (2011), Water management in a strip cell stack of proton exchange membrane fuel cells, Doctor of Engineering Thesis, Energy Engineering, Chiang Mai University, 230pages.
- N. Mohan, T. M. Undeland, and W.P. Robbins (2002), *Power Electronics Converters, applications and Design*. 3rd Edition. Wiley. 824 pages. September, 2002.

- Newman, J. S., (1991), *Electrochemical Systems*, 3rd edition. 432 pages, (Prentice Hall, Englewood Cliffs, NJ)
- O. C. Onar, M. Uzunoglu, and M. S. Alam, (2006), Dynamic modeling, design and simulation of a wind/fuel cell/ultra-capacitor-based hybrid power generator system, *Journal of Power Sources*, May, 2006, vol. 161, pp. 707-722
- O'Hayre R., Cha W. S., Colella W., Prinz B. F., (2006) "Fuel cell Fundamentals" Published by John Wiley & Sons, Inc., Hoboken, New Jersey.
- Onoda S., and Emadi A., (2004), "PSIM-Based Modeling of Automotive Power System: Conventional, Electric, and Hybrid Electric Vehicles" *IEEE Transactions on Vehicular Technology*. March, 2004, Vol. 53 No. 2, pp. 390-400
- O. Shamardina, A. Chertovich, A. A. Kulikovskiy, A. R. Khokhlov, (2010), A simple model of a high temperature PEM fuel cell, *International Journal of Hydrogen Energy*, September, 2010, vol. 35, No. 18, pp. 9954-9962
- P. C. Sui, and N. Djilali, (2006), Analysis of coupled electron and mass transport in the gas diffusion layer of a PEM fuel cell, *Journal of Power Sources*, vol. 161, pp. 294-300
- P. R. Pathapati, X. Xue, and J. Tang, (2005), A new dynamic model for predicting transient phenomena in a PEM fuel cell system, *Journal of Renewable Energy*, Vol. 30, pp. 1-22
- Pragya Nema, R. K. Nema, and Saroj Rangnekar, (2009), A current and future state of art development of hybrid energy system using wind and PV-solar: A review, *Journal of Renewable and Sustainable Energy Reviews*, vol. 13, pp. 2096–2103
- P. Srinivasa Raju, P. V. V. N. R. Prasada Raju, K. V. Sharma, and B. J. J. Raju, (2010), Dynamic Modeling of PEM Fuel Cell, *European Journal of Scientific Research*, vol. 43, No. 1, pp. 138-147
- Rajesh K. Ahluwalia, and X. Wang (2005), Direct hydrogen fuel cell systems for hybrid vehicles. *Journal of Power Sources*, January, 2005, vol. 139, No. 1-2, pp. 152 – 164
- Rajesh K. Ahluwalia, and X. Wang, and A. Rousseau, (2005), Fuel economy of hybrid fuel-cell vehicles, *Journal of Power Sources*, December, 2005, vol. 152, pp. 233-244
- Rahman Z., Butler K. L., and Ehsani M., (1999), "Design studies of a series hybrid heavy-duty transit bus using V-ELPH 2.01" *IEEE 49th, Vehicular Technology Conference*, July, 1999, pp.2268-2272
- Rahman Z., Butler K. L., and Ehsani M., (1999) "Designing Parallel hybrid Electric Vehicles Using V-ELPH 2.01" *Proceedings of the American Control Conference*, San Diego, California, June 1999, pp.2693-2697.
- Ronald K. A. M. Mallant, (2003), PEMFC systems: the need for high temperature polymers as a consequence of PEMFC water and heat management, *Journal of Power Sources*, vol. 118, pp. 424-429
- Sampath Yerramalla, Asad Davari, Ali Feliachi, and Tamal Biswas, (2003), "Modeling and Simulation of the dynamic behavior of a polymer electrolyte membrane fuel cell" *Journal of Power Source*, October 2003, vol. 124, No. 1, pp. 104-113

- Shuguo Qu, Xiaojin Li, Ming Hou, Zhigang Shao, and Baolian Yi, (2008), The effect of air stoichiometry change on the dynamic behavior of a proton exchange membrane fuel cell, *Journal of Power Sources*, vol. 185, pp. 302-310
- Sophie Didierjean, Oliver Lottin, Gael Maranzana, and Thierry Geneston, (2008), PEM fuel cell voltage transient response to a thermal perturbation, *Journal of Electrochimica Acta*, October 2008, vol. 53, No. 24, pp. 7313-7320
- S. Shimpalee and S. Dutta, (2000), Numerical prediction of temperature distribution in PEM fuel cells, *Journal of Numerical Heat Transfer, Part A*, vol. 38, pp. 111-128
- T. Yalcinoz, and M. S. Alam, (2008), Improved dynamic performance of hybrid PEM fuel cells and ultracapacitors for portable applications, *International Journal of Hydrogen Energy*, vol. 33, pp. 1932-1940
- Wipke K. B., Cuddy M. R., and Burch S. D., (1999), "ADVISOR 2.1: A User-Friendly Advanced Powertrain Simulation Using a Combined Backward/Forward Approach" *IEEE Transaction on Vehicular Technology*. Vol. 48 No. 6, November 1999, pp. 1751-1761
- Wei L., Xin-jian Z., and Guang-yi C., (2007) "Modeling and control of a small solar fuel cell hybrid energy system" *Journal of Zhejiang University SCIENCE A*, Vol. 5, pp. 734-740
- Wei Yuan, Yong Tang, Minqiang Pan, Zongtao Li, and Biao Tang, (2010), Model prediction of effects of operating parameters on proton exchange membrane fuel cell performance, *Journal of Renewable Energy*, vol. 35, pp. 656-666
- Yong Tang, Wei Yuan, Minqiang Pan, and Zhenping Wan, (2001), Experimental investigation on the dynamic performance of a hybrid PEM fuel cell/battery system for lightweight electric vehicle application, *Journal of Applied Energy*, vol. 1, pp. 68-76, January 2001.
- Yongping Hou, Zhihua Yang, and Gang Wan, (2010), An improved dynamic voltage model of PEM fuel cell stack, *International Journal of Hydrogen Energy*, vol. 35, pp. 11154-11160
- Yuyao Shan, and Song-Yul Choe, (2005), A high dynamic PEM fuel cell model with temperature effects, *Journal of Power Sources*, July 2005, Vol. 145, No. 1, pp. 30-39
- Zhenhua Jiang, Lijun Gao, Mark J. Blackwelder, and Roger A. Dougal, (2004), Design and experimental tests of control strategies for active hybrid fuel cell/battery power sources, *Journal of Power Sources*, vol. 130, No. 1-2, pp. 163-171, May 2004
- Zhihao Zhang, Xinhong Huang, Jin Jiang, and Bin Wu, (2006), An improved dynamic model considering effects of temperature and equivalent internal resistance for PEM fuel cell power modules, *Journal of Power Sources*, vol. 161, pp. 1062-1068
- Zhuqian Zhang, Li Jia, Haiting He, Xia Wang, and Lixin Yang, (2010), Modeling dynamic behaviors of a single cell proton exchange membrane fuel cell under different operating conditions, *Journal of the Taiwan Institute of Chemical Engineers*, Vol. 41, No. 6, November 2010, pp. 689-698