

REFERENCES

Asadullah, M., Ito, S. i., Kunimori, K., et al. (2002). "Energy efficient production of hydrogen and syngas from biomass: development of low-temperature catalytic process for cellulose gasification." Environmental Science & Technology. **36**(20): 4476-4481.

Asadullah, M., Miyazawa, T., Ito, S.-i., et al. (2004). "A comparison of Rh/CeO₂/SiO₂ catalysts with steam reforming catalysts, dolomite and inert materials as bed materials in low throughput fluidized bed gasification systems." Biomass and Bioenergy **26**(3): 269-279.

Babu, B. V. and Sheth, P. N. (2006). "Modeling and simulation of reduction zone of downdraft biomass gasifier: Effect of char reactivity factor." Energy Conversion and Management **47**(15–16): 2602-2611.

Barman, N. S., Ghosh, S. and De, S. (2012). "Gasification of biomass in a fixed bed downdraft gasifier – A realistic model including tar." Bioresource Technology **107**(0): 505-511.

Boateng, A. A., Banowetz, G. M., Steiner, J. J., et al. (2007). "Gasification of Kentucky bluegrass (*Poa pratensis* L.) straw in a farm-scale reactor." Biomass and Bioenergy **31**(2-3): 153-161.

Boateng, A. A., Walawender, W. P., Fan, L. T., et al. (1992). "Fluidized-bed steam gasification of rice hull." Bioresource Technology **40**(3): 235-239.

Caballero, M. A., Aznar, M. P., Gil, J., et al. (1997). "Commercial Steam Reforming Catalysts To Improve Biomass Gasification with Steam-Oxygen Mixtures. 1. Hot Gas Upgrading by the Catalytic Reactor." Industrial & Engineering Chemistry Research. **36**(12): 5227-5239.

Cao, Y., Wang, Y., Riley, J. T., et al. (2006). "A novel biomass air gasification process for producing tar-free higher heating value fuel gas." Fuel Processing Technology **87**(4): 343-353.

Carrier, M., Loppinet-Serani, A., Denux, D., et al. (2011). "Thermogravimetric analysis as a new method to determine the lignocellulosic composition of biomass." Biomass and Bioenergy **35**(1): 298-307.

Chang, A. C. C., Chang, H.-F., Lin, F.-J., et al. (2011). "Biomass gasification for hydrogen production." International Journal of Hydrogen Energy **36**(21): 14252-14260.

Chen, H., Dou, B., Song, Y., et al. (2012). "Pyrolysis characteristics of sucrose biomass in a tubular reactor and a thermogravimetric analysis." Fuel **95**(0): 425-430.

Chen, W.-H. and Kuo, P.-C. (2011). "Isothermal torrefaction kinetics of hemicellulose, cellulose, lignin and xylan using thermogravimetric analysis." Energy **36**(11): 6451-6460.

Corella, J., Herguido, J. and Gonzalez-Saiz, J. (1989). Steam Gasification of Biomass in Fluidized Bed Effects of The Type of Feedstock. London, Elsevier Applied Science.

Corella, J., Toledo, J. M. and Padilla, R. (2004). "Catalytic Hot Gas Cleaning with Monoliths in Biomass Gasification in Fluidized Beds. 1. Their Effectiveness for Tar Elimination." Industrial & Engineering Chemistry Research. **43**(10): 2433-2445.

Delgado, J., Aznar, M. P. and Corella, J. (1996). "Calcined Dolomite, Magnesite, and Calcite for Cleaning Hot Gas from a Fluidized Bed Biomass Gasifier with Steam: Life and Usefulness." Industrial & Engineering Chemistry Research. **35**(10): 3637-3643.

Demirbas, A. (1997). "Calculation of higher heating values of biomass fuels." Fuel **76**(5): 431-434.

Demirbas, A. (2004). "Combustion characteristics of different biomass fuels." Progress in Energy and Combustion Science **30**(2): 219-230.

Emami Tabataba, L., Irfan, M. F., Wan Daud, W. A. M., et al. (2012). "The effect of temperature on various parameters in coal, biomass and CO-gasification: A review." Renewable and Sustainable Energy Reviews **16**(8): 5584-5596.

Energy & Capital. 2012a. "World energy demand-long-term energy sources." 15 January 2012, [Online]. Available

<http://www.energyandcapital.com/articles/trickle-down-enomics/1488>.

Energy & Capital. 2012b. "World's rising population." [Online]. Available

<http://www.energyandcapital.com/articles/trickle-down-enomics/1488> (15 January 2012).

Franco, C., Pinto, F., Gulyurtlu, I., et al. (2003). "The study of reactions influencing the biomass steam gasification process." Fuel **82**(7): 835-842.

Gani, A. and Naruse, I. (2007). "Effect of cellulose and lignin content on pyrolysis and combustion characteristics for several types of biomass." Renewable Energy **32**(4): 649-661.

Gao, N. and Li, A. (2008). "Modeling and simulation of combined pyrolysis and reduction zone for a downdraft biomass gasifier." Energy Conversion and Management **49**(12): 3483-3490.

Gao, Y., Wang, X.-H., Yang, H.-P., et al. (2012). "Characterization of products from hydrothermal treatments of cellulose." Energy **42**(1).

Gautam, G. (2010). "Parametric Study of a Commercial-Scale Biomass Downdraft Gasifier: Experiments and Equilibrium Modeling." Thesis for Master of Science, Auburn University.

González, A., Penedo, M., Mauris, E., et al. (2010). "Pyrolysis analysis of different Cuban natural fibres by TGA and GC/FTIR." Biomass and Bioenergy **34**(11): 1573-1577.

González, J. F., Román, S., Bragado, D., et al. (2008). "Investigation on the reactions influencing biomass air and air/steam gasification for hydrogen production." Fuel Processing Technology **89**(8): 764-772.

Goyal, H. B., Seal, D. and Saxena, R. C. (2008). "Bio-fuels from thermochemical conversion of renewable resources: A review." Renewable and Sustainable Energy Reviews **12**(2): 504-517.

Haines, P. J. (2002). Principles of Thermal Analysis and Calorimetry. Cambridge, Royal Society of Chemistry

Han, L., Wang, Q., Ma, Q., et al. (2010). "Influence of CaO additives on wheat-straw pyrolysis as determined by TG-FTIR analysis." Journal of Analytical and Applied Pyrolysis **88**(2): 199-206.

Hanaoka, T., Inoue, S., Uno, S., et al. (2005). "Effect of woody biomass components on air-steam gasification." Biomass and Bioenergy **28**(1): 69-76.

Haykiri-Acma, H., Yaman, S. and Kucukbayrak, S. (2010). "Comparison of the thermal reactivities of isolated lignin and holocellulose during pyrolysis." Fuel Processing Technology **91**(7): 759-764.

Henriksen, U., Ahrenfeldt, J., Jensen, T. K., et al. (2006). "The design, construction and operation of a 75 kW two-stage gasifier." Energy **31**(10-11): 1542-1553.

Hofmann, P., Schweiger, A., Fryda, L., et al. (2008). "High temperature electrolyte supported Ni-GDC/YSZ/LSM SOFC operation on two-stage Viking gasifier product gas." Journal of Power Sources **173**(1), 357-366.

Hu, G., Xu, S., Li, S., et al. (2006). "Steam gasification of apricot stones with olivine and dolomite as downstream catalysts." Fuel Processing Technology **87**(5): 375-382.

Huang, Y. F., Kuan, W. H., Chiueh, P. T., et al. (2011). "Pyrolysis of biomass by thermal analysis–mass spectrometry (TA–MS)." Bioresource Technology **102**(3): 3527-3534.

James Stafford. 2012. "World oil exports." [Online]. Available <http://oilprice.com/Energy/Crude-Oil/Libyas-Role-In-World-Oil-Production-Past-And-Future.html> (15 January 2012).

Jarungthammachote, S. and Dutta, A. (2007). "Thermodynamic equilibrium model and second law analysis of a downdraft waste gasifier." Energy **32**(9): 1660-1669.

Jarungthammachote, S. and Dutta, A. (2008). "Equilibrium modeling of gasification: Gibbs free energy minimization approach and its application to spouted bed and spout-fluid bed gasifiers." Energy Conversion and Management **49**(6): 1345-1356.

Jayah, T. H., Aye, L., Fuller, R. J., et al. (2003). "Computer simulation of a downdraft wood gasifier for tea drying." Biomass and Bioenergy **25**(4): 459-469.

Johnsen, K., Ryu, H. J., Grace, J. R., et al. (2006). "Sorption-enhanced steam reforming of methane in a fluidized bed reactor with dolomite as -acceptor." Chemical Engineering Science **61**(4): 1195-1202.

Jenkins, B. M., Baxter, L. L., Miles Jr, T. R., et al. (1998). "Combustion properties of biomass." Fuel Processing Technology **54**(1-3): 17-46.

Junfeng, L. and Runqing, H. (2003). "Sustainable biomass production for energy in China." Biomass and Bioenergy **25**(5): 483-499.

Kannang, N., Wongsiriamnuay, T. and Tippayawong, N. (2012). Fuel Gas Production from Low Temperature Gasification of Bamboo in Fluidized Bed Reactor. The International conference of the Thai Society of Agricultural Engineering 2012. Chiangmai, Thailand.

Karri, S. R. and Joachim, W. (2003). Gas Distributor and Plenum Design in Fluidized Beds. Handbook of Fluidization and Fluid-Particle Systems, CRC Press

Kaushal, P., Abedi, J. and Mahinpey, N. (2010). "A comprehensive mathematical model for biomass gasification in a bubbling fluidized bed reactor." Fuel **89**(12): 3650-3661.

Kaushal, P., Proell, T. and Hofbauer, H. (2011). "Application of a detailed mathematical model to the gasifier unit of the dual fluidized bed gasification plant." Biomass and Bioenergy **35**(7): 2491-2498.

Kaygusuz, K. and Türker, M. F. (2002). "Biomass energy potential in Turkey." Renewable Energy **26**(4): 661-678.

Kempegowda, R., Assabumrungrat, S. and Laosiripojana, N. (2010). Thermodynamic Analysis for Gasification of Thailand Rice Husk with Air, Steam, and Mixed Air/Steam for Hydrogen-Rich Gas Production. International Journal of Chemical Reactor Engineering. **8**(1).

Kirubakaran, V., Sivaramakrishnan, V., Nalini, R., et al. (2008). "A review on gasification of biomass." Renewable and Sustainable Energy Reviews: 2368.

Kubo, S. and Kadla, J. F. (2008). "Thermal Decomposition Study of Isolated Lignin Using Temperature Modulated TGA." Journal of Wood Chemistry and Technology **28**(2): 106-121.

Kumar, A., Eskridge, K., Jones, D. D., et al. (2009). "Steam–air fluidized bed gasification of distillers grains: Effects of steam to biomass ratio, equivalence ratio and gasification temperature." Bioresource Technology **100**(6): 2062-2068.

Kumar, A., Jones, D. D. and Hanna, M. A. (2009). "Thermochemical Biomass Gasification: A Review of the Current Status of the Technology." Energies **2**(3): 556-581.

Kunii, D. and Levenspiel, O. (1991). Fluidization Engineering. Boston, Butterworth-Heinemann.

Li, Q., Zhao, C., Chen, X., et al. (2009). "Comparison of pulverized coal combustion in air and in O₂/CO₂ mixtures by thermo-gravimetric analysis." Journal of Analytical and Applied Pyrolysis **85**(1–2): 521-528.

Li, X., Grace, J. R., Watkinson, A. P., et al. (2001). "Equilibrium modeling of gasification: a free energy minimization approach and its application to a circulating fluidized bed coal gasifier." Fuel **80**(2): 195-207.

Li, X. T., Grace, J. R., Lim, C. J., et al. (2004). "Biomass gasification in a circulating fluidized bed." Biomass and Bioenergy **26**(2): 171-193.

Lucas, C., Szewczyk, D., Blasiak, W., et al. (2004). "High-temperature air and steam gasification of densified biofuels." Biomass and Bioenergy **27**(6): 563-575.

Lv, D., Xu, M., Liu, X., et al. (2010). "Effect of cellulose, lignin, alkali and alkaline earth metallic species on biomass pyrolysis and gasification." Fuel Processing Technology **91**(8): 903-909.

Lv, P., Chang, J., Xiong, Z., et al. (2003). "Biomass Air-Steam Gasification in a Fluidized Bed to Produce Hydrogen-Rich Gas." Energy and Fuels **17**(3): 677-682.

Lv, P., Yuan, Z., Ma, L., et al. (2007a). "Hydrogen-rich gas production from biomass air and oxygen/steam gasification in a downdraft gasifier." Renewable Energy **32**(13): 2173-2185.

Lv, P., Yuan, Z., Wu, C., et al. (2007b). "Bio-syngas production from biomass catalytic gasification." Energy Conversion and Management **48**(4): 1132-1139.

- Ly, P. M., Xiong, Z. H., Chang, J., et al. (2004). "An experimental study on biomass air–steam gasification in a fluidized bed." Bioresource Technology **95**(1): 95-101.
- Maschio, G., Lucchesi, A. and Stoppato, G. (1994). "Production of syngas from biomass." Bioresource Technology **48**(2): 119-126.
- McKendry, P. (2002). "Energy production from biomass (part 3): gasification technologies." Bioresource Technology **83**(1): 55-63.
- Midilli, A., Dogru, M., R. Howarth, C., et al. (2001). "Hydrogen production from hazelnut shell by applying air-blown downdraft gasification technique." International Journal of Hydrogen Energy **26**(1): 29-37.
- Moghtaderi, B. (2007). "Effects of controlling parameters on production of hydrogen by catalytic steam gasification of biomass at low temperatures." Fuel **86**(15): 2422-2430.
- Munir, S., Daood, S. S., Nimmo, W., et al. (2009). "Thermal analysis and devolatilization kinetics of cotton stalk, sugar cane bagasse and shea meal under nitrogen and air atmospheres." Bioresource Technology **100**(3): 1413-1418.
- Myren, C., Hornell, C., Bjornbom, E., et al. (2002). "Catalytic tar decomposition of biomass pyrolysis gas with a combination of dolomite and silica." Biomass and Bioenergy **23**(3): 217-227.
- Nacken, M., Ma, L., Engelen, K., et al. (2007). "Development of a Tar Reforming Catalyst for Integration in a Ceramic Filter Element and Use in Hot Gas Cleaning." Industrial & Engineering Chemistry Research. **46**(7): 1945-1951.

Narváez, I., Orío, A., Aznar, M. P., et al. (1996). "Biomass Gasification with Air in an Atmospheric Bubbling Fluidized Bed. Effect of Six Operational Variables on the Quality of the Produced Raw Gas." Industrial & Engineering Chemistry Research **35**(7): 2110-2120.

Ngo, S. I., Nguyen, T. D. B., Lim, Y.-I., et al. (2011). "Performance evaluation for dual circulating fluidized-bed steam gasifier of biomass using quasi-equilibrium three-stage gasification model." Applied Energy **88**(12): 5208-5220.

Nguyen, T. D. B., Ngo, S. I., Lim, Y.-I., et al. (2012). "Three-stage steady-state model for biomass gasification in a dual circulating fluidized-bed." Energy Conversion and Management **54**(1): 100-112.

Pasangulapati, V., Ramachandriya, K. D., Kumar, A., et al. (2012). "Effects of cellulose, hemicellulose and lignin on thermochemical conversion characteristics of the selected biomass." Bioresource Technology **114**(0): 663-669.

Ponzio, A., Kalisz, S. and Blasiak, W. (2006). "Effect of operating conditions on tar and gas composition in high temperature air/steam gasification (HTAG) of plastic containing waste." Fuel Processing Technology **87**(3): 223-233.

Puig-Arnabat, M., Bruno, J. C. and Coronas, A. (2010). "Review and analysis of biomass gasification models." Renewable and Sustainable Energy Reviews **14**(9): 2841-2851.

Qin, K., Lin, W., Jensen, P. A., et al. (2012). "High-temperature entrained flow gasification of biomass." Fuel **93**(0): 589-600.

- Rapagna, S., Jand, N. and Foscolo, P. U. (1998). "Catalytic gasification of biomass to produce hydrogen rich gas." International Journal of Hydrogen Energy **23**(7): 551-557.
- Raveendran, K., Ganesh, A. and Khilar, K. C. (1996). "Pyrolysis characteristics of biomass and biomass components." Fuel **75**(8): 987-998.
- Restek Corporation. 2012. " Air, Pure Gases and Mixtures standard." [Online]. Available <http://www.restek.com/catalog/view/4116> (15 January 2012).
- Restek Corporation. 2012. " Air, Pure Gases and Mixtures standard." [Online]. Available <http://www.restek.com/pdfs/PCTS1472-UNV.pdf> (15 January 2012).
- Roberts, D. G. and Harris, D. J. (2007). "Char gasification in mixtures of CO₂ and H₂O: Competition and inhibition." Fuel **86**(17-18): 2672-2678.
- Sadaka, S. S., Ghaly, A. E. and Sabbah, M. A. (2002a). "Two-phase biomass air-steam gasification model for fluidized bed reactors: Part III—model validation." Biomass and Bioenergy **22**(6): 479-487.
- Sadaka, S. S., Ghaly, A. E. and Sabbah, M. A. (2002b). "Two phase biomass air-steam gasification model for fluidized bed reactors: Part I—model development." Biomass and Bioenergy **22**(6): 439-462.
- Sathiyamoorthy, C. K. G. a. D. (1998). Fluid Bed Technology in Materials Processing, CRC Press.
- Serrano, L., Marín, F., Gonzalo, A., et al. (2012). "Integral use of pepper stems." Industrial Crops and Products **40**(0): 110-115.
- Sharma, A. and Rao, T. R. (1999). "Kinetics of pyrolysis of rice husk." Bioresource Technology **67**(1): 53-59.

- Sharma, A. (2008a). "Equilibrium modeling of global reduction reactions for a downdraft (biomass) gasifier." Energy Conversion and Management **49**(4): 832-842.
- Sharma, A. (2008b). "Equilibrium and kinetic modeling of char reduction reactions in a downdraft biomass gasifier : A comparison." Solar Energy **82**(10):918-928.
- Shell company. "Rising global energy demand." [Online]. Available http://www.shell.com/home/content/media/speeches_and_webcasts/archive/2010/brinded_cairo_14042010.html (15 January 2012).
- Simell, P. A., Hakala, N. A. K., Haario, H. E., et al. (1997). "Catalytic Decomposition of Gasification Gas Tar with Benzene as the Model Compound." Industrial & Engineering Chemistry Research. **36**(1): 42-51.
- Simell, P. A., Hirvensalo, E. K., Smolander, V. T., et al. (1999). "Steam Reforming of Gasification Gas Tar over Dolomite with Benzene as a Model Compound." Industrial & Engineering Chemistry Research. **38**(4): 1250-1257.
- Singh, S., Wu, C. and Williams, P. T. (2012). "Pyrolysis of waste materials using TGA-MS and TGA-FTIR as complementary characterisation techniques." Journal of Analytical and Applied Pyrolysis **94**(0): 99-107.
- Sutton, D., Kelleher, B. and Ross, J. R. H. (2001). "Review of literature on catalysts for biomass gasification." Fuel Processing Technology **73**(3): 155-173.
- Tomishige, K., Asadullah, M. and Kunimori, K. (2004). "Syngas production by biomass gasification using Rh/CeO₂/SiO₂ catalysts and fluidized bed reactor." Catalysis Today **89**(4): 389-403.

- Turn, S., Kinoshita, C., Zhang, Z., et al. (1998). "An experimental investigation of hydrogen production from biomass gasification." International Journal of Hydrogen Energy **23**(8): 641-648.
- Umeki, K., Yamamoto, K., Namioka, T., et al. (2010). "High temperature steam-only gasification of woody biomass." Applied Energy **87**(3): 791-798.
- Van Zeggeren, F. and Storey, S. H. (1970). The computation of chemical equilibria. London, Cambridge University Press.
- Wang, T., Chang, J., Lv, P., et al. (2005). "Novel Catalyst for Cracking of Biomass Tar." Energy and Fuels **19**(1): 22-27.
- Wang, Y. and Kinoshita, C. M. (1992). "Experimental analysis of biomass gasification with steam and oxygen." Solar Energy **49**(3): 153-158.
- Wang, Y., Yoshikawa, K., Namioka, T., et al. (2007). "Performance optimization of two-staged gasification system for woody biomass." Fuel Processing Technology **88**(3): 243-250.
- Warnecke, R. (2000). "Gasification of biomass: comparison of fixed bed and fluidized bed gasifier." Biomass and Bioenergy **18**(6): 489-497.
- Wei, L., Xu, S., Zhang, L., et al. (2007). "Steam gasification of biomass for hydrogen-rich gas in a free-fall reactor." International Journal of Hydrogen Energy **32**(1): 24-31.
- Wei, L. G., Xu, S. P., Liu, J. G., et al. (2006). "A novel process of biomass gasification for hydrogen-rich gas with solid heat carrier: Preliminary experimental results." Energy and Fuels **20**(5): 2266-2273.

Widyawati, M., Church, T. L., Florin, N. H., et al. (2011). "Hydrogen synthesis from biomass pyrolysis with in situ carbon dioxide capture using calcium oxide."

International Journal of Hydrogen Energy **36**(8): 4800-4813.

Withag, J. A. M., Smeets, J. R., Bramer, E. A., et al. (2012). "System model for gasification of biomass model compounds in supercritical water – A

thermodynamic analysis." The Journal of Supercritical Fluids **61**(0): 157-166.

Wongsiriamnuay, T., Phengpom, T., Panthong, P., et al. (2008). Renewable Energy from Thermal Gasification of a Giant Sensitive Plant (*Mimosa pigra* L.) 5th

International Conference on Combustion, Incineration/Pyrolysis and Emission

Control. Chiang Mai, Thailand

Wongsiriamnuay, T. and Tippayawong, N. (2010). Gasification of Giant Sensitive Plants in a Fixed Bed Reactor. 23rd International Conference on Efficiency,

Cost, Optimization, Simulation and Environmental Impact of Energy Systems.

Lausanne, Switzerland.

Wongsiriamnuay, T. and Tippayawong, N. (2010). "Non-isothermal pyrolysis characteristics of giant sensitive plants using thermogravimetric analysis."

Bioresource Technology **101**(14): 5638-5644.

Wongsiriamnuay, T. and Tippayawong, N. (2010). "Thermogravimetric analysis of giant sensitive plants under air atmosphere." Bioresource Technology **101**(23):

9314-9320.

Worasuwannarak, N., Sonobe, T. and Tanthapanichakoon, W. (2007). "Pyrolysis behaviors of rice straw, rice husk, and corncob by TG-MS technique." Journal

of Analytical and Applied Pyrolysis **78**(2): 265-271.

- Xiao, X., Le, D. D., Li, L., et al. (2010). "Catalytic steam gasification of biomass in fluidized bed at low temperature: Conversion from livestock manure compost to hydrogen-rich syngas." Biomass and Bioenergy **34**(10): 1505-1512.
- Yang, H., Yan, R., Chen, H., et al. (2007). "Characteristics of hemicellulose, cellulose and lignin pyrolysis." Fuel **86**(12–13): 1781-1788.
- Yang, W., Ponzio, A., Lucas, C., et al. (2006). "Performance analysis of a fixed-bed biomass gasifier using high-temperature air." Fuel Processing Technology **87**(3): 235-245.
- Yang, W.-C. (1999). Fluidization, Solids Handling and Processing : Industrial Applications. Westwood, N.J., Noyes.
- Yates, J. (2003). Effect of Temperature and Pressure. Handbook of Fluidization and Fluid-Particle Systems, CRC Press.
- Yuzbasi, N. S. and Selçuk, N. (2011). "Air and oxy-fuel combustion characteristics of biomass/lignite blends in TGA-FTIR." Fuel Processing Technology **92**(5): 1101-1108.
- Zhang, M., Resende, F. L. P., Moutsoglou, A., et al. (2012). "Pyrolysis of lignin extracted from prairie cordgrass, aspen, and Kraft lignin by Py-GC/MS and TGA/FTIR." Journal of Analytical and Applied Pyrolysis(0).
- Zhang, R., Brown, R. C., Suby, A., et al. (2004). "Catalytic destruction of tar in biomass derived producer gas." Energy Conversion and Management **45**(7-8): 995-1014.
- Zong, N. and Liu, Y. (2012). "Learning about the mechanism of carbon gasification by CO₂ from DSC and TG data." Thermochimica Acta **527**(0): 22-26.