

REFERENCES

- Abdollahi, M., Balali-Mood, M., Akhgari, M., Jannat, B., Kebriaeezadeh, A., Nikfar, S., 1996. A survey of cholinesterase activity in healthy and organophosphate exposed populations. *Irn J Med Sci* 21 (1&2), 68.
- Abdollahi, M., Mostafalou ,S., Pournourmohammadi, S., Shadnia, S., 2004. Oxidative stress and cholinesterase inhibition in saliva and plasma of rats following subchronic exposure to malathion. *Comp Biochem Physiol C* 137, 29-34
- Abcam plc., 2012. Fragment antigen binding antibodies and isotypes. [Online]. Available at: http://docs.abcam.com/pdf/general/understanding_secondary_antibodies.pdf (Accessed: October 27, 2011).
- Abu-Qare, A.W., Abou-Donia, M.B., 2000. Simultaneous determination of pyridostig-mine bromide, *N,N*-diethylm-toluamide, permethrin, and their metabolites in rat plasma and urine by high-performance liquid chromatography. *J Chromatogr B* 749, 171–178.
- Ahn, K.C., Lohstroh, P., Gee, S.J., Gee, N.A., Lasley, B., Hammock, B.D., 2007. High-throughput automated luminescent magnetic particle-based immunoassay to monitor human exposure to pyrethroid insecticides. *Anal Chem* 79, 8883–8890.
- Ahn, K.C., Gee, S.J., Kim, J.H., Aronov, P., Vega, H., Krieger, R.I., Hammock, B.D., 2011. Immunochemical analysis of 3-phenoxybenzoic acid, a biomarker of

forestry worker exposure to pyrethroid insecticides. *Anal Bioanal Chem* 410, 1285-1293.

Aldridge, W.N., 1990. An assessment of the toxicological properties of pyrethroids and their neurotoxicity. *Crit Rev Toxicol* 21, 89-104.

Alcantara, V.M., Chautard-Freire-Maia, E.A., Scartezini, M., Cerci, M.S., Braun Prado K., Picheth, G., 2002. Butyrylcholinesterase activity and risk factors for coronary artery disease. *Scand J Clin Lab Invest* 62(5), 399-404.

Allen, S., Leah, A., 1990. Lambda-cyhalothrin: acute oral toxicity study in the rat. Zeneca Agricultural Products Laboratory Project No. CTL/P/3209:AR4840.

Alternative Agricultural Network., 2003. Pesticides in Thailand [Online]. Available at: (<http://www.Thaiaan.net>) Accessed: October 27, 2011).

Alvarez, M., Calle, A., Tamayo, J., Lechuga, L.M., Abad, A., Montoya, A., 2003. Development of nanomechanical biosensor for detection of the pesticide DDT. *Biosens Bioelectron* 18, 649-653.

Annapurna, .V, Senciall, I., Davis, A.J., Kutty, K.M., 1991. Relationship between serum pseudocholinesterase and triglycerides in experimentally induced diabetes mellitus in rats, *Diabetologia*, 1991, 34, 320– 324.

Armbruster, D.A., Pry, T., 2008. Limit of Blank, Limit of Detection and Limit of Quantitation. *Clin Biochem Rev* 29, 49-52.

Audegond, L., Collas, E., Glomot, R., 1981a. RU 25474 (tralomethrin): single administration study by oral route in the rat. Roussel-Uclaf Study No. 81240 DS/84/A.

- Audegond, L., Collas, E., Glomot, R., 1981b. RU 25474 (tralomethrin): single administration study by oral route in the rat (the compound is given as a suspension). Rousel Uclaf Study No. RU-4BE-81.240/A.
- Bailey, M.J., Dickinson, R.G., 2003. Acyl glucuronide reactivity in perspective: biological consequences. *Chem Biol Interact* 145, 117-137.
- Baker, S.E., Olsson, A.O., Barr, D.B., 2004. Isotope dilution high-performance liquid chromatography-tandem mass spectrometry method for quantifying urinary metabolites of synthetic pyrethroid insecticides. *Arch Environ Contam Toxicol* 46, 281- 288.
- Barr, D.B., Needham, L.L., 2002. Analytical methods for biological monitoring of exposure to pesticides: A review. *J Chromatogr B* 778(1-2), 5-29.
- Barr, D.B., Wilder, L.C., Caudill, S.P., Gonzalez, A.J., Needham, L.L., Pirkle, J.L., 2005. Urinary creatinine concentrations in the U.S. population: implications for urinary biologic monitoring measurements. *Environ Health Perspect* 113, 192-200.
- Black, R.M., Noort, D., 2005. Methods for retrospective detection of exposure to toxic scheduled chemicals. Part A: Analysis of free metabolites. In "Chemical Weapons Convention Chemicals Analysis; sample collection, preparation and analytical methods" Ed. M. Mesilaakso; John Wiley & Sons, Chichester, UK.
- Black, R.M., Noort, D., 2007. Biological markers of exposure to chemical warfare agents. In: Chemical Warfare Agents. Toxicology and treatment. Eds. Marss, T.C., Maynard, R.L., and Sidell, F.R. John Wiley and Sons, Chichester, UK
- Borzelleca, J.F., Skalsky, H.L., 1980. The excretion of pesticides in saliva and its value in assessing exposure. *J Environ Sci Health* 15, 843-866.

- Bravo, R., Caltabiano, L.M., Weerasekera, G., Whitehead, R.D., Fernandez, C., Needham, L.L., Bradman, A., Barr, D.B., 2004. Measurement of dialkyl phosphate metabolites of organophosphorus pesticides in human urine using lyophilization with gas chromatography-tandem mass spectrometry and isotope dilution quantification. *J Expo Anal Environ Epidemiol* 14(3), 249-259.
- Breen, K., 2002. The characterisation of salivary acetylcholinesterase (AChE) as a potential biochemical marker of Alzheimer's disease progression (Research Grant Final Report). Alzheimer's Society Quality Research in Dementia.
- Bruckner, J.V., 2000. Differences in sensitivity of children and adults to chemical toxicity: The NAS Panel Report. *Regul Toxicol Pharmacol* 31, 280–285.
- Botchkareva, A.E., Eremin, S.A., Montoya, A., Manclus, J.J., Mickova, B., Rauch, P., Fini, F., Girotti, S., 2003. Development of chemiluminescent ELISAs to DDT and its metabolites in food and environment samples. *J Immuno Methods* 283, 45-57.
- California Environmental Protection Agency., 1992. Permethrin (permanone tick repellent) risk characterization document. Medical Toxicology and Worker Health and Safety Branches, Department of Pesticide Regulation, California Environmental Protection Agency, Sacramento, CA.
- Centers for Disease Control and Prevention (CDC)., 2005. Third national report on human exposure to environmental chemicals. Atlanta, GA.
- Chauncey, H. H., Lionetti, F., Winer, R. A., Lisanti, V. F., 1953. Enzymes of human saliva. I. The determination, distribution, and origin of whole saliva enzymes. *J Dent Res* 33, 321–334.

Chiang Mai Office of Agriculture Economics., 2007. Basic information of Chiang Mai agriculture. Ministry of Agricultural and Cooperatives [Online]. Available at: <http://chiangmai.doea.go.th/agricultur%20data.html> Accessed: October 27, 2011).

Chuang, J.C., Van Emon, J.M., Tefft, M.E., Wilson, N.K., 2010. Application of a perme thrin immunosorbent assay method to residential soil and dust samples. *J Environ Sci Health B* 45(6), 516-523.

Chuncey, H.H., 1961. Salivary enzymes. *J Am Dent Assoc* 63, 361-368.

Colbert, D.L., Gallacher, G., Ayling, P., Turner, G.J., 1988. Development of fluoroimmunoassays for the specific detection of morphine in urine. *Clin Chim Acta* 171, 37-48.

Column, A., Cardenas, S., Gallego, M., Valcarcel, M., 2001. A solid phase extraction method for the screening and determination of pyrethroid metabolites and organochlorine pesticides in human urine. *Rapid Commun Mass Spectrom* 15, 2007-2013.

Corrion, M.L., Ostrea Jr. E.M., Bielawski, D.M., Posecion Jr., N.C., Seagraves, J.J., 2005. Detection of prenatal exposure to several classes of environmental toxicants and their metabolites by gas chromatography-mass spectrometry in maternal and umbilical cord blood. *J Chromatogr B* 822, 221-229.

Dave, K.R., Syal, A.R., Katyare, S.S., 2000. Tissue cholinesterases. A comparative study of their kinetic properties. *Z Naturforsch* 55, 100-108.

Davies, T.G.E., Field, L.M., Usherwood, P.N.R., Williamson, M.S., 2007. DDT, pyrethrins, pyrethroids and insect sodium channels. *IUMB Life* 59, 151-162.

- Dawson, L.J., Caulfield, V.L., Stanbury, J.B., Field, A.E., Christmas, S.E., Smith, P.M., 2005. Hydroxychloroquine therapy in patients with primary Sjogren's syndrome may improve salivary gland hypofunction by inhibition of glandular cholinesterase. *Rheumatology* 44, 449–455.
- Denovan, L.A., Lu, C., Hines, C.J., Fenske, R.A., 2000. Saliva biomonitoring of atrazine exposure among herbicide applicators. *Int Arch Occup Environ Health* 73, 457- 462.
- Thailand Department of Agriculture. , 2003. Report on hazardous chemicals imported into Thailand [online]. Available at: (<http://www.dao.go.th>) Accessed: October 27, 2011).
- Deshpapnde, S.S., 1996. Enzyme Immunoassays From Concept to Product Development. Florence, International Thomson.
- Ding, Y., White, C.A., Bruckner, J.V., Bartlett, M.G., 2004. Determination of deltamethrin and its metabolites, 3-phenoxybenzoic acid and 3-phenoxybenzyl alcohol, in maternal plasma, amniotic fluid, and placental and fetal tissues by HPLC. *J Liq Chromatogr Relat Technol* 27(12), 1875-1892.
- Dyer, S.M., Cattani, M., Pisaniello, D.L., Williams, F.M., Edwards, J.W., 2001. Peripheral cholinesterase inhibition by occupational chlorpyrifos exposure in Australian termiticide applicators. *Toxicol* 169, 177-185.
- Eadsforth, C.V., Bragt, P.C., van Sittert, N.J., 1988. Human dose-excretion studies with pyrethroid insecticides cypermethrin and alphacypermethrin: relevance for biological monitoring. *Xenobiotica* 18(5), 603–614.
- Egeghy, P.P., Cohen Hubal, E.A., Tulve, N.S., Melnyk, L.J., Morgan, M.K., Fortman, R.C., Sheldon, L.S., 2011. Review of pesticide urinary biomarker

- measurements from selected US EPA children's observational exposure studies. *Int J Environ Res Public Health* 8, 1727-1754.
- Ekhholm, M., Konschin, H., 1999. Comparative model building of human butyrylcholinesterase. *J Mol Struct* 467, 161-172.
- Ellman, G., Courtney, D., Andres, V., Featherstone, R., 1961. A new rapid colorimetric determination of acetylcholinesterase activity. *Biochem Pharmacol* 7, 88-95.
- Ercegovich, C.D., 1973. Relationship of pesticides to immune responses. *Fed Proc* 32, 2010-2016.
- Freeman, C., 1982. Acute oral toxicity study in rats: FMC 54800. FMC Corporation Study No. A83-859.
- Freeman, C., 1987. Acute oral toxicity—FMC 45806 technical. FMC Corporation Study No. A87-2292.
- Freeman, C. 1989. Acute oral toxicity of FMC 56701 technical in rats. FMC Corporation Study No. A89-2914.
- Fukuto, R., 1990. Mechanism of action of organophosphate and carbamate insecticides. *Environ Health Perspect* 87, 245-254.
- Furnax, R., Audegond, L., 1985a. Bioallethrin (synthetic) acute oral toxicity in rat. Rous sel-Uclaf Study No. 84324/5635/5637.
- Furnax, R., Audegond, L., 1985b. RU 16121—acute oral toxicity in rat. Roussel-Uclaf Study No. 84327/5640/5641.
- Gabriel, D., 1992. Acute oral toxicity study in rats. Pyrethrin Joint Venture/Chemical Specialities Manufacturing Association Study No. 92-7529A.

- Go, V., Garey, J., Wolff, M.S., Pogo, B.G.T., 1999. Estrogenic potential of certain pyrethroid compounds in the MCF-7 human breast carcinoma cell line. Environ Health Perspect 107, 173-177.
- Glomot, R., 1979. RU 25474, active material: acute oral toxicity study in the rat. American Hoechst Corporation Study No. RU-4BE-79818-19/A.
- Grubb, N., Weil, A., Caldwell, J., 1993. Studies on the in vitro reactivity of clofibryl and fenofibryl glucuronides. Evidence for protein binding via a Schiff's base mechanism. Biochem Pharmacol 46, 357–364.
- Grunwald, J., Marcus, D., Papier, Y., Raveh, L., Pittel, Z., Ashani, Y., 1997. Large scale purification and long-term stability of human butyrylcholinesterase: a potential bioscavenger drug. J Biochem Biophys Methods 34, 123–135.
- Hallenbeck, W.H., Cunningham-Burns, K.M., 1985. Pesticides and human health. Springer, Berlin Heidelberg New York, pp118–120.
- Hardt, J., Angerer, J., 2003. Biological monitoring of workers after the application of insecticidal pyrethroids. Int Arch Occup Environ Health 76: 492-498.
- Hao, X.L., Kuang, H., Li, Y.L., Yuan, Y., Peng, C.F., Chen, W., Wang, L.B., Xu, C.L., 2009. Development of an enzyme-linked immunosorbent assay for the alpha-cyanopyrethroids multiresidue in Tai lake water. J Agri Food Chem 57, 3033-3039.
- Haupt, H., Heide, K., Zwisler, O., Schwick, H.G., 1966, Isolation and physicochemical characterization of cholinesterase in human serum. Blut 14, 65–75.
- He, F., Sun, J., Han, K., Wu, Y., Yao, P., Wang, S., Liu, L., 1988. Effects of pyrethroid insecticides on subjects engaged in packaging pyrethroids. Br J Ind Med 45, 548- 551.

- He, F., Wang, S., Liu, L., Chen, S., Zhang, Z., Sun, J., 1989. Clinical manifestations and diagnosis of acute pyrethroid poisoning. *Toxicol* 63, 54–58.
- Heimann, K.G., 1987. FCR 1272 (c.n. cyfluthrin): study for acute oral toxicity to rats (formulation acetone and peanut oil). Bayer Corporation Agriculture Division Report No. 106805.
- Henn, B.C., McMaster, S., Padilla, S., 2006. Measure cholinesterase activity in human saliva. *J Toxicol Environ Health* 69, 1805-1818.
- Herman, R.A., Shan, G., 2011. Data interpretation and sources of error. In Immunoassay in Agricultural Biotechnology, G. Shan, Ed.; Wiley& Sons: New Jersey, 189-218.
- Hiromori, T., Misaki, Y., Seki, T., Hosokawa, S., Miyamoto, J., 1983. Acute oral toxicity of S-3206 (91.8%) in rats. Sumitomo Chemical America (unpublished study).
- Hock, B., Giersch, T., Kramer, K., Dankwardt, A., 1995. Antibody Production and Progress in Hybridoma Technology by Immunomagnetic Screening in New Frontiers in Agrochemical Immunoassay. *J AOAC Int*, 149-162.
- Jintana, S., Sming, K., Krongtong, Y., Thanyachai, S., 2009. Cholinesterase activity, pesticide exposure and health impact in a population exposed to organophosphates. *Int Arch Occup Environ Health* 82, 833–842.
- Killeen, J.C.J., 1975. Acute oral toxicity study in rats with FMC 33297. FMC Corporation Study No. NCT584.01.
- Kim, H.J., Ahn, K.C., Ma, S.J., Hammock, B.D., 2007. Development of sensitive immunoassays for the detection of the glucuronide conjugate of 3-

- phenoxybenzyl alcohol, a putative human urinary biomarker for pyrethroid insecticide deltamethrin. *J Agric Food Chem* 58, 8189–8195.
- Kim, H.J., Ahn, K.C., Gonzalez-Techera, A., Gonzalez-Sapienza, G.G., Gee, S.J., Hammock, B.D., 2009. Magnetic bead-based phage anti-immunocomplex assay (PHA-IA) for the detection of the urinary biomarker 3-phenoxybenzoic acid to assess human exposure to pyrethroid insecticides. *Anal Biochem* 386, 45–52.
- Koelle, G. B., 1950. The histochemical differentiation of types of cholinesterases and their localizations in tissues of the cat. *J Pharmacol Exp Ther* 100(2), 158–179.
- Kolmodin-Hedman, B., Akerblom, M., Flato, S., Alex, G., 1995. Symptoms in forestry workers handling conifer plants treated with permethrin. *Bull Environ Contam Toxicol* 55, 487–493.
- Kousba, A.A., Poet, T.S., Timchalk, C., 2003. Characterization of the in vitro kinetic interaction of chlorpyrifos-oxon with rat salivary cholinesterase: A potential biomonitoring matrix. *Toxicol* 188, 219 -232.
- Kuhn, K.H., Wieseler, B., Leng, G., Idel, H., 1999. Toxicokinetics of pyrethroids in humans: consequences for biological monitoring. *Bull Environ Contam Toxicol* 62, 101-108.
- Kunstadter, P., Prapamontol, T., Sirirojn, B., Sontirat, A., Tansuhaj, A., Khamboonruang, C., 2001. Pesticide exposures among Hmong farmers in Thailand. *J Occup Environ Health* 7, 313–325.

- LaDu, B.N., Bartels, C.F., Nogueria, C.P., Hajra, A., Lightstone, H., Van der Spek, A.F. L., Lockridge, O., 1990. Phenotypic and molecular biological analysis of human butyrylcholinesterase variants. *Clin Biochem* 23, 423-431.
- Langone, J.J., Van Vunakis, H., 1975. Radioimmunoassay for dieldrin and aldrin. *Res Commun Chem Pathol Pharmacol* 10, 163-171.
- Lassiter, T.L., Barone, S. Jr., Padilla, S., 1998. Autogenetic differences in the regional and cellular acetylcholinesterase and butyrylcholinesterase activity in rat brain. *Dev Brain Res* 105, 109-123.
- Leng, G., Kuhn, K.H., Idel, H., 1997. Biological monitoring of pyrethroids in blood and pyrethroid metabolites in urine: applications and limitations. *Sci Total Environ* 199, 173-181.
- Leng, G., Wieseler, B., hnK K-H, Idel H., 1998. Pyrethroide und Gesundheit – Wie gefährlichlebt der Schdlingsbekmpfer? *Bundesgesundheitsblatt* 6, 250–253.
- Leng, G., Lewalter, J., Rohrig, B., Idel, H., 1999. The influence of individual susceptibility in pyrethroid exposure. *Toxicol Lett* 107, 123–130.
- Leng, G., Ranft, U., Sugiri, D., Hadnagy, W., Berger-Preiss, E., Idel, H., 2003. Pyrethroids used indoors--biological monitoring of exposure to pyrethroids following an indoor pest control operation. *Ind J Hyg Environ Health* 206(2), 85-92.
- Leng, G., Gries, W., 2006. Determination of pyrethroids in blood plasma and pyrethroid/pyrethrin metabolites in urine by gas chromatography– mass spectrometry and high resolution GC–MS. *Methods in biotechnology*, Vol. 19, Pesticide protoc.

- Lepage, L., Schiele, F., Gueguen, R., Siest, G., 1985. Total cholinesterase in plasma: biological variations and reference limits. *Clin Chem* 31(4), 546–550.
- Lu, C., Anderson, L. C., Morgan, M. S., Fenske, R. A., 1997. Correspondence of salivary and plasma concentrations of atrazine in rats under variable salivary flow rate and plasma concentration. *J Toxicol Environ Health* 52, 317–329.
- Makinen, K.K., 1966. Studies on oral enzymes 1. Fractionation and characterization of aminopeptidases of human saliva. *Acta Odontol Scand* 24, 579-604.
- Masson, P., Xie, W., Froment, M.T., Lockridge, O., 2001. Effects of mutations of active site residues and amino acids interacting with Ω loop on substrate activation of butyrylcholinesterase. *Biochim Biophys Acta* 1544, 166-176.
- Masson, P., Nachon, F., Bartels, C.F., Froment, M.T., Ribes, F., Matthews, C., Lockridge, O., 2003. High activity of human butyrylcholinesterase at low pH in the presence of excess butyrylcholine. *Eur J Biochem* 270, 315-325.
- Massoulie, J., Sussman, J., Bon, S., Silman, I., 1993. Structure function of acetylcholinesterase and butyrylcholinesterase. *Brain* 98, 139-146.
- Mattes, C., Bradley, R., Slaughter, E., Browne, S., 1996. Cocaine and butyryl-cholinesterase (BChE): determination of enzymatic parameters. *Life Sci* 58(13), 257–261.
- Myer, J.R., 1989. Acute oral toxicity study of deltamethrin in rats. Hoechst-Roussel Agri-Vet Company Study No. 327- 122.
- Mileson, B.E., Chambers, J.E., Chen, W.L., Dettbarn, W., Ehrich, M., Eldefrawi, A.T., Gaylor, D.W., Hamernik, K., Hodgson, E., Karczmar, A.G., Padilla, S., Pope, C.N., Richardson, R.J., Saunders, D.R., Sheets, L.P., Sultatos, L.G.,

- Wallace, K.B., 1998. Common mechanism of toxicity: a case study of organophosphorus pesticides. *Toxicol Sci* 41, 8-20.
- Narahashi, T., 1987. Neuronal target sites for insecticides. In: Hollingworth, R.M., Green, M.B. (Eds.), *Sites of action for neurotoxic pesticides*. American Chemical Society, Washington DC, pp. 226–250.
- National Pesticide Information Center (NPIC)., 2008a. Biomarkers of exposure: organophosphates. [Online] Available at <http://npic.orst.edu/mcapro/OPBIO-MARKERS.pdf> Accessed: October 27, 2011).
- National Pesticide Information Center (NPIC)., 2008b. Pyrethrins & Pyrethroids. [online] Available at <http://npic.orst.edu/> Accessed: October 27, 2011).
- Ng, V., Koh, D., Wee, A., Chia, S.E., 2009. Salivary acetylcholinesterase as a biomarker for organophosphate exposure. *Occup Med* 59, 120-122.
- Nigg, H.N., Wade, S.E., 1992. Saliva as a monitoring medium for chemicals. *Rev Environ Contam Toxicol* 129, 95–119.
- Noort, D., Benschop, H.P., Black, R.M., 2002. Biomonitoring of exposure to chemical warfare agents: a review. *Toxicol Appl Pharmacol* 184, 116-126.
- Noort, D., Black, R.M., 2005. Methods for retrospective detection of exposure to toxic scheduled chemicals. Part B: Mass spectrometric and immunochemical analysis of covalent adducts to proteins and DNA. In “Chemical Weapons Convention Chemical Analysis; sample collection, preparation and analytical methods” Ed. M. Mesilakso; John Wiley & Sons, Chichester, UK.
- Noort, D., 2006. Feasibility of biomonitoring of exposure to permethrin through analysis of long- lived (metabolite) adducts to proteins. U.S. Army Medical

Research and Materiel Command Fort Detrick, Maryland 21702-5012.

Approved for Public Release; Distribution Unlimited.

Noort, D., van Zuylen, A., Fidder, A., Hulst, A.G., 2007. Biomonitoring of exposure to permethrin based on adducts to proteins. In Defence against the effects of chemi- chemical hazards: toxicology, diagnosis medical countermeasures (pp. 24-1 – 24-10). Meeting Proceedings RTO-MP-HFM-149, Paper 24. Neuilly-sur-Seine, France: RTO.

Noort, D., van Zuylen, A., Fidder, A., van Ommen, B., Hulst, A.G., 2008. Protein adduct formation by glucuronide metabolites of Permethrin. Chem Res Toxicol 21, 1396–1406.

Olsson, A.O., Baker, S.E., Nguyen, J.V., Romanoff, L.C., Udunka, S.O., Walker, R.D., Flemmen, K.L., Barr, D.B., 2004. A liquid chromatography-tandem mass spectrometry multiresidue method for quantification of specific metabolites of organophosphorus pesticides, synthetic pyrethroids, selected herbicides, and DEET in human urine. Anal Chem 76, 2453–2461.

Ostrea Jr., E.M., Bielawski, D.M., Posecion Jr., N.C., Corrion, M., Villanueva-Uy, E., Jin, Y., Janisse, J.J., Ager, J.W., 2008. A comparison of infant hair, cord blood and meconium analysis to detect fetal exposure to environmental pesticides. Environ Res 106, 277–283.

Panuwet, P., Prapamontol, T., Chantara, S., Olsson, A.O., Barr, D.B., 2004. A pilot survey of pesticide- specific urinary metabolites among farmers in Chiang Mai highland agricultural area. CMU J 3, 25–34.

Panuwet, P., Prapamontol, T., Chantara ,S., Thavornyuthikarn, P., Montesano, M.A., Whitehead, Jr. R.D., Barr, D.B., 2008. Concentrations of urinary pesticide

- metabolites in small-scale farmers in Chiang Mai Province, Thailand. *Sci Total Environ* 407, 655-668.
- Panuwet, P., Prapamontol, T., Chantara, S., Barr, D.B., 2009. Urinary pesticide metabolites in school students from Northern Thailand. *Int J Hyg Environ Health* 212, 288-297.
- Poapongsakorn, N., Ruhs, M., Tangjitsuth, S., 1998. Problems and outlook of agriculture in Thailand. *TDRI Q Rev* 13, 3–14.
- Phillips, D. H., 2002. Smoking-related DNA and protein adducts in human tissues. *Carcinogenesis* 23, 1979-2004.
- Pichini, S., Altieri, I., Zuccaro, P., Pacifici, R., 1996. Drug monitoring in nonconventional biological fluids and matrices. *Clin Pharmacokinet* 30 (3), 211-228.
- Presle, N., Lapicque, F., Fournel-Gigleux, S., Magdalou, J., Netter, P., 1996. Stereoselective irreversible binding of ketoprofen glucuronides to albumin. *Drug Metab Dispos* 24, 1050–1057.
- Prody, C.A., Zevin-Sonkin, D., Gnatt, A., Goldberg, O., Soreq H., 1987. Isolation and characterization of full-length cDNA clones coding for cholinesterase from fetal human tissues. *Proc Natl Acad Sci U S A* 84, 3555-3559.
- Rand, G., 1983. Acute oral toxicity—cypermethrin technical. FMC Corporation Study No. A82-727.
- Reigart, J.R., Robert, J.R., 1999. Recognition and management of pesticide poisonings. [Online] Available at <http://www.epa.gov/safety/healthcare> Accessed: October 27, 2011).

- Repetto, R., Baliga, S.S., 1996. In: Repetto R, Baliga SS (eds) Pesticides and the immune system: the public health risks. World Resources Institute, National Center for Food and Agricultural Policy, Washington, DC, pp 39–58.
- Reregistration Eligibility Decision (RED) for Permethrin, 2007. United States Environmental Protection Agency, Office of Prevention, Pesticides and Toxic Substance, Office of Pesticide Programs United States Government Printing Office: Washington, DC.
- Rosenberry, T.L., Scoggin, D.M., 1984. Structure of human erythrocyte acetylcholinesterase. Characterization of intersubunit disulfide bonding and detergent interaction. *J Biol Chem* 259, 5643–5652.
- Ryhanen, R., Narhi, M., Puhakainen, E., Hanninen, O., Kontturi-Narhi, V., 1983. Pseudocholinesterase activity and its origin in human oral fluid. *J Dent Res* 62, 20–23.
- Sayer, R., Law, E., Connelly, P. J., Breen, K. C., 2004. Association of a salivary acetylcholinesterase with Alzheimer's disease and response to cholinesterase inhibitors. *Clin Biochem* 37, 98–104.
- Schettgen, T., Koch, H.M., Drexler, H., Angerer, J., 2002. New gas Chromato-graphic mass spectrometric method for the determination of urinary pyrethroid metabolites in environmental medicine. *J Chromatogr B* 778, 121-130.
- Shan, G., Wengatz, I., Stoutamire, D.W., Gee, S.J., Hammock, B.D., 1999. An enzyme linked immunoassay for the detection of esfenvalerate metabolites in human urine. *Chem Res Toxicol* 12, 1033–1041.

- Shan, G., Huang, H., Stoutamire, D.W., Gee, S.J., Leng, G., Hammock, B.D., 2004. A sensitive class specific immunoassay for the detection of pyrethroid metabolites in human urine. *Chem Res Toxicol* 17, 218-225.
- Shirai K, Ohsawa I, Saito Y, Yoshida S., 1988. Effects of phospholipids on hydrolysis of trioleoylglycerol by human serum carboxylesterase, *Biochim Biophys Acta*, 962(3), 377–383.
- Sidell, F.R., Kaminskis, A., 1975. Influence of age, sex, and oral contraceptives on human blood cholinesterase activity. *Clin Chem* 2110, 1393-1395.
- Singh, K.V., Kaur, J., Varshney, G.C., Raje, M., Suri, C.R., 2003. Synthesis and Characterization of Hapten protein conjugate for antibody production against small molecules. *Bioconjugate Chemistry* 15, 168-173.
- Smith, P.C., Benet, L.Z., McDonagh, A.F., 1990. Covalent binding of zomepirac glucuronide to proteins: evidence for a Schiff base mechanism. *Drug Metab Dispos* 18, 639-644.
- Soderlund, D. M., Clark, J. M., Sheets, L. P., Mullin, L. S., Piccirillo, V. J., Sargent, D., Stevens, J. T., Weiner, M. L., 2002. Mechanisms of pyrethroid neurotoxicity: Implications for cumulative risk assessment. *Toxicology* 171, 3-59.
- Southwood, J., 1985a. PP321: acute oral toxicity studies. Zeneca Agricultural Products Laboratory Project No. CTL/P/1102.
- Southwood, J., 1985b. PP993: acute oral toxicity, acute intraperitoneal toxicity, and acute dermal toxicity studies. Zeneca Agricultural Products Laboratory Project No. CTL/P/986.

- Stefanidou, M., Athanaselis, S., Velonakis, M., Pappas, F., Koutselinis, A., 2003. Occupational exposure to cholinesterase inhibiting pesticides: a Greek case. *Int J Environmental Health Res* 13, 23–29.
- Szurdoki, F., Szekacs, A., Le, H.M., Hammock, B.D., 2002. Synthesis of haptens and protein conjugates for the development of immunoassays for the insect growth regulator fenoxy carb. *J Agri Food Chem* 50, 29-40.
- The 1st Office of Agricultural Economics., 2007. Net income and expense per Agricultural household. Ministry of Agricultural and Cooperatives [Online]. Available at: <http://www.oae.go.th/zone/zone1/index.htm> Accessed: October 27, 2011).
- The department of provincial administration comparison of ratio between total population and consumer group in each province in Thailand (Online), 2010, Available: <http://203.185.148.54/cpd/cpdinter/download/data54/260754/t25.pdf> [2012, October 2].
- The World Health Organization (WHO), 1995. WHO Technical Report Series 857, WHO, Geneva.
- The World Health Organization (WHO) Guidelines for Drinking-water Quality, 2006. First Addendum to Third Edition - Volume 1, Recommendations, 3rd ed., World Health Organization, 190-195, 425-426.
- Tijssen, P., 1985. Practice and Theory of Enzyme Immunoassay, Elsevier, Amsterdam, The Netherlands. Toxicological Profile for Pyrethrins and Pyrethroids, 2003. United states Department of Health and Human Services, Agency for Toxic Substances and Disease Registry, Atlanta.

- Ueda, K., Yamaguchi, K., 1976. Cholinesterase activity of human saliva and types of the enzymes. Comparison of whole saliva with parotid saliva. Bull Tokyo Dent Coll 17, 231–241.
- United States Environmental Protection Agency, 1989. Peer review of permethrin. Memo from Esther Rinde, Health Effects Division, to George LaRocca, Registration Division, Office of Pesticides and Toxic Substances. US Environmental Protection Agency, Washington, DC.
- United States Environmental Protection Agency., 2008. What is a Pesticides? [Online] Available at <http://www.epa.gov/pesticides/about/> Accessed: October 27, 2011).
- Varsho, B.J., 1996. Acute oral toxicity study of deltamethrin in albino rats. AgrEvo USA Company Study No. WIL-274001.
- WHO., 1995. WHO Technical Report Series 857, WHO, Geneva.
- Wieseler, B., Leng, G., Kuhn, K.H., Idel, H., 1998. Effects of pyrethroid insecticides on pest control operators. Bull Environ Contam Toxicol 60, 837–844.
- Wilson, B.W., Padilla, S., Henderson, J.D., Brimijoin, S., Dass, P.D., Elliot, G., Jaeger, B., Lanz, D., Pearson, R., Spies, R., 1996. Factors in standardizing automated cholinesterase assays. J Toxicol Environ Health 48, 187-195.
- Yamalik, N., Ozer, N., Caglayan, F., 1990. Determination of pseudocholinesterase activity in the gingival cervical fluid, saliva, serum from patients with juvenile periodontitis and rapidly progressive periodontitis. J Dent Res 69, 87-89.

Yamalik, N., Ozer, N., Caglayan, F., Caglayan, G., Akdoganli, T., 1991. The Effect of of periodontal therapy on salivary pseudocholinesterase activity. *J Dent Res* 70(6), 988-990.

Woollen, B. H., Marsh, J. R., Laird, W. J. D., Lesser, J. E., 1992. The metabolism of cypermethrin in man: differences in urinary metabolite profiles following oral and dermal administration. *Xenobiotica* 22, 983–991.