

## REFERENCES

- Allendorf F.W., Luikart G. 2007. Conservation and the genetics of populations. Blackwell Publishing, Malden, Massachusetts.
- AmphibiaWeb [Online]. Available: [www.amphibiaweb.org](http://www.amphibiaweb.org) [2012, June]
- Angulo R., Icochea J. 2010. Cryptic species complexes, widespread species and conservation: lessons from Amazonian frogs of the *Leptodactylus marmoratus* group (Anura: Leptodactylidae). Systematics and Biodiversity, 8(3), 357-370.
- Arbogast B.S., Edwards S.V., Wakeley J., Beerli P., Slowinski J.B. 2002. Estimating divergence times from molecular data on phylogenetic and population genetic time scales. Annual Review of Ecology, Evolution, and Systematics, 33, 707-740.
- Arioli M., Jakob C., Reyer H.U. 2010. Genetic diversity in water frog hybrids (*Pelophylax esculentus*) varies with population structure and geographic location. Molecular Ecology, 19, 1814-1828.
- Avise J.C. 1998. Conservation genetics in the marine realm. Journal of Heredity, 89, 377-382.
- Barker F.K., Barrowclough G.F., Groth J.G. 2002. A phylogenetic hypothesis for passerine birds: taxonomic and biogeographic implications of an analysis of nuclear DNA sequence data. Proceedings of the Royal Society B: Biological Sciences, 269, 295-308.

- Borkin L.J., Vinogradov A.E., Rosanov J.M., Caune I.A. 1987. Hemiclonal inheritance in the hybridogenetic complex *Rana esculenta*: evidence from flow DNA-cytometry. Doklady Akademii Nauk SSSR, 295, 1261-1264.
- Boul K.E., Funk W.C., Darst C.R., Cannatella D.C., Ryan M.J. 2007. Sexual selection drives speciation in an Amazonian frog. Proceedings of the Royal Society B: Biological Sciences, 274, 399-406.
- Braun M.J., Deininger P.L., Casey J.W. 1985. Nucleotide sequence of a transduced *myc* gene from a defective feline leukemia provirus. Journal of Virology, 55, 1771-1783.
- Brown R.M., Diesmos A.C., Alcala A.C. 2008. Philippine amphibian biodiversity is increasing in leaps and bounds. Pp. 82–83. In Stuart S.N., Hoffmann M., Chanson J.S., Cox N.A., Berridge R., Ramani P., Young B.E. (Eds.). Threatened Amphibians of the World. Lynx Ediciones, Barcelona, Spain; IUCN The World Conservation Union, Gland, Switzerland; and Conservation International, Arlington, Virginia, U.S.A.
- Chan-Ard T., Grossmann W., Gumprecht A., Schulz K.D. 1999. Amphibians and reptiles of Peninsular Malaysia and Thailand (an illustrate checklist). Bushmater publication, Germany.
- Chan-ard T. 2003. A photographic guide to amphibians in Thailand. Darnsutha Press co., Bangkok, 176 pp.
- Che J., Pang J., Zhao H., Wu G., Zhao E., Zhang Y. 2007. Molecular phylogeny of the Chinese ranids inferred from nuclear and mitochondrial DNA sequences. Biochemical Systematics and Ecology, 35, 29-39.

- Che J., Hu J.S., Zhou W.W., Murphy R.W., Papenfuss T., Chen M.Y., Rao D.Q., Li P.P., Zhang Y.P. 2009. Phylogeny of the Asian spiny frog tribe Paini (Family Dicroglossidae) sensu Dubois. *Molecular Phylogenetics and Evolution*, 50, 59-73.
- Che J., Chen H.M., Jin J.Q., Yang J.X., Jiang K., Yuan Z.Y., Murphy R.W., Zhang Y.P. 2012. Universal COI primers for DNA barcoding amphibians. *Molecular Ecology Resources*, 12, 247-258.
- Chen L., Murphy R.W., Lathrop A., Ngo A., Orlov N., Ho C., Somorjai I. 2005. Taxonomic chaos in Asian ranid frogs: an initial phylogenetic resolution. *Herpetological Journal*, 15, 231-243.
- Cole M.D. 1986. The *myc* oncogene: its role in transformation and differentiation. *Annual Review of Genetics*, 20, 361-384.
- Crnokrak P., Roff D.A. 1999. Inbreeding depress Inbreeding depression in the wild. *Heredity*, 83, 260-270.
- Daudin F.M. 1802. *Histoire Naturelle Generale et Particuliere des Reptiles*. Vol. II. F. Dufart, Paris, France.
- Doughty P., Anstis M., Price L.C. 2009. A new species of *Crinia* (Anura: Myobatrachidae) from the high rainfall zone of the northwest Kimberley, Western Australia. *Records of the Western Australian Museum*, 25, 127-144.
- Dubois A. 1987. *Miscellanea taxinomica batrachologica (I)*. Aytes, 5, 7-95.
- Dubois A. 1992. Noes sur la classification des Ranidae. *Bulletin mensuel de la société linnéenne de Lyon*, 61, 305-352.

Duellman W.E. 1993. Amphibian Species: Additions and Corrections. University of Kansas Press, Lawrence, Kansas, U.S.A.

Emerson S.B. 1992. Courtship and nestbuilding behaviour of a Bornean frog,  
*Rana blythi*. Copeia, 1992, 1123-1127.

Emerson S.B. 1994. Testing pattern predictions of sexual selection: A frog example.  
The American Naturalist, 143, 848-869.

Emerson S.B. 1996. Phylogenies and physiological processes the evolution of sexual dimorphism in Southeast Asian frogs. Systematic Biology, 45, 278-289.

Emerson S.B. 2001. A macroevolutionary study of historical contingency in the fanged frogs of Southeast Asia. Biological Journal of the Linnean Society, 73, 139-151.

Emerson S.B., Berrigan D. 1993. Systematics of Southeast Asian ranids: Multiple origins of voicelessness in the subgenus *Limnonectes* (Fitzinger).  
Herpetologica, 49, 22-31.

Emerson S.B., Inger R.F. 1992. The comparative ecology of voiced and voiceless Bornean frogs. Journal of Herpetology, 26, 482-490.

Emerson S.B., Inger R.F., Iskandar D. 2000. Molecular systematics and biogeography of the Fanged Frogs of Southeast Asia. Molecular Phylogenetics and Evolution, 16, 131-142.

Emerson S.B., Voris H. 1992. Competing explanations for sexual dimorphism in a voiceless Bornean frog. Functional Ecology, 6, 654-660.

Emerson S.B., Ward R. 1998. Male secondary sexual characteristics, sexual selection, and molecular divergence in fanged ranid frogs of southeast Asia. Zoological Journal of the Linnean Society, 122, 537-553.

- Ericson P.G.P., Christidis L., Cooper A., Irestedt M., Jackson J., Johansson U.S., Norman J.A. 2002. A Gondwanan origin of passerine birds supported by DNA sequences of the endemic New Zealand wrens. *Proceedings of the Royal Society B: Biological Sciences*, 269, 235-241.
- Evans B.J., Brown R.M., McGuire J.A., Supriatna J., Andayani N., Diesmos A., Iskandar D., Melnick D.J., Cannatella D.C. 2003. Phylogenetics of fanged frogs: Testing biogeographical hypotheses at the interface of the Asian and Australian faunal zones. *Systematic Biology*, 52, 794-819.
- Folmer O., Black M., Hoeh W., Lutz R., Vrijenhoek R. 1994. DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Molecular Marine Biology and Biotechnology*, 3, 294-299.
- Frankham R. 2003. Genetics and conservation biology. *Comptes rendus Biologies*, 326, 22-29.
- Frankham R., Ballou J.D., Briscoe D.A. 2002. *Introduction to Conservation Genetics*. Cambridge University Press, New York, U.S.A.
- Frost D.R. 1985. *Amphibian Species of the World*. Allen Press and the Association of Systematic Collections, Lawrence, Kansas, U.S.A.
- Frost D.R., Grant T., Faivovich J., Bain R.H., Haas A., Haddad C.F.B., De Sa R.O., Channing A., Wilkinson M., Donnellan S.C., Raxworthy C.J., Campbell J.A., Blotto B.L., Moler P., Drewes R.C., Nussbaum R.A., Lynch J.D., Green D.M., Wheeler W.C. 2006. The Amphibian tree of life. *Bulletin of the American Museum of Natural History*, 297, 1-370.

- Funk W.C., Caminer M., Ron S.R. 2012. High levels of cryptic species diversity uncovered in Amazonian frogs. *Proceedings of the Royal Society B: Biological Sciences*, 279, 1806-1814.
- Garda A.A., Santana D.J., Sao-Pedro V.D.A. 2010. Taxonomic characterization of Paradoxical frogs (Anura, Hylidae, Pseudae): geographic distribution, external morphology, and morphometry. *Zootaxa*, 2666, 1-28.
- Geyer C.J., Ryder O.A., Chemnick L.G., Thompson E.A. 1993. Analysis of relatedness in the California Condor, from DNA fingerprints. *Molecular Biology and Evolution*, 10, 571-589.
- Guerra M.A., Ron S.R. 2008. Mate choice and courtship signal differentiation promotes speciation in an Amazonian frog. *Behavioral Ecology*, 19, 1128-1135.
- Guttman S.I. 1973. Biochemical techniques and problems in anuran evolution. pp. 183-203 in "Evolutionary Biology of the Anurans: Contemporary Research on Major Problems", ed by Vial J.L. University of Missouri Press, Columbia, U.S.A.
- Haig S.M., Ballou J.D., Casner N.J. 1994. Identification of kin structure among Guam rail founders: a comparison of pedigrees and DNA profiles. *Molecular Ecology*, 3, 109-119.
- Hall R. 1996. Reconstructing Cenozoic SE Asia. Pp. 153–184. In R. Hall and D. Blundell (Eds.). *Tectonic Evolution of Southeast Asia*. Geological Society, London, England, U.K.

- Hall R. 1998. The plate tectonics of Cenozoic SE Asia and the distribution of land and sea. Pp. 99–132. In R. Hall and J. D. Holloway (Eds.). Biogeography and geological evolution of Southeast Asia. Brackhuys, Leiden, The Netherlands.
- Harshman J., Huddleston C.J., Bollback J.P., Parsons T.J., Braun M.J. 2003. True and false gavials: a nuclear gene phylogeny of Crocodylia. Systematic Biology, 52, 386-402.
- Hay J.M., Ruvinsky I., Hedges S.B., Maxson I.R. 1995. Phylogenetic relationships of amphibian families inferred from DNA sequences of mitochondrial 12S and 16S ribosomal RNA genes. Molecular Biology and Evolution, 12, 928-937.
- Hedges S.B., Maxson I.R. 1993. A molecular perspective on lissamphibian phylogeny. Herpetological monograph, 7, 27-42.
- Hong N., Liaw J., Chou W.H. 2011. Phylogeography of the fanged dicroglossine frog, *Limnonectes fujianensis* (Anura, Ranidae), in Taiwan. Zoology Science, 28, 254-263.
- Hotz H., Uzzell T. 1982. Biochemically detected sympatry of two water frog species: two different cases in the Adriatic Balkans (Amphibia: Ranidae). Proceedings of the Academy of Natural Sciences of Philadelphia, 134, 50-79.
- Inger R.F. 1954. Systematics and zoogeography of Philippine Amphibia. Fieldiana Zoology, 33, 183-531.
- Inger R.F. 1958. A note on the Philippine frogs related to *Rana macrodon*. Fieldiana Zoology 39: 253–255.
- Inger R.F. 1966. The systematics and zoogeography of the Amphibia of Borneo. Fieldiana Zoology, 52, 1-402.

- Inger R.F. 1996. Commentary on a proposed classification of the family Ranidae. *Herpetologica*, 52, 241-246.
- Inger R.F. 1999. Distributions of amphibians in southern Asia and adjacent islands. In W.E. Duellman (Ed.). Patterns of distribution of amphibians, a global Perspective. John Hopkins University Press, Baltimore, Maryland, U.S.A. pp. 445-482.
- Inger R.F., Colwell R.K. 1977. Organization of contiguous communities of amphibians and reptiles in Thailand. *Ecological Monographs*, 47, 229-253.
- Inger R.F., Stuart B.L. 2010. Systematics of *Limnonectes (Taylorana)* Dubois. *Current Herpetology*, 29(2), 51-68.
- Inger R.F., Tan F.L. 1996. Checklist of the frogs of Borneo. *The Raffles Bulletin of Zoology*, 44, 551-574.
- Irestedt M., Johansson U.S., Parsons T.J., Ericson P.G.P. 2001. Phylogeny of major lineages of suboscines (Passeriformes) analysed by nuclear DNA sequence data. *Journal of Avian Biology*, 32, 15-25.
- Iskander D., Colijn E. 2000. Preliminary checklist of the Southeast Asian and New Guinean herpetofuna. *Treubi*, 31, 1-134.
- Jolliffe I.T. 2002. Principal Component Analysis. New York, U.S.A.
- Khonsue W., Thirakhupt K. 2001. A Checklist of the Amphibians in Thailand. *The Natural History Journal of Chulalongkorn University*, 1(1), 69-82.
- Kiew B.H. 1978. The nomenclature and identity of the Javanese frog, *Rana macrodon* Dumeril and Bibron. *Malayan Nature Journal*, 31, 219-229.
- Kiew B.H. 1984. *Rana malesiana*, a new frog from the Sunda region. *Malayan Nature Journal*, 37, 153-161.

- Kotaki M., Kurabayashi A., Matsui M., Kuramoto M., Djong T.H., Sumida M. 2010. Molecular phylogeny of the diversified frogs of genus *Fejervarya* (Anura: Dic平glossidae). *Zoological Science*, 27(5), 386-395.
- Kraytsberg Y., Schwartz M., Brown T.A., Ebralidse K., Kunz W.S., Clayton D.A., Vissing J., Khrapko K. 2004. Recombination of human mitochondrial DNA. *Science*, 304, 981.
- Land D.E., Lacy R.C. 2000. Introgression level achieved through Florida panther genetic restoration. *Endangered Species Updates*, 17, 99-103.
- Lande R. 1988. Genetics and demography in biological conservation. *Science*, 241, 1455-1460.
- Laurance W.F., Powell G., Hansen L. 2002. A precarious future for Amazonia. *Trends in Ecology and Evolution*, 17, 251-252.
- Lewis S.L., Brando P.M., Phillips O.L., Van der Heijden G.M.F., Nepstad D. 2011. The 2010 Amazon drought. *Science*, 331, 554.
- Librado P., Rozas J. 2009. DnaSP v5: a software for comprehensive analysis of DNA polymorphism data. *Bioinformatics*, 25, 1451-1452.
- Madsen O., Scally M., Douady C.J., Kao D.J., DeBry R.W., Adkins R., Amrine H.M., Stanhope M.J., de Jong W.W., Springer M.S. 2001. Parallel adaptive radiations in two major clades of placental mammals. *Nature*, 409, 610-614.
- Martin A.P., Burg T.M. 2002. Perils of paralogy: Using HSP70 genes for inferring organismal phylogenies. *Systematic Biology*, 51, 570-587.
- Matsui M. 1979. Amphibians from Sabah I. Systematic and natural history notes. *Contributions from the Biological Laboratory, Kyoto University*, 25, 303-346.

Matsui M., Kuraishi N., Jiang J.P., Ota H., Hamidy A., Orlov N.L., Nishikawa K.

2010a. Systematic reassessments of fanged frogs from China and adjacent regions (Anura: Dic平glossidae). Zootaxa, 2345, 33-42.

Matsui M., Panha S., Khonsue W., Kuraishi N. 2010b. Two new species of the “kuhlii” complex of the genus *Limnonectes* from Thailand (Anura: Dic平glossidae). Zootaxa, 2615, 1-22.

Matsui M., Hamidy A., Belabut D.M., Ahmad N., Panha S., Sudin A., Khonsue W., Oh H.S., Yong H.S., Jiang J.P., Nishikawa K. 2011. Systematic relationships of Oriental tiny frogs of the family Microhylidae (Amphibia, Anura) as revealed by mtDNA genealogy. Molecular Phylogenetics and Evolution, 61, 167-176.

Mazin A., Borkin L.J. 1979. Nuclear DNAcontent in green frogs of the genus *Rana*. Mitteilungen aus dem zoologischen museum in Berlin, 55, 217-224.

McLeod D.S. 2008. A new species of big-headed, fanged dic平glossine frog (Genus *Limnonectes*) from Thailand. Zootaxa, 1807, 26-46.

McLeod D.S. 2010. Of least concern? Systematics of a cryptic species complex: *Limnonectes kuhlii* (Amphibia: Anura: Dic平glossidae). Molecular Phylogenetics and Evolution, 56, 991-1000.

Miyamoto M.M., Porter C.A., Goodman M. 2000. C-myc gene sequences and the phylogeny of bats and other eutherian mammals. Systematic Biology, 49, 501-514.

Moore W.S. 1995. Inferring phylogenies from mtDNA variation: mitochondrial trees versus nuclear gene trees. Evolution, 49, 718-726.

- Mueller R.L., Macey J.R., Jaekel M., Wake D.B., Boore J.L. 2004. Morphological homoplasy, life history evolution, and historical biogeography of plethodontid salamanders inferred from complete mitochondrial genomes. *Proceedings of the National Academy of Sciences*, 101, 13820-13825.
- Murphy W.J., Eizirik E., Johnson W.E., Zhang Y.P., Ryder O.A., O'Brien S.J. 2001. Molecular phylogenetics and the origins of placental mammals. *Nature*, 409, 614-618.
- Nei M. 1987. *Molecular evolutionary genetics*. Columbia university press. New York, U.S.A.
- Nei M., Kumar S. 2000. "Molecular Evolution and Phylogenetics". Oxford University Press, New York.
- Nikolai L.O., Murphy R.W., Ananjeva N.B., Ryabov S.A., Cuc H.T. 2002. Herpetofauna of Vietnam, a checklist. Part I. Amphibia. *Russian Journal of Herpetology*, 9, 81-104.
- Nishioka M., Sumida M., Ohta S., Suzuki H. 1987. Speciation of three allied genera, *Buergeria*, *Rhacophorus* and *Polypedates*, elucidated by the method of electrophoretic analyses. *Scientific Report of the Laboratory for Amphibian Biology*, 9, 530-96.
- Nishioka M., Sumida M., Ohtani H. 1992. Differentiation of 70 populations in the *Rana nigromaculata* group by the method of electrophoretic analyses. *Scientific report of the Laboratory for Amphibian Biology*, 11, 1-70.

- Oliver P.M., Bauer A.M., Greenbaum E., Jackman T., Hobbie T. 2012. Molecular phylogenetics of the arboreal Australian gecko genus *Oedura* Gray1842 (Gekkota: Diplodactylidae): Another plesiomorphic grade?. *Molecular Phylogenetics and Evolution*, 63, 255-264.
- Olmo E. 1973. Quantitative variations in the nuclear DNA and phylogensis of the Amphibia. *Caryologia*, 26, 43-68.
- Orlov N. 1997. Breeding behavior and nest construction in a Vietnam frog related to *Rana blythii*. *Copeia*, 1997, 464-465.
- Padial J.M., Kohler J., Munoz A., De la Riva I. 2008. Assessing the taxonomic status of tropical frogs through bioacoustics: geographical variation in the advertisement calls in the *Eleutherodactylus discoidalis* species group (Anura). *Zoological Journal of the Linnean Society*, 152, 353-365.
- Padial J.M., Miralles A., De la Riva I., Vences M. 2010. The integrative future of taxonomy. *Frontiers in Zoology*, 7, 16.
- Pfenninger M., Schwenk K. 2007. Cryptic animal species are homogeneously distributed among taxa and biogeographical regions. *BMC Evolutionary Biology*, 7, 121
- Pierce L.R., Stepien C.A. 2012. Evolution and biogeography of an emerging quasispecies: Diversity patterns of the fish Viral Hemorrhagic Septicemia virus (VHSV). *Molecular Phylogenetics and Evolution*, 63, 327-341.
- Pope C.H. 1931. Notes on amphibians from Fukien, Hainan, and other parts of China. *Bulletin of the American Museum of Natural History*, 61, 397-611.


- Ralls K., Ballou J. 1983. Extinctions: lessons from zoos. In: Genetics and conservation: A reference for managing wild animal and plant populations: 64-184 (C. M. Schonewald-Cox, S. M. Chambers, B. MacBryde and L. Thomas, Eds.). Benjamin Cummings Publishing Company, Inc., California.
- Ratnasingham S., Hebert P.D.N. 2007. BOLD: The Barcode of Life Data System. Molecular Ecology Notes, 7, 355-364.
- Ron S.R, Santos J.C, Cannatella D.C. 2006 Phylogeny of the túngara frog genus *Engystomops* (=*Physalaemus pustulosus* species group; Anura: Leptodactylidae). Molecular Phylogenetic Evolution, 39, 392-403.
- Russello M.A., Amato G. 2004. *Ex situ* population management in the absence of pedigree information. Molecular Ecology, 13, 2829-2840.
- Saccheri I., Kuussaari M., Kankare M., Vikman P., Fortelius W., Hanski I. 1998. Inbreeding and extinction in a butterfly metapopulation. Nature, 392, 491-494.
- Sambrook J., Fritsch E.F., Maniatis T. 1989. Molecular cloning: A laboratory manual, 2nd. Cold Spring Harbor Laboratory Press, New York, U.S.A.
- San Mauro D., Vences M., Alcobendas M., Zamoya R., Meyer A. 2005. Initial diversification of living amphibians predated the breakup of Pangaea. American Naturalist, 165, 590-599.
- Shimada T., Matsui M., Yambun P., Sudin A. 2011. A taxonomic study of Whitehead's torrent frog, *Meristogenys whiteheadi*, with descriptions of two new species (Amphibia: Ranidae). Zoological Journal of the Linnean Society, 161, 157-183.

- Simmons M.P., Carr T.G., O'Neill K. 2004. Relative character-state space, amount of potential phylogenetic information, and heterogeneity of nucleotide and amino acid characters. *Molecular Phylogenetic and Evolution*, 32, 913-926.
- Simmons M.P., Ochoterena H., Freudenstein J.V., 2002. Amino acid vs nucleotide characters: challenging preconceived notions. *Molecular Phylogenetic and Evolution*, 24, 78-90.
- Simon C., Frati F., Beckenbach A., Crespi B., Liu H., Flook P. 1994. Evolution, weighting and phylogenetic utility of mitochondrial gene sequences and a compilation of conserved polymerase chain reaction primers. *Annals of the Entomological Society of America*, 87, 651-701.
- Stuart B.L. 1999. Amphibians and Reptiles. Pp. 43-67, In: Duchworth, J.W., Salter R.E. and Khounboline K. (Compilers), wildlife in Lao PDR: 1999 status report.
- Stuart S.N., Chanson J.S., Cox N.A., Young B.E., Rodrigues A.S.L., Fischman D.L., Waller R.W. 2004. Status an trends of amphibian declines and extinctions worldwide. *Science*, 306, 1783-1786.
- Stuart B.L., Inger R.F., Voris H.K. 2006. High level of cryptic species diversity revealed by sympatric lineages of Southeast Asian forest frogs. *Biology letters*, 2, 470-474.
- Sumida M., Kanamori Y., Kaneda H., Kato Y., Nishioka M., Hasegawa M., Yonekawa H. 2001. Complete nucleotide sequence and gene rearrangement of the mitochondrial genome of the Japanese pond frog *Rana nigromaculata*. *Genes and Genetic Systems*, 76, 311-325.

- Sweijd N.A., Bowie R.C.K., Evans B.S., Lopata A.L. 2000. Molecular genetics and the management and conservation of marine organisms. *Hydrobiologia*, 420, 153-164.
- Tamura K., Peterson D., Peterson N., Stecher G., Nei M., Kumar S. 2011. MEGA5: Molecular evolutionary genetics analysis using maximum likelihood, distance, and maximum parsimony methods. *Molecular Biology and Evolution*, 1-9.
- Taylor E.H. 1962. The amphibian fauna of Thailand. *The University of Kansas Science Bulletin*, 43(8), 265-599.
- Teeling E.C., Madsen O., Van den Bussche R.A., de Jong W.W., Stanhope M.J., Springer M.S. 2002. Microbat paraphyly and the convergent evolution of a key innovation in Old World rhinolophoid microbats. *Proceedings of the National Academy of Sciences*, 99, 1431-1436.
- The IUCN Red List of Threatened Species [Online]. Available:  
<http://www.iucnredlist.org/> [2012, June].
- Thompson J.D., Gibson T.J., Plewniak F., Jeanmougin F., Higgins D. 1997. The ClustalX Windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Research*, 25, 4876-4882.
- Tsaousis A.D., Martin D.P., Ladoukakis E.D., Posada D., Zouros E. 2005. Widespread recombination in published animal mtDNA sequences. *Molecular Biology and Evolution*, 22, 925-933.
- Tsuji H., Matsui M. 2002. Male-male combat and head morphology in a fanged frog (*Rana kuhlii*) from Taiwan. *Journal of Herpetology*, 36, 520-526.

- Vences M., Chiari Y., Raharivololoniaina L., Meyer A. 2004. High mitochondrial diversity within and among populations of Malagasy poison frogs. *Molecular Phylogenetics and Evolution*, 30, 295-307.
- Vences M., Thomas M., Bonett R.M., Vieites D.R. 2005. Deciphering amphibian diversity through DNA barcoding: chances and challenges. *Philosophical Transactions of the Royal Society B*, 360, 1859-1868.
- Vences M., Wake D.B. 2007. Speciation, species boundaries and phylogeography of amphibians. In *Amphibian biology: systematics* (eds H. Heatwole & M.J. Tyler), pp. 2613-2670.
- Vieites D.R., Wollenberg K.C., Andreone F., Köhler J., Glaw F., Vences M. 2009. Vast underestimation of Madagascar's biodiversity evidenced by an integrative amphibian inventory. *Proceedings of the National Academy of Science of the United States of America*, 106, 8267–8272.
- Vinogradov A.E., Borkin L.J. 1993. Allometry of base pair specific DNA contents in Tetrapoda. *Hereditas*, 118, 155-163.
- Westemeier R.L., Brawn J.D., Simpson S.A., Esker R.W., Jansen R.W., Walk J.W., Kershner E.L., Bouzat J.L., Paige K.N. 1998. Tracking the long-term decline and recovery of an isolated population. *Science*, 282, 1695-1698.
- Wiens J.J., Penkrot T.A. 2002. Delimiting species using DNA and morphological variation and discordant species limits in spiny lizards (*Sceloporus*). *Systematic Biology*, 51, 69-91.
- Wiens J.J., Fetzner J.W., Parkinson C.L., Reeder T.W. 2005. Hylid frog phylogeny and sampling strategies for speciose clades. *Systematic Biology*, 54, 719-748.

- Zhang J.F., Nie L.W., Wang Y., Hu L.L. 2009. The complete mitochondrial genome of the large-headed frog, *Limnonectes bannaensis* (Amphibia: Anura), and a novel gene organization in the vertebrate mtDNA. *Gene*, 442, 119-127.
- Zhang P., Zhou H., Chen Y.Q., Liu Y.F., Qu L.H. 2005. Mitogenomic perspectives on the origin and phylogeny of living amphibians. *Systematic Biology*, 54, 391-400.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved