

References

- Aekwarangkoon, S., Oakley, L.D., Suttharangsee, W., Assanangkornchai, S., Boonvasopun, U., & Henriques, J. (2006). Effectiveness of a brief cognitive-support treatment in mild to moderate depressed Thai adolescent students. *Thai Journal of Nursing Research, 10*(4), 288-300.
- Abramson, L.Y., Seligman, M.E.P., & Teasdale, J. (1978). Learned helplessness in humans: Critique and reformulation. *Journal of Abnormal Psychology, 87*, 49-74.
- Allart-Van Dam, E., Hosman, C., Hoogduin, C., & Schaap, C. (2003). The coping with depression course: Short-term outcomes and mediating effects of a randomized controlled trial in the treatment of subclinical depression. *Behavior Therapy, 34*, 381-396.
- Alonso, J., Angermeyer, M.C., Bernert, S., Bruffaerts, R., Brugha, T.S., Bryson, H., et al. (2004). ESEMeD/MHEDEA2000 investigators, European study of the epidemiology of mental disorders (ESEMeD) project. 12-month comorbidity patterns and associated factors in Europe: results from the European study of the epidemiology of mental disorders (ESEMeD) project. *Acta Psychiatrica Scandinavica Supplement, 420*, 28-37.
- American Academy of Child and Adolescent Psychiatry. (2007). Practice parameters for the assessment and treatment of children and adolescents with depressive disorders. *Journal of the American Academy of Child and Adolescent Psychiatry, 46*(11), 1503-1526.

- American Academy of Family Physicians. (2000). *Depression in children and adolescents*. Retrieved February 5, 2007, from <http://www.aafp.org/afp/20001115/2297.html>.
- American Psychiatric Association. (2000). *The Diagnostic and Statistical Manual of Mental Disorders (DSM IV-TR)*. Retrieved January 16, 2010, from <http://psych.org/MainMenu/Research/DSMIV.aspx>
- Antonuccio, D.O. (1998). The coping with depression course: A behavioral treatment for depression. *The Clinical Psychologist*, 51(3), 3-5.
- Asarnow, J. R., Carlson, G. A., & Guthrie, D. (1987). Coping strategies, self-perception, hopelessness, and perceived family environment in depressed and suicidal children. *Journal of Consulting and Clinical Psychology*, 55, 361-366.
- Aten, C.B., Gotlieb, E.M., eds. (1998). *Caring for adolescent patients*. (2nd ed.) Elk Grove Village: American Academic of Pediatrics.
- Bandura, A. (1977). *Social learning theory*. New.Jersey.: Prentice-Hall.
- Bandura, A. (1998). Self-efficacy. In Friedman H. *Encyclopedia of mental health*. San Diego: Academic Press.
- Beardslee, W.R., Bemporad, J., Keller, M.B., & Klerman, G.L. (1983). Children of parents with major affective disorder: a review. *American Journal of Psychiatry*, 140, 825-832.
- Beck, A.T. (1967). *Depression: Clinical, experimental, and theoretical aspects*. New York: Harper & Row.
- Beck, A.T. (1976). *Cognitive therapy and the emotional disorders*. New York: International Universities Press.

- Beck, A.T. (2008). The evolution of the cognitive model of depression and its neurobiological correlates. *The American Journal of Psychiatry*, *165*, 969-977.
- Beck, A.T., & Clark, D.A. (1988). Anxiety and depression: An information processing perspective. *Anxiety Research: An International Journal*, *1*, 23-36.
- Beck, A.T., Rush, A.J., Shaw, B.F., & Emery, G. (1979). *Cognitive therapy for depression*. New York: Guilford Press.
- Beck, A.T., Streer, R.A., Ball, R., & Ranieri, W.F. (1996). Comparison of Beck Depression Inventories-IA and II in psychiatric outpatients. *Journal of Personality Assessment*, *67*, 588-597.
- Beck, J.S. (1995). *Cognitive therapy: Basics and beyond*. New York: The Guilford Press.
- Becker, S.J., Sanchez, C.C., Curry, J.F., Silva, S., & Tonev, S. (2008). Cognitive-behavioral therapy for adolescent depression: Processes of cognitive change. *Psychiatric Times*, *25*(14).
- Bhatia, S.K., & Bhatia, S.C. (2007). Childhood and adolescent depression. *American Family Physician*, *75*(1), 73-80.
- Birmahir, B., Brent, D.A., & Benson, R.S. (1998). Summary of the practice parameters for the assessment and treatment of children and adolescents with depressive disorders. *Journal of the American Academy of Child and Adolescent Psychiatry*, *37*, 1234-1238.

Birmahir, B., Brent, D., Bernet, W., Bukstein, O., Walter, H., Benson, R.S., et al.

(2007). Practice parameter for the assessment and treatment of children and adolescents with depressive disorders. *Journal of the American Academy of Child and Adolescent Psychiatry*, 46(11), 1503-1526.

Birmahir, B., Bridge, J.A., Williamson, D.E., Brent, D.A., Dahl, R.E., Axelson, D.A.,

et al. (2004). Psychosocial functioning in youths at high risk to develop major depressive disorder. *Journal of the American Academy Child and Adolescent Psychiatry*, 43(7), 839-846.

Birmahir, B., Brent, D.A., Kolko, D., Baugher, M., Bridge, J., Holder, D., et al.

(2000). Clinical outcome after short-term psychotherapy for adolescents with major depressive disorder. *Archives of General Psychiatry* (57), 29-36.

Birmaher, B., Ryan, N.D., Williamson, D.E., Brent, D.A., Kaufman, J., Dahl, R.E.,

et al. (1996a). Childhood and adolescent depression: A review of the past 10 years. Part I. *Journal of the American Academy of Child and Adolescent Psychiatry*, 35, 1427-1439.

Birmaher, B., Ryan, D., Williamson, D.E., Brent, D.A., Kaufman, J., Dahl, R.E.,

et al. (1996b). Childhood and adolescent depression: A review of the past 10 years. Part II. *Journal of the American Academy of Child and Adolescent Psychiatry*, 35, 1575-1583.

Bogenschneider, K. (1994). *An ecological, risk-focused approach to preventing youth*

depression (Wisconsin Youth Futures Technical Report # 9). Wisconsin:

University of Wisconsin-Madison Cooperative Extension.

Boonchoo, P. (2000). *The prevalence of depression and the relationship between Psycho-social factors and depression of grade 10 students in Ubonrajathanee*. Unpublished master's thesis, Graduate School, Chulalongkorn University, Bangkok, Thailand.

Boonyamalik, P. (2005). *Epidemiology of adolescent suicidal ideation: Roles of perceived life stress, depressive symptoms, and substance use (Thailand)*. Unpublished doctoral dissertation, Graduate School, Johns Hopkins University.

Boonyamalik, P., Saosarn, P., & Chutha, W. (2006). Prevalence of depression among senior high school and vocational certificate students: A national school and college survey in 2004. *Journal of the Psychiatric Association of Thailand*, 52(2), 172-180.

Bowlby, J. (1980). *Loss: Sadness and depression*. In attachment and loss. London: Hogarth Press.

Boutngern, C. (1997). *Depression in early adolescent students in Samut Prakan province*. Unpublished master's thesis, Graduate School, Chulalongkorn University, Bangkok, Thailand.

Boyd, C.P., Gullone, E., Kostanski, M., Ollendick, T.H., & Shek, D.T.L. (2000). Prevalence of anxiety and depression in Australian adolescents: Comparison with worldwide data. *Journal of General Psychology*, 161(4), 479-492.

Brage, D, Campbell-Grossman C., & Dunkel, J. (1995). Psychological correlates of adolescent depression. *Journal of Child and Adolescent Psychiatric Nursing*, 8(4), 23-30.

- Bratia, S.K., & Bratia, S.C. (2007). Childhood and adolescent depression. *American Family Physician*, 75(1), 73-80.
- Brent, D.A., Holder, E., Kolko, D., Birmaher, B., Baugher, M., Roth, C., et al. (1997). A clinical psychotherapy trial for adolescent depression comparing cognitive, family, and supportive therapy. *Archives of General Psychiatry* (54), 877-885.
- Brent, D.A., Perper, J.A., Moritz, G., Liotus, L., Schweers, J., Roth, C., et al. (1993). Psychiatric sequelae to a loss of an adolescent peer to suicide. *Journal of the American Academy of Child and Adolescent Psychiatry*, 32, 509-517.
- Brent, D.A., Poling, K., McKain, B., & Baugher, M. (1983). A psychoeducational program for families of affectively ill children and adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 32(4), 770-774.
- Brown, A.B. (2001). *Adolescent depressive disorders*. Retrieved January 11, 2010, from http://www.namigc.org/content/fact_sheets/childrenAdolescents/MentalIllnesses/adodepweb.htm
- Brown, G.W., & Harris, T. (1978). *Social origins of depression: A study of psychiatric disorder in women*. New York: The Free Press.
- Bru, L. (2010). A group-based cognitive-behavioral intervention for adolescent depression: A qualitative, explanatory study of participants' experiences. Retrieved December 3, 2010, from <https://bora.uib.no/bitstream/1956/4702/1/78413349.pdf>.
- Buchmann, C., & Hannum, E. (2001). Education and stratification in developing countries: A review of theories and research. *Annual Review of Sociology*, 27, 77-102.

- Burns, N., & Grove, S.K. (2001). *The practice of nursing research*. W.B.: Saunders.
- Calear, A.L. & Christensen, H. (2010). Systematic review of school-based prevention and early intervention programs for depression. *Journal of Adolescence*, 33, 429-438.
- Campbell, D.T. & Stanley, D.T. (1969). *Experimental and quasi-experimental designs for research*. Chicago: Rand McNally and Co.
- Cardinal, R.N., & Aitken, M.R.F. (2006). ANOVA for the behavioral sciences researcher. Routledge: Plenner.
- Carlbring, P., Brunt, S., Bohman, S., Austin, D., Richards, J., & Andersson, G. (2007). Internet vs. paper and pencil administration of questionnaires commonly used in panic/ agoraphobia research. *Computer in Human Behavior*, 23, 1421-1434.
- Catron, T., & Weiss, B. (1994). The Vanderbilt school-based counseling program: An interagency, primary-care model of mental health services. *Journal of Emotional & Behavioral Disorders*, 2(4), 247-253.
- Charoensuk, S. (2005). *Factors influencing depression in Thai adolescents*. Unpublished doctoral dissertation, Graduate School, University of Kentucky.
- Charoensuk, S. (2007). Negative thinking: A key factor in depressive symptoms in Thai adolescents. *Issues in Mental Health Nursing*, 28(1), 55-74.
- Chartier, G.M., & Ranieri, D.J. (1984). Adolescent depression: Concepts, treatments, prevention. *Advances in Child Behavioral Analysis & Therapy*, 3, 153-193.
- Chatkaew, A. (2003). *Effects of cognitive therapy on depression of female adolescents in Chiang Mai Institute*. Unpublished master's thesis, Graduate School, Chiang Mai University, Chiang Mai, Thailand.

- Chaysirikul, S., Singthong, R., & Pirangkapao, S. (2007). *Factors influencing adolescents with depression*. Oral presentation in the 6th National Mental Health Conference at Prince Hotel, Bangkok, Thailand.
- Chen, C.N., Wong, J., Lee, N., Chan-Ho Lau, J., & Fung, M. (1993). The Shatin Community Mental Health Survey in Hong Kong. *Archives of General Psychiatry Research*, 81, 341-352.
- Children Mental Health Ontario. (2001). *Evidence based practice for depression in children and adolescents*. Retrieved February 5, 2009, from http://www.kidsmentalhealth.ca/documents/EBP_depression.pdf.
- Chittawon, P. (2001). *Effects of rational emotive behavior therapy on adolescents depression*. Unpublished master's thesis, Graduate School, Mahidol University, Bangkok, Thailand.
- Cicchetti, D., & Toth, S.L. (1998). The development of depression in children and adolescents. *American Psychologist*, 53(2), 221-241.
- Clark, D.M., & Fairbum, C.G. (1997). *Science and practice of cognitive behavior therapy*. New York: Oxford University Press.
- Clarke, G.N., & Lewinsohn, P. (1991). *Adolescent coping with Stress Course: Leader Manual*. Portland: Oregon Health Sciences University.
- Clarke, G.N., Lewinsohn, P., & Hops, H. (1990). *Adolescent coping with Depression Course: Leader's Manual for Adolescent Groups*. Eugene: Castalia.

Clarke, G.N., Hawkins, W., Murphy, M., Sheeber, L.B., Lewinsohn, P.M., & Seeley, J.R. (1995). Targeted prevention of unipolar depressive disorder in an at-risk sample of high school adolescents: A randomized trial of a group cognitive intervention. *Journal of the American Academy of Child and Adolescent Psychiatry, 34*, 312-321.

Clarke, G.N., Hornbrook, M., Lynch, F., Polen, M., Gale, J., Beardslee, W., et al. (2001). A randomized trial of a group cognitive intervention for preventing depression in adolescent offspring of depressed parents. *Archives of General Psychiatry, 58*, 1127-1134.

Clarke, G.N., Rohde, P., Lewinsohn, P.M., Hops, H., & Seeley, J.R. (1999). Cognitive-behavioral treatment of adolescent depression: Efficacy of acute group treatment and booster session. *Journal of the American Academy of Child and Adolescent Psychiatry, 38*, 272-279.

Coleman, M.C. (1986). *Behavior disorders: theory and practice* (2nd ed). Needham Heights: Prentice Hall.

Compas, B.E., Ey, S., & Grant, K.E. (1993). Taxonomy, assessment, and diagnosis of depression during adolescence. *Psychological Bulletin, 114*, 323-344.

Compton, S.N., March, J.S., Brent, D., Albano, A.M., Weersing, V.R., & Curry, J.

(2004). Cognitive-behavioral psychotherapy for anxiety and depressive disorders in children and adolescents: An evidence-based medicine review.

Journal of the American Academy of Child and Adolescent Psychiatry, 43(8), 931-959.

Corcoran, K., & Fisher, J. (2000). *Measures for clinical practice* (3rd ed). New York: The Free Press.

Costello, E.J., Pine, D.S., Hammen, C., March, J.S., Plotsky, P.M., Weissman, M.M., et al. (2002). Development and natural history of mood disorders.

Biological psychiatry, 52, 529-542.

Crocker, W.L., & Mieziotis, S. (1992). Coping, cognitive distortions, and depression in adolescents. In S. Mieziotis (Ed.), *Creating alternatives to depression in our schools: Assessment, intervention, prevention* (pp. 225-243). Seattle: Hogrefe & Huber.

Cronbach, L. (1951). Coefficient alpha and the internal structure of tests.

Psychometrika, 16(3), 297-334.

Crowe, M., Ward, N., Dunnachie, B., & Roberts, M. (2006). Characteristics of adolescent depression. *International Journal of Mental Health Nursing*, 15, 10-18.

Curry, J.F., Wells, K.C., Brent, D.A., Clarke, G.N., Rohde, P., Albano, A.M., et al.

(2003). *Cognitive behavior therapy manual: Introduction, rationale, and adolescent sessions*. Retrieved February 5, 2007, from <http://www.duke.edu>.

Damon, W. (1998). *Child psychology*. (5th Ed.). New York: John Wiley.

Demyttenaere, K., Bruffaerts, R., Posada-Villa, J., Gasquet, I., Kovess, V., Lepine, J.P., et al. (2004). WHO World Mental Health Survey Consortium.

Prevalence, severity, and unmet need for treatment of mental disorders in the

World Health Organization World Mental Health Surveys. *Journal of the*

American Academy of Child and Adolescent Psychiatry, 291(21), 2581-90.

Department of Mental Health, Ministry of Public Health. (2005). *Mental health*

situation. Retrieved 22 July 2006, from <http://www.dmh.go.th>.

Dixon, S.D., & Stein, M.T. (2000). *Encounters with Children: Pediatric behavior and development*. (3rd ed.). St. Louis: Mosby.

Dong, Q., Yang, B., & Ollendick, T.H. (1994). Fears in Chinese children and Adolescents and their relations to anxiety and depression. *Journal of Child Psychology and Psychiatry*, 35, 351–363.

Dopheide, J.A. (2005). Recognizing and treating depression in children and adolescents. *American Journal of Health-System Pharmacy*. Retrieved from http://www.medscape.com/viewarticle524043_6.

Dozois, D.J., Covin, R., & Brinker, J.K. (2003). Normative data on cognitive measures of depression. *Journal of Consulting and Clinical Psychology*, 71(1), 71-80.

Dumont, M., & Provost, M.A. (2004). Resilience in adolescents: Protective role of social support, coping strategies, self-esteem, and social activities on experience of stress and depression. *Journal of Youth and Adolescence*, 28(3), 343-363.

Dwivedi, K.N., & Varma, V.P. (1997). *Depression in children and adolescents*. San Diego: Singular.

Elashoff, J.D. (2007). nQuery Advisor User's Guide. Retrieved December 15, 2009, from http://statistical-solutions-software.com/wp-content/uploads/nQ70_version2_manual.pdf

Ellis, A. (1977). Research data that support the clinical and personality hypothesis of RET and other models of cognitive-behavioral therapy. In A. Ellis & R.Grieger (Eds.), *Handbook of rational emotive therapy* (pp. 35-71). New York: Springer.

Farmer, T.J. (2002). The experience of major depression: Adolescents' perspectives. *Issue in Mental Health Nursing, 23*(23), 567-585.

Emslie, G.J., Heiligenstein, J.H., Wagner, K.D., Hoog, S.L., Ernest, D.E., Brown, E., et al. (2002). Fluoxetine for acute treatment of depression in children and adolescents: A placebo-controlled, randomized clinical trial. *Journal of the American Academy of Child & Adolescent Psychiatry, 41*, 1205-1215.

Emslie, G.J., Rush, A.J., Weinberg, W.A., Kowatch, R.A., Hughes, C.W., Carmody, T., et al. (1997). A double-blind, randomized, placebo-controlled trial of fluoxetine in children and adolescents with depression. *Archives of General Psychiatry, 54*, 1031-1037.

Engkasuwan, C. (2000). *Comparison between rational emotive counseling and modeling to reduce depression in grade 11th high school student.*

Unpublished master's thesis, Graduate School, Burapa University, Cholburi, Thailand.

Erikson, E.H. (1959). *Identity and the life cycle in psychological issues.* New York: International University Press.

Erikson, E.H. (1968). *Identity: Youth and crisis.* New York: Norton.

Essau, C.A., & Chang, W.C.C. (2009). Epidemiology comorbidity and course of adolescent depression, In C.A. (Ed.). *Treatments of adolescent depression theory and practice.* New York: Oxford University Press.

Ettelson, R.G. (2002). *Treatment of adolescent depression.* Unpublished doctoral dissertation, Illinois State University.

Evans, M., & Murphy, A. (1997). CBT for depression in children and adolescents. In K.N. Dwivedi & V.E Varma (Eds.), *Depression in children and adolescents*. London: Whurr.

Evans, J.R., Van Velsor, P., & Schumacher, J.E. (2002). Addressing adolescent depression: A role for school counselors. *Professional School Counseling, 5*, 211-219.

Ferster, C.B. (1972). The experimental analysis of clinical phenomena. *Psychological Record, 22*, 1-6.

Field, T., Diego, M., & Sanders, C. (2001). Adolescent depression and risk factors. *Adolescence, 36*, 491-498.

Fine, S., Forth, A., Gilbert, M., & Haley, G. (1991). Group therapy for adolescent depressive disorder: A comparison of social skills and therapeutic support. *Journal of the American Academy of Child and Adolescent Psychiatry, 30*, 79-85.

Fischer, D., Fraley, S., Postelwaite, K., Salada, G., Leskinen, E., & Ruffolo, M.C. (2006). *Supervision manual implementing cognitive-behavioral interventions in school settings*. Michigan: The University of Michigan, Department of Psychiatry.

Flannery-Schroeder, E., Henin, A., & Kendall, E C. (1996). Cognitive-behavioural treatment of internalising disorders in youth. *Behavior Change, 13*, 207-221.

Fleming, J.E., & Offord, D.R. (1990). Epidemiology of childhood depressive disorders: A critical review. *Journal of the American Academy of Child and Adolescent Psychiatry, 33*, 664-670.

Forehand, R., Brody, G., Slotkin, J., Fauber, R., McCombs, A., & Long, N. (1988).

Young adolescent and maternal depression: Assessment, interrelations, and family predictors. *Journal of Consulting and Clinical Psychology, 56*, 442-426.

Garber, J. (2006). Depression in children and adolescents: Linking risk research and prevention. *American Journal of Preventive Medication, 31*(6S1), 104-125.

Gallagher, R. (2010). *Evidence-based psychotherapies for depressed adolescents: A review and clinical guidelines*. Retrieved December 20, 2010, from http://www.primarypsychiatry.com/asp/article_pf.aspx?articleid=323.

Gaynor, S.T., Weersing, V.R., Kolko, D.J., Birmahir, B., Heo, J., & Brent, D.A.

(2003). The prevalence and impact of large sudden improvements during adolescent therapy for depression: A comparison across cognitive-behavioral, family, and supportive therapy. *Journal of Consulting and Clinical Psychology, 71*, 386-393.

Goodyer, I. M., Park, R. J., & Netherton, C. M. (2001) Possible role of cortisol and dehydroepiandrosterone in human development and psychopathology. *British Journal of Psychiatry, 179*, 243-249.

Goodyer, I.M., Altham, P.M.E., Herbert, J., Tamplin, A., (2000) First episode major

depression in adolescents. Affective, cognitive and endocrine characteristics of risk status and predictors of onset. *British Journal of Psychiatry, 176*, 142-149.

Goodyer, I.M., Herbert, J. Tamplin, A., Secher, S.M., & Pearson, J. (1997). Short-term outcome of major depression: Life events, family dysfunction, and friendship difficulties as predictors of persistent disorder. *Journal of the American Academy of Child & Adolescent Psychiatry*, 36(4), 477-484.

Gotlib, I. H., & Hammen, C. L. (1992). *Psychological aspects of depression: Toward a cognitive-interpersonal integration*. New York: Wiley.

Gotlieb, I.H., Lewinsohn, P.M., & Seeley, J.R. (1995). Symptoms versus a diagnosis of depression: Differences in psychosocial functioning. *Journal of Consulting and Clinical Psychology*, 63, 90-100.

Gotlib, I. H., Lewinsohn, P.M., Seeley, J.R., Rohde, P., & Redner, J.E. (1993). Negative cognition and attributional style in depressed adolescents: An examination of stability and specificity. *Journal of Abnormal Psychiatry*, 102, 607-615.

Gottfredson, D. C. Gottfredson, G. D., & Skroban, S. (1996). A multi-model school-based prevention demonstration. *Journal of Adolescent Research*, 11, 97-115.

Green, A. (1999). *An introduction to health planning in developing countries*. (2nd ed). New York: Oxford University Press.

Greenberger, E. (2000). Family, peer and individual correlates of depressive symptomatology among US and Chinese adolescents. *Journal of Consultative Clinical Psychology*, 68, 209–219.

Guillemin F, Bombardier C, & Beaton D. (1993). Cross-cultural adaptation of healthy-related quality of life measures: Literature review and proposed guidelines. *Journal Clinical Epidemiology*, 46(12), 1417-32.

Guttmacher, L.B. & Cretella, H. (1998). Electro convulsive therapy in one child and three adolescents. *Journal of Clinical psychiatric*, 49, 20-23.

Haby, M.M., Tonge, B., Littlefield, L., Carter, R., & Vos, T. (2004). Cost-effectiveness of cognitive behavioral therapy and selective serotonin reuptake inhibitors for major depression in children and adolescents. *Australian and New Zealand Journal of Psychiatry*, 38, 579-591.

Hammen, C. (1992). Cognitive, life stress, and interpersonal approaches to a developmental psychopathology model of depression. *Developmental Psychology*, 4, 191-208.

Hamrin, V., & Pachler, M.C. (2005). Child and adolescent depression: Review of the latest evidence-based treatments. *Journal of Psychosocial Nursing and Mental Health Services*, 43(1), 54-64.

Hankin, B.L. (2006). Adolescent depression: Description, causes, and interventions. *Epilepsy and Behavior*, 8, 102-114.

Hankin, B.L., & Abramson, L.Y. (1999). Development of gender differences in depression: Description and possible explanations. *Annals of Medicine*, 31, 372-379.

Hankin, B.L., Abramson, L.Y., Silva, P.A., McGee, R., Moffitt, T.E., & Angell, K.E.

(1998). Development of depression from preadolescence to young adulthood: Emerging gender differences in a 10-year longitudinal study.

Journal of Abnormal psychology, 107, 128-140.

Harrington, R. (1997). The role of child and adolescent mental health services in preventing later depressive disorder: Problems and prospects. *Clinical Psychology and Psychiatry Review*, 2, 46-57.

- Harrington, R., Whittaker, J., Shoebridge, P., & Campbell, F. (1998). Systematic review of efficacy of cognitive behavior therapies in childhood and adolescent depressive disorder. *British Medical Journal*, *316*, 1559-1563.
- Harrington, R., Wood, A., & Verduyn, C. (1998). Clinical depressed adolescents. In P. Graham (Ed.), *Cognitive-behavior therapy for children and families* (pp. 156-193). Cambridge, United Kingdom: Cambridge University Press.
- Hauenstein, E.J. (2003). Depression in adolescence. *Journal of Obstetric, gynecological, and Neonatal Nursing*, *32*(2), 239-248.
- Hazell, P., O'Connell, D., Heathcote, D., Robertson, J., & Henry, D. (2002). Efficacy of tricyclic drugs in treating child and adolescent depression: A meta-analysis. *The British Journal of Psychiatry*, *310*, 897-901.
- Hecht, D.B., Inderbitzen, H.M., & Bukowski, A.L. (1997). The relationship between peer status and depressive symptoms in children and adolescents. *Journal of Abnormal Child Psychology*, *26*, 153-160.
- Herman, S.M., & Petersen, A.C. (1995). The protective role of coping and social resources for depressive symptoms among young adolescents. *Journal of Youth and Adolescence*, *25*(6), 733-753.
- Hoagwood, K.E., Olin, S.S., Kerker, B.D., Kratochwill, T.R., Crowe, M., & Saka, N. (2007). Empirically based school intervention targeted at academic and mental functioning. *Journal of Emotional and Behavioral Disorders*, *15*, 66-92.
- Homkosol, W. (1994). Depression in asthmatic children. *Journal of Thai Clinical Psychology*, *25*, 92-99.

- Horowitz, J.L., & Garber, J. (2009). The preventive of depressive symptoms in children and adolescents: A meta-analytic review. *Journal of Consulting and Clinical Psychology, 71*(3), 401-415.
- Horwath, E., Johnson, J., Klerman, G.L., Weissman, M.M. (1992). Depressive symptoms as relative and attributable risk factors for first-onset major depression. *Archives of General Psychiatry, 49*(10), 824-30.
- Huang, C.Y., Sousa, V.D., Tu, S.Y., and Hwang, M.Y. (2005). Depressive symptoms and learned resourcefulness among Taiwanese female adolescents. *Archives of Psychiatric Nursing, 19*(3), 133-140.
- Hyun, M., Chung, H., & Lee, Y. (2005). The effective of cognitive-behavioral group therapy on the self-esteem, depression, and self-efficacy of runaway adolescents in a shelter in South Korea. *Applied Nursing Research, 18*(3), 160-166.
- Ingersoll, B.D. & Goldstein, S. (1995). *Lonely, sad and angry: A parent's guide to depression in children and adolescents*. New York: Doubleday.
- Ingram, R.E., Lumry, A.B., Cruet, D., & Sieber, W. (1987). Attentional processes in depressive disorders. *Cognitive Therapy and Research, 11*, 351-360.
- Ingram, R.E., Smith, T.S., & Brehm, S.S. (1983). Depression and information processing: Self-schemata and the encoding of self-referent information. *Journal of Personality & Social Psychology, 45*, 412-420.
- Iwata, N., & Buka, S. (2002). Race/ethnicity and depressive symptoms: A cross-cultural ethnic comparison among university students in East Asia, North and South America. *Social Science and Medicine, 55*, 2243-2252.

Jacob, T., & Johnson, S.L. (1997). Parent-child interaction among depressed fathers and mothers: Impact on child functioning. *Journal of Family Psychology, 11*, 391-409.

Jacobson, N.S., Dobson, K.S., Traux, P.A., Addis, M.E., Koerner, K., Gollen, J.K., et al. (1996). A component analysis of cognitive behavioral treatment for depression. *Journal of Consulting and Clinical Psychology, 64*, 295-304.

Jaycox, L.H., Reivich, K.J., Gillham, J., & Seligman, M.E.P. (1994). Prevention of depressive symptoms in school children. *Behavior Research and Therapy, 32*, 801-816.

Kaewwaen, E. (2007). *Factors influencing depression among adolescents in Sattatip district of Chonburi province*. Unpublished master's thesis, Graduate School, Burapa University, Cholburi, Thailand.

Kahn, J.S., Kehle, T.J., Jenson, W.R., & Clark, E. (1990). Comparison of cognitive-behavioral, relaxation, and self-modeling interventions for depression among middle-school students. *School Psychology Review, 19*, 196-211.

Kanter, J.W., Cautilli, J.D., Busch, A.M., & Busch, E.B. (2005). Toward a comprehensive functional analysis of depressive behavior: Five environmental factors and a possible sixth and seventh. *The Behavior Analysis today, 6*(1), 65-81.

Kashani, J.H., Carlson, G.A., Beck, N.C., Hooper, E.W., Corcoran, C.M., McAllister J.A., et al. (1987). Depression, depressive symptoms and depressed mood among a community sample of adolescents. *American Journal of Psychiatry, 144*(7), 931-4.

Kashini, J.H., Holcomb, W.R., & Orvaschel, H. (1986). Depression and depressive symptomatology in preschool children from the general population.

American Journal of Psychiatry, *143*, 1138-1143.

Kaslow, N.J., & Rehm, L.P. (1993). Childhood depression. In R.J. Morris & T.R.

Kratochwill (Ed.), *The practice of child therapy* (27-51). New York:

Pergamon Press.

Kaslow, N.J., & Thompson, M.P. (1998). Applying the criteria for empirically

supported treatments to studies of psychosocial interventions for child and

adolescent depression. *Journal of Clinical Child Psychology*, *65*, 453-463.

Kawakami, N., Shimizu, H., Haratani, T., Iwata, N., & Kitamura, T. (2004). Lifetime

and 6-month prevalence of psychiatric disorders in an urban community in

Japan. *Psychiatry Research*, *121*, 293-301.

Kazdin, A. E., Marciano, P. L. (1998). Childhood and adolescent depression. In

Mash, E. J.; Barkley, R. A., *Treatment of childhood disorders* (2nd ed).

(pp. 211-248). New York: Guilford Press.

Keller, M.B., Lavori, P.W., Beardslee, W.R., Wunder, J., & Ryan, N. (1991).

Depression in children and adolescents: New data on “undertreatment” and

a literature review on the efficacy of available treatments. *Journal of*

Affective Disorders, *21*, 163-171.

Keller, M.B., Ryan, N.D., Strober, M., Klein, R.G., Kutcher, S.P., Birmaher, B., et al.

(2001). Efficacy of Paroxetine in the treatment of adolescent major

depression: A randomized, controlled trial. *Journal of the American*

Academy of Child and Adolescent Psychiatry, *40*, 762-772.

- Kendall, P.C., Stark, K.D., & Adam, T. (1990). Cognitive deficit or cognitive distortion in childhood depression. *Journal of Abnormal Child Psychology*, *18*, 255-270.
- Kitamura, T., Hirano, H., Chen, Z., & Hirata, M. (2004). Factor structure of the Zung self-rating depression scale in first-year university students in Japan. *Psychiatry Research*, *128*, 281-287.
- Kleinman, A., & Good, B. (1985). Introduction: Culture and depression. In A Kleinman, B Good (eds.). *Culture and Depression*. Berkley: University of California Press.
- Kovacs, M. (1992). *Children's depression inventory manual*. New York: Multiple Health System.
- Kovacs, M. (1997). Depressive disorders in childhood: An impressionistic landscape. *Journal of Child Psychology and Psychiatry*, *38*, 287-298.
- Kovacs, M., & Gatsonis, C. (1994). Secular trends in age at onset of major depressive disorder in a clinical sample of children. *Journal of Psychiatric research*, *28*, 319-329.
- Kowalenko, N., Rapee, R.M., Simmons, J., Wignall, A., Hoge, R., Whitefield, K., et al. (2005). Short-term effectiveness of school-based early intervention program for adolescent depression. *Clinical Child Psychology and Psychiatry*, *10*, 493-509.
- Kramer, R.A., Warner, V., Olfson, M., Ebanks, C.M., Chaput, F., & Weissman, M.M. (1998). General medical problems among the offspring of depressed parents: A 10-year follow-up. *Journal of the American Academy of Child and Adolescent Psychiatry*, *37*, 602-611.

- Kratochwill, T. R., & Stoiber, K. C. (2002). Evidence-based interventions in school psychology: Conceptual foundations of the procedural and coding manual of Division 16 and the Society for the Study of School Psychology Task Force. *School Psychology Quarterly*, 17(4), 341-389.
- Krueger, R.A. (1988). *Focus groups: A practical guide for applied research*. Newbury Park, CA: Sage Publications.
- Kwon, S. & Oei, T. P. S. (2003). Cognitive change processes in a group cognitive behavior therapy for depression. *Journal of Behavior Therapy and Experimental Psychiatry*, 34, 73-85.
- Lamp, J.M., Puskar, K.R., Sereika, S.M., & Corcoran, M. (1998). School-based intervention to promote coping in rural teens. *Mental Health and Community Nursing*, 23, 187-194.
- Laongoon, K. (2006). *Predictors of depression in Children Training Institute*. Unpublished master's thesis, Graduate School, Chiang Mai University, Chiang Mai, Thailand.
- Leahy, R.L. (1996). *Cognitive-behavioral therapy: Basic principles and applications*. New York: Jason Aronson.
- Leichsenring, F., Hiller, W., Weissberg, M., & Leibing, E. (2006). Cognitive-behavioral therapy and psychodynamic psychotherapy: Techniques, efficacy, and indications. *American Journal of Psychotherapy*, 60(3), 233-259.
- Lewinsohn, P.M. (1974). *The psychology of depression: Contemporary theory and research*. Washington, DC: V.H. Winston & Sons.

Lewinsohn, P.M. (1987). The coping with depression course. In R.F. Munoz (Ed.), *Depression prevention: Research directions* (pp. 159-170). Washington, DC: Hemisphere.

Lewinsohn, P.M., & Clarke, G.N. (1999). Psychosocial treatment for adolescent depression. *Clinical Psychology Review, 19*(3), 329-342.

Lewinsohn, P.M., Clarke, G.N., & Rohde, P. (1994). Psychosocial approaches to the treatment of depression in adolescents. In W.M. Reynolds & H.F. Johnson (Eds.), *Handbook of depression in children and adolescents*. New York: Plenum Press.

Lewinsohn, P.M., Clarke, G.N., Seeley, J.R., & Rohde, P. (1994). Major depression in community adolescents: age at onset, episode duration, and time to recurrence. *Journal of the American Academy of Child & Adolescent, 33*(6), 809-818.

Lewinsohn, P. M., Clarke, G. N., Rohde, P., Hops, H., & Seeley, J. R. (1996). A course in coping: A cognitive-behavioral approach to the treatment of adolescent depression. In E. Hibbs & P. Jensen (Eds.), *Psychosocial treatment of child and adolescent disorders: Empirically based approaches*. Washington, DC: American Psychological Association Press.

Lewinsohn, P.M., Gotlib, I.H., & Seeley, J.R. (1997). Depression related psychosocial variables: Are they specific to depression in adolescents. *Journal of Abnormal Psychology, 106*, 365-375.

Lewinsohn, P.M., Munoz, R.F., Youngren, M.A., & Zeiss, A. (1992). *Control Your Depression*. New York: Fireside Books.

Lewinsohn, P.M., Rohde, P., & Seeley, J.R. (1998a). Major depressive disorder in older adolescents: Prevalence, risk factors, and clinical implications.

Clinical Psychology Review, 18(7), 765-794.

Lewinsohn, P.M., Rohde, P., & Seeley, J.R. (1998b). Treatment of adolescent depression: Frequency of services and impact on functioning in young adulthood. *Depression and Anxiety, 7*, 47-52.

Lewinsohn, P.M., Youngren, M.A., & Grosscup, S.J. (1979). Reinforcement and depression. In Depue, R.A. (eds), *The psychobiology of depressive disorder*, (pp. 291-316). New York: Academic Press.

Lewinsohn, P.M., Clarke, G.N., Hops, H., & Andrew, J. (1990). Cognitive-behavioral group treatment of depression in adolescents. *Behavior Therapy*(21), 385-401.

Lewinsohn, P.M., Munoz, R.F., Youngren, M.A., & Zeiss, A. (1992). *Control your depression*. New York: Fireside Books.

Lewinsohn, P.M., Clarke, G.N., Rohde, P., Hops, H., & Seeley, J.R. (1993). Psychosocial characteristics of adolescents with a history of suicide attempt. *Journal of the American Academy of Child and Adolescent Psychiatry, 32*, 60-68.

Lewinsohn, P.M., Roberts, R.E., Seeley, J.R., Rohde, P., Gotlib, I.H., & Hops, H. (1994). Adolescent psychopathology: Psychosocial risk factors for depression. *Journal of Abnormal Psychology, 103*, 302-315.

Lewis, M., et al. (1996). *Child and adolescent psychiatry: A comprehensive textbook*. Baltimore: Williams & Wilkins.

Lotrakul, M. (2005). Suicide in the north of Thailand. *Journal of the Medical Association of Thailand*, 88(7), 944-948.

Ma, J., Lee, K.V., & Stafford, R.S. (2005). Depression treatment during outpatient visits by U.S. children and adolescents. *Journal of Adolescent Health*, 37, 434.

Mahakittikhun, K. (2005). *Effects of positive self talk on depression of adolescents*. Unpublished master's thesis, Graduate School, Chiang Mai University, Chiang Mai, Thailand.

Maneeton, N., & Srisurapanont, M. (2000). Tricyclic antidepressants for depressive disorders in children and adolescents: A meta-analysis of randomized-controlled trials. *Journal of the Medical Association of Thailand*, 83, 1367-1374.

Manora, J. (2003). *Effects of imagery therapy on depression of adolescents in Chiang Mai Institute*. Unpublished master's thesis, Graduate School, Chiang Mai University, Chiang Mai, Thailand.

March J, Silva S, Petrycki S, Curry J, Wells K, Fairbank J, et al. (2004). Fluoxetine, cognitive-behavioral therapy, and their combination for adolescents with depression: Treatment for Adolescents With Depression Study (TADS) randomized controlled trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 292(7), 807-820.

Marchand, E., Ng, J., Rohde, P., & Stice, E. (2010). Effects of an indicated cognitive-behavioral depression prevention program are similar for Asian American, Latino, and European American adolescents. *Behavior Research and Therapy*, 48, 821-825.

Markus, H. (1977). Self-schemata and processing information about the self. *Journal of Personality and Social Psychology*, 35, 63-78.

McCarty, C.A., Weisz, J.R., Wanitromanee, K., Eastman, K.L., Suwanlert, S., Chaiyasit, W., et. al. (1999). Culture, coping, and context: primary and secondary control among Thai and American youth. *Journal of Child Psychology and Psychiatry*, 40(5), 809-818.

McClellan, J.M., & Werry, J.S. (2003). Evidence-based treatments in child and adolescent psychiatry: an inventory. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(12), 1388-1400.

McClure, E., Rogeness, G.A., & Thompson, N.M. (1997). Characteristics of adolescent girls with depressive symptoms in a so-called "normal" sample. *Journal of Affective Disorders*, 42, 187-197.

McDowell, I., & Newell, C. (2006). *Measuring Health: A Guide to Rating Scales and Questionnaires (3rd ed.)*. New York: Oxford University Press.

Meemarayat, P. (2000). *Depression in Thai adolescents*. Unpublished medical specialty certificate in pediatric, National Child Health Institute, Bangkok, Thailand.

Melvin, G.A., Tonge, B.J., King N.J., Heyne, D., Gordon M.S., & Klimkeit, E.

(2006). A comparison of Cognitive-Behavioral Therapy, Sertraline, and their combination for adolescent depression. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(10), 1151-1161.

Merrell, K.W. (2001). *Helping students overcome depression and anxiety*. New York: The Guildford Press.

Michael, K., & Crowley, S.L. (2002). How effective are treatments for child and adolescent depression. A meta analytic review. *Clinical Psychology Review, 22*, 247-269.

Melvin, G.A., Tonge, B.J., King, N.J., Heyne, D., Gordon, M.S., & Klimkeit, E. (2006). A comparison of cognitive-behavioral therapy, sertraline, and their combination for adolescent depression. *Journal of the American Academy of Child and Adolescent Psychiatry, 45*(10), 1151-1161.

Michael, K., & Crowley, S.L. (2002). How effective are treatments for child and adolescent depression: A meta-analytical review. *Clinical Psychology Review, 22*, 247-269.

Modenhauer, Z. (2004). *Adolescent depression: A primary care pilot intervention study*. Unpublished doctoral dissertation, Graduate School, University of Rochester, New York, USA.

Moise, F.N., & Petrides G. (1996). Case study: Electroconvulsive therapy in adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry, 35*, 312-318.

Mufson, L., Moreau, D., Weissman, M.M., Wickramaratne, P., Martin, J., & Samoilov, A. (1994). Modification of interpersonal psychotherapy with depressed adolescents (IPT-A): phase I and II studies. *Journal of the American Academy of Child & Adolescent Psychiatry, 33*, 695-705.

Munoz, R.F. (2008). *Scoring the mood screener and the CES-D*. Retrieved June 12, 2008, from <http://www.medschool.ucsf.edu/latino/pdf/manual.asp>.

Munoz, R.F., Ying, Y.W., Bernal, G., Perez-Stable, E.J., Sorensen, J.L., Hargreaves, W.A., et al. (1995). Prevention of depression with primary care patients: A randomized controlled trial. *American Journal of Community Psychology*, 23, 199-222.

National Health and Medical Research Council. (2004). Depression in young people: Clinical practice guidelines. Retrieved August 10, 2010, from http://www.nhmrc.gov.au/_files_nhmrc/publications/attachments/cp37.pdf.

National Institute of Mental Health. (n.d.). *What causes depression*. Retrieved February 5, 2008, from <http://www.nimh.nih.gov/health/publications/depression/what-causes-depression.shtml>.

Nemade, R., Staats Reiss, N., & Dombeck, M. (2007). Major depression and other unipolar depressions. Retrieved March 5, 2011, from http://www.mentalhelp.net/poc/view_doc.php?type=doc&id=438&cn=5.

Nukaew, O. (1993). *Prevalence of depression and related psychosocial factors: A comparative study between the children at Wat Sra Kaew and the children from ordinary families*. Unpublished master's thesis, Graduate School, Chulalongkorn University, Bangkok, Thailand.

Oei, T.P. S., Bullbeck, K., Campbell, J. M. (2006). Cognitive change process during group cognitive behavior therapy for depression. *Journal of Affective Disorders*, 92, 234-241.

Ohayon, M.M., & Hong, S. (2006). Prevalence of major depressive disorder in the general population of South Korea. *Journal of Psychiatric Research*, 40, 30-36.

Olfson, M., Gameroff, M.J., Marcus, S.C., & Waslick, B.D. (2003). Outpatient treatment of child and adolescent depression in the United States. *Archives of General Psychiatry*, 60, 1236-1242.

Ollendick, T.H., & Yule, W. (1990). Depression in British and American children and its relation to anxiety and fear. *Journal of Consulting Clinical Psychology*, 58, 126-129.

Olsson, G., & Von Knorring, A.L. (1997). Depression among Swedish adolescents measured by the Self-rating Scale Center for Epidemiologic Studies – Depression Child (CES-DC). *European Child and Adolescent Psychiatry*, 6(2), 81-87.

Parker, G.B., & Brown, L.B. (1982). Coping behaviors that mediate between life events and depression. *Archives of General Psychiatry*, 39, 1386-1391.

Parker, G., & Roy, K. (2001). Adolescent depression: A review. *Australian and New Zealand Journal of Psychiatry*, 35, 572-580.

Parker, G., Roy, K., & Eysers, K. (2003). Cognitive behavior therapy for depression? Choose horses for courses. *American Journal of Psychiatry*, 160, 825-834.

Piaget, J. (1969). *The child and reality*. New York: Viking Press.

Pinar Ay, D.S. (2004). Adolescent depression: Progress and future challenges in prevention-control activities. *Marmara Medical Journal*, 17(1), 47-52.

Platts, J., & Williamson, Y. (2000). The use of cognitive-behavioural therapy for counselling in schools. In Barwick, N. *Clinical counselling in schools*. London: Routledge.

Polit, D.F., & Hungler, B.P. (1999). *Nursing research: Principle and method*. Philadelphia: Lippincott Williams & Wilkins.

Poznanski, E.O., & Mokros, H.B. (1996). *Children's Depression Rating Scale-Revised, Manual*. Los Angeles: Western Psychological Services.

Price, C.S., Spence, S.H., Sheffield, J., & Donovan, C. (2002). The development and psychometric properties of a measure of social and adaptive functioning for children and adolescents. *Journal of Clinical Child and Adolescent Psychology, 31*(1), 111-122.

Probst, B. (2008). Issues in portability of evidence-based treatment for adolescent depression. *Journal of Child and Adolescence Social Work, 25*, 111-123.

Puskar, K.R., Tusaie-Mumford, K., Serika, S.M., & Lamp, J. (1999). Screening and predicting adolescent depressive symptoms in rural settings. *Archives of Psychiatric Nursing, 13*, 3-11.

Radloff, L.S. (1997). The use of the Center for Epidemiologic Studies Depression Scale in adolescents and young adults. *Journal of Youth and Adolescence, 20*, 149-166.

Reed, M.K. (1994). Social skills training to reduce depression in adolescents. *Adolescence, 29*, 293-302.

Rehm, L.P. (1977). A self-control model of depression. *Behavior Therapy, 8*, 787-804.

Reijntjes, A.H., Stegge, H., & Terwogt, M. (2006). Children's coping with peer rejection: The role of depressive symptoms, social competence and gender. *Infant and Child Development, 15*, 89-107.

Reinherz, H.Z., Paradis, A.D., Giaconia, R.M., Stashwick, C.K., & Fitzmaurice, G. (2003). Childhood and adolescent predictors of major depression in the transition to adulthood. *The American Journal of Psychiatry*, *160*, 2141-2147.

Reinherz, H.Z., Giaconia, R.M., Hauf, A.M.C., Wasserman, M.S., & Paradis, A.D. (2000). General and specific childhood risk factors for depression and drug disorders by early adulthood. *Journal of the American Academy of Child and Adolescent Psychiatry*, *39*(2), 223-236.

Reineke, M.A., Ryan, N.E., & DuBois, D.L. (1998). Cognitive-behavioral therapy of depression and depressive symptoms during adolescence: A review and meta-analysis. *Journal of the American Academy of Child & Adolescent Psychiatry*, *37*(1), 26-34.

Reineke, M.A., & Simons, A. (2005). Vulnerability to depression among adolescents: implications for cognitive-behavioral treatment. *Cognitive and Behavioral Practice*, *12*, 166-176.

Reunthongdee, U. (2001). *The effect of group counseling on depression in adolescents*. Unpublished master's thesis, Graduate School, Mahidol University, Bangkok, Thailand.

Reynolds, W.M. (1990). Depression in children and adolescents: Nature, diagnosis, assessment, and treatment. *School Psychology Review*, *19*, 158-173.

Rheinherz, H.Z., Giaconia, R.M., Pakis, B., Silverman, A.B., Frost, A.K., & Lefkowitz, E.S. (1993). *Journal of the American Academy of Child and Adolescent Psychiatry*, *32*, 1151-1163.

Rice, K., & McLaughlin, T.F. (2001). Childhood and adolescent depression: A review with suggestions for special educators. *International Journal of Special Education*, 16(2), 85-96.

Riddle, M. A., Geller, B., & Ryan, N. (1994). The safety of desipramine. *Journal of the Academy of Child and Adolescent Psychiatry*, 33, 589.

Rohde, P. & Seeley, J.R. (2006). Predicting time of recovery among depressed adolescents treated in two psychosocial group interventions. *Journal of Consulting Psychology*, 1, 80-88.

Roberts, R.E., Andrews, J.A., Lewinsohn, P.M., & Hops, H. (1990). Assessment of depression in adolescents using the Center for Epidemiologic Studies Depression Scale. *Psychological Assessment*, 2(2), 122-128.

Roberts, R.E, Roberts, C.R, & Chen, I.G. (2002). Impact of insomnia on the future functioning of adolescents. *Journal of Psychosomatic Research*, 53(1), 561-9.

Rossello, J., & Bernal, G. (1999). The efficacy of cognitive-behavioral and interpersonal treatments for depression in Puerto Rican adolescents. *Journal of Consulting and Clinical Psychology*, 67(5), 734-745.

Royal Australian and New Zealand College of Psychiatrists Clinical Practice Guidelines for Depression. (2004). Australia and New Zealand clinical practice guidelines for the treatment of depression. *Australian and New Zealand Journal of Psychiatry*, 38, 389-407.

Ruangkanchanasetr, S., Plitponkarnpim, A., Hetrakul, P., & Kongsakon, R. (2005). Youth risk behavior survey: Bangkok, Thailand. *Journal of Adolescent Health*, 36, 227-235.

Rupke, S.J., Blecke, D., & Renfrow, M. (2006). Cognitive therapy for depression.

American Academy of Family Physicians, 1(73), 83-86.

Rutter, M. (1980). *Changing youth in a changing society*. Cambridge, MA: Harvard University Press.

Rutter, M. (1997). Child psychiatric disorder. *Archives of General Psychiatry, 54*, 785-789.

Ryan, N.D., Puig-Antich, J., Ambrosini, P., Rabinovich, H., Robinson, D., Nelson, B., et al. (1987). The clinical picture of major depression in children and adolescents. *Archives of General Psychiatry, 44*, 854-61.

Sabate, E. (2004). *Priority medicines for Europe and the World "A public health approach to innovation"*. Geneva: World Health Organization.

Sandil, R. (2006). Cognitive behavioral therapy for adolescent depression: Implications for Asian immigrants in the United States of America. *Journal of Child and Adolescent Mental Health, 18*(1), 27-32.

Sanseeha, L. (1994). *Depression and negative automatic thoughts of late adolescents*. Unpublished master's thesis, Graduate School, Chiang Mai University, Chiang Mai, Thailand.

Schaeffer, C. M., Bruns, E., Weist, M., Stephan, S. H., Goldstein, J., & Simpson, Y.

(2005). Overcoming challenges to using evidence-based interventions in schools. *Journal of Youth and Adolescence, 34*(1), 15-22.

Schneekloth, T.D., Rummans, T.A., & Logan, K.M. (1993). Electroconvulsive therapy in adolescents. *Convulsive Therapy, 9*, 158-166.

- Schniering, C.A., & Rapee, R.M. (2002). Development and validation of a measure of children's automatic thoughts: The children's automatic thoughts scale. *Behavior research and Therapy*, *40*, 1091-1109.
- Schroeder, C.S., & Gordon, B.N. (2002). *Assessment and treatment of childhood problems*. 2nd ed. New York: The Guildford Press.
- Scott, J., Teasdale, J., Paykel, E., Johnson, A., Abbott, R., Hayhurst, H., et al. (2000). Effect of cognitive therapy on psychological symptoms and social functioning in residual depression. *The British Journal of Psychiatry*, *51*(2), 123-133.
- Sear, H.A., & Armstrong, V.H. (1998). A prospective study of adolescents' self-reported depressive symptoms: Are risk behaviors a stronger predictor than anxiety symptoms. *Canadian Journal of Behavioral Science*, *30*(4), 225-233.
- Seligman, M.E.P. (1975). *Helplessness: On depression, development and death*. San Francisco: Freeman.
- Seligman, M.E.P., Klein, D.C., & Miller, W.R. (1976). Depression. In H. Leitenberg (Ed.), *Handbook of behavior modification and behavior therapy* (pp. 168-210). Eaglewood Cliffs: Prentice-Hall Inc.
- Shirk, S.R., Kaplinski, H., & Gudmundsen, G. (2008). School-based cognitive-behavioral therapy for adolescent depression: A benchmarking study. *Journal of Behavioral Disorder*, *10*, 1063-1177.

Singthong, R. (2002). *The relationships among coping behavior, life satisfaction, social support and depression of junior high school students in opportunity expansion schools, district of Muang, Surat Thani province.*

Unpublished master's thesis, Graduate School, Silpakorn University, Bangkok, Thailand.

Skinner, B.F. (1953). *Science and human behavior.* New York: The Macmillan Company.

Slade, E. P. (2002). Effects of school-based mental health programs on mental health service use by adolescents at school and in the community. *Mental Health Services Research, 4*(3), 151-166.

Smaby, M. H., Peterson, T. L., Bergmann, P. E., Bacig, K. Z., & Swearingen, S. (1990). School-based community intervention: The school mental health personel as lead consultant for suicide prevention and intervention programs. *The School Counselor, 37*, 370-377.

Son, S.E., & Kirchner, J.T. (2000). Depression in children and adolescents. *American Family Physician, 62*, 2297-2308.

Soyboon, U. (2005). *Effects of aerobic exercise on depression of adolescents.*

Unpublished master's thesis, Graduate School, Chiang Mai University, Chiang Mai, Thailand.

Spence, S.H., Price, C., Sheffield, J., & Donovan, C. (2000). *The Child and Adolescent Social and Adaptive Functioning Scale (CASAFS).* Brisbane, Australia University of Queensland.

- Spence, S.H., Sheffield, J., & Donovan, C. (2003). Preventing adolescent depression: An evaluation of the problem solving for life program. *Journal of Consulting and Clinical Psychology, 71*(1), 3-13.
- Spielberger, C.D., Ritterband, L.M., Reheiser, E.C., & Brunner, T.M. (2003). The nature and measurement of depression. *International Journal of Clinical and Health Psychology, 3*(2), 209-234.
- Stallard, P., Montgomery, A.A., Araya, R., Anderson, R., Lewis, G., Sayal, K., et al. (2010). *Protocol for a randomized controlled trial of a school based cognitive behavior therapy (CBT) intervention to prevent depression in high risk adolescents (PROMISE)*. Retrieved Aug 12, 2011, from <http://www.trialsjournal.com/content/11/1/114>.
- Stark, K.D., Rouse, L.W., & Livingston, R. (1991). Treatment of depression during childhood and adolescence: cognitive-behavioral procedures for the individual and family. In P.C. Kendall (Ed.). *Child and adolescent therapy* (pp. 165-203). New York: Guildford Press.
- Stark, K.D., Humphrey, L.L., Laurent, J., Livingston, R., & Christopher, J. (1993). Cognitive, behavioral, and family factors in the differentiation of depressive and anxiety disorders during childhood. *Journal of Consulting and Clinical Psychology, 61*, 878-886.

- Stark, K.D., Swearer, S., Kurowski, C., Sommer, D., & Bowen, B. (1996). Targeting the child and the family; A holistic approach to treating childhood and adolescent depressive disorders. In Hibbs, E.D. & Jensen, P.S. (Eds.), *Psychosocial treatment for child and adolescent disorders: Empirically based strategies for clinical practice* (pp. 207-238). Washington, DC: American Psychological Association.
- Stein, D.J., Kupfer, D.J., & Schatzberg, A.F. (2005). *Textbook of mood disorders*. Washington, DC: American Psychiatric.
- Steinberg, L. (1999). *Adolescence* (5th ed). Boston: McGraw-Hill.
- Steinberg, L., & Morris, A.S. (2001). Adolescent development. *Annual Review of Psychology*, 52, 83-110.
- Steinhausen, H-C., Haslmeier, C., & Metzke, C.W. (2007). Psychosocial factors in adolescent and young adult self-reported depressive symptoms: Causal or correlational associations? *Journal of Youth and Adolescence*, 36, 89-100.
- Stoppelbein, L. (2003). *Primary prevention: An evaluation of a high-school based cognitive-behavioral program*. Unpublished doctoral dissertation, Graduate School, the University of Alabama.
- Streubert Speziale, H., & Carpenter, D. (2003). *Qualitative research in nursing: Advancing the humanistic imperative*. Philadelphia: Lippincott Williams & Wilkins.
- Swallow, S. R., & Segal, Z. V. (1995). *Cognitive-behavioral therapy for unipolar depression*. In K. D. Craig & K. S. Dobson (Eds.), *Anxiety and depression in adults and children*. Thousand Oaks, CA: Sage.

- Tabachnick, B.G., & Fidell, L.S. (2001). *Using multivariate statistics* (4th ed.). Boston: Allyn and Bacon.
- Tapinta, D., & Songmuang, K. (2004). *Children Automatic Thought Scale (CATS), Thai version. In Songmuang, K., Negative automatic thoughts in junior high school students. Unpublished master's thesis, Graduate School, Chiang Mai University, Chiang Mai, Thailand.*
- Task Force on Promotion and Dissemination of Psychological Procedures. (1995). Training and dissemination of empirically-validated psychological treatments: Report and recommendations. *The Clinical Psychologist*, 8, 3-24.
- Teri, L. (1982). Depression in adolescence: Its relationship to assertion and various aspects of self image. *Journal of Consulting and Clinical Psychology*, 11, 101-106.
- Tewatud, R. (1992). *Depression in high school students in Chonburi province. Unpublished master's thesis, Chulalongkorn University, Bangkok, Thailand.*
- Thakur, A., Dutta, S., Jagadheesan, K., & Sinha, V.K. (2001). Electro convulsive therapy in pubertal catatonia: A case study. *Indian Journal of Psychiatry*, 43(4), 354-358.
- Thomas, R.M. (1996). *Comparing theories of child development*. (4th ed). Pacific Grove, CA: Brooks/Cole.
- Trangkasombat, U., & Likanapichitkul, D. (1992). Parental divorce and depression in children. *Thai Journal of Pediatrics*, 31(2), 112-121.

- Trangkasombat, U., & Likanapichitkul, D. (1996). Depression in junior high school students in the Bangkok metropolis. *Journal of the Psychiatric Association of Thailand, 41*(3), 162-172.
- Trangkasombat, U., & Likanapichitkul, D. (1997). Prevalence and risk factors for depression in children: An outpatient pediatric sample. *Journal of Medical Association Thailand, 80*(5), 303-309.
- Trangkasombat, U., Larpboonsarb, V., & Havanond, P. (1997). CES-D as a screen for depression in adolescents. *Journal of the Psychiatric Association of Thailand, 42* (1), 2-13.
- Treatment for Adolescents with Depression Study (TADS) Randomized Controlled Trial. (2004). Fluoxetine, Cognitive-Behavioral Therapy, and their combination for adolescents with depression. *The Journal of the American Medical Association, 292*(7), 807-820.
- Verduyn, C. (2011). Cognitive behavioral therapy for depression in children and adolescents. *Tidsskrift for Norsk Psykologforening, 48*, 34-39.
- Vostanis, P., Feehan, C., Grattan, E., & Bickerton, W. (1996). A randomized controlled out-patient trial of cognitive-behavioral treatment for children and adolescents with depression: 9-month follow-up. *Journal of Affective Disorders, 40*, 105-116.
- Wagner, K.D., & Robb, A.S. (2005). A randomized placebo-controlled trial of citalopram for the treatment of major depression in children and adolescents. *Year Book of Psychiatry & Applied mental Health, 44*-46.

Wagner, K.D., Ambrosini, P., Rynn, M., Wohlberg, C., Yang, R., Greenbaum, M.S., et al. (2003). Efficacy of sertraline in the treatment of children and adolescent with major depressive disorder. *The Journal of the American Medical Association*, 290(8), 1033-1041.

Warner, V., Mufson, L., & Weissman, M.M. (1995). Offspring at high and low risk for depression and anxiety: Mechanism of psychiatric disorder. *Journal of the American Academy of Child and Adolescent Psychiatry*, 34, 786-797.

Watts, S.J., & Markham, R.A. (2002). Etiology of Depression in Children. *Journal of Instructional Psychology*, 32(3), 266-270.

Weersing, V.R., Lyengar, S., Kolko, D.J., Birmahir, B., & Brent, D.A. (2006). Effectiveness of cognitive-behavioral therapy for adolescent depression: A benchmarking investigation. *Behavior Therapy*, 37, 36-48.

Weersing, V. R., & Weisz, J. R. (2002). Community clinic treatment of depressed youth: Benchmarking usual care against CBT clinical trials. *Journal of Consulting and Clinical Psychology*, 70, 299-310.

Weissman, M.M., John, K., Merikangas, K.R., Prusoff, B.A., Wickramaratne, P., Gammon, G.D., et al. (1986). Depressed parents and their children: General health, social and psychiatric problems. *American Journal of Diseases of Children*, 140, 801-805.

Weissman, M.M., Gershon, E.S., Kidd, K.K., Prusoff, B.A., Leckman, J.F., Dibble, E., et al. (1984). Psychiatric disorders in the relatives of probands with affective disorders: The Yale- NIMH collaborative family study. *Archives of General Psychiatry*, 41, 13-21.

Weissman, M.M., Warner, V., Wickramaratne, P., Moreau, D., & Olfson, M. (1997).

Offspring of depressed parents: 10 years later. *Archives of General Psychiatry*, 54, 932-940.

Weissman, M.M., Wolk, S., Goldstein, R.B., Moreau, D., Adams, Greenwald, S., et al. (1999). Depressed adolescents grown up. *Journal of the American Academy of Child and Adolescent Psychiatry*, 281, 1707-1713.

Weisz, J.R., McCarty, C.A., & Valeri, S.M. (2006). Effects of psychotherapy for depression in children and adolescents: A meta-analysis. *Psychological Bulletin*, 132(1), 132-149.

Weisz, J.R., Sigman, M., Weiss, B., & Mosk, J. (1993). Parent reports of behavioral and emotional problems among children in Kenya, Thailand, and the United States. *Child Development*, 64, 98-109.

Weisz, J.R., Suwanlert, S., Chaiyasit, W., & Walter, W.R. (2006). Over-and undercontrolled referral problems among children and adolescents from Thailand and the United States: The Wat and Wai of cultural differences. *Journal of Consulting and Clinical Psychology*, 55(5), 719-726.

Weisz, J.R., Suwanlert, S., Weiss, B., & Chaiyasit, W. (2006). Culture and youth psychopathology: Testing the syndromal sensitivity model in Thai and American adolescents. *Journal of Consulting and Clinical Psychology*, 74(6), 1098-1107.

Weller, E.B., Weller, R.A., & Svadjian, H. (1996). *Child and adolescent psychiatry: A comprehensive textbook*. Baltimore: Williams & Wilkins.

Welner, Z., Reich, W., Herjanic, B., Jung, K.G., & Amado, H. (1987). Reliability, validity, and parent-child agreement studies of the diagnosis interview for children and adolescents (DICA). *Journal of the American Academy of Child and Adolescent Psychology*, 26, 649-653.

Westbrook, D., Kennerley, H., & Kirk, J. (2007). *An introduction to cognitive behavior therapy*. London: SAGE Publications.

World Health Organization [WHO]. (2010). *The ICD-10 classification of mental and behavioral disorders: Clinical descriptions and diagnostic guidelines*.

Retrieved March, 2011, from <http://apps.who.int/classifications/icd10/browse/2010/en>.

Wichaiwong, S. (2003). *Automatic negative thought in adolescents with depression*. Unpublished master's thesis, Graduate School, Chiang Mai University, Chiang Mai, Thailand.

Wild, L.G., Flisher, A.J., & Lombard, C. (2004). Suicidal ideation and attempts in adolescents; Associations with depression and six domains of self-esteem. *Journal of Adolescence*, 27(6), 611-624.

Williamson, D.E., Ryan, N.D., Birmaher, E., Dahl, R.E., Kaufman, J., Rao, U., et al. (1995). A case-control family history study of depression in adolescents.

Journal of the American Academy of Child and Adolescent Psychiatry, 34, 1596-1607.

Wong, Yin-Ling I. (2000). Measurement properties of the Center for Epidemiologic Studies Depression Scale in homeless population. *Psychological Assessment*, 12(1), 69-76.

Wood, A., Harrington, R., & Moore, A. (1996). Controlled trial of a brief cognitive behavioral intervention in adolescent patients with depressive disorders.

Journal of Child Psychology and Psychiatry, 37, 737-746.

World Health Organization. (2008). *Conquering depression*. Retrieved June 12, 2008, from http://www.searo.who.int/en/Section1174/Section1199/Section1567/Section1826_8101.htm

World Health Organization. (2008). *Adolescent health and development*. Retrieved June 12, 2008, from http://www.searo.who.int/en/Section13/Section1245_4980.htm.

Yalom, I. D. (1995). *The Theory and Practice of Group Psychotherapy* (4th Ed.). New York, NY: Basic Books, Inc.

Ygtfrz Fechner-Bates, S., Coyne, J.C., & Schwenk, T.L. (1994). The relationship of self-reported distress to depressive disorders and other psychopathology. *Journal of Counselling and Clinical Psychology*, 62, 550-559.

Zauszniewski, J.N. (1992). *Health-seeking resources and adaptive functioning in depressed and nondepressed adults*. Doctor of Philosophy, Frances Payne Bolton School of Nursing, Case Western Reserve University.

Ziegler, S.M. (2005). *Theory-directed nursing practice*. New York: Springer.

Zinn-Souza, LC., Nagai, R., Teixeira, L.R., Lartorre, M.R.D.O., Roberts, R., Cooper, S.P., et al. (2008). Factors associated with depression symptoms in high school students in Sao Paulo, Brazil. *Sau Publica*, 42(1), 54-66.