

REFERENCES

- Adu - Opong, A., Grimes, R., Ross, M., Risser, J., & Kessie, G. (2007). Social and behavioral determinants of consistent condom use among female commercial sex workers in Ghana. *AIDS Education and Prevention*, 19(2); 161-172.
- Ajzen, I. (1991). The theory of planned behavior. *Organizational Behavior and Human Decision Processes*, 50, 179-211.
- Ajzen, I., & Fishbein, M. (1980). *Understanding attitudes and predicting social behavior*: Englewood Cliffs.
- Ajzen, I., & Madden, T. J. (1986). Prediction of goal directed behavior: Attitudes, intentions, and perceived behavioral control. *Journal of Experimental Social Psychology*, 22, 453-474.
- Albarracin, D., Johnson, B.T., Fishbein, M., & Muellerleile, P.A. (2001). Theories of Reasoned Action and Planned Behavior as Models of Condom Use: A Meta-Analysis. *Psychological Bulletin*, 127(1); 142-161.
- Armitage, C.J. & Conner, M. (2001). Efficacy of the theory of planned behavior: a meta-analytic review. *Br. S. Soc. Psychol*, 40,471-499.
- Bagozzi, R. (1981). Attitudes, intentions, and behavior: A test of some key hypotheses. *Journal of Personality and Social Psychology*, 41(4); 607-627.
- Bandura, A. (1997). *Self-efficacy: The essence of control*. New York: W. H. Freeman.
- Bandura, A. (1986). *Social foundation of thought and action: A social cognitive theory*. Englewood Cliffs, NJ: Prentice-Hall.
- Beck, K. H. & Lund, A.K. (1981). The effects of health threat seriousness and personal efficacy upon intentions and behavior. *Journal of Applied Social Psychology*, 11,401-415.
- Becker, M.H. & Janz, N.K. (1984). The health belief model and personal health behavior. *Health Education Monographs*, 2, 324-473.

- Beyrer, C., Artenstein, A., Kunawararak, P., Vancott, T., Mason, C., & Rungruengthankit, K., et al. (1997). The molecular epidemiology of HIV-1 among male sex workers in northern Thailand. *Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology*, 15, 102-110.
- Bobrova, N., Sergeev, O., Grechukhina, T., & Kapigo, S. (2005). Social-cognitive predictors of consistent condom use among young people in Moscow. *Sexual and reproductive health*, 37(4); 174-178.
- Bounmeephong, K. (1997). The application of protective motivation theory with social support to promote occupational accident prevention behaviors among metal product machine and equipment manufacturing industry workers in Samutprakarn province. Master's thesis in Science (Public health), Faculty of Graduate Studies, Mahidol University.
- Brecht, M., Murphy, D. & Evan, E. (2009). Predictors of Intention to Change HIV Sexual and Injection Risk Behaviors among Heterosexual Methamphetamine-Using Offenders in Drug Treatment: A Test of the AIDs Risk Reduction Model. *Journal of Behavioral Health Services & Research*. 36, 247-266
- Catania, J.A., Kegeles, S.M., & Coates, T.J. (1990). Towards an understanding of risk behavior: An AIDS risk reduction model (ARRM). *Health Education Quarterly*, 17, 52-92.
- Cate, W., Chesney, M.A., & Cohen, M.S. (1997). Primary HIV prevention: A public health opportunity. *American Journal of Public Health*, 87, 1928-1930.
- Cayley, W.E. (2004). "Effectiveness of condoms in reducing heterosexual transmission of HIV". *Am. Fam. Physician*, 70 (7); 1268–1269.
- Centers for Disease Control and Prevention. (2010). Prevalence of HIV infection among populations of Men Who Have Sex with Men, Thailand. *MMWR*.
- Chan, R., Kavi, A.R., Carl, G., Khan, S., Oetomo, D., & Tan, M.L., et al. (1998). HIV and men who have sex with men: perspectives from selected Asian countries. *AIDS*, 11, 559-561.

- Cheepborisut, B. (1994). A study of knowledge of AIDS, health beliefs, and health behaviors in prevention of AIDS blood donors. Master of nursing science programme in community health nursing, Faculty of Graduate Studies, Mahidol University.
- Dechbooriboon, B. (2001). Factors Affecting Condom Use Behaviors among Male Students in Vocational Colleges, Tak Province. Unpublished Independent Study Chiang Mai.
- De Gruiter, J. (1997). Consistent condom use among male factory laborers in Nakhorn Chaisi, Nakhorn Pathom Province, Thailand. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Deschamps, M.M., Pape, J.W., Hafner, A., & Johnson, W.D. (1996). "Heterosexual transmission of HIV in Haiti". *Annals of Internal Medicine*, 125 (4); 324–330.
- Dias, S.F., Matos, M.G., Goncalves, A.C. (2005). "Preventing HIV transmission in adolescents: an analysis of the Portuguese data from the Health Behaviour School-aged Children study and focus groups". *Eur. J. Public Health*, 15 (3); 300–304.
- Di Noia, J., Schinke, S.P., & Pena, J.B. (2004). Evaluation of a brief computermediated intervention to reduce HIV risk among early adolescent females, *Journal of Adolescent Health*, 35, 62-64.
- Donald, E., Alfonso, A., Astou, C., & Teodora. (2004). A model HIV/AIDS risk reduction program in the Philippines: a comprehensive community-based approach through participatory action research. *Health Promotion International*, 19 (1).
- Eaton, L.A., Kalichman, S. (2007). "Risk compensation in HIV prevention: implications for vaccines, microbicides, and other biomedical HIV prevention technologies". *Curr HIV/AIDS Rep*, 4 (4); 165–72.
- Ehrhardt, A., Exner, T. & Seal, D.W. (1997). A review of HIV intervention for at – risk women. *AIDS behavior*, 1; 93-124.

- Eich-Hochli, D., Niklowitz, M.W., Clement, U., Luthy, R., & Opravil, M. (1998). Predictors of unprotected sexual contacts in HIV- infected persons in Switzerland. *Archives of Sexual behavior*, 27(1); 77-91.
- Elkins, I. J., Iacono, W. G., Doyle, A. E., & McGue, M. (1997). Characteristics associated with the persistence of antisocial behavior: Results from recent longitudinal research. *Aggression and Violent Behavior*, 2;101-124.
- Flowers, P., Sheeran, P., Beail, N., & Smith, J.A. (1997). The role of psychosocial factors in HIV risk reduction among gay and bisexual men: a quantitative review, *Psychology and Health*, 12, 197-230.
- Fishbein, M., & Middlestadt, S.E. (1989). Using the theory of reasoned action as a framework for understanding and changing AIDS-related behaviours. In V. Mays, G.W. Albee, & S.F. Schneider (Eds.), *Primary prevention of AIDS: Psychological approaches*. Newbury Park, CA: Sage, 93-110.
- Fishbein, M. & Ajzen, I. (1975). *Belief, attitude, intention and behavior: An introduction to theory and research*. Reading, MA: Addison Wesley.
- Fisher, J.D. & Fisher, W.A. (1992). Changing AIDS risk behavior. *Psychological Bulletin*, 111, 455-474.
- Fisher, J.D., Fisher, W.A. & Rye, B.J. (1995). Understanding and promoting AIDS prevention behavior: Insights from the theory of reasoned action. *Health Psychology*, 14, 255-264.
- Fogarty, L.A., Heilig, C.M., & Armstrong, K. (2001). Long-Term Effectiveness of a Peer-Based Intervention to Promote Condom and Contraceptive Use among HIV-Positive and At-Risk Women. *Public Health Reports*, 116, 103-119.
- Ford, N., & Koetsawang, S. (1999). A pragmatic intervention to promote condom use by female sex workers in Thailand. *Bulletin of the World Health Organization*, 77, 888-893.
- Glanz, K., Rimer, B.K. & Lewis, F.M. (2002). *Health Behavior and Health Education. Theory, Research and Practice*. San Fransisco, 169-177.

- Grimley, D.M., Prochaska, G.E., Prochaska, J.O., Velicer, W.F., Galavotti, C., Cabral, R.J., et al. (1996). Cross-validation of measures assessing decisional balance and self-efficacy for condom use. *American journal of Health Behavior*, 20, 406-416.
- Grossman, C., Hadley, W., Brown, L.K., Houck, C.D., & Peters, A. (2008). Adolescent sexual risk: factors predicting condom use across the stages of change. *AIDS behavior*, 12, 913-922.
- Gulton, M. (1998). Factors affecting use of condom related to AIDS among men commercial sex workers in Patpong/Bangkok and Pataya Beach Thailand. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Guss, D.A. (1994). "The acquired immune deficiency syndrome: an overview for the emergency physician, Part 1". *J. Emerg. Med.* 12 (3); 375-384.
- Hanenbery, R. & Rojanapithayakorn, W., (1998). Impact of Thailand's HIV control programme as indicated by the decline of sexually transmitted diseases. *AIDS Journal*, 3344;243-245.
- Heeren, G. A., Jemmott III, J., Mandeya, A. & Tyler, J. (2007). Theory-Based Predictors of Condom Use among University Students in the United States and South Africa. *AIDS Education and Prevention*. 19(1); 1-12.
- Holmes, C.B., Losina, E., Walensky, R.P., Yazdanpanah, Y., & Freedberg, K.A. (2003). "Review of human immunodeficiency virus type 1-related opportunistic infections in sub-Saharan Africa". *Clin. Infect. Dis.*, 36 (5); 656-662.
- Jakapun, S. (2008). Public health found that MSM had increase AIDS infected. Retrieved 2008-11-03 from <http://www.ddc.moph.go.th/index.php>
- Janz, N.K. & Becker, M.H. (1984). The health belief model: a decade later. *Health Education*, 11; 1-47.
- Kaewsawang, K. (1997). The Relationship Between Hope and Health - Promoting Behaviors in Clients With HIV Infection. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.

- Kaljee, L.M., Genberg, B., Riel, R., Cole, M., Tho, L.H., & Thoa, L.T., et al. (2005). Effectiveness of a theory – based risk reduction of HIV prevention program for rural Vietnamese adolescents. *AIDS education and prevention*, 17(3); 185-199.
- Keeratikan, P. (2005). Dark life of thaiyai male sex worker. *Salawinpost*, 16, 11-17.
- Kelly, J.A., & Amirkhanian, Y.A. (2003). " Evaluation of a social network HIV prevention program for young men who have sex with men in Russia and Bulgaria." *AIDS Education and Prevention*, 15(3); 205-220.
- Kerr, T., Kimber, J., Debeck, K., & Wood, E. (2007). "The role of safer injection facilities in the response to HIV/AIDS among injection drug users". *Curr HIV/AIDS Rep*, 4 (4); 158–64.
- Kiene, S.M., & Barta, W.D. (2006). A brief individualized computer-delivered sexual risk reduction intervention increases HIV/AIDS prevention behavior. *Adolescent health*, 39, 404-410.
- Knodel, J. (1995). Prospects for increased condom use in marital unions in Thailand. Master's thesis in Science (Public health), Faculty of Graduate Studies, Chulalongkorn University, Bangkok, Thailand.
- Kunawararak, P., Beyrer, C., Natpratan, C., Feng, W., Celentano, D.D., & de Boer, M., et al. (1995). The epidemiology of HIV and syphilis among male commercial sex workers in northern Thailand. *AIDS*, 9, 70-82.
- Latif, A., & Marowa, E. (1999). The control of sexually transmitted diseases. *Central African journal of Medicine*, 45, 132-135.
- Longshore, D., Hsieh, S. & Anglin, M.D. (1994). Reducing HIV risk among injection drug users: Effect of methadone maintenance on number of sex partner. *International Journal of the Addictions*, 29, 741-758.
- Longshore, D., Hsieh, S., Anglin, M.D., Annon, K., Danila, B., & Stein, J.A., et al. (1998). Long-term trends in self-reported risk behavior: Injection drug users in Los Angeles, 1987-1995. *Journal of Acquired Immune Deficiency Syndromes*, 18, 64-72.

- Longshore, D., Stein, J.A. & Conner, B. (2004). Psychosocial antecedents of injection of risk reduction: a multivariate analysis. *AIDS Education and Prevention*, 16, 353-366.
- Longshore, D., Stein, J.A. & Chin, D. (2006). Pathways to Sexual Risk Reduction: Gender Differences and Strategies for Intervention. *AIDS and Behavior*, 10, 1.
- Mahantano, K. (2007). Counseling for Family planning and reproductive health. *Journal of family planning*, 1,16-346.
- Makmai, P. (2006). Evaluation of Life Skill Program for Male Service Providers in Entertainment Bar Chiang Mai Province. Unpublished Independent Study Chiang Mai.
- Makmai, P., Chowwanapoonpohn, H., Suwannaprom, P. & Kanjanarat, P. (2012). The factors influencing condom use for preventing HIV/AIDS transmission amongst MSWs working in gay bars and gay massage parlours in Chiang Mai province. *Thai AIDS Journal*, 24(1); 37-46.
- Mark L., et al. (2006). HIV Prevention and Street- Based Male Sex Worker: an Evaluation of Brief Interventions. *AIDS Education and Prevention*. 18,3; ProQuest Medical Library pg. 204.
- Maticka, T. E., Elkins, D., Haswell, E.M., Rujkakron, D., Kuyakanond, T., & Stam, K. (1997). Contexts and patterns of men's commercial sexual partnerships in northeastern Thailand: Implications for AIDS prevention. *Social Science Medicine*, 44,199-213.
- Maukkaew, T. (1997). The application of protective motivation theory with social support in developing prevention behaviors against hypertension of the noncommissioned army officers in Lopburi province. Master's thesis in Science (Public health), Faculty of Graduate Studies, Mahidol University.
- McCamish, M., Storer, G., & Carl, G. (2000). Refocusing HIV/AIDS interventions in Thailand: the case for male sex workers other homosexually active men *Culture health & sexuality* Retrieved 2007-12-15, from <http://www.tandf.co.uk/journal/13691058.html>
- Muecke, M.A. (1992). Mother sold food, daughter sells her body: the cultural continuity of prostitution. *Social Science and Medicine*, 35, 891-901.

- Munoz, S.A., Sanchez, G. M., Nunes, C., & Martins, A. (2007). Gender differences in condom use prediction with theory of reasoned action and planned behavior: the role of self-efficacy and control. *AIDS care*, 19(9); 1177-1181.
- Murphy, S., & Kvale, G. (1995). Perceived function of and barriers to condom use in Arusha and Kilimanjaro regions in Tanzania. *AIDS Care*, 7, 295-305.
- N'Galy, B., Ryder, R.W. (1988). "Epidemiology of HIV infection in Africa". *Journal of Acquired Immune Deficiency Syndromes*, 1(6); 551-558.
- Orem, D. E. (1985). Concepts of self-care for the rehabilitation client. *Rehabilitation Nursing*, 10(3), 33-36.
- Patlak, K. (2003). Factors predicting health promoting behaviors of HIV infected patients attending the immune deficiency clinic at Trat Province. Master of nursing science programme in community health nursing, Faculty of Graduate Studies, Mahidol University.
- Parker, R., Khan, S., & Aggleton, P. (1998). Conspicuous by their absence? Men who have sex with men (MSM) in developing countries: implications for HIV prevention. *Critical Public Health*, 8, 329-345.
- Parraga, I.M. (1990). "Determinants of Food Consumption". *Journal of American Dietetic Association*, 90; 661-663.
- Pearlman, D., Camberg, L., Wallace, L., Symons, P. & Finison, L. (2002). Evaluated the impact of a community-based HIV/AIDS peer-leadership prevention program on peer leaders and youth newly enrolled as peer educators for one or more years. *Adolesc Health*, 31(1):31-9.
- Pender, N.J. (1987). *Health promotion in nursing practice*. New York: Appleton Century Croft.
- Pender, N.J. (1996). *Health promotion in nursing practice*. (3rd ed.). Stamford, Connecticut: Appleton & Lange.
- Phoka, S. (1998). *Sexual Behavior and Determinant of Intention to Use Condom to Prevent HIV Infection among Male Adolescent*. Unpublished Independent Study Chiang Mai.
- Phoolcharoen, W. (1998). HIV/AIDS prevention in Thailand: success and challenges. *Science*, 280(5371); 1873-4.

- Prochaska, J.O., & Diclemente, C.C. (1984). *The transtheoretical approach: Crossing traditional boundaries of therapy*. Homewood, IL: Dow Jones-Irwin.
- Rannie, K., & Craig, D.M. (1997). Adolescent female' attitudes, subjective norms, perceived behavioral control and intention to use latex condoms. *Public health nursing*, 14(1); 51-57.
- Ritthimontree, S. (1991). *The Study of Knowledge, Health Belief and Health Behaviors in Preventing Hepatitis B Virus in Spouses*. Master's thesis in Science (Public health), Faculty of Graduate Studies, Mahidol University.
- Rojanapithayakorn, W., & Hanenbery, R. (1996). The 100% Condom Program in Thailand. *AIDS Journal*, 10(1); 1-7.
- Roger, W.R. (1975). A protection motivation theory of fear appeals and attitude change. *Journal of psychology*, 91, 93-114.
- Roger, W.R., & Prentice, D. (1986). Protection motivation theory and preventive health: Beyond the health belief model. *Health Education Research*.
- Ross, M.W. & Mclaws, M. (1992). Predicting intention to use condoms in homosexual men: An application and extension of the theory of reasoned action. *Psychology & Health*, 11(5); 745-755.
- Rosenstock, I.M. (1974). The health belief model and preventive health behavior. *Health Education Monographs*, 2, 354-386.
- Rosenstock, I.M. (1990). The health belief model: Explaining health behavior through expectancies. In K. Glanz, F. M. Lewis, & B. K. Rimer (Eds). *Health behavior and education*. San Francisco: Jossey-Bass, 39-62.
- Rosenstock, I. M., Strecher, V. J. & Becker, M. H. (1994). The health belief model and HIV risk behavior change. In R. J. DiClemente and J. L. Peterson (Eds), *Preventing AIDS: Theories and methods of behavior interventions*. New York: Plenum Press, 5-24.
- Sakondhavat, C., Fontanet, A., Saba, J., Chandeeying, V. & Bhiraleus. P, et al. (1998). Protection against sexually transmitted diseases by granting youths in factories in Khon Kaen, North-eastern in Thailand, the choice of using the male or female condom: result from a randomized controlled trial. *AIDS Journal*. 12 (14); 1851 - 9

- Salven, M.S., Ross, M.W., Kapadia, A.S., Mathai, R., & Hira, S. (2001). Study of perceived norm, beliefs, and intended sexual behavior among higher secondary school students in India. *AIDS Care*, 13, 779-788.
- Santativongchai, S. (2001). The influential factors on health promoting and compliance behaviors among Type 2 Diabetic patients attending Ban Pong Hospital. M.A. Thesis in Public Health, Major in Health Education and Behavioral Science, Mahidol University.
- Saracco, A., Musicco, M., Nicolosi, A., Angarano, G., Arici, C., Gavazzeni, G. et al. (1993). Man-to-woman sexual transmission of HIV: Longitudinal study of 343 steady partners of infected men. *Journal of Acquired Immune Deficiency Syndrome*, 6, 497-502.
- Schwartz, N.E. (1975). Nutrition knowledge attitude and practice of high school graduates. *Journal of the American Dietetic Association*, 66, 28-31.
- Selvan et al., (2001). "Study of Perceived Norms, Beliefs, and Intended Sexual Behavior among Higher Secondary School Students in India." In *AIDS Care*, 13(6); 779-788.
- Shafer, M.A. & Boyer, C.B. (1991). Psychosocial and behavioral factors associated with risk of sexually transmitted diseases, including human immunodeficiency virus infection, among urban high school student. *Journal of Pediatrics*, 119, 826-833.
- Shamagonam, J., Reddy, P.S., Ruitter, A., Taylor, M., Jinabhai, C., & Empelen, P., et al. (2005). The effects of a systematically developed photo-novella on knowledge, attitudes, communication and behavioral intentions with respect to sexually transmitted infections among secondary school learners in South Africa. *Health Promotion International*, 20(2).
- Sheeran, P., Abraham, C., & Orbell, S. (1999). Psychosocial correlates of heterosexual condom use a meta analysis, *Psychological Bulletin*, 125(1); 90-132.

- Silva, A., Sanchez, G. M., Nunes, C. & Martins, A. (2007). Gender differences in condom use prediction with Theory of Reasoned Action and Planned Behavior: The role of self-efficacy and control. *AIDS care*, 19(9); 1177-1181.
- Strader, R.N. & Beaman, R.N. (2007). College Students' Knowledge about AIDS and Attitudes Toward Condom Use. *Public Health Nursing*, 6(2); 62-66.
- Strecher, V.J., Seijts, G.H., Kok, G.J., Latham, G.P., Glasgow, R., & DeVellis, B. et al. (1995). Goal setting as a strategy for health behavior change. *Health Education Quarterly*, 22, 190-200.
- Takahashi, T., Akabayashi, A., Kai, I., Cabigon, J., Ohi, G. & Naka, K. (1998). Social and behavioral factors associated with condom use among female Commercial Sex Workers (CSWs) in Tarlac, the Philippines. *Environmental Health and Preventive Medicine*, 2, 167-171.
- Terry, D. (1993). Self-efficacy expectancies and the theory of reasoned action. In Longshore, D., Hsieh, S., Anglin, M.D., Annon, K., Danila, B., & Stein, J.A., et al. (1998). Long-term trends in self-reported risk behavior: Injection drug users in Los Angeles, 1987-1995. *Journal of Acquired Immune Deficiency Syndromes*, 18, 64-72.
- Thato, S., Charron-Prochownik, D., Dorn, L.D., Albrecht, S.A., & Stone, C.A. (2003). Predictors of condom use among adolescent Thai vocational students. *Nursing scholarship*, 35(2); 157-163.
- Thiarawiboon, S. (1998). The application of protective motivation theory with social support in developing prevention behaviors against dengue haemorrhagic fever among the housewife group amphoemuang, Pathumthani province. Master's thesis in Science (Public health), Faculty of Graduate Studies, Mahidol University.
- Thipanya, S. (2006). Life styles and health behaviors of Male Sex Workers in Mueang Chiang Mai district. Master of Education (Health Promotion), Faculty of Graduate Studies, Chiang Mai University.
- Thomas, E.C. (1963). Teaching and learning a physiological perspective. New Jersey: Prentice - Hall Inc.

- Tut, M.Y. (1997). Condom use among young Thai men. Master's thesis in Science (Public health), Faculty of Graduate Studies, Mahidol University, Bangkok, Thailand.
- UNAIDS/WHO. (2010). Aids Epidemic Update.
- Van Griensven, G., Limanonda, B., Chongwatana, N., Tirasawat, P. & Coutinho, R.A. (1995). Socio-economic and demographic characteristics and HIV-1 infection among female commercial sex workers in Thailand. *AIDS Care*, 7(5); 557–565.
- Van Griensven, G., Limanonda, B., Ngaokeow, S., Ayuthaya, S. & Poshyachinda, V. (1998). Evaluation of a targeted HIV prevention programme among female commercial sex workers in the south of Thailand, *Sex Transm Infect.* 74(1).
- Vanichbuncha, K. (2005). *Using SPSS for windows (7th ed.)*. Thamasan.
- Vanlandingham, M., Grandjean, N., Suprasert, S., & Sittitrai, W. (1997). Dimensions of AIDS knowledge and risky sexual practices: A study of northern Thai male. *Archives of Sexual behavior*, 26, 269-293.
- Visrutaratna, S., Lindan, C., Srihorachai, A. & Mandel, J. (1995). “Superstar” and “model Brothel”: developing and evaluating a condom promotion program for sex establishments in Chiang Mai, Thailand. *AIDS journal*, 9(1); 69-75.
- Weinstein, N.D. (1988). The 'Precaution Adoption Process Model'. *Health Psychology*, 7, 355-386.
- Weiss, H.A. (2007). "Male circumcision as a preventive measure against HIV and other sexually transmitted diseases". *Curr. Opin. Infect. Dis.* 20 (1); 66–72.
- WHO. (2003). Facts about AIDS & HIV. Retrieved 2006-11-30., from <http://www.avest.org/aids.htm>
- WHO. (2006). Facts about AIDS & HIV. Retrieved 2006-11-30., from <http://www.avest.org/aids.htm>
- WHO. (2007). Facts about AIDS & HIV. Retrieved 2008-02-23., from <http://www.avest.org/aids.htm>

- Wiggers, L., Wit, J., Gras, M., Coutinho, R & Hoek, A. (2003). Risk behavior and social-cognitive determinants of condom use among ethnic minority communities in Amsterdam. *AIDS Education and Prevention*, 15(5); 430-447.
- Williams, M., Bowen, A., Timpson, S., Ross, M., & Atkinson, J. (2006). HIV prevention and street-based male sex workers: an evaluation of brief interventions. *AIDS Education and Prevention*, 18(3); 204-215.
- Witte, K. (1992). Putting the fear back in fear appeals: The Extended Parallel Process Model. *Communication Monographs*, 59,330-349.
- Wodak, A., & Cooney, A. (2006). "Do needle syringe programs reduce HIV infection among injecting drug users: a comprehensive review of the international evidence". *Subst Use Misuse*, 41 (6-7); 777–813.
- Wuthiwan, W. (1989). Comparison of correlated use and nonuse of condoms in preventing sexually transmitted diseases and AIDS among high-risk men in Center of Sexually Transmitted Diseases Section 3, Chonburi province. Unpublished master's thesis. Mahidol University, Bangkok, Thailand.
- Yotruean, K. (2006). Using Activities to Promote Self-Prevention of HIV Infection Female Sex Workers, Chiang Mai Province. Unpublished master's thesis, Master of Education, Chiang Mai University.