

**DEVELOPMENT OF *Tabernaemontana divaricata* EXTRACT LOADED
TRANSDERMAL DELIVERY SYSTEM BY MICROEMULSION
FOR CHOLINESTERASE INHIBITORY ACTIVITIES**

WANTIDA CHAIYANA

**DOCTOR OF PHILOSOPHY
IN PHARMACY**

THE GRADUATE SCHOOL

CHIANG MAI UNIVERSITY

OCTOBER 2012

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

**DEVELOPMENT OF *Tabernaemontana divaricata* EXTRACT LOADED
TRANSDERMAL DELIVERY SYSTEM BY MICROEMULSION
FOR CHOLINESTERASE INHIBITORY ACTIVITIES**

WANTIDA CHAIYANA

**A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN
PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
DOCTOR OF PHILOSOPHY
IN PHARMACY**

THE GRADUATE SCHOOL

CHIANG MAI UNIVERSITY


OCTOBER 2012


**DEVELOPMENT OF *Tabernaemontana divaricata* EXTRACT LOADED
TRANSDERMAL DELIVERY SYSTEM BY MICROEMULSION
FOR CHOLINESTERASE INHIBITORY ACTIVITIES**


WANTIDA CHAIYANA


**THIS THESIS HAS BEEN APPROVED
TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF DOCTOR OF PHILOSOPHY
IN PHARMACY**


EXAMINING COMMITTEE

.....CHAIRPERSON
Prof. Dr. Narong Sarisuta


.....MEMBER
Assoc. Prof. Dr. Siriporn Okonogi


.....MEMBER
Assoc. Prof. Dr. Wirat Niwatananun


.....MEMBER
Asst. Prof. Dr. Chadarat Ampasavate


.....MEMBER
Asst. Prof. Dr. Songwut Yotsawimonwat


THESIS ADVISORY COMMITTEE

.....ADVISOR
Assoc. Prof. Dr. Siriporn Okonogi

.....CO-ADVISOR
Assoc. Prof. Dr. Wirat Niwatananun

.....CO-ADVISOR
Assoc. Prof. Dr. Kornkanok Ingkaninan

.....CO-ADVISOR
Asst. Prof. Dr. Chadarat Ampasavate

.....CO-ADVISOR
Prof. Dr. Thomas Rades

29 October 2012

© Copyright by Chiang Mai University

ACKNOWLEDGEMENTS

The completion of my PhD would not have been possible without the collaboration of many people. First and foremost, I would like to express my deeply gratitude to my supervisor, Assoc. Prof. Dr. Siriporn Okonogi, Department of Pharmaceutical science, Faculty of Pharmacy, Chiang Mai University, for her kind encouragement and all the valuable suggestions throughout the time of my study. The starting part of my research project would not be possible without the extreme supports and instructions from Assoc. Prof. Dr. Kornkanok Ingkaninan, Department of Pharmaceutical Chemistry and Pharmacognosy, Faculty of Pharmaceutical Sciences and Center of Excellence for Innovation in Chemistry, Naresuan University who enlightened me to the activity determination, alkaloid purification and structure elucidation. Moreover, I am really appreciated Dr. Hiroshi Hamamoto, Laboratory of Developmental Biochemistry, Graduate School of Pharmaceutical Sciences, the University of Tokyo, Japan for his suggestions and assistance with the mass spectrometry. In addition, the structure elucidation would not been completed without the guidance from Prof. Dr. Jan Schripsema, Center for Bio-Pharmaceutical Sciences, Division of Pharmacognosy, Leiden University, The Netherlands who gave me a light while I was in the darkness of structure elucidation part. I would like to thank Asst. Prof. Dr. Chadarat Ampasavate, Department of Pharmaceutical science, Faculty of Pharmacy, Chiang Mai University and Asst. Prof. Dr. Songyot Anuchpreeda, Division of Clinical Microscopy, Department of Medical Technology, Faculty of Associated medical science, Chiang Mai University who provided me valuable suggestions and

useful guidance in the cell culture study. Furthermore, an important part of my research would not be possible without good suggestions of Assoc. Prof. Dr. Wirat Niwatananun, Department of Pharmaceutical care, Faculty of Pharmacy, Chiang Mai University, who provided me an extensive and valuable input about the animal experiment. To those at School of Pharmacy, University of Otago, Dunedin, New Zealand, especially Prof. Dr. Thomas Rades and Assoc. Prof. Dr. Sarah Hook, I am extremely grateful for the generous guidance and supports they provided during the time I was in New Zealand. Particularly, I would like to give a special thank to Prof. Dr. Wim E. Hennink, Utrecht University, The Netherlands for his kind suggestions and supply of the necessary surfactant. Therewith, I am grateful for financial support from the Thailand Research Fund (TRF) through grant number 5.G.CM/50/D.1. and the Graduate School, Chiang Mai University.

I would like to thank many people including technicians, researchers and postgraduate students who are my friends in Faculty of Pharmacy, Chiang Mai University, Faculty of Pharmaceutical Sciences and Center of Excellence for Innovation in Chemistry, Naresuan University and School of Pharmacy, University of Otago for their helpful, cheerful and wonderful nature especially in the time of troubles. Finally, my thanks go to my warm family including my dad, Mr. Udom Chaiyana, and my mom, Asst. Prof. Dr. Siriwan Chaiyana of Bangkokthonburi University, who always support and be my side any time in my life.