

REFERENCES

1. Mehnert W, Mäder K. Solid lipid nanoparticles: Production, characterization and applications. *Advanced Drug Delivery Reviews*. 2001; 47(23):165-96.
2. Müller RH, Radtke M, Wissing SA. Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) in cosmetic and dermatological preparations. *Advanced Drug Delivery Reviews*. 2002; 54:S131-S55.
3. Puri D, Bhandari A, Choudhary D. Lipid nanoparticles (SLN, NLC): A novel approach for cosmetic and dermal pharmaceutical. *Journal of Global Pharma Technology*. 2009. Available Online at www.jgptcoin.com. 2010; 2(5):1-15.
4. Ionescu JG. The photoaging of human skin (How can we slow down this process?) Available from: <http://www.antiaging-systems.com/articles/123-the-photoaging-of-human-skin-how-can-we-slow-down-thi>
5. Miyachi Y. Photoaging from an oxidative standpoint. *Journal of Dermatological Science*. 1995; 9(2):79-86.
6. Young IS and Woodside JV. Antioxidants in health and disease. *J Clin Pathol*. 2001; 54:176-86.
7. Strain JJ. et al. Diet and antioxidant defense. In: Sadler JJ. and Caballero B, editors. *Antioxidant in Encyclopedia of human nutrition*, Vol. 1. 1999. pp. 95-120. Benjamin Academic Press.
8. Madison KC. Barrier Function of the Skin: “La Raison d’Etre” of the Epidermis. *J Invest Dermatol*. 2003; 121: 231-41.

9. Shai A, Maibach I, Baran R. Handbook of Cosmetic Skin Care. 2nd ed. London: Informa Healthcare; 2009
10. Worwood V. A. Essential oils and Hydrolats. In: Aromatherapy for the beauty therapist. London: Thomson Learning; 2001: p. 26-38
11. Alarm M, Bhatia C, Kunda V, et al. Cosmetic dermatology for Skin of Color. New York: Mcgraw-Hill; 2009.
12. Turning Back the Hands of Time [Online]. 2005 [cited 2012 Jan 14]. Available from: <http://www.skincarephysicians.com/agingskinnet.html>
13. Ionescu JG. New Strategies to Slow Down the Photoaging of Human Skin. In: Klatz R, Goldman R, editors. Anti-Aging Therapeutics Vol. IX. Washington DC.
14. Dayan N. Skin Aging Handbook. New York: William Andrew; 2008
15. Wilson N. Market Evolution of Topical Anti-aging Treatments. In: Dayan N, ed. Skin Aging Handbook: an approach to biochemistry and product development. New York: William Andrew Inc; 2008: p. 15-34.
16. Bailey AJ. Molecular mechanisms of ageing in connective tissues. Mechanisms of Ageing and Development. 2001; 122:735-755.
17. Tur E. Environmental Factors in Skin Diseases. In: Current Problems in Dermatology. 2007.
18. Rocquet C., Bonte F. Molecular aspects of skin ageing - recent data. *acta dermatovenerologica.*,(2002);11.
19. Halliwell B. Free Radicals in Biology and Medicine, 3th ed/Ed. Oxford University Press. 1999.

20. de Zwart LL, et al. Biomarkers of free radical damage: Applications in experimental animals and in humans. *Free Radical Biology and Medicine*.1999; 26:202-226.
21. Strain JJ. et al. Diet and antioxidant defense. In: Sadler JJ. and Caballero B, editors. *Antioxidant in Encyclopedia of human nutrition*, Vol. 1.1999. pp. 95-120. Benjamin Academic Press.
22. Ashok B, Ali R. The aging paradox: free radical theory of aging. *Experimental Gerontology*. 1999; 34(3):293-303.
23. Wolf B, Christa M and Kurt S. Antioxidants Flavonoids and Polyphenols:chemistry and Biology In: E. C. L. Packer, editor *Handbook of*. 1996.pp. 409-466. Marcel Dekker,Inc., New York
24. โอภา วัชรคุปต์. อนุมูลอิสระ (Free Radical). ใน โอภา วัชรคุปต์ (บรรณาธิการ) *สารต้านอนุมูลอิสระ*. หน้า 1-10. นนทบุรี: พี เอส พรินท์, 2549.
25. Nedyalka V, Yanishlieva EM, Jan P. Natural antioxidants from herbs and spices. *European Journal of Lipid Science and Technology*. 2006; 108:776-793.
26. Zheng W, and Wang SY. Antioxidant Activity and Phenolic Compounds in Selected Herbs. *J. Agric. Food Chem*. 2001; 49:5165-5170.
27. Pardeike J, Hommoss A, Müller RH. Lipid nanoparticles (SLN, NLC) in cosmetic and pharmaceutical dermal products. *International Journal of Pharmaceutics*. 2009; 366:170-84.
28. Muller RH, Petersen RD, Hommoss A, Pardeike J. Nanostructured lipid carriers (NLC) in cosmetic dermal products. *Advanced Drug Delivery Reviews*. 2007; 59:522-30.

29. Müller RH, Radtke M, Wissing SA. Nanostructured lipid matrices for improved microencapsulation of drugs. *International Journal of Pharmaceutics*. 2002;242:121-8
30. Soutu EB, Müller RH. Lipid Nanoparticles (SLN and NLC) for Drug Delivery. In: Domb AJ, Tabata Y, Kumar MNVR, Farber S, editors. *Nanoparticles for Pharmaceutical Applications*. California: American Scientific Publisher. p. 103-22.
31. Research and Development Department. Queen Sirikit Botanic Garden. The Botanical Garden. ฐานข้อมูลพันธุ์ไม้ องค์การสวนพฤกษศาสตร์. Ministry of Natural Resource and Environment; 2011 [cited Nov 8, 2011]; Available from: <http://www.qsbg.org/Database/plantdb/mdp/mdpdetails.asp?id=796>.
32. *Tagetes erecta* L. [database on the Internet]. [Cited Nov 8, 2011]. Available from: <http://www.pfaf.org/user/Plant.aspx?LatinName=Tagetes+erecta>
33. Eco India. Marigold Plant [cited Nov 8, 2011]; Available from: <http://www.ecoindia.com/flora/flowers/marigold-plant.html>.
34. Vasudevan P, Kashyap S, Sharma S. *Tagetes*: A multipurpose plant. *Bioresource Technology*.1997; 62:29-35.
35. Wang M, Tsao R, Ahang S, al. e. Antioxidant activity, mutagenicity/anti-mutagenicity, and clastogenicity/anti-clatogenicity of lutein from marigold flowers. *Food and Chemical Toxicology*. 2006; 44: 1522-9.
36. Martha R et al. Antioxidant activity of *Tagetes erecta* essential oil. *Journal of the Chilean Chemical Society*.

37. Li W, Gao Y, Zhao J, Wang Q. Phenolic, flavonoid, and lutein ester content and antioxidant activity of 11 cultivars of Chinese marigold. *Journal of Agricultural and Food Chemistry*. 2007.
38. Cetkovic GS, Dallas SM, Canadanovic-Brunet JM, Tumbas V. Thin-layer chromatography analysis and scavenging activity of marigold (*Calendula officinalis* L.) extracts. *Acta Periodica Technologica (APTEFF)*. 2003; 34.
39. Bashir SJ, Maibach HI. In Vivo Irritation. In: Barel AO, I.M. MPAH, editors. *Handbook of Cosmetic science and Technology*. New York; 2001. p. 107-16.
40. Kamkaen N, Phuntuwate W, Samee W, Boonrod A, Treesak C. The Investigation of the Rabbit and Human Skin Irritation of Herbal Anti-wrinkle Cream. *Thai Pharm Health Sci J*. 2007; 2 (1): 20-5.
41. Han F, Li S, Yi R, Liu H, Xu L. Effect of surfactants on the formation and characterization of a new type of colloidal drug delivery system: Nanostructured lipid carriers. *Colloids and Surfaces A: Physicochem Eng Aspects*. 2007; 315:210-6.
42. Silva AC, Santos D, Ferreira DC, EB. S. Minoxidil-loaded nanostructured lipid carriers (NLC): characterization and rheological behaviour of topical formulations. *Pharmazie*. 2009; 64(3):177-82.
43. Tiyaboonchai W, Tungpradit W, Plianbangchang P. Formulation and characterization of curcuminoids loaded solid lipid nanoparticles. *International Journal of Pharmaceutics*. 2007; 337(1-2):299-306
44. Bhaskar K, Anbu J, Ravichandiran V, Venkateswarlu V, Rao YM. Lipid nanoparticles for transdermal delivery of flurbiprofen: formulation, in vitro, ex vivo and in vivo studies. *Lipids in health and disease*. 2009; 8: 6.

45. Fang J-Y, Fang C-L, Liu C-H, Su Y-H. Lipid nanoparticles as vehicles for topical psoralen delivery: Solid lipid nanoparticles (SLN) versus nanostructured lipid carriers (NLC). *European Journal of Pharmaceutics and Biopharmaceutics*. 2008 Oct; 70(2):633-640.
46. González-Mira E, Nikolić S, García ML, Egea MA, Souto EB, Calpena AC. Potential use of nanostructured lipid carriers for topical delivery of flurbiprofen. *Journal of Pharmaceutical Sciences*. 2010; 100(1):242-51.
47. Lacatusu I, Badea N, Murariu A, Nichita C, Bojin D, Meghea A. Antioxidant Capacity of Lipid Nanoparticles Loaded with Rosemary Extract.
48. Walker AP, Basketter DA, Baverel M, Diembeck W, Matthies W, Mouglin D, et al. Test Guidelines for Assessment of Skin Compatibility of Cosmetic Finished Products in Man. *Food Chem Toxicol*. 1996; 34: 651-60.
49. ปรีชา บุญจุง. สารต้านอนุมูลอิสระในธรรมชาติ. ใน โอภา วัชรกุลป์ (บรรณาธิการ). สารต้านอนุมูลอิสระ. หน้า 123-44. นนทบุรี: พี เอส พรินท์, 2549.
50. Chen H, Chang X, Du D, Liu W, Liu J, Weng T, et al. Podophyllotoxin-loaded solid lipid nanoparticles for epidermal targeting. *J Control Release*. 2006 Jan 10; 110(2):296-306.
51. Liu J, Hu W, Chen H, Ni Q, Xu H, X Y. Isotretinoin-loaded solid lipid nanoparticles with skin targeting for topical delivery. *Int J Pharm* 2007 Jan 10; 328(2):191-5.
52. Radomska-Soukharev A. Stability of lipid excipients in solid lipid nanoparticles. *Advanced Drug Delivery Reviews*. 2007; 59:411-8.

53. Souto EB, Wissing SA, Barbosa CM, Müller RH. Evaluation of the physical stability of SLN and NLC before and after incorporation into hydrogel formulations. *Eur J Pharm Biopharm.* 2004; Jul; 58(1):83-90.
54. Radtke M, Souto EB, Muller RH. Nanostructured Lipid Carriers; A Novel Generation of Solid Lipid Drug Carriers. *Pharmaceutical Technology Europe.* 2005; 17(4):45-50.
55. Hentschel A, Gramdorf S, Müller RH, Kurz T. Beta-carotene-loaded nanostructured lipid carriers. *J.Food Sci.* 2008 Mar; 73(2):N1-6.
56. Lippacher A, Müller RH, Mäder K. Preparation of semisolid drug carriers for topical application based on solid lipid nanoparticles. *Int J Pharm.* 2001; 214:9–12.
57. Information and Operating Instruction Skin-Visiometer® SV 600 FireWire. Courage Khazaka electronic GmbH; 2004.
58. Yingngam. B, Phimpanit Y, Wongkasemchai N, al e. Encapsulation of Rice Bran Oil in Solid Lipid Nanoparticles (SLN) for Skin Hydration and Viscoelasticity *Isan journal of pharmaceutical sciences.* 2007 Jul.-Dec.; 3(2):8-22.
59. Yingngam B, Sila-orn W, Rungseevijitprapa W. In vivo study of Rice bran oil loaded lipid nanoparticles for skin hydration improvement. *Natural Products Research and Development Center (NPRDC).* 2008 Sep; 286-290.
60. Plianbangchang P, Tungpradit W, Tiyaboonchai W. Efficacy and Safety of Curcuminoids Loaded Solid Lipid Nanoparticles Facial Cream as an Anti-aging Agent. *Naresuan University Journal.* 2007; 15(2):73-81.