

REFERENCES

1. Wimo A, Winblad B, Aguero-Torres H, von Strauss E. The magnitude of dementia occurrence in the world. *Alzheimer Dis Assoc Disord* 2003; 17: 63-7.
2. Petersen RC, Smith GE, Waring SC. Mild cognitive impairment: Clinical characterization and outcome. *Arch Neurol* 1999; 56: 303-8.
3. Tierney MC, Szalai JP, Snow WG, Fisher RH, Nores A, Nadon G, et al. Prediction of probable Alzheimer's disease in memory-impaired patients: A prospective longitudinal study. *Neurology* 1996; 46: 661-5.
4. Peterson RC, Thomas RG, Grundman M. Vit E and donepezil for the treatment of mild cognitive impairment. *N Eng J Med* 2005; 352: 2379-88.
5. Rosen WG, Mohs RC, Davis KL. A new rating scale for Alzheimer's disease. *Am J Psychiatry* 1984; 141: 1356-64.
6. Diniz BS, Pinto JA, Gonzaga MLC, Guimarães FM. 'To treat or not to treat'? A meta-analysis of the use of cholinesterase inhibitors in mild cognitive impairment for delaying progression to Alzheimer's disease. *European Eur Arch Psychiatry Clin Neurosci* 2009; 259: 248-56.
7. Raschetti R, Albanese E, Vanacore N, Maggini M. Cholinesterase inhibitors in mild cognitive impairment: a systematic review of randomised trials. *PLoS Med* 2007; 27: e338.
8. Ball H, Berch DB, Helmers KF. Effects of cognitive training interventions with older adults: A randomized controlled trial. *JAMA* 2002; 288: 2271-81.

9. Brum PS, Orestes VF, Yassuda MS. Cognitive training in older adults with Mild Cognitive Impairment: impact on cognitive and functional performance. *Dement Neuropsychol* 2009; 3: 124-31.
10. Kurz A, Pohl C, Ramsenthaler M, Sorg C. Cognitive rehabilitation in patients with mild cognitive impairment. *Int J Geriatr Psychiatry* 2009; 24: 163-8.
11. Levine B, Stuss DT, Winocur W. Cognitive rehabilitation in the elderly: effects on strategic behavior in relation to goal management. *J Int Neuropsychol Society* 2007; 13: 143-52.
12. Rapp D, Brenes G, Marsh AP. Memory enhancement training for older adults with mild cognitive impairment: a preliminary study. *Ageing Ment Health* 2002; 6: 5-11.
13. Talassi E, Guerrecshi M, Feriani M, Fedi V. Effectiveness of a cognitive rehabilitation program in mild dementia (MD) and mild cognitive impairment (MCI): A case control study. *Gerontol Geriatr* 2007; 44: 391-9.
14. Maquet D, Lekeu F, Warzee E, Gillain SVW. Gait analysis in elderly adult patients with mild cognitive impairment and patients with mild Alzheimer's disease: Simple versus dual task: a preliminary report. *Clin Physiol Funct Imaging*. 2010; 30: 51-6.
15. Verghese J, Robbins M, Holtzer R. Gait dysfunction in mild cognitive impairment syndromes. *J Am Geriatr Soc* 2008; 7: 1244-51.
16. Pettersson AF, Olsson E, Wahlund LO. Motor function in subjects with mild cognitive impairment and early Alzheimer's disease. *Dement Geriatr Cogn Disord* 2005; 19: 299-304.

17. Pettersson AF, Olsson E, Wahlund LO. Effect of divided attention on gait in subjects with and without cognitive impairment. *J Geriatr Psychiatry Neurol* 2007; 20: 58-62.
18. Wittwer JE, Andrews PT, Webster KE, Menz HB. Timing variability during gait initiation is increased in people with Alzheimer's disease compared to controls. *Dement Geriatr Cogn Disord* 2008; 26: 277-83.
19. Oates RA, Frank SJ, Patla EA. Control of dynamic stability during adaptation to gait termination on a slippery surface. *Exp Brain Res* 2010; 201: 47-57.
20. Ashley MJ, Gryfe CI, Amies A. A longitudinal study of falls in an elderly population II. Some circumstances of falling. *Age Ageing* 1977; 6: 211-20.
21. Montero-Odasso M, Muir SW, Speechley M. Dual-task complexity affects gait in people with mild cognitive impairment: the interplay between gait variability, dual tasking, and risk of falls. *Arch Phys Med Rehabil* 2012; 93: 293-9.
22. Lord SR, Menz HB, Tiedemann A. A physiological profile approach to falls risk assessment and prevention. *Phys Ther* 2003; 83: 237-52.
23. Jorm AF, Jolley D. The incidence of dementia: a meta-analysis. *Neurology* 1998; 51: 728-33.
24. Hulette CM, Walsh-Bohmer KA, Murray MG. Neuropathological and neuropsychological changes in normal ageing: evidence for preclinical Alzheimer's disease in cognitively normal individuals. *J Neuropathol Exp Neurol* 1998; 57: 1168-74.

25. West RL. An application of prefrontal cortex function theory to cognitive ageing. *Psychol Bull* 1996; 120: 272-92.
26. Ackl N, Ising M, Schreiber YA. Hippocampal metabolic abnormalities in mild cognitive impairment and Alzheimer's disease. *Neurosci Lett* 2005; 384: 23-8.
27. Chao LL, Schuff N, Kramer JH. Reduced medial temporal lobe N-acetylaspartate in cognitively impaired but nondemented patients. *Neurology* 2005; 25: 282-9.
28. Kantarci K, Reynolds G, Petersen RC. Proton MR Spectroscopy in Mild Cognitive Impairment and Alzheimer Disease: comparison of 1.5 and 3 T. *AJNR* 2003; 24: 843-9.
29. Malgorzata F, Robert WP, Piero GA. Proton magnetic resonance spectroscopy of the hippocampus in patients with mild cognitive impairment: a pilot study. *Neuroradiology* 2007; 31: 666-70.
30. Schuff N, Chao LL, Kramer JH, Reed BR. Selective reduction of NAA in medial temporal lobe in Mild Cognitive Impairment. *Proc Intl Soc Mag Reson Med* 2004; 11: 524.
31. Valenzuela MJ, Jones M, Wen W, Rae C. Memory training alters hippocampal neurochemistry in healthy elderly. *NeuroReport* 2003; 14: 1333-7.
32. Burgess N, Maguire EA, O'Keefe J. The human hippocampus and spatial and episodic memory. *Neuron* 2002; 35: 625-41.
33. Davis KD, Hutchison WD, Lozano AM, Tasker RR, Dostrovsky JO. Human anterior cingulate cortex neurons modulated by attention-demanding tasks. *J Neurophysiol* 2000; 83: 3575-7.

34. Moore TL, Schettler SP, Killiany RJ, Rosene DL, Moss MB. Effects on executive function following damage to the prefrontal cortex in the rhesus monkey (*Macaca mulatta*). *Behav Neurosci* 2009; 123: 231-41.
35. Petersen RC. Mild Cognitive Impairment as a diagnostic entity. *J Intern Med* 2004; 256: 183-94.
36. Petersen RC, Doody R, Kurz A, Mohs RC, Morris JC, Rabins PV, et al. Current concepts in mild cognitive impairment. *Arch Neurol* 2001; 58: 1985–92.
37. Panza F, D'Introno A, Colacicco AM, Capurso C, Del Parigi A. Current epidemiology of mild cognitive impairment and other predementia syndromes. *Am J Geriatr Psychiatry* 2005; 13: 633-44.
38. Barnes DE, Alexopoulos GS, Lopez OL, Williamson JD, Yaffe K. Depressive symptoms, vascular disease, and mild cognitive impairment. *Arch Gen Psychiatry* 2006; 63: 273-80.
39. Busse A, Bischof J, Riedel-Heller S, Angermeyer MC. Mild cognitive impairment: prevalence and incidence according to different diagnostic criteria. *Br J Psychiatry* 2003; 182: 449-54.
40. Di Carlo A, Baldereschi M, Amaducci L, Maggi S. Cognitive impairment without dementia in older people: prevalence, vascular risk factors, impact on disability: the Italian longitudinal study. *J Am Geriatr Soc* 2000; 48: 775-82.
41. Kochan NA, Slavin MJ, Brodaty H, Crawford JD, Trollor JN, Draper B, et al. Effect of different impairment criteria on prevalence of objective mild

- cognitive impairment in a community sample. *Am J Geriatr Psychiatry* 2010; 78: 711-22.
42. Lopez OL, Jagust WJ, DeKosky ST, Becker JT. Prevalence and classification of mild cognitive impairment in the cardiovascular health study cognition study: part 1. *Arch Neurol* 2003; 60: 1385-9.
43. Nasreddine ZS, Phillips NA, Bedirian V, Charbonneau S, Whitehead V. The Montreal Cognitive Assessment, MoCA: a brief screening tool for mild cognitive impairment. *JAGS* 2005; 53: 695-9.
44. Lovell MA, Markesbery WR. Oxidative damage in mild cognitive impairment and early Alzheimer's disease. *J Neurosci Res* 2007; 85: 3036-40.
45. Markesbery WR, Kryscio RJ, Lovell MA, Morrow JD. Lipid peroxidation is an early event in the brain in amnesic mild cognitive impairment. *Ann Neurol* 2005; 58: 730-5.
46. Pratico D, Clark CM, Liun F, Rokach J, Lee VY, Trojanowski JQ. Increase of brain oxidative stress in mild cognitive impairment: a possible predictor of Alzheimer disease. *Arch Neurol* 2002; 59: 972-6.
47. Casado A, Encarnacion Lopez-Fernandez M, Concepcion Casado M, de La Torre R. Lipid peroxidation and antioxidant enzyme activities in vascular and Alzheimer dementias. *Neurochem Res* 2008; 33: 450-8.
48. Gilgun-Sherki Y, Melamed E, Offen D. Oxidative stress induced-neurodegenerative diseases: the need for antioxidants that penetrate the blood brain barrier. *Neuropharmacology*. 2001; 40: 959-75.

49. McGrath LT, McGleenon BM, Brennan S, McColl D, Mc IS, Passmore AP. Increased oxidative stress in Alzheimer's disease as assessed with 4-hydroxynonenal but not malondialdehyde. *QJM* 2001; 94: 485-90.
50. Uttara B, Singh AV, Zamboni P, Mahajan RT. Oxidative stress and neurodegenerative diseases: a review of upstream and downstream antioxidant therapeutic options. *Curr Neuropharmacol* 2009; 7: 65-74.
51. Marcus DL, Thomas C, Rodriguez C, Simberkoff K, Tsai JS, Strafaci JA, et al. Increased peroxidation and reduced antioxidant enzyme activity in Alzheimer's disease. *Exp Neurol* 1998; 150: 40-4.
52. Jack CR, Petersen RC, Xu YC, O'Brien PC, Smith GE, Ivnik RJ, et al. Prediction of AD with MRI-based hippocampal volume in mild cognitive impairment. *Neurology* 1999; 52: 1397-403.
53. Samaranch L, Cervantes S, Barabash A, Alonso A, Cabranes JA, Lamet I, et al. The effect of MAPT H1 and APOE epsilon4 on transition from mild cognitive impairment to dementia. *J Alzheimers Dis* 2010; 22: 1065-71.
54. Unverzagt FW, Kasten L, Johnson KE, Rebok GW. Effect of memory impairment on training outcomes in ACTIVE. *J Int Neuropsychol Soc* 2007; 13: 953-60.
55. Günther VK, Schäfer P, Holzner BJ, Kemmler GW. Long-term improvements in cognitive performance through computer-assisted cognitive training: a pilot study in a residential home for older people. *Ageing Ment Health* 2003; 7: 200-6.

56. Ott-Chervet CL, Reeggee-Frey B, Klaghofer R, Six P. Evaluation eines computergestützten kognitiven trainings mit hochbetagten patienten eines geriatriischen krankenhauses. Zeitschrift für Gerontopsychologie und Psychiatrie 1998; 11: 13-23.
57. Mrak RE, Griffin ST, Graham DI. Aging-associated changes in human brain. J Neuropathol Exp Neurol 1997; 56: 1269-75.
58. Terry RD, DeTeresa R, Hansen LA. Neocortical cell counts in normal human adult aging. Ann Neurol 1987; 21: 530-39.
59. Hatanpaa K, Isaacs KR, Shirao T. Loss of proteins regulating synaptic plasticity in normal aging of the human brain and in Alzheimer disease. J Neuropathol Exp Neurol 1999; 58: 637-43.
60. Almkvist O, Wahlund LO, Andersson-Lundman G. White matter hyperintensity and neuropsychological functions in dementia and healthy aging. Arch Neurol 1992; 49: 626-32.
61. Double KL, Halliday GM, Kril JJ. Topography of brain atrophy during normal aging and Alzheimer's disease. Neurobiol Aging 1996; 17: 513-21.
62. Schott JM, Kennedy J, Fox NC. New developments in mild cognitive impairment and Alzheimer's disease. Curr Opin Neurol 2006; 19: 552-8.
63. Stoub TR, deToledo-Morrell L, Stebbins GT, Leurgans S. Hippocampal disconnection contributes to memory dysfunction in individuals at risk for Alzheimer's disease. Proc Natl Acad Sci USA 2006; 103: 10041-5.
64. Cousins JP. Clinical MR Spectroscopy: fundamentals, current, applications, and future potential. AJR 1995; 164: 1337-47.

65. DeStefano N, Matthews PM. Axonal damage correlates with disability in patients with relapsing-remitting multiple sclerosis: results of a longitudinal magnetic resonance spectroscopy study. *Brain Res* 1998; 121: 1469-77.
66. Angelie E, Bonmartin A, Boudraa A. Regional differences and metabolic changes in normal aging of the human brain: proton MR Spectroscopic Imaging Study. *AJNR* 2001; 22: 119-27.
67. Firbank MJ, Harrison RM, O'Brien JT. A comprehensive review of proton magnetic resonance spectroscopy studies in dementia and Parkinson's disease. *Dement Geriatr Cogn Disord* 2002; 14: 64-76.
68. Valenzuela MJ, Sachdev P. Magnetic resonance spectroscopy in AD. *Neurology* 2001; 56: 592-8.
69. Barker PB, Lin DDM. In vivo proton MR spectroscopy of the human brain. *Prog Nucl Magn Reson Spectrosc* 2006; 49: 99-128.
70. Rosen Y, Lenkinski RE. Recent advances in magnetic resonance neurospectroscopy. *Neurotherapeutics* 2007; 4: 330e45.
71. Kruse B, Hanefeld F, Christen HJ. Alterations of brain metabolites in metachromatic leukodystrophy as detected by localized proton magnetic resonance spectroscopy in vivo. *J Neurol Neurosurg Psychiatry* 1993; 241: 68e74.
72. Aboagye EO, Bhujwalla ZM. Malignant transformation alters membrane choline phospholipid metabolism of human mammary epithelial cells. *Cancer Res* 1999; 59: 80-4.

73. Davie CA, Hawkins CP, Barker GJ. Detection of myelin breakdown products by proton magnetic resonance spectroscopy [letter]. *Lancet* 1993; 341: 630-1.
74. Danielsen ER. Magnetic resonance spectroscopy diagnosis of neurological diseases. 1st edition. New York: MarcelDekker Inc 1999.
75. Erickson KI, Weinstein AM, Lopez OL. Physical activity, brain plasticity, and Alzheimer's disease. *Arch Med Res* 2012; 43: 615-21.
76. Bertolino A, Callicott JH, Mattay VS, Weidenhammer KM, Rakow R, Egan MF, et al. The effect of treatment with antipsychotic drugs on brain N-acetylaspartate measures in patients with schizophrenia. *Biol Psychiatry* 2001; 49: 39-46.
77. Jarskog LF, Dong Z, Kangarlou A, Colibazzi T, Girgis RR, Kegeles LS, et al. Effects of Davunetide on N-acetylaspartate and Choline in Dorsolateral Prefrontal Cortex in Patients with Schizophrenia. *Neuropsychopharmacology* 2013; 38: 1245-52.
78. Brambilla P, Stanley JA, Nicoletti MA, Sassi RB, Mallinger AG, Frank E, et al. ¹H magnetic resonance spectroscopy investigation of the dorsolateral prefrontal cortex in bipolar disorder patients. *J Affect Disord* 2005; 86: 61-7.
79. Hajek T, Bauer M, Pfennig A, Cullis J, Ploch J, O'Donovan C, et al. Large positive effect of lithium on prefrontal cortex N-acetylaspartate in patients with bipolar disorder: 2-centre study. *J Psychiatry Neurosci* 2012; 37: 185-92.
80. Silverstone PH, Wu RH, O'Donnell T, Ulrich M, Asghar SJ, Hanstock CC. Chronic treatment with lithium, but not sodium valproate, increases cortical N-

- acetyl-aspartate concentrations in euthymic bipolar patients. *Int Clin Psychopharmacol.* 2003; 18: 73-9.
81. Gonzales MM, Tarumi T, Eagan DE, Tanaka H, Vaghasia M, Haley AP. Indirect effects of elevated body mass index on memory performance through altered cerebral metabolite concentrations. *Psychosom Med* 2012; 74: 691-8.
 82. Fouquet M, Desgranges B, Landeau B, Duchesnay E, Me'zenge F, Sayette V. Longitudinal brain metabolic changes from amnesic mild cognitive impairment to Alzheimer's disease. *Brain Cogn* 2009; 132: 2058-67.
 83. Lovden M, Schaefer S, Noack H, Kanowski M, Kaufmann J, Tempelmann C, et al. Performance-related increases in hippocampal N-acetylaspartate (NAA) induced by spatial navigation training are restricted to BDNF Val homozygotes. *Cereb Cortex* 2011; 21: 1435-42.
 84. Lezak MD, Howieson DB, Loring DW. *Neuropsychological assessment* 4edition. New York: Oxford University Press 2004.
 85. Folstein MF, Folstein SE, McHugh PR. "Mini-Mental State": A practical method for grading the cognitive state of patients for the clinician. *J Psychiatr Res* 1975; 12: 189-98.
 86. Rosen WG, Terry RD, Fuld PA, Katzman R, Peck A. Pathological verification of ischemic score in differentiation of dementias. *Ann Neurol* 1980; 7: 486-8.
 87. Committee TTBF. Thai Geriatric Depression Scale-TGDS. *Siriraj Hosp Gaz* 1994; 46: 1-9.

88. Quinlan DM, Brown TE. Assessment of short-term verbal memory impairments in adolescents and adults with ADHD. *J Atten Dis* 2003; 6: 143-52.
89. Ostrosky-Solís F, Lozano A. Digit Span: effect of education and culture. *Int J Psychol* 2006; 41: 333-41.
90. Kortte KB, Horner MD, Windham WK. The trail making test, Part B: cognitive flexibility or ability to maintain set? *Appl Neuropsychol* 2002; 9: 106-9.
91. Wechsler D. Wechsler Adult Intelligence Scale (WAIS) III: Administration and scoring manual 3rd ed. San Antonio: The psychological Corporation, Harcourt Brace Company 1997.
92. Moulin CJA, Perfect TJ, Jones RW. The effects of repetition on allocation of study time and judgments of learning in Alzheimer's disease. *Neuropsychologia* 2000; 38: 748-56.
93. Holdstock SJ, Mayes RA, Gong YQ, Roberts N, Kapur N. Item recognition is less impaired than recall and associative recognition in a patient with selective hippocampal damage. *HIPPOCAMPUS* 2005; 15: 203-15.
94. Belleville S, Gilbert B, Fontaine F, Gagnon L. Improvement of episodic memory in persons with mild cognitive impairment and healthy older adults: evidence from a cognitive intervention program. *Dement Geriatr Cogn Disord* 2006; 22: 486-99.
95. Kirchhoff BA, Wagner AD, Maril A. Prefrontal-temporal circuitry for episodic encoding and subsequent memory. *J Neurosci* 2000; 20: 6173-80.

96. Montero-Odasso M, Bergman H, Phillips NA, Wong CH, Sourial N. Dual-tasking and gait in people with Mild Cognitive Impairment: the effect of working memory. *BMC Geriatrics* 2009; 9: 41-8.
97. Thaut HM, Gardiner CJ, Holmberg D, Horwitz J, Kent L. Neurologic music therapy improves executive function and emotional adjustment in traumatic brain injury rehabilitation. *Ann N Y Acad Sci* 2009; 1169: 406-16.
98. Sheridan PL, Solomont J, Kowall N. Influence of executive function on locomotor function: Divided attention increases gait variability in Alzheimer's disease. *J Am Geriatr Soc* 2003; 5: 1633-7.
99. Vakil E, Hoffman Y, Myzliek D. Active versus passive procedural learning in older and younger adults. *Neuropsychol Rehabil* 1998; 8: 31-4.
100. Strauss E, Sherman EMS, Spreen O. A compendium of neuropsychological tests: Administration, norms, and commentary (3rd edition). New York, NY: Oxford University Press 2006.
101. Mervis CB, Robinson BF, Pani JR. Visuospatial construction. *Am J Hum Genet* 1999; 65: 1222-9.
102. Weiss LG, Saklofske DH, Prifitera A, Holdnack JA. WISC-IV: advanced clinical interpretation. Elsevier's Science & Technology 2006.
103. Petersen RC, Parisi JE, Dickson DW. Neuropathologic features of amnesic mild cognitive impairment. *Arch Neurol* 2006; 63: 665-72.
104. Delacourte A, David JP, Sergeant N, Buee L, Wattez A, Vermersch P, et al. The biochemical pathway of neurofibrillary degeneration in aging and Alzheimer's disease. *Neurology* 1999; 52: 1158-65.

105. Sheridan PL, Hausdorff JM. The role of higher-level cognitive function in gait: executive dysfunction contributes to fall risk in Alzheimer's disease. *Dement Geriatr Cogn Disord* 2007; 24: 125-37.
106. Imamura T. Fall-related injuries in dementia with Lewy bodies (DLB) and Alzheimer's disease. *Eur J Neurol* 2000; 7: 77-9.
107. Morris JC, Rubin EH, Morris EJ. Senile dementia of the Alzheimer's type: an important risk factor for serious falls. *J Gerontol B Psychol Sci Soc Sci* 1987; 42: 412-7.
108. Buchner DM, Larson EB. Falls and fractures in patients with Alzheimer-type dementia. *JAMA* 1987; 257: 1492-5.
109. Visser H. Gait and balance in senile dementia of Alzheimer's type. *Age Ageing*. 1983;12:296-301.
110. Koutsavlis AT, Wolfson C. Elements of mobility as predictors of survival in elderly patients with dementia: findings from the canadian study of health and aging. *Chronic Dis Can* 2000; 21: 93-103.
111. Maki BE. Gait changes in older adults: predictors of falls or indicators of fear. *J Am Geriatr Soc* 1997; 45: 313-20.
112. Maki BE, McIlroy W. The control of foot placement during compensatory stepping reaction: does speed of response take precedence over stability. *IEEE Trans Rehabil Eng* 1999; 7: 80-90.
113. Waite LM, Grayson DA, Piguet O. Gait slowing as a predictor of incident dementia: 6-year longitudinal data from the Sydney Older Persons Study. *J Neurol Sci* 2005; 229-230: 89-93.

114. Wollacott MH, Tang PF. Balance control during walking in the older adult: research and its implication. *Phys Ther* 1997; 77: 646-60.
115. Tirosh O, Sparrow WA. Gait termination in young and older adults: effects of stopping stimulus probability and stimulus delay. *Gait Posture*. 2004 Jun;19(3):243-51.
116. Mickelborough J, Van Der Linden ML, Tallis RC, Ennos AR. Muscle activity during gait initiation in normal elderly people. *Gait Posture* 2004; 19: 50-7.
117. Elble RJ, Moody C, Leffler K, Sinha R. The initiation of normal walking. *Mov Disord* 1994; 9: 139-46.
118. Crenna P, Frigo C. A motor programme for the initiation of forward-oriented movements in human. *J Physiol (Lond)* 1991; 437: 635-53.
119. Mbourou GA, Lajoie Y, Teasdale N. Step length variability at gait initiation in elderly fallers and non-fallers, and young adults. *Gerontology* 2003; 49: 21-6.
120. Gabell A, Nayak US. The effect of age on variability in gait. *J Gerontol* 1984; 39: 662-6.
121. Jian Y, Winter DA, Ishac MG, Gilchrist L. Trajectory of the body COG and COP during initiation and termination of gait. *Gait Posture* 1993; 1: 9-22.
122. Oate AR, Patla AE, Frank JS, Greig MA. Control of dynamic stability during gait termination on a slippery surface. *J Neurophysiol* 2005; 93: 64-70.
123. Tirosh O, Sparrow WA. Gait termination in young and older adults: effects of stopping stimulus probability and stimulus delay. *Gait Posture* 2004; 19: 243-51.

124. Frank JS, Winter DA, Craik RL. Gait disorders and falls in the elderly. In: Bernstein AM, Brandt T, Woollacott MH, editors. Clinical disorders of balance, posture and gait London: Arnold. 1995: 287-300.
125. Yogev G, Giladi N, Peretz C, Springer S. Dual tasking, gait rhythmicity, and Parkinson's disease: Which aspects of gait are attention demanding? *Eur J Neurosci* 2005; 22: 1248-56.
126. Verhaeghen P, Cerella J. Ageing, executive control and attention: A review of meta-analyses. *Neurosci Biobehav Rev* 2002; 26: 849-57.
127. Royall DR, Lauterbach EC, Cummings JL, Reeve A. Executive control function: a review of its promise and challenges for clinical research. *J Neuropsychiatry Clin Neurosci* 2002; 14: 377-405.
128. Cole CS, Tak SH. Assessment of attention in Alzheimer's disease. *Geriatr Nurs* 2007; 27: 238-43.
129. Bloem BR, Valkenburg VV, Slabbekoorn M, Willemsen M. The multiple tasks tests: Development and normal strategies. *Gait Posture* 2001; 14: 191-202.
130. Verghese J, Buscke H, Viola L, Katz M. Validity of divided attention tasks in predicting falls in older individuals: a preliminary study. *J Am Geriatr Soc* 2002; 50: 1572-6.
131. Beauchet O, Dobust V, Gonthier R, Kressig R.W. Dual-task-related gait change in transitionally frail older adults: the type of the walking associated cognitive task matters. *Gerontology* 2005; 51: 48-52.

132. Allali G, Kressig RW, Assal F, Herrmann FR. Changes in gait while backward counting in demented older adults with frontal lobe dysfunction. *Gait Posture* 2007; 26: 572-6.
133. Allali G, Kressig RW, Assal F, Herrmann FR. Dual-task related stride time variability among demented older adults with dysexecutive functions. *Gait Posture* 2005; 21: S51.
134. Montero-Odasso M, Casas A, Hansen I. Increasing gait variability with dual tasks in people with MCI. Complexity of the task does matter. *Parkinsonism Relat disord* 2008; 14: S51.
135. Mulder T, Zijlstra W, Geurts A. Assessment of motor recovery and decline. *Gait Posture* 2002; 16: 198-210.
136. Mulder TH, Hochstenbach J. Motor control and learning: implications for neurological rehabilitation. In: Greenwood RJ, et al. (Eds.), *Handbook of Neurological Rehabilitation*. Psychology Press, New York 2003: 143-15.
137. Guo X, Steen B, Matousek M, Andreasson LA. A population-based study on brain atrophy and motor performance in elderly women. *J Gerontol Soc Sci* 2001; 65A: M633-M7.
138. Malouin F, Richards CL, Jackson PL. Brain activations during motor imagery of locomotor-related tasks: a PET study. *Hum Brain Mapp* 2003; 19: 47-62.
139. Erickson CA, Barnes CA. The neurobiology of memory changes in normal aging. *Exp Gerontol* 2003; 38: 61-9.
140. Knight RT. Contribution of human hippocampal region to novelty detection. *Nature* 1996; 383: 256-9.

141. Tesche CD, Karhu J. Theta oscillations index human hippocampal activation during a working memory task. *Proc Natl Acad Sci USA* 2000; 97: 919-24.
142. Nutt JG, Marsden CD, Thompson PD. Human walking and higher-level gait disorders, particularly in the elderly. *Neurology* 1993; 43: 268-79.
143. Filley CM. The behavioural neurology of cerebral white matter. *Neurology* 1998; 50: 1535-40.
144. Rosenberg PB, Johnston D, Lyketsos CG. A clinical approach to mild cognitive impairment *Am J Psychiatry* 2006; 163: 1884-90.
145. Jak JA, Bondi WM, Delano-Wood L, Wierenga C, Corey-Bloom J, Salmon DP. Quantification of five neuropsychological approaches to defining mild cognitive impairment. *Am J Geriatr Psychiatry* 2009; 17: 368-75.
146. Delis DC, Kaplan E. Delis-Kaplan Executive Function System (D-KEFS). San Antonio: the psychological corporation 2001.
147. Tombaugh TN. Trail Making Test A and B: normative data stratified by age and education. *Archiv Clin Neuropsych* 2004; 19: 203-14.
148. Tombaugh TN, Kozak J, Rees L. Normative data stratified by age and education for two measures of verbal fluency: FAS and animal naming. *Archiv Clin Neuropsych* 1999; 14: 167-77.
149. Tinetti M, Richman D, Powell L. Falls Efficacy as a Measure of Fear of Falling. *J Gerontol* 1990; 45: 239.
150. Shumway-Cook A, Brauer S, Woollacott M. Predicting the probability for falls in community-dwelling older adults using the Timed Up & Go Test. *Phys Ther* 2000; 80: 896-903.

151. Hausdorff JM, Ladin Z, Wei JY. Footswitch system for measurement of the temporal parameters of gait. *J Biomech* 1995; 28: 347-51.
152. Hase K, Stein RB. Analysis of rapid stopping during human walking. *J Neurophysiol* 1998; 80: 255-61.
153. Nissan M, Whittle MW. Initiation of gait in normal subjects: a preliminary study. *J Biomed Eng* 1990; 12: 165-71.
154. Hase K., Stein R.B. Analysis of Rapid Stopping During Human Walking. *J Neurophysiol* 1998;80:255-61.
155. Jaeger RJ, Vanitchatchavan P. Ground reaction forces during termination of human gait. *J Biomech* 1992; 25: 1233-6.
156. Hausdorff JM, Edelberg HK, Mitchell SL, Goldberger AL, Wei JY. Increased gait unsteadiness in community-dwelling elderly fallers. *Arch Phys Med Rehabil* 1997; 78: 278-83.
157. Miller CA, Verstraete MC. Determination of the step duration of gait initiation using a mechanical energy analysis. *J Biomech* 1996; 29: 1195-9.
158. Crenna P, Frigo C. A motor programme for the initiation of forward-oriented movements in humans. *J Physiol* 1991; 437: 635-53.
159. Robinovitch SN, Feldman F, Yang Y, Schonnop R, Lueng PM, Sarraf T, et al. Video capture of the circumstances of falls in elderly people residing in long-term care: an observational study. *Lancet* 2013; 381: 47-54.
160. Hollman JH, Youdas JW, Lanzino DJ. Gender differences in dual task gait performance in older adults. *Am J Mens Health* 2011; 5: 11-7.

161. Delbaere K, Kochan NA, Close JC, Menant JC, Sturnieks DL, Brodaty H, et al. Mild cognitive impairment as a predictor of falls in community-dwelling older people. *Am J Geriatr Psychiatry* 2012; 20: 845-53.
162. Lord SR, Clark RD, Webster IW. Physiological factors associated with falls in an elderly population. *J Am Geriatr Soc* 1991; 39: 1194-200.
163. Lord SR, Ward JA, Williams P, Anstey KJ. Physiological factors associated with falls in older community-dwelling women. *J Am Geriatr Soc* 1994; 42: 1110-7.
164. Visser H. Gait and balance in senile dementia of Alzheimer's type. *Age Ageing* 1983; 12: 296-301.
165. Imamura T. Fall-related injuries in dementia with Lewy bodies (DLB) and Alzheimer's disease. *Eur J Neurol* 2000; 7: 77-9.
166. Morris JC, Rubin EH, Morris EJ, Mandal SA. Senile dementia of the Alzheimer's type: an important risk factor for serious falls. *J Gerontol* 1987; 42: 412-7.
167. Koutsavlis AT, Wolfson C. Elements of mobility as predictor of survival in elderly patients with dementia: findings from the Canadian study of health ageing. *Chronic Dis Can* 2000; 21: 93-103.
168. Shaw FE, Bond J, Richardson DA, Dawson P, Steen IN, McKeith IG, et al. Multifactorial intervention after a fall in older people with cognitive impairment and dementia presenting to the accident and emergency department: randomised controlled trial. *BMJ* 2003; 326: 73.

169. van Dijk PT, Meulenberg OG, van de Sande HJ, Habbema JD. Falls in dementia patients. *Gerontologist* 1993; 33: 200-4.
170. Petersen RC. Mild cognitive impairment: current research and clinical implications. *Semin Neurol* 2007; 27: 22-31.
171. Aggarwal NT, Wilson RS, Beck TL. Motor dysfunction in mild cognitive impairment and the risk of incident Alzheimer disease. *Arch Neurol* 2006; 63: 1763-9.
172. Kluger A, Gianutsos JG, Golomb J. Patterns of motor impairment in normal aging, mild cognitive decline, and early Alzheimer's disease. *J Gerontol B Psychol Sci Soc Sci* 1997; 52B: 28-39.
173. Leandri M, Cammisuli S, Cammarata S, Baratto L, Campbell J. Balance features in Alzheimer's disease and amnesic Mild Cognitive Impairment. *J Alzheimers Dis* 2009; 16: 113-20.
174. Lord SR, Menz HB. Physiologic, psychologic, and health predictors of 6-minute walk performance in older people. *Arch Phys Med Rehabil* 2002; 83: 907-11.
175. Tiedemann A, Sherrington C, Lord SR. Physiological and psychological predictors of walking speed in older community-dwelling people. *Gerontology* 2005; 51: 390-5.
176. Liu-Ambrose TY, Ashe MC, Graf P, Beattie BL, Khan KM. Increased risk of falling in older community-dwelling women with mild cognitive impairment. *Phys Ther* 2008; 88: 1482-91.

177. Marshall GA, Rentz DM, Frey MT, Locascio JJ, Johnson KA, Sperling RA. Executive function and instrumental activities of daily living in mild cognitive impairment and Alzheimer's disease. *Alzheimer's & dementia: the journal of the Alzheimer's Association* 2011; 7: 300-8.
178. Wylie SA, Ridderinkhof KR, Eckerle MK, Manning CA. Inefficient response inhibition in individuals with mild cognitive impairment. *Neuropsychologia* 2007; 45: 1408-19.
179. Hogan DB, Ebly EM. Predicting who will develop dementia in a cohort of Canadian seniors. *Can J Neurol Sci* 2000; 27: 18-24.
180. Franssen EH, Souren LE, Torossian CL, Reisberg B. Equilibrium and limb coordination in mild cognitive impairment and mild Alzheimer's disease. *J Am Geriatr Soc* 1999; 47: 463-9.
181. Gorus E, DeRaedt R, Lambert M, Lemper JC, Mets T. Reaction times and performance variability in normal ageing, mild cognitive impairment, and Alzheimer's disease. *J Geriatr Psychiatry Neurol* 2008; 21: 204-18.
182. Shaw FE. Prevention of falls in older people with dementia. *J Neural Transm* 2007; 114: 1259-64.
183. Graafmans WC, Ooms ME, Hofstee HM, Bezemer PD, Bouter LM, Lips P. Falls in the elderly: a prospective study of risk factors and risk profiles. *Am J Epidemiol* 1996; 143: 1129-36.
184. Tromp AM, Smit JH, Deeg DJ, Bouter LM, Lips P. Predictors for falls and fractures in the Longitudinal Aging Study Amsterdam. *J Bone Miner Res* 1998; 13: 1932-9.

185. Herman T, Mirelman A, Giladi N, Schweiger A, Hausdorff JM. Executive control deficits as a prodrome to falls in healthy older adults: a prospective study linking thinking, walking, and falling. *J Gerontol A Biol Sci Med Sci* 2010; 65: 1086-92.
186. Mirelman A, Herman T, Brozgol M, Dorfman M, Sprecher E, Schweiger A, et al. Executive function and falls in older adults: new findings from a five-year prospective study link fall risk to cognition. *PLoS One* 2012; 7: e40297.
187. Holtzer R, Friedman R, Lipton RB, Katz M, Xue X, Verghese J. The relationship between specific cognitive functions and falls in aging. *Neuropsychology* 2007; 21: 540-8.
188. Patrick ME, Blair C, Maggs JL. Executive function, approach sensitivity, and emotional decision making as influences on risk behaviors in young adults. *J Clin Exp Neuropsychol* 2008; 30: 449-62.
189. Bazner H, Oster M, Daffertshofer M, Hennerici M. Assessment of gait in subcortical vascular encephalopathy by computerized analysis: a cross-sectional and longitudinal study. *J Neurol* 2000; 247: 841-9.
190. Silbert LC, Nelson C, Howieson DB, Moore MM, Kaye JA. Impact of white matter hyperintensity volume progression on rate of cognitive and motor decline. *Neurology* 2008; 71: 108-13.
191. Soumare A, Elbaz A, Zhu Y, Maillard P, Crivello F, Tavernier B, et al. White matter lesions volume and motor performances in the elderly. *Ann Neurol* 2009; 65: 706-15.


192. Whitman GT, Tang Y, Lin A, Baloh RW. A prospective study of cerebral white matter abnormalities in older people with gait dysfunction. *Neurology* 2001; 57: 990-4.
193. Zheng JJ, Delbaere K, Close JC, Sachdev PS, Lord SR. Impact of white matter lesions on physical functioning and fall risk in older people: a systematic review. *Stroke* 2011; 42: 2086-90.
194. Baloh RW, Ying SH, Jacobson KM. A longitudinal study of gait and balance dysfunction in normal older people. *Arch Neurol* 2003; 60: 835-9.
195. Kerber KA, Enrietto JA, Jacobson KM, Baloh RW. Disequilibrium in older people: a prospective study. *Neurology* 1998; 51: 574-80.
196. Rosano C, Kuller LH, Chung H, Arnold AM, Longstreth WT, Newman AB. Subclinical brain magnetic resonance imaging abnormalities predict physical functional decline in high-functioning older adults. *J Am Geriatr Soc* 2005; 53: 649-54.
197. Zheng JJ, Delbaere K, Close JC, Sachdev PS, Wen W, Brodaty H, et al. White matter hyperintensities are an independent predictor of physical decline in community-dwelling older people. *Gerontology* 2012; 58: 398-406.
198. Srikanth V, Beare R, Blizzard L, Phan T, Stapleton J, Chen J, et al. Cerebral white matter lesions, gait, and the risk of incident falls: a prospective population-based study. *Stroke* 2009; 40: 175-80.
199. Blahak C, Baezner H, Pantoni L, Poggesi A, Chabriat H, Erkinjuntti T, et al. Deep frontal and periventricular age related white matter changes but not basal ganglia and infratentorial hyperintensities are associated with falls: cross

- sectional results from the LADIS study. *J Neurol Neurosurg Psychiatry* 2009; 80: 608-13.
200. Rankin JK, Woollacott MH, Shumway-Cook A, Brown LA. Cognitive influence on postural stability: a neuromuscular analysis in young and older adults. *J Gerontol A Biol Sci Med Sci* 2000; 55: M112-9.
 201. Stuss DT, Alexander MP. Executive functions and the frontal lobes: a conceptual view. *Psychol Res* 2000; 63: 289-98.
 202. Weeks DL, Forget R, Mouchnino L, Gravel D, Bourbonnais D. Interaction between attention demanding motor and cognitive tasks and static postural stability. *Gerontology* 2003; 49: 225-32.
 203. Anderson TM, Sachdev PS, Brodaty H, Trollor JN, Andrews G. Effects of sociodemographic and health variables on Mini-mental State Exam scores in older Australians. *Am J Geriatr Psychiatry* 2007; 15: 467-76.
 204. Hindmarch I, Lehfeld H, de Jongh P, Erzigkeit H. The Bayer Activities of Daily Living Scale (B-ADL). *Dement Geriatr Cogn Disord* 1998; 9 Suppl 2: 20-6.
 205. Yardley L, Beyer N, Hauer K, Kempen G, Piot-Ziegler C, Todd C. Development and initial validation of the Falls Efficacy Scale-International (FES-I). *Age Ageing* 2005; 34: 614-9.
 206. World Health Organization: Home page for the World Health Organization Disability Assessment Schedule II (WHODAS II).
<http://www.who.int/icidh/whodas/index.html> (accessed 21 August 2010).

207. Hawthorne G, Richardson J, Osborne R. The Assessment of Quality of Life (AQoL) instrument: a psychometric measure of health-related quality of life. *Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation* 1999; 8: 209-24.
208. Delbaere K, Hauer K, SR. L. Evaluation of the incidental and planned activity questionnaire for older people. *J Sports Med* 2010; 44: 1029-34.
209. Wechsler D. Wechsler Memory Scale 3rd ed. San Antonio, The Psychological Corporation 1997.
210. Strauss E, Sherman EMS, Spreen O. A compendium of neuropsychological tests: administration, norms and commentary. 3rd ed. New York: Oxford University Press 2006.
211. Benton AL, Sivan AB, Spreen O. Der Benton Test Manual. 7th edition. Bern, Huber 1996.
212. Kaplan E. The Boston Naming Test. Philadelphia: Lippincott Williams Wilkins 2001.
213. Winblad B, Palmer K, Kivipelto M, Jelic V, Fratiglioni L, Wahlund LO, et al. Mild cognitive impairment--beyond controversies, towards a consensus: report of the International Working Group on Mild Cognitive Impairment. *J Intern Med* 2004; 256: 240-6.
214. Slavin MJ, Brodaty H, Kochan NA, Crawford JD, Trollor JN, Draper B, et al. Prevalence and predictors of "subjective cognitive complaint" in the Sydney memory and ageing study. *Am J Geriatr Psychiatry* 2010; 18: 701-10.

215. American Psychiatric Association: DSM IV: Diagnostic and Statistical Manual Disorders (Fourth Edition). International version. Washington, DC, American Psychiatric Association 1995.
216. Marquis S, Moore MM, Howieson DB, Sexton G, Payami H. Independent predictors of cognitive decline in healthy elderly persons. *Arch Neurol* 2002; 59: 601-6.
217. Rapport LJ, Hanks RA, Millis SR, Deshpande SA. Executive functioning and predictors of falls in the rehabilitation setting. *Arch Phys Med Rehabil* 1998 ;79: 629-33.
218. Dault MC, Geurts AC, Mulder TW, Duysens J. Postural control and cognitive task performance in healthy participants while balancing on different support-surface configurations. *Gait Posture* 2001;14: 248-55.
219. Holtzer R, Verghese J, Xue X, Lipton RB. Cognitive processes related to gait velocity: results from the Einstein Aging Study. *Neuropsychology* 2006; 20: 215-23.
220. Colcombe SJ, Kramer AF, Erickson KI, Scalf P, McAuley E, Cohen NJ, et al. Cardiovascular fitness, cortical plasticity, and aging. *Proc Natl Acad Sci U S A*. 2004; 101: 3316-21.
221. Liu-Ambrose T, Nagamatsu LS, Voss MW, Khan KM, Handy TC. Resistance training and functional plasticity of the aging brain: a 12-month randomized controlled trial. *Neurobiol Aging* 2012; 33: 1690-8.
222. Hamel MF, Lajoie Y. Mental imagery. Effects on static balance and attentional demands of the elderly. *Aging Clin Exp Res* 2005; 17: 223-8.

223. Shigematsu R, Okura T, Nakagaichi M, Tanaka K, Sakai T, Kitazumi S, et al. Square-stepping exercise and fall risk factors in older adults: a single-blind, randomized controlled trial. *J Gerontol A Biol Sci Med Sci* 2008; 63: 76-82.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved