

REFERENCES

- Ajibade S. R., Weeden N. F., Michite S. 2000. Inter simple sequence repeat analysis of genetic relationships in the genus *Vigna*. *Euphytica*. 111 (1): 47-55.
- Alaniz S., Armengol J., Leo'n M., A-Jime' N. G. J., Abad-Campos P. 2009. Analysis of genetic and virulence diversity of *Cylindrocarpon liriodendri* and *C. macrodidymum* associated with black foot disease of grapevine. *Mycol Res.* 113. 16-23.
- Allen M. A. 1958. The biology of a species complex in *Spirogyra*. University. Ph.D. Thesis. Bloomington. Indiana. USA.
- An S. S., Friedl T., Hegewald E. 1999. Phylogenetic relationships of *Scenedesmus* and *Scenedesmus*-like coccoid green algae as inferred from ITS-2 rDNA sequence comparisons. *Plant Biol.* 1: 418-428.
- Arnau G., Lallemand J., Bourgoïn M. 2000. ISSR Versus AFLP for variety identification. Plant and Animal Genome VIII Conference, January 9-12, San Diego, California.

- Bakker F. T., Olsen J. L., Stam W. T., van den Hoek C. 1992. Nuclear ribosomal DNA internal transcribed spacer regions (ITS 1 and ITS 2) define discrete biogeographic group in *Cladophora albida* (Chlorophyta). J Phycol. 28. 839-845.
- Ben-David T. Melamed S. Gerson U. Morin S. 2007. ITS2 sequences as barcodes for identifying and analyzing spider mites (Acari: Tetranychidae). Exp Appl Acarol. 41. 169-181.
- Berry H. A., Lembi C. A. 2000. Effect of temperature and irradiance on the seasonal variation of a *Spirogyra* (Chlorophyta) population in a Midwestern Lake (U.S.A.). J. Phycol. 36: 841-851.
- Bhagyawant S.S., Srivastava N. 2008. Genetic fingerprinting of chickpea (*Cicer arietinum* L.) germplasm using ISSR markers and their relationships. African J. Biotec. 7 (24): 4428-4431.
- Bhatia R., Singh K. P., Jhang T., Sharma T. R. 2009. Assessment of clonal fidelity of micropropagated gerbera plants by ISSR markers. Scientia Horticulturae. 119: 208-211.
- Chen C., Barfuss M. HJ., Pröschold T., Schagerl M. 2012. Hidden genetic diversity in the green algae *Spirogyra* (Zygnematophyceae, Streptophyta). BMC Evol Biol. 12: 77-88.

- Chen C., Schagerl M. 2012. Slow evolution of 1506 group I intron in *Spirogyra* Link 1820 (Zygnematophyceae, Streptophyta), a fast evolving lineage in the Zygnematophyceae. *Fottea, Olomouc.* 12 (2): 255-272.
- Chowdhury M. A., Vandenberg B., Warkentin T. 2002. Cultivar identification and genetic relationship among selected breeding lines and cultivars in chickpea (*Cicer arietinum* L.) *Euphytica.* 127. 317-325.
- Coleman A. W., Preparata R. M., Mehrotra B., Mai J. C. 1998. Derivation of the secondary structure of the ITS-1 transcript in Volvocales, and its taxonomic correlations. *Protist.* 149: 135-146.
- Czurda V. 1930. Experimentelle Untersuchungen über die Sexualverhältnisse der Zygnemalen. Sonderabdruck aus "Beihefte zum Bot Centralbl". 47(1): 15-68
- Czurda V. 1933. Experimentelle Analyse der kopulationsauslösenden Bedingungen bei Mikroorganismen - 1. Untersuchungen an Algen (*Spirogyra*, *Zygnema* und *Hyalotheca*). Sonderabdruck aus "Beihefte zum Bot Centralbl" 51 (1): 711-761.
- Czurda V. 1932. *Zygnemales*. Jena: Gustav Fischer:
- Davin-Regli A., Abed Y., Charrel R. N., Bollet C., deMicco P. 1995. Variations in DNA concentrations significantly affect the reproducibility of RAPD fingerprint patterns. *Res Micro.* 146: 561-568.

- Dawes C. J., Teasdale B. W., Frielander M. 2000. Cell wall structure of the agarophytes *Gracillaria tikvahiae* and *G. cornea* (Rhodophyta) and penetration by the epiphyte *Ulva lactuca* (Chlorophyta). *J App Phycol.* 12: 567-575.
- Dellaporta S.L., Wood J. Hicks J.B. 1993. A plant DNA minipreparation Version 2. *Plant Molec Biol Rep.* 1: 19-21.
- Dover G. A. 1982. Molecular drive: a cohesive mode of species evolution. *Nature.* 299: 111-117.
- Drummond C. S., Hall J., Karol K. G., Delwiche C. F., McCourt R. M. 2005. Phylogeny of *Spirogyra* and *Sirogonium* (Zygnematophyceae) based on *rbcL* sequence data. *J. Phycol.* 41: 1055-1064.
- Filippis L. D., Hoffmann E., Hampp R. 1996. Identification of somatic hybrids of tobacco genotyped by electrofusion and culture of protoplasts using RAPD-PCR. *Plant Sci.* 121: 39-46.
- Galván M. Z., Bornet B., Balatti P.A., Branchard M. 2003. Inter simple sequence repeat (ISSR) markers as a tool for the assessment of both genetic diversity and gene pool origin in common bean (*Phaseolus vulgaris* L.). *Euphytica.* 132: 297-301.
- Gao T. Yao H. Song J. Liu C. Zhu Y. et al. 2010. Identification of medicinal plants in the family Fabaceae using a potential barcode ITS 2. *J Ethnopharmacol.* 130. 116-

- Godvin I. D., Aitken E. A., Smith L. W. 1997. Application of inter simple sequence repeat (ISSR) markers to plant genetics. *Electrophoresis*. 18 (9): 1524-1528.
- Goldman C. R., Horne H. J. 1983. *Limnology*. New York: McGraw-Hill Book Company.
- Hainz R., Wöber C., Schagerl M. 2009. The relationship between *Spirogyra* (Zygnematophyceae, Streptophyta) filament type groups and environmental conditions in Central Europe. *Aqu Bot.* 91: 173-180.
- Hillis D. M., Davis S. K. 1988. Ribosomal DNA: intraspecific polymorphism, concerted evolution and phylogenetic reconstruction. *Sys Zool.* 37: 63-66.
- Hoshaw R. W., McCourt R. M. 1988. The Zygnemataceae (Chlorophyta): A twenty year update of research. *Phycol.* 27 (4): 511-548.
- Hoshina R., Kamako S., Imamura N. 2004. Phylogenetic position of endosymbiotic green algae in *Paramecium bursaria* Ehrenberg from Japan. *Plant Biol.* 6: 447-453.
- Hoshaw R. W., Wells C. V., McCourt R. M. 1987. A polyploidy species complex in *Spirogyra maxima* (Chlorophyta, Zygnemataceae), a species with large chromosomes. *J Phycol.* 23(s2): 267-273.
- Hussein T. S., Tawfik A. A., Khalifa M. A. 2008. Molecular identification and genetic relationships of six strawberry varieties using ISSR markers. *Int J Agri and Biol.* 10: 677-680.

- Iwata K., Sano Y. 2005. Effect of electrolyzed water on the orientation of cortical microtubule in *Spirogyra* cell. *J. Biol. Macromol.* 5(3): 53-60.
- Jasieniuk M., Maxwell B. D. 2001. Plant diversity: new insights from molecular biology and genomics technologies. *Weed Science.* 49: 257-265.
- Johnson M., Shivkumar S., Berlowiz-Tarrant L. 1996. Structure and properties of filamentous green algae. *Mat Sci and Eng.* B38: 103-108.
- Joshi S. P., Gupta V. S., Aggarwal R. K., Ranjekar P. K., Brar D. S. 2000. Genetic diversity and phylogenetic relationship as revealed by inter-simple sequence repeat (ISSR) polymorphism in the genus *Oryza*. *Theor Appl Genet.* 100. 1311-1320.
- Kernodle S. P., Cannon R. E., Scandalios J. G. 1993. Concentration of primer and template qualitatively affects products in random-amplified polymorphic DNA PCR. *Bio Tech.* 14: 362-364.
- Kim J. H., Kim Y. H., Lee I. K. 2004. Morphotaxonomy of the Genus *Spirogyra* (Zygnemataceae, Chlorophyta) in Korea. *Alg.* 19(2): 91-105.
- Korbin M., Kuras A., Golis A., Zurawicz E. 2000. Effect of DNA quality on randomly amplified polymorphic DNA-based identification of strawberry (*Fragaria ananassa*) genotypes. *J Fruit and Ornamental Plant Res.* 8: 107-115.

- Kress W. J. Erickson D. L. 2007. A two-locus global DNA barcodes for land plants: the coding *rbcL*-gene complements the non-coding tmH- psbA spacer region. PLoS One. 2. E508.
- Leliaert F., De Clerck O., Verbruggen H., Boedeker C., Coppejans E. 2007. Molecular phylogeny of the Siphonocladales (Chlorophyta: Cladophorophyceae). Mol Phylo Evol. 44: 1237-1256.
- Lewmanomont K., Wongrat L., Supanwanid C. 1995. Algae in Thailand. Off Env Pol and Plan. 334 pp.
- Li Y. W. Zhou X. Feng G. Hu H. Y. Niu L. M. et al. 2010. Goi and ITS2 sequences delimit species, reveal cryptic taxa and host specificity of fig-associated Sycophila (Hymenoptera, Eurytomidac). Mol Ecol Resour. 10: 31-40.
- Lihme M., Jensen A. B., Rosendahl S. 2009. Local scale population genetic structure of *Entomophthora muscae* epidemics. Fungal Eco. 2: 81-86.
- Luton K., Walker D., Blair D. 1992. Comparisons of ribosomal internal transcribed spacers from two congeneric species of flukes (Platyhelminths: Trematoda: Digenea). Molec Biochem Parasitol. 56: 323-328.
- Macial F. L., Garald L. T. S., Echevarrigaray S. 2001. RAPD markers variability among cultivars and landraces of common beans (*Phaseolus vulgaris* L.) of South Brazil. Euphytica. 120(2): 257-263.

- Mai J. C., Coleman A. W. 1997. The internal transcribed spacer 2 exhibits a common secondary structure in green algae and flowering plants. *J. Mol. Evol.* 44: 258-271.
- McCourt R. M., Hoshaw R. W. 1990. Noncorrespondence of breeding groups, morphology and monophyletic groups in *Spirogyra* (Zygnemateaceae: Chlorophyta) and the application of species concepts. *Syst. Bot.* 15: 69-78.
- McCourt R. M., Hoshaw R. W., Wang J. C. 1986. Distribution, morphological diversity and evidence for polyploidy in North American Zygnemataceae (Chlorophyta). *J. Phycol.* 22: 307-315.
- Métais I., Aubry C., Hamon B., Jalouzot R., Peltier D. 2000. Description and analysis of genetic diversity between commercial bean lines (*Phaseolus vulgaris* L.). *Theor Appl Genet.* 101: 1207-1214.
- Nagata S. 1973. Rhizoid differentiation in *Spirogyra*: Basic features of rhizoid formation. *Plant cell Physiol.* 14: 531-541.
- Nagata S. 1977. Light-induced adhesion of *Spirogyra* cell to glass. *Plant Physiol.* 59: 680-683.
- Parsons B. J., Newbury H. J., Jackson M. T., Ford-Lloyd B. V. 1997. Contrasting genetic diversity relationships are revealed in rice (*Oryza sativa* L.) using different marker types. *Molec Breed.* 3: 115-125.

- Peerapornpisal Y. 2006. Phycology. Department of Biology, Faculty of Science, Chiang Mai University. 546 p.
- Ponsen G. B., Looijen B. V. 1995. Time Spans and Spacers: Molecular Phylogenetic Explorations in the *Cladophora* Complex (Chlorophyta) from the Perspective of rDNA Gene and Spacer Sequences. University of Groningen, Netherlands. 125 p.
- Prased P. K. Tandun V. Biswal D. K. Guswami L. M. Chatterjee A. 2009a. Use of sequence motifs as barcodes and secondary structures of Internal Transcribed spacers (ITS 2, rDNA) for identification of the Indian liver fluke, *Fasciola* (Trematoda: Fasciolidae). *Bioinformat.* 3: 314-320.
- Prased P. K. Tandun V. Biswal D. K. Guswami L. M. Chatterjee A. 2009b. Phylogenetic reconstruction using secondary structures and sequence motifs of ITS 2 rDNA of *Paragonimus westermani* (Kerbert, 1878) Braun, 1899. (Digenea: Paragonimidae) and related species. *BMG Genomics* 10 Suppl. 3. S25.
- Punyoyai T. 2008. Antioxidant Activity of tao, *Spirogyra neglecta* (Hassall) Kutzing. Master of Science (Biology), Graduate School, Chiang Mai University. 135 p.
- Raina S. N., Rani V., Kojima T., Ogihara Y., Singh K. P., Devarumath R. M. 2001. RAPD and ISSR fingerprints as useful genetic markers for analysis of genetic diversity, varietal identification, and phylogenetic relationships in peanut (*Arachis hypogaea*) cultivars and wild species. *Genome.* 44: 763-772.

- Rajfur M., Klos A., Waclawek. 2010. Sorption properties of algae *Spirogyra* sp. and their use for determination of heavy metal ions concentrations in surface water. *Bioelectrochemistry*.
- Ratnaparkhe M. B., Gupta V. S., Venmurthy M. R., Ranjekar P. K. 1995. Genetic fingerprinting of pigeon pea (*Cajanus cajan* (L.) Millsp.) and its wild relatives using random amplified polymorphic DNA markers. *Theo and Appl Gen.* 91 (6-7): 893-898.
- Reddy M. P., Sarla N., Siddiq E. A. 2002. Inter simple sequence repeat (ISSR) polymorphism and its application in plant breeding. *Euphytica*. 128: 9-17.
- Shen S. 2008. Genetic diversity analysis with ISSR PCR on green algae *Chlorella vulgaris* and *Chlorella pyrenoidosa*. *Chinese Journal of Oceanology and Limnology*. 26(4): 380-384.
- Simon J., Van B. P., De Vries P. J. R. 1984. Induction of conjugation and spore formation in species of *Spirogyra* (Chlorophyceae, Zygnemtales.). *Acta Bot Neerl.* 33 (3): 323-334.
- Songdong S. 2008. Genetic diversity analysis with ISSR PCR on green algae *Chlorella vulgaris* and *Chlorella pyrenoidosa*. *Chinese Journal of Oceanology and Limnology*. 26(4): 380-384.

- Stickley C. E., Pike J., Leventer A. 2006. Productivity event of marine diatom *Thalassiosira tumida* (Janisch) Hasle recorded in deglacial verves from the east Antarctica margin. *Marine Micropaleontol.* 59: 184–196.
- Teberlet P. Goissac F. Pompanon F. Gielly I. Miquel G. et al. 2007. Power and limitations of the chloroplast trnL (UAA) intron for plant DNA barcoding. *Nucleic Acids Res.* 35: E14.
- Thiamdao S., Peerapornpisal Y. 2011. Morphological observation of *Spirogyra ellipsospora* Transeau, an Edible Freshwater Macroalgae. *Journal of the Microscopy Society of Thailand.* 4 (2): 94-97.
- Thiamdao S. 2011. Diversity of edible freshwater macroalgae in Thailand during 2007-2008. Doctor of philosophy in biology, Graduate School, Chiang Mai University. 182 p.
- Vos P., Hogers R., Bleeker M., Reijans M., Vandeele T., Hornes M., Frijters A., Pot J., Peleman J., Kuiper M., Zabeau M. 1995. AFLP- a new technique for DNA fingerprinting. *Nucleic Acids Res.* 23: 4407-4414.
- Widmer I., Dal Grande F., Cornejo C., Scheidegger C. 2010. Highly variable microsatellite markers for the fungal and algal symbionts of the lichen *Lobaria pulmonaria* and challenges in developing biont-specific molecular markers for fungal associations. *Elsevier.* 114: 538-544.

- Wolfe A. D., Randle C. P. 2001. Relationships within and among species of the holoparasitic genus *Hyobanche* (Orobanchaceae) inferred from ISSR banding patterns and nucleotide sequences. *Sys Bot* 26: 120-130.
- Wolff K., Morgan-Richards M. 1998. PCR markers distinguish *Plantago major* subspecies. *Theor Appl Genet.* 96. 282-286.
- Wu H. L., Hseu R. S., Lin L. 2001. Identification of *Chlorella* spp. isolates using ribosomal DNA sequences. *Botanical bulletin of Academia Sinica.* 42: 115-122.
- Yao H., Song J., Liu C., Luo K., Han J., Li Y., Pang X., Xu H., Zhu Y., Xiao P., Chen S. 2010. Use of ITS 2 region as the universal DNA barcode for plants and animals. *PLoS One.* 5(10): 1-9.
- Yoshida K., Inoue N., Sonobe S., Shimmen T. 2003. Involvement of microtubules in rhizoid differentiation of *Spirogyra* species. *Protoplasma.* 221: 227-235.
- Zarina A., Hazan M. U., Shameel M. 2007. Diversity of the genus *Spirogyra* (Zygnemophyceae Shameel) in the North-Eastern areas of Pakistan. *Proc. Pakistan Acad. Sci.* 44 (4): 225-248.
- Zwirm M. 2010. Sexuelle Fortpflanzung und taxonomische Fragestellungen bei der Süßwasseralge *Spirogyra* (Zygnemataceae, Streptophyta). Vienna:University of Vienna.

www.biologipedia.blogspot.com

www.biology.unm.edu

www.biology.unm.edu; www.en.wikipedia.org/wiki/Spirogyra

www.bionity.com/en/encyclopedia/Spirogyra.htm

www.bionity.com/en/encyclopedia/Spirogyra.html

www.bionity.com/en/encyclopedia/Spirogyra.html

www.ccala.butbn.cas.cz;

www.cronodon.com

www.en.wikipedia.org/wiki/Spirogyra

www.library.cmu.ac.th/ntic/en.../detail_ingredient.php?id

www.jircas.affrc.go.jp/project/value.../094.html


www.jircas.affrc.go.jp/project/value.../094.html: www.library.cmu.ac.th/ntic/en.../detail_ingredient.php?id

www.keweenawalgae.mtu.edu

www.microscopy-uk.org.uk/mag/artjan99/gyra.html

<http://www.microscopy-uk.org.uk/mag/artjan99/gyra.html>

www.myfirstbrain.com



www.protist.i.hosei.ac.jp

www.simple.wikipedia.org/wiki/Zygnematales



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved