

TABLE OF CONTENTS

	Page
Acknowledgements	iii
Abstract (Thai)	iv
Abstract (English)	vi
List of Table	x
List of Figure	xi
Chapter 1 Introduction	1
Chapter 2 Literature reviews	5
Chapter 3 Materials and Methods	22
Chapter 4 Results	32
Chapter 5 Discussion	96
Chapter 6 Conclusion	105
References	107
Appendices	121
Appendix A	122
Appendix B	149
Appendix C	162
Curriculum Vitae	164

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright © by Chiang Mai University
 All rights reserved

LIST OF TABLES

Table	Page
3-1 Map of the 36 sampling sites from some water resources of Thailand	25
3-2 Measurement and methods for investigation the ecological and biological parameters of <i>Spirogyra</i> spp. at field and laboratory investigations	27
3-3 List of ISSR primers use for generate DNA fragment by ISSR-PCR	29
3-4 List of random primers use for generate DNA fragment by HAT-RAPD PCR	30
4-1 Morphological descriptions of <i>Spirogyra ellipsospora</i> and <i>S. neglecta</i>	34
4-1 Morphological descriptions of <i>Spirogyra</i> 5 patterns from Thailand	35
4-2 Ecological and Biological parameters of each localities were investigated	49

LIST OF FIGURES

Figures	Page
2-1 <i>Spirogyra</i> characteristics	11
2-2 Morphology of <i>Spirogyra</i> spp. and related species	12
2-3 Rhizoid patterns of <i>Spirogyra</i>	15
2-4 <i>Spirogyra</i> cells and immunofluorescence images of cortical MTs	17
3-1 Map of the 36 sampling sites from some water resources of Thailand	24
3-2 <i>Spirogyra</i> sp. showing morphological parameters; cell length, cell width, spiral chloroplast	27
4-1 Five different morphological characters of <i>Spirogyra</i> spp. collected from Thailand	33
4-2 Morphological structure of <i>S. ellipsospora</i> (Pattern 1)	36
4-3 Morphological vegetative cell structure of <i>Spirogyra</i> (Pattern 2)	36
4-4 Morphological vegetative cell structure of <i>S. neglecta</i> (Pattern 3)	37
4-5 Morphological vegetative cell structure of <i>Spirogyra</i> (Pattern 4 and 5)	37
4-6 SEM micrograph demonstrate the different of each character as described by basing on light microscope	39
4-7 SEM micrographs of <i>Cladophora</i> sp. (A): abundance filaments of <i>C.</i> sp.	40
4-8 Distribution of morphological Pattern 1 of <i>Spirogyra</i> specimens collected from Thailand	42

LIST OF FIGURES (CONTINUED)

Figures	Page
4-9 Distribution of morphological Pattern 2 of <i>Spirogyra</i> specimens collected from Thailand	43
4-10 Distribution of morphological Pattern 3 of <i>Spirogyra</i> specimens collected from Thailand	44
4-11 Distribution of morphological Pattern 4 of <i>Spirogyra</i> specimens collected from Thailand	45
4-12 Distribution of morphological Pattern 5 of <i>Spirogyra</i> specimens collected from Thailand	46
4-13 Overview of distribution of <i>Spirogyra</i> specimens collected from Thailand	47
4-14 Dendrogram from hierarchical cluster analysis demonstrated correlation of each parameters	48
4-15 ISSR-PCR profiles of <i>Spirogyra</i> from Northern part of Thailand generated by (A) UBC 835 and (B) UBC 826 primer	51
4-16 ISSR-PCR profiles of <i>Spirogyra</i> from Northern part of Thailand generated by (A) UBC 809 and (B) UBC 808 primer	52
4-17 ISSR-PCR profiles of <i>Spirogyra</i> from Northern part of Thailand generated by (A) UBC 825 and (B) UBC 827 primer	53
4-18 ISSR-PCR profiles of <i>Spirogyra</i> from Northern part of Thailand generated by (A) UBC 864 and (B) UBC 807 primer	54

LIST OF FIGURES (CONTINUED)

Figures	Page
4-19 ISSR-PCR profiles of <i>Spirogyra</i> from Northern part of Thailand generated by (A) UBC 857 and (B) UBC 880 primer	55
4-20 ISSR-PCR profiles of <i>Spirogyra</i> from Southern and Eastern part of Thailand generated by (A) UBC 835 and (B) UBC 826 primer	56
4-21 ISSR-PCR profiles of <i>Spirogyra</i> from Southern and Eastern part of Thailand generated by (A) UBC 809 and (B) UBC 808 primer	57
4-22 ISSR-PCR profiles of <i>Spirogyra</i> from Southern and Eastern part of Thailand generated by (A) UBC 825 (B) UBC 827 primer	58
4-23 ISSR-PCR profiles of <i>Spirogyra</i> from Southern and Eastern part of Thailand generated by (A) UBC 864 and (B) UBC 884 primer	59
4-24 ISSR-PCR profiles of <i>Spirogyra</i> from Southern and Eastern part of Thailand generated by (A) UBC 857 and (B) UBC 880 primer	60
4-25 ISSR-PCR profiles of <i>Spirogyra</i> from Northeastern part of Thailand generated by (A) UBC 835 and (B) UBC 826 primer.	61

LIST OF FIGURES (CONTINUED)

Figures	Page	
4-26	ISSR-PCR profiles of <i>Spirogyra</i> from Northeastern part of Thailand generated by (A) UBC 809 and (B) UBC 808 primer.	62
4-27	ISSR-PCR profiles of <i>Spirogyra</i> from Northeastern part of Thailand generated by (A) UBC 825 and (B) UBC 827 primer.	63
4-28	ISSR-PCR profiles of <i>Spirogyra</i> from Northeastern part of Thailand generated by (A) UBC 864 and (B) UBC 807 primer	64
4-29	ISSR-PCR profiles of <i>Spirogyra</i> from Northeastern part of Thailand generated by (A) UBC 857 and (B) UBC 880 primer	65
4-30	ISSR-PCR profiles of <i>Spirogyra</i> from Central of Thailand generated by (A) UBC 835 and (B) UBC 826 primer	66
4-31	ISSR-PCR profiles of <i>Spirogyra</i> from Central part of Thailand generated by (A) UBC 809 and (B) UBC 808 primer	67
4-32	ISSR-PCR profiles of <i>Spirogyra</i> from Central part of Thailand generated by (A) UBC 825 and (B) UBC 827 primer	68
4-33	ISSR-PCR profiles of <i>Spirogyra</i> from Central part of Thailand generated by (A) UBC 864 and (B) UBC 807 primer	69
4-34	ISSR-PCR profiles of <i>Spirogyra</i> from Central part of Thailand generated by (A) UBC 857 and (B) UBC 880 primer	70
4-35	Dendrogram illustrating the cluster of <i>Spirogyra</i> using ISSR-PCR	71

LIST OF FIGURES (CONTINUED)

Figures	Page
4-36 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Northern part of Thailand generated by (A) O 15 and (B) O 16 primer	72
4-37 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Northern part of Thailand generated by (A) V 14 and (B) V 15 primer	73
4-38 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Northern part of Thailand generated by B 01 primer	74
4-39 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Southern and Eastern part of Thailand generated by (A) O15 and (B) O 16 primer	75
4-40 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Southern and Eastern part of Thailand generated by (A) V 14 primer (B) V 15 primer	76
4-41 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Southern and Eastern part of Thailand generated by B 01 primer	77
4-42 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Northeast of Thailand generated by (A) O 15 and (B) O 16 primer	78
4-43 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Northeastern part of Thailand generated by (A) V 14 and (B) V 15 primer	79
4-44 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Northeastern part of Thailand generated by B 01 primer	80
4-45 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Central part of Thailand generated by (A) O 15 and (B) O 16 primer	81

LIST OF FIGURES (CONTINUED)

Figures	Page
4-46 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Central part of Thailand generated by (A) V 14 and (B) V 15 primer	82
4-47 HAT-RAPD PCR profiles of <i>Spirogyra</i> from Central part of Thailand generated by B 01 primer	83
4-48 Dendrogram illustrating the cluster of <i>Spirogyra</i> using HAT-RAPD PCR	84
4-49 ISSR-PCR profiles of five morphological patterns of <i>Spirogyra</i> generated by (A) UBC 835 and (B) UBC 826 primer	85
4-50 ISSR-PCR profiles of five morphological patterns of <i>Spirogyra</i> generated by (A) UBC 809 and (B) UBC 808 primer	86
4-51 ISSR-PCR profiles of five morphological patterns of <i>Spirogyra</i> generated by (A) UBC 825 and (B) UBC 827 primer	87
4-52 ISSR-PCR profiles of five morphological patterns of <i>Spirogyra</i> generated by (A) UBC 864 and (B) UBC 807 primer	88
4-53 ISSR-PCR profiles of five morphological patterns of <i>Spirogyra</i> generated by (A) UBC 857 and (B) UBC 880 primer	89
4-54 HAT-RAPD PCR profiles of five morphological patterns of <i>Spirogyra</i> generated by (A) O 15 and (B) O 16 primer	90

LIST OF FIGURES (CONTINUED)

Figures	Page
4-55 HAT-RAPD PCR profiles of five morphological patterns of <i>Spirogyra</i> generated by (A) V 14 and (B) V 15 primer	91
4-56 HAT-RAPD PCR profiles of five morphological patterns of <i>Spirogyra</i> generated by B 01 primer	92
4-57 Diagram illustrating the cluster of each morphological patterns of <i>Spirogyra</i> using ISSR and RAPD markers	93
4-58 The <i>rbcL</i> product of <i>Spirogyra</i> (Lane M: 100 bp DNA marker, lane 1: DNA fragment of <i>rbcL</i> gene)	94
4-59 Phylogram derived from an UPGMA analysis depicting genetic relationships of each morphological pattern of <i>Spirogyra</i> used in this study by basing on <i>rbcL</i> sequences	95