TABLE OF CONTENTS

TABLE OF CONTENTS	
	Page
ACKNOWLEDGMENTS	iii
ABSTRACT (in English)	iv
ABSTRACT (in Thai)	V_O
LIST OF TABLES	ix
LIST OF FIGURES	x
CHAPTER 1 INTRODUCTION	1
1.1 Statement of the problem	1 - 582
1.2 Wine	2
1.2.1. Wine making	2
1.2.2 Wine making process	3
1.2.3 Grapes	4
1.2.4 Harvesting and de-stemming	4
1.2.5 Crushing and primary fermentation	5
1.2.6 Pressing	7
1.2.7 Pigeage	8
1.2.8 Cold and heat stabilization	9
1.2.9 Secondary fermentation and bulk aging	9
1.2.10 Malolactic fermentation	10
1.2.11 Laboratory tests	10
1.2.12 Blending and fining	
1.2.13 Preservatives	12
1.2.14 Filtration	13
1.2.15 Bottling	¹³ IVersity
1.2.16 Wine aging	13
1.2.17 Artificial aging	17 V e (
1.2.18 Oak Aging	17

1.2.19 Barrel alternatives	20
1.2.20 Oak Composition in Wine Aging	21
1.2.21 Other wood types	26
1.3 Aroma of wine	27
1.3.1 Components of a wine's aroma	27
1.3.2 Aroma compounds identification	28
1.3.3 Wine tasting	29
1.4 Wood types which used in this research	30
1.4.1 Longan	30
1.4.2 Luna nut	32
1.4.3 Drumstick	32
1.4.4 Black poum	34
1.4.5 Neem	35
1.4.6 Oak	37
1.5 Literature Review	39
CHAPTER 2 MATERIALS AND METHODS	43
2.1 Chemicals and Materials	43
2.1.1 Chemical	43
2.1.2 Material	43
2.1.2 Waterial 2.2 Instrument	43
2.2 Instrument 2.3 Methods	43
2.3.1 Wine Aging	
2.3.2 Examiners training	44 0 1 1 1
2.3.3 Wine sample preparation and sensory evaluation	44
2.3.4 Volatile compound analysis	45 IVersit
2.3.5 Antioxidant activity analysis	46

CHAPTER 3 RESULTS	47
3.1 Wine aging process	47
3.2 Wine Sensory Tasting	48
3.3 Volatile compounds analysis	50
3.4 Antioxidant activity of wine sample	51
CHAPTER 4 DISCUSSION	59
4.1 Wine Sensory Tasting	59
4.2 Volatile compounds analysis	60
4.3 Antioxidant activity of wine samples	61
CHAPTER 5 CONCLUSION	63
5.1 Wine sensory tasting	63
5.2 Volatile compound analysis	63
5.3 Antioxidant activity of wine samples	63
REFERENCE	65
APPENDICES	
APPENDIX A : SOLUTION AND CALCULATION	69
ABOUT ANTIOXIDATION ACTIVITY	
APPENDIX B : WINE TASTING TABLE FORM AND	71
TASTING SCORE RESULT	
APPENDIX C : TIC CROMATOGRAM	75
APPENDIX D : MASS SPECTRA OF INTERESTED	82
VOLATILE COMPUONDS	
APPENDIX E : TRAINING PROCEDURE	86
APPENDIX F : PICTURE RELATE IN THIS WORK	88

viii

LIST OF TABLES

Table		Page	
1.1	Major Constituents in Oak.	21	
3.1	Average satisfactory score by 50 volunteers	48	
3.2	One-way ANOVA analysis of wine samples evaluation score.	48	
3.3	One-way variance analysis between each pair data group with t-test.	49	
3.4	List of the interested volatile compounds found in wine samples.	51	
3.5	Absorbance at 517 nm and percentage of absorbance decrease in	52	
	antioxidant activity test of Longan wood aged wine.		
3.6	Absorbance at 517 nm and percentage of absorbance decrease in	53	
	antioxidant activity test of Luna nut wood aged wine.		
3.7	Absorbance at 517 nm and percentage of absorbance decrease in	54	
	antioxidant activity test of Drumstick wood aged wine.		
3.8	Absorbance at 517 nm and percentage of absorbance decrease in	55	
	antioxidant activity test of Neem wood aged wine.		
3.9	Absorbance at 517 nm and percentage of absorbance decrease in	56	
	antioxidant activity test of Black poum wood aged wine.		
3.10	Absorbance at 517 nm and percentage of absorbance decrease in	57	
	antioxidant activity test of Oak wood aged wine.		
3.11	The results of IC ₅₀ of six kinds of wine samples	58	

ลิขสิทธิ์มหาวิทยาลัยเชียงไหม Copyright[©] by Chiang Mai University All rights reserved

LIST OF FIGURES

	LIST OF FIGURES	
Figur	e	Page
1.1	Structure of Cellulose	- 22
1.2	Structure of a) Furfural; b) Cyclotene; c) Ethoxylactone;	23
	d) Maltol; e) Hydroxymaltol; f) Dihydroaltol; g) Isomaltol	
1.3	Structure of a) Vanillin; b) Syringaldehyde; c) Coniferaldehyde;	24
	d) Sinapaldehyde	
1.4	Structure of a) Gallic acid; b) Ellagic acid.	25
1.5	Structure of Ellagitannins	26
3.1	Wood chips preparation, (1a) wood timber, (1b) sliced wood,	47
	(1c) roasted wood.	
3.2	Wine samples (a) red fresh wine from Maechan Winery	47
	(b) red wind after aging with roasted wood chips.	
3.3	TIC Chormatogram of Longan wood aged wine.	50
3.4	TIC Chormatogram of Luna nut wood aged wine	50
3.5	TIC Chormatogram of Drumstrick wood aged wine.	50
3.6	TIC Chormatogram of Neem wood aged wine	50
3.7	TIC Chormatogram of back poum wood aged wine	50
3.8	TIC Chormatogram of Black poum wood aged wine	50
3.9	The relationship plot of wine concentrations versus absorbance	52
	at 517 nm of Longan wood aged wine. The concentration at the	
	decrease of absorbance value to 50% is 1.62% v/v.	
3.10	The relationship plot of wine concentrations versus absorbance	53
	at 517 nm of Luna nut wood aged wine. The concentration at	
	the decrease of absorbance value to 50% is 7.20% v/v.	
3.11	The relationship plot of wine concentrations versus absorbance	54
	at 517 nm of Drumstick wood aged wine. The concentration at	
	the decrease of absorbance value to 50% is 7.11% v/v.	

The relationship plot of wine concentrations versus absorbance	5
at 517 nm of Neem wood aged wine. The concentration at	
the decrease of absorbance value to 50% is 5.40%v/v.	
The relationship plot of wine concentrations versus absorbance	5
at 517 nm of Black poum wood aged wine. The concentration at	
the decrease of absorbance value to 50% is 6.76 %v/v.	
The relationship plot of wine concentrations versus absorbance at	5
517 nm of Oak wood aged wine. The concentration at	
the decrease of absorbance value to 50% is 8.47 %v/v.	
Structure of (a)eugenol , (b) β -caryophylleneand (e) α -humulene	6
	at 517 nm of Neem wood aged wine. The concentration at the decrease of absorbance value to 50% is 5.40%v/v. The relationship plot of wine concentrations versus absorbance at 517 nm of Black poum wood aged wine. The concentration at the decrease of absorbance value to 50% is 6.76 %v/v. The relationship plot of wine concentrations versus absorbance at 517 nm of Oak wood aged wine. The concentration at the decrease of absorbance value to 50% is 8.47 %v/v.

ลิ<mark>ขสิทธิ์มหาวิทยาลัยเชียงใหม่</mark> Copyright[©] by Chiang Mai University All rights reserved