

REFERENCES

1. Xin C., Huang S.F., Chang J., Li Z. Piezoelectric, dielectric, and ferroelectric properties of 0-3 ceramic/cement composites. *J. Appl. Phys.* 2007; 101: 094110-094116.
2. Huang S.F., Chang J., Lu L.C., Liu F.T., Ye Z.M., Xin C. Preparation and polarization of 0-3 cement based piezoelectric composites. *Mats. Res. Bull.* 2006; 41: 291-297.
3. Li Z. Cement-based 0-3 piezoelectric composites. *J. Am. Ceram. Soc.* 2002; 85: 305-313.
4. Xin C., Huang S.F., Chang J., Ronghua X., Liu F.T. and Lu L.C. Piezoelectric and dielectric properties of piezoelectric ceramic sulphoaluminate cement composites. *J. Eur. Ceram. Soc.* 2005; 25: 3223-3228.
5. Chaipanich A. Effect of PZT particle size on dielectric and piezoelectric properties of PZT-cement composites. *Curr. Appl. Phys.* 2007; 7: 574-577.
6. Jaitanong N., Rianyoi R., Potong R., Yimmirun R., Chaipanich A. Effects of PZT content and particle size on ferroelectric hysteresis behavior of 0-3 lead zirconate titanate-Portland cement composites. *Integrated Ferroelectrics.* 2009; 107: 43-52.
7. Lam K.H., Chan H.L.W. Piezoelectric cement-based 1-3 composites. *Appl. Phys. A.* 2005; 8: 1451-1454.

8. Xin C., Xu D., Lu L.C., Huang S.F., Jiang M. Performance investigation of 1-3 piezoelectric ceramic-cement composite. *Mater. Chem. Phys.* 2010; 121: 63-69.
9. Chaipanich A., Potong R., Rianyoi R., Jareansuk L., Jaitanong N., Yimnirun R. Dielectric and ferroelectric hysteresis properties of 1-3 lead magnesium niobate-lead titanate ceramic/Portland cement composites. *Ceram. Inter.* 2012; 38S: S255-S258.
10. Huang S.F., Zhengmao Y., Xu D., Chang J., Shoude W., Xin C. Fabrication and properties of 2-2 cement based piezoelectric composites. *Ferr. Lett.* 2007; 34: 22-28.
11. Xu D., Xin C., Huang S.F., Jiang M. Electromechanical properties of 2-2 cement based piezoelectric composite. *Curr. Appl. Phys.* 2009; 9: 816-819.
12. Xu D., Qin L., Huang S.F., Xin C. Fabrication and properties of piezoelectric composites designed for process monitoring of cement hydration reaction. *Mater. Chem. Phys.* 2012; 132: 44-50.
13. Malhotra V.M., Carino N.J. *Handbook on nondestructive testing of concrete*. 2nd ed. Boca Raton London New York Washington, D.C. : CRC Press LLC, 2004.
14. Michael K.M., Sean W.M., Vincent F.H. Acoustic nondestructive testing of steel reinforcing members in concrete. Proceedings of the army science conference (26th) Held in Orlando, Florida on 1-4 December 2008.

15. Kantha P., Pengpat K., Jarupoom P., Intatha U., Rujijanagul G., Tunkasiri T., Phase formation and electrical properties of BNLT-BZT lead-free piezoelectric ceramic system. *Curr. Appl. Phys.* 2009; 9: 460-466.
16. Nanakorn N., Jalupoom P., Vaneesorn N., Thanaboonsombut A. Dielectric and ferroelectric properties of $\text{Ba}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ ceramics, *Ceram. Inter.* 2008; 34: 779-782.
17. Garbarz-Glos B., Bormanis K., Kalvane A., Jankowska-Sumara I., Budziak A., Suchanicz W., Śmiga W. Effect of Zr^{4+} doping on the electrical properties of BaTiO_3 ceramics. *Ferroelectrics* 2011; 417: 118-123.
18. Liang X., Meng Z., Wu W. Effect of Acceptor and Donor Dopants on the Dielectric and Tunable Properties of Barium Strontium Titanate. *J. Am. Ceram. Soc.* 2004; 87: 2218-2222.
19. Li W., Xu Z., Chu R., Fu P., Zang G. High piezoelectric d_{33} coefficient in $(\text{Ba}_{1-x}\text{Ca}_x)(\text{Ti}_{0.98}\text{Zr}_{0.02})\text{O}_3$ lead-free ceramics with relative high Curie temperature. *Mater. Lett.* 2010; 64: 2325-2327.
20. Yu Z., Ang C., Guo R., Bhalla A. S. Piezoelectric and strain Properties of $\text{Ba}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ ceramics. *J. Appl. Phys.* 2002; 92: 1489-1493.
21. Li W., Xu Z., Chu R.Q., Fu P., Zang G. Dielectric and piezoelectric properties of $\text{Ba}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ lead-free ceramics. *Braz. Jour. Phys.* 2010; 40: 353-356.
22. Panda P. K. Review: environmental friendly lead-free piezoelectric materials. *J. Mater. Sci.* 2009; 44: 5049-5062.
23. Newnham R.E., Bowen L.J., Klicker K.A., Cross L.E. Composite piezoelectric transducers. *Mater. Design.* 1980; 2: 93-106.

24. Sikalidis C. *Advances in ceramic-electric and magnetic ceramics, bioceramics, ceramics and environment*. Croatia: In Tech. 2011.
25. Cady W.G. *Piezoelectricity*. New York: McGraw-Hill. 1946.
26. Haertling G.H. Ferroelectric ceramics: history and technology. *J. Am. Ceram. Soc.* 1999; 82: 797-818.
27. Board I.S. Standard definitions of primary ferroelectric terms. An American National Standard IEEE. 1986.
28. Moulson A.J. and Herbert J.M. *Electroceramics*, Chichester: Wiley & Sons. 2003.
29. Xu Y. *Ferroelectric material and their applications*. North-Holland: Elsevier Science Publishers. 1991.
30. Reza Moheimani S. O. A survey of recent innovations in vibration damping and control using shunted piezoelectric transducers. *IEEE Trans. Control Syst. Technol.* 2003; 11: 482-494.
31. Sa-gong G., Safari A., Jang S. J., Newnham R. E. Poling flexible piezoelectric composites. *Ferro. Letts.* 1986; 5: 131-134.
32. Zuo-Guang Ye. *Handbook of dielectric, piezoelectric and ferroelectric materials Synthesis, properties and applications*. North America: CRC Press LLC. 2008.
33. ANSI/IEEE Std. 176-1987, *An American National Standard IEEE standard on piezoelectricity*. New York, 1987.
34. R.E. Taylor, CINDAS data series on materials properties, Thermal expansion of solids, Vol 1-4, ASM International, 1998.

35. Standard test method for linear thermal expansion of solid materials with a vitreous silica dilatometer. E 228-95. Annual Book of ASTM Standards, ASTM, 1995.
36. William D. Callister Jr. *Materials science and engineering an introduction*. Canada: John Wiley & Sons, Inc, 1994.
37. Mindess S., Young J.F., *Concrete*. New Jersey: Prentice-Hall, 1981.
38. Andrew J. H. *A comparison of acoustic impedance measurement techniques*. London: NUWC-NL Technical Report. 1992.
39. Dickens P., Smith J., Wolfe J. Improved precision in measurements of acoustic impedance spectra using resonance-free calibration loads and controlled error distribution. *J. Acoust. Soc.* 2007; 121: 1471-1481.
40. Zhang S., Xia R., ShROUT T.R. Lead-free piezoelectric ceramics vs. PZT?. *J. Electroceram.* 2007; 19: 251-257.
41. Saito Y., Takao H., Tani T., Nonoyama T., Takatori K., Homma T., Nagaya T., Nakamura M. High performance lead-free piezoelectric material. *Special issue processing design of single crystals and textured polycrystals for advanced electronic devices*. 2004; 41: 22-28.
42. Li W., Xu Z., Chu R., Fu P., Zang G. Piezoelectric and dielectric properties of $(\text{Ba}_{1-x}\text{Ca}_x)(\text{Ti}_{0.95}\text{Zr}_{0.05})\text{O}_3$ lead-free ceramics. *J. Am. Ceram. Soc.* 2010; 93: 2942-2944.
43. Wang X., Yamada H., Xu C.N. Large electrostriction near the solubility limit in $\text{BaTiO}_3\text{-CaTiO}_3$ ceramics. *Appl. Phys. Lett.* 2005; 86: 022905-1-3.

44. Chandramani S.K., Nath A.K., Laishram R., Thakur O.P. Structural, electrical and piezoelectric properties of nanocrystalline tin-substituted barium titanate ceramics. *J. Alloys Compd.* 2011; 509: 2597-2601.
45. Avrahami Y. "BaTiO₃ based materials for piezoelectric and electro-optic application". Doctor of philosophy in electronic, photonic and magnetic materials, department of materials science and engineering, Technion-Israel Institute of technology, 2003.
46. Agrawal S., Guo R., Agrawal D. Bhalla A.S. Tunable BST:MgO dielectric composite by microwave sintering. *Ferroelectrics*, 2004; 306: 155-163.
47. Aksel E., Jones J.L. Advances in lead-free piezoelectric materials for sensors and actuators. *Sensors* 2010; 10: 1935-1954.
48. Brajer E. J. Polycrystalline ceramic materials. *U.S. Pat.* 1955; 2: 708243.
49. Kulscar F. Fired Ceramic barium titanate body. *U.S. Pat.* 1956; 2: 735024.
50. Kell R.C., Hellicar N.J. Structural transitions in barium titanate-zirconate transducer materials. *Acustica* 1956; 6: 235-38.
51. Verbitskaja V.N., Zhdanow G.S., Venevtsev Y.N., Soloviev S.P. Electrical and x-ray diffraction studies of the BaTiO₃-BaZrO₃ system. *Sov. Phys.-Crystallogr. (Engl. Transl.)* 1958; 3: 182-192.
52. Weber U., Greuel G., Boettger U., Weber S., Hennings D., Waser R. Dielectric properties of Ba(Zr,Ti)O₃-based ferroelectrics for capacitor applications. *J. Am. Ceram. Soc.* 2001; 84: 759-766.
53. Hennings D., Schnell A., Simon G. Diffuse ferroelectric phase transitions in Ba(Ti_{1-2y}Zr_y)O₃ ceramics. *J. Am. Ceram. Soc.* 1982; 65: 539-44.


54. Mouraa F., Simões A.Z., Stojanovic B.D., Zaghete M.A., Longo E., Varela J.A. Dielectric and ferroelectric characteristics of barium zirconate titanate ceramics prepared from mixed oxide method. *J. Alloys Compd.* 2008; 462: 129-134.
55. Mehta P.K., Monteiro P.J.M. Concrete microstructure, properties, and materials. New York: Me Graw-Hill Inc. 1993.
56. Holliday L. *Composite materials*. Amsterdam/London/New York: Elsevier publishing company. 1966.
57. Lea F.M. *The chemistry of cement and concrete ed. 2nd*. London: Edward Arnold. 1956.
58. Bogue R.H., Lerch W. Hydration of Portland cement compounds. *Ind. Eng. Chem.* 1934; 26: 837-847.
59. Bernal J.D., Jeffery J.W., Taylor H.F.W. Crystallographic research on the hydration of Portland cement. *Mag. Concrete. Res.* 1952; 11: 49-54.
60. Alarcon-Ruiz L., Platret G., Massieu E., Ehlacher A. The use of thermal analysis in assessing the effect of temperature on a cement paste, *Cem. Concr. Res.* 2005; 35: 609-613.
61. Handoo S.K., Agarwal S., Agarwal S.K. Physicochemical, mineralogical, and morphological characteristics of concrete exposed to elevated temperatures. *Cem. Concr. Res.* 2002; 32: 1009-1018.
62. Janotka I., Nürnbergerov' T. Effect of temperature on structural quality of the cement paste and high-strength concrete with silica fume. *Nucl. Eng. Des.* 2005; 235: 2019-2032.

63. Tressler J.F., Alkoy S., Dogan A., Newnham R.E. Functional composites for sensors, actuators and transducers. *Composites: Part A*. 1999; 30: 477-482.
64. Suchtelen V. Product properties: A new application of composite materials. *Philips. Res. Rep.* 1972; 27: 28-37.
65. Newnham R.E., Cross L.E. Connectivity and piezoelectric-pyroelectric composites. *Mats. Res. Bull.* 1978; 13: 525-536.
66. Safari A. Development of piezoelectric composites for transducers. *J. Phys.* 1994; 4: 1129-1149.
67. Topolov V.Y., Bowen C.R. *Electromechanical properties in composites based on ferroelectrics*. London: Springer-verlag london limited. 2009.
68. Skinner D.P., Newnham R.E., Cross L.E. Flexible composite transducers. *Mater. Res. Bull.* 1978; 13: 599-607.
69. Yoon D.H., Zhang J., Lee B.I. Dielectric constant and mixing model of BaTiO₃ composite thick films. *Mater. Res. Bull.* 2003; 38: 765-772.
70. Banno H. Recent development of piezoelectric ceramic product and composites of synthetic rubber and piezoelectric cement particles. *Ferroelectric*. 1983; 50: 3-12.
71. Lee H.G., Kim H.G. Ceramic particle size dependence of dielectric and piezoelectric properties of piezoelectric ceramicpolymer composites. *J. Appl. Phys.* 1990; 67: 2024-2028.
72. Li Z., Dong B., Zhang D. Influence of polarization on properties of 0-3 cement-based PZT composites. *Cem. Concr. Compos.* 2005; 27: 27-32.

73. Huang S., Chang J., Xu R., Liu F., Lu L., Ye Z., Xin C. Piezoelectric properties of 0-3 PZT/sulfoaluminate cement composites. *Smart. Mater. Struct.* 2004; 13: 270-274.
74. Chaipanich A., Jaitanong N., Tunkasiri T. Fabrication and properties of PZT-ordinary Portland cement composites. *Mater. Lett.* 2007; 61: 5206-5208.
75. Jaitanong N., Chaipanich A. Effect of poling temperature on piezoelectric properties of 0-3 PZT-Portland cement composites. *Ferr. Lett.* 2008; 35: 17-23.
76. Chaipanich A., Jaitanong N. Effect of poling time on piezoelectric properties of 0-3 PZT-Portland cement composites. *Ferr. Lett.* 2008; 35: 73-78.
77. Xing F., Dong B., Li Z. Dielectric, Piezoelectric, and elastic properties of cement-based piezoelectric ceramic composites. *J. Am. Ceram. Soc.* 2008; 91: 2886-2891.
78. Chaipanich A., Rujjanagul G., Tunkasiri T. Properties of Sr- and Sb-doped PZT-Portland cement composites. *Appl. Phys. A.* 2009; 94: 329-337.
79. Jaitanong N. Electrical properties of piezoelectric ceramic-Portland cement composites. Chiang Mai University, 2011.
80. Shifeng H., Chang J., Liu F., Lu L., Ye Z., Cheng X. Poling process and piezoelectric properties of lead zirconate titanate/sulphoaluminate cement composites. *J. Mats. Sci.* 2004; 39: 6975-6979.
81. Chaipanich A., Rianyo R., Potong R., Jaitanong N., Chindaprasirt P. Compressive strength and microstructure of 0-3 lead zirconate titanate ceramic-Portland cement composites *Ferroelectrics.* 2013; 457: 53-61.

82. Li Z., Huang S.F., Qin L., Xin C. An investigation on 1-3 cement based piezoelectric composites. *Smart. Mater. Struct.* 2007; 16: 999-1005.
83. Huang S. H., Xu D., Xin C., Chang J., Jiang M. Dielectric and piezoelectric properties of 2-2 cement based piezoelectric composite. *J. Comp. Mater.* 2008; 42: 2437-2443.
84. Chaipanich A., Rianyai R., Potong R., Suriya W., Jaitanong N., Chindaprasirt P. Dielectric properties of 2-2 PMN-PT/cement composites. *Ferr. Lett.* 2012; 39: 76-80.
85. Kearsleya E.P., Wainwright P.J. The effect of porosity on the strength of foamed concrete. *Cem. Concr. Res.* 2002; 32: 233-239.
86. Goldstein J.I., Newbury D.E., Echlin P., Joy D.C., Romig A.D. Lyman C.E., Fiori C. Lifshin E. Introduction. *Scanning electron microscopy and x-ray microanalysis.* 1992; 820: 1-19.
87. Burfoot J.C. and Taylor G.W. *Polar dielectric and their applications.* London: Macmillan. 1979.
88. Jaitanong N., Chaipanich A. Dielectric properties of 0-3 lead magnesium niobate titanate (PMT)-ordinary Portland cement (PC) composites. *Key Eng Mater.* 2010; 421-422: 407-410.
89. Taylor H.F.W. *Cement Chemistry.* London: Thomas Telford Publishing; 1998.
90. Dong B., Li Z. Cement-based piezoelectric ceramic smart composites. *Comp Sci Technol.* 2005; 65: 1363-1371.
91. Huang S., Lu L., Chang J., Xu D., Liu F., Cheng X. Influence of ceramic particle size on piezoelectric properties of cement-based piezoelectric composites. *Ferroelectrics.* 2006; 332: 187-194.

92. Cruz C. R. Gillen M. Thermal expansion of portland cement paste, mortar, and concrete at high temperatures. *Fire Mater.* 1980; 4: 1-5.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved