

## REFERENES

- Ahmed, I., and Gupta, A. K., (2009). "Syngas yield during pyrolysis and steam gasification of paper", *Applied Energy*, 86, 1813–1821.
- Atav, R., (2013). "The Use of New Technologies in Dyeing of Proteinous Fibers, Eco-Friendly Textile Dyeing and Finishing", ISBN 978-953-51-0892-4, DOI: 10.5772/3436.
- Barman, N. S., Ghosh, S., and De, S., (2012). "Gasification of biomass in a fixed bed downdraft gasifier – A realistic model including tar", *Bioresource Technology*, 107, 505-511.
- Blanco, P. H., Wu, C., Onwudili, J. A., and Williams, P. T., (2013). "Characterization and evaluation of Ni/SiO<sub>2</sub> catalysts for hydrogen production and tar reduction from catalytic steam pyrolysis-reforming of refuse derived fuel", *Applied Catalysis B Environment*, 134–135, 238–250.
- Buyle, G., (2009). "Nanoscale finishing of textiles via plasma treatment", *Materials Technology*, 24(1), 46-51.
- Chaichumporn, C., Ngamsirijit, P., Boonklin, N., et al., (2011). "Design and construction of 2.45 GHz microwave plasma source at atmospheric pressure", *Procedia Engineering*, 8, 94–100.
- Chakartnarodom, P., (2008). "Plasma Electron Temperature and the Entropy Effect on H<sub>2</sub> Production", Ph. D. Thesis, Michigan Technological University, USA.
- Chandrappa, R., and Das, D. B., (2012). "Waste quantities and characteristics", *Solid Waste Management*, 2, 47-63, DOI: 10.1007/978-3-642-28681-0\_2.

- Chang, J. S., Gu, B. W., Looy, P. C., Chu F. Y., and Simpson C. J., (1996). "Thermal plasma pyrolysis of used old tires for production of syngas", *Journal of Environmental Science & Health*, 31, 1781–1799.
- Cherdsatirkul, Ch., (2012). "Generation and disposition of municipal solid waste (MSW) management in Thailand", Earth Engineering Center, essay, Columbia University, USA.
- Ciacci, T., Galgano, A., and Blasi, C. D., (2010). "Numerical simulation of the electromagnetic field and the heat and mass transfer processes during microwave-induced pyrolysis of a wood block", *Chemical Engineering Science*, 65, 4117–4133.
- Damen, B., (2010). "Thailand's Policy Context: Bio-energy & Alternative Energy", Food and Agriculture Organization of the United Nations <http://foris.fao.org/preview/20852-0-0.pdf>.
- Energy Statistic of Thailand, (2012). Energy Policy and Planning Office, Thailand Ministry of Energy, Thailand.
- Gower, S. A., (2001), "Development of a high power microwave plasma beam applicator", *Review of scientific Instruments*, 72(11), 4273-4378.
- Haema, S., (2012). "Stakeholder Workshop on Renewable Energy and Experience Sharing, Renewable Energy in Thailand", Bureau of Energy Research, Department of Alternative Energy Development and Efficiency (DEDE), Ministry of Energy, Thailand.
- Hong, Y. C., Lee, S. J., Shin, D. H., et al., (2012). "Syngas production from gasification of brown coal in a microwave torch plasma", *Energy*, xxx, 1-5.

- Kim, T. S., Song, S., Chun, K. M., and Lee, S. H., (2010). "An experimental study of syn-gas production via microwave plasma reforming of methane, iso-octane and gasoline", *Energy*, 35, 2734–2743.
- Hoorweg, D., and Bhada-Tata, P., (2012). "WHAT A WASTE: A Global Review of Solid Waste Management", *Urban development series knowledge papers*, The World Bank Published, 15.
- Hu, Z., Ma, X., and Chen C., (2012). "A study on experimental characteristic of microwave-assisted pyrolysis of microalgae", *Bioresource Technology*, 107, 487–493.
- Jacob, P., Kashyap, P., and Viswanathan, C., (2013). "Overview of Municipal Solid Waste to Energy Systems in Thailand", *Environmental Engineering and Management*, Asian Institute of Technology, Thailand.
- Janajreh, I., Raza, S. S., and Valmundsson, A. S., (2013). "Plasma gasification process: modeling, simulation and comparison with conventional air gasification", *Energy Conversion & Management*, 65, 801–809.
- Jarunthammachote, S., and Dutta, A., (2006). "Thermodynamic equilibrium model and second law analysis of a downdraft waste gasifier", *Energy*, 32, 1660–1669.
- Karches, M., Rudolf von Rohr, P., (2011). "Microwave plasma characteristics of a circulating fluidized bed-plasma reactor for coating of powders", *Surface & Coatings Technology*, 142-144, 28-33.

- Khongkrapan, P., Tippayawong, N., and Kiatsiriroat, T., (2012). "Design and Simulation of a Microwave Plasma Reactor for Synthetic Gas Production from Biomass", International Conference on Green and Sustainable Innovation, May 24 – 26, 2012, Chiang Mai, Thailand.
- Khongkrapan, P., Tippayawong, N., and Kiatsiriroat, T., (2013). "Thermochemical conversion of waste papers to fuel gas in a microwave plasma reactor", *Journal of Clean Energy Technologies*, 1, 80-83.
- Klinbun, W., and Rattanadecho, P., (2012). "Analysis of microwave induced natural convection in a single mode cavity (Influence of sample volume, placement, and microwave power level)", *Applied Mathematical Modeling*, 36, 813–828.
- Konno, K., Onodera, H., Murata, K., et al., (2011). "Comparison of Cellulose Decomposition by Microwave Plasma and Radio Frequency Plasma", *Green and Sustainable Chemistry*, 1, 85-91.
- Li, L., Zhang, H., and Zhuang, X., (2005). "Pyrolysis of waste paper: characterization and composition of pyrolysis oil", *Energy Sources*, 27, 867-873.
- Lin, K. S., Wang, H. P., Liu, S. H., et al., (1999). "Pyrolysis kinetics of refuse-derived fuel", *Fuel Processing Technology*, 60, 103–110.
- Lupa, C. J., Wylie, S. R., Shaw, A., et al., (2012). "Experimental analysis of biomass pyrolysis using microwave-induced plasma", *Fuel Processing Technology*, 97, 79-84.
- Lupa, C. J., Wylie, S. R., Shaw, A., et al., (2013). "Gas evolution and syngas heating value from advanced thermal treatment of waste using microwave-induced plasma", *Renewable Energy*, 50, 1065-1072.

- Lv, P., Chang, J., Wang, T., Fu, Y., and Chen Y., (2004). "Hydrogen-rich gas production from biomass catalytic gasification", *Energy and Fuels*, 18, 228-233.
- Mastellone, M. L., Perugini F., Ponte M., and Arena U., (2002). "Fluidized bed pyrolysis of a recycled polyethylene", *Polymer Degradation & Stability*, 76, 479-487.
- Moreno, J. M. V., Ferre, A. J. C., Alonso, J. P., and Marti, B. V., (2012). "A review of the mathematical models for predicting the heating value of biomass materials", *Renewable & Sustainable Energy Reviews*, 16, 3065– 3083.
- Mountouris, A., Voutsas, E., and Tassios, D., (2006). "Solid waste plasma gasification: Equilibrium model development and exergy analysis", *Energy Conversion and Management*, 47, 1723–1737.
- Moustakas, K., Fatta, D., Malamis, S., et al., (2005). "Demonstration plasma gasification/vitrification system for effective hazardous waste treatment", *Journal of Hazardous Materials*, 123(1-3), 120–126.
- Nema, S. K., and Ganeshprasad, K. S., (2002). "Plasma pyrolysis of medical waste", *Current Science*, 83, 271-278.
- Ngo, S. I., Nguyen, T. D. B., Lim, Y. I., et al., (2011). "Performance evaluation for dual circulating fluidized-bed steam gasifier of biomass using quasi-equilibrium three-stage gasification model", *Applied Energy*, 88(12), 5208-5220.
- Nithikul, J., Karthikeyan, O. P., and Visvanathan, C., (2011). "Reject management from a Mechanical Biological Treatment plant in Bangkok, Thailand", *Resources, Conservation and Recycling*, 55, 417–422.

- Ouensanga, A., Largitte, L., and Arsene, M. A., (2003). "The dependence of char yield on the amounts of components in precursors for pyrolysed tropical fruit stones and seeds", *Microporous and Mesoporous Materials*, 59, 85–91.
- Pitchai, K., Birla, S. L., Subbiah, J., et al., (2012). "Coupled electromagnetic and heat transfer model for microwave heating in domestic ovens", *Journal of Food Engineering*, 112, 100–111.
- Rattanadecho, P., and Klinbun, W., (2011). "Theoretical analysis of microwave heating of dielectric materials filled in a rectangular waveguide with various resonator distances", *Journal of heat transfer, ASME*, 133, 031008-1-10.
- Restek Corporation (2012). "Air, Pure Gases and Mixtures standard", Online Available, <http://www.restek.com/pdfs/PCTS1472-UNV.pdf>.
- Salvi, D., Boldor, D., Ortego, J., et al., (2010). "Numerical Modeling of Continuous Flow Microwave Heating: A Critical Comparison of COMSOL and ANSYS", *Journal of Microwave Power and Electromagnetic Energy*, 44(4), 187-197.
- Sekiguchi, H., and Orimo, T., (2004). "Gasification of polyethylene using steam plasma generated by microwave discharge", *Thin Solid Films*, 457, 44-47.
- Sharp, A., and Sang-Arun, J., (2012). "A Guide for Sustainable Urban Organic Waste Management in Thailand: Combining Food, Energy, and Climate Co-Benefits", IGES Policy Report 2012-02. Institute for Global Environmental Strategies (IGES), Japan.
- Syed, S., Janajreh, I., and Ghenai, C., (2012). "Thermodynamics Equilibrium Analysis within the Entrained Flow", *International Journal of Thermal & Environmental Engineering*, 4(1), 47-54.

- Tang, L., and Huang, H., (2004). "An investigation of sulfur distribution during thermal plasma pyrolysis of used tires", *Journal of Analytical & Applied Pyrolysis*, 72, 35-40.
- Tang, L., and Huang, H., (2005). "Biomass gasification using capacitively coupled RF plasma technology", *Fuel*, 84, 2055–2063.
- Tang, L., and Huang, H., (2005). "Plasma pyrolysis of biomass for production of syngas and carbon adsorbent", *Energy & Fuels*, 19, 1174-1178.
- Tendero, C., Tixier, C., Tristant, P., Desmaison, J., and Leprince, P., (2006). "Atmospheric pressure plasmas: A review", *Spectrochimica Acta Part B.*, 61, 2 – 30.
- Thailand: Partnership for Development (2006). "Waste Management: Realization of Waste-to-Energy and Beyond", Thailand Pollution Control Department, Thailand.
- The Magnetron (2009). Bournemouth University, UK.
- Tippayawong, N., and Kinorn, J., (2007). "Refuse derived fuel as potential renewable energy source via pyrolysis", *International Journal of Renewable Energy*, 2, 45-51.
- Tsai, W. T., Lee, M. K., and Chang, Y. M., (2006). "Fast pyrolysis of rice straw sugarcane bagasse and coconut shell in an induction-heating reactor", *Journal of Analytical & Applied Pyrolysis*, 76, 230–237.
- Tu, W. K., Shie, J. L., Chang, Ch. Y., et al., (2008). "Pyrolysis of Rice Straw Using Radio-Frequency Plasma", *Energy & Fuels*, 22, 24–30.
- Turner, L. W., (1976). "Electronics Engineer's Reference Book, 4<sup>th</sup> edition", *Newnes-Butterworth*, London, ISBN 0 408 00168, 7, 71-77.

- Uhm, H. S., Hong, Y. C., Shin, D. H., (2006). "A microwave plasma torch and its applications", *Plasma Sources Science & Technology*, 15, 26–34.
- Wang, M. J., Huang, Y .F., Chiueh, P. T., et al., (2012). "Microwave-induced torrefaction of rice husk and sugarcane residues", *Energy*, 37, 177-184.
- Waveguide Component, "Specifications and Design Handbook", 7, COBHAM Inc.
- Wenzel, C., (1991). "Low Frequency Circulator/Isolator Uses No Ferrite or Magnet", RF Design Awards, Wenzel Associates, Inc.
- Wongsiriamnuay, T., (2012). "Parametric analysis of bio-syngas from gasification of agricultural residues", Ph. D. Thesis, Chiang Mai University, Thailand.
- Yoon, S. J., and Lee, J. G., (2012). "Hydrogen-rich syngas production through coal and charcoal gasification using microwave steam and air plasma torch", *International Journal of Hydrogen Energy*, 37, 17093-17100.