

REFERENCES

Acid Deposition Monitoring Network in East Asia (EANET), 2000. Technical Manual for Wet Deposition Monitoring in East Asia. Retrieved from <http://www.eanet.cc/> (29 December 2012).

Acid Deposition Monitoring Network in East Asia (EANET), 2003. Technical Document for Filter Pack Method in East Asia. Retrieved from <http://www.eanet.cc/> (12 September 2011).

Acid Deposition Monitoring Network in East Asia (EANET), 2010. Technical Manual for Wet Deposition Monitoring in East Asia. Retrieved from <http://www.eanet.cc/> (14 November 2012).

Akimoto, H., Luangjame, J., Hara, H., Gromov, S., Khummongkol, P., Carandang, W., 2011. The Second Periodic Report on the State of Acid Deposition in East Asia, Part I: Regional Assessment. Acid deposition monitoring network in East Asia (EANET).

Al-Khashman, O.A., 2009. Chemical characteristics of rainwater collected at a western site of Jordan. *Atmospheric Research* 91, 53-61.

Al-Momani, I., Tuncel, S., Eler, U., Ortel, E., Sirin, G., Tuncel, G., 1995. Major ion composition of wet and dry deposition in the eastern Mediterranean basin.

Science of the Total Environment 164, 75-85.

Allen, A.G., Miguel, A.H., 1995. Biomass burning in the Amazon: characterization of the ionic component of aerosols generated from flaming and smouldering rainforest and savannah. *Environmental Science and Technology* 29, 486-493.

Andreae, M.O., 1983. Soot carbon and excess fine potassium: long-range transport of combustion-derived aerosols. *Science* 220, 1148-1151.

Andreae, M.O., 1991. Biomass burning: Its history, use and distribution and its impact on environmental quality and global climate. In: Levine, J.S. (Ed.), *Global Biomass Burning: Atmospheric, Climatic and Biophysical Implications*. MIT Press, MA, pp. 3-21.

Andreae, M.O., Merlet, P., 2001. Emission of trace gases and aerosols from biomass burning. *Global Biogeochemical Cycles* 15, 955-966.

Ayers, G.P., Yeung, K.K., 1996. Acid deposition in Hong Kong. *Atmospheric Environment* 30, 1581-1587.

Bailey, D., Solomon, G., 2004. Pollution prevention at ports: clearing the air. *Environment Impact Assessment* 24, 749-774.

Biswas, K.F., Ghauri, B.M., Husain, L., 2008. Gaseous and aerosol pollutants during fog and clear episodes in South Asian urban atmosphere. *Atmospheric Environment* 42, 7775-7785.

Brajer, V., Mead, R.W., Xiao, F., 2006. Valuing the health impacts of air pollution in Hong Kong. *Journal Asian Economic* 17, 85-102.

Bubenick, D.V., 1984. *Acid Rain Information Book*. Noyes Publications, New Jersey.

Cao, G., Zhang, X., Gong, S., Zheng, F., 2008. Investigation on emission factors of particulate matter and gaseous pollutants from crop residue burning. *Journal of Environmental Sciences* 20, 50-55.

Chaichana, J., 2011. Determination of PM₁₀-bound metals from biomass burning by inductively coupled plasma-optical emission spectroscopy. Faculty of Science, Chiang Mai University.

Chantara, S., Wangkarn, S., Tengcharoenkul, U., Sangchan, W., Rayanakorn, M., 2009. Chemical analysis of airborne particulates for air pollutants in Chiang Mai and Lamphun Provinces, Thailand. *Chiang Mai Journal of Science* 36(2), 123-135.

Chantara, S., 2012. PM10 and Its Chemical Composition: A Case Study in Chiang Mai, Thailand, *Air Quality - Monitoring and Modeling*, Dr. Sunil Kumar (Ed.), ISBN: 978-953-51-0161-1, InTech, Available from: <http://www.intechopen.com/books/air-quality-monitoring-andmodeling/pm10-and-its-chemical-composition-a-case-study-in-chiang-mai-thailand>. pp. 205.

Charlson, R.J., Seinfeld, J.H., Nenes, A., Kulmala, M., Laaksonen, A., Facchini, M.C., 2001. Reshaping the theory of cloud formation. *Science* 292, 2025-2026.

Cebbi, A., Carlier, P., 1996. Carboxylic acids in the troposphere, occurrence, sources, and sinks: a review. *Atmospheric Environment* 30, 4233-4249.

Cheng, M.T., Horng, C.L., Su, Y.R., Lin, L.K., Lin, Y.C., Chou, C.C.K., 2009. Particulate matter characteristics during agricultural waste burning in Taichung City, Taiwan. *Journal of Hazardous Materials* 165, 187-192.

Chiang Mai Province Official Site, Thailand, 2012. [Online]. Retrieved from <http://www.chiangmai.go.th/newweb/main/> (19 November 2012).

Chiang Mai Province Official Site, Thailand, 2013. [Online]. Retrieved from <http://www.chiangmai.go.th/newweb/main/> (13 February 2013).

Chomanee, J., Tekasakul, S., Tekasakul, P., Furuuchi, M., Otani, Y., 2009. Effects of moisture content and burning period on concentration of smoke particles and Particle-Bound polycyclic aromatic hydrocarbons from Rubber-wood combustion. *Aerosol and Air Quality Research* 9, 404-411.

Chow, J.C., 1995. Measurement methods to determine compliance with ambient air quality standards for suspended particles. *Journal of the Air and Waste Management Association* 45, 320-382.

Crutzen, P.J., Carmichael, G.R., 1993. Modeling the influence of fires on atmospheric chemistry. In: Crutzen, P.J., Goldammer, J.G. (Eds.), *Fire in the Environment - The Ecological, Atmospheric and Climatic Importance of Vegetation Fires*. Wiley, Chichester, pp. 89-105.

Dabell, L.J., Talbot, R.W., Dibb, J.E., 2004. A major regional air pollution event in the northeastern United States caused by extensive forest fires in Quebec, Canada. *Journal of Geophysical Research* 109, D19305.

Das, R., Das, S.N., Misra, V.N., 2005. Chemical composition of rainwater and dustfall at Bhubaneswar in the east coast of India. *Atmospheric Environment* 39, 5908-5916.

Department of Local Administration, Thailand, 2008. [online]. Retrieved from <http://www.dopa.go.th> (14 February 2013).

Dibb, J.E., Talbot, R.W., Whitlow, S.I., Shipham, M.C., Winterle, J., McConnell, J., Bales, R., 1995. Biomass burning signatures in the atmosphere and snow at summit Greenland: an event on 5 August 1994. *Atmospheric Environment* 30, 553-561.

- Dontree, S., Thumtakob, S., Chamnivikaipong, P., Noisuya, S., 2011. Burning area priority based on multiple spatial data sources for observation and prevention of open burning in Chiang Mai Province. Contract No. 1-002/2553. Final report submitted to the Thai Health Promotion Foundation. (In Thai)
- Duan, F.K., Liu, X.D., Yu, T., Cachier, H., 2004. Identification and estimate of biomass burning contribution to the urban aerosol organic carbon concentrations in Beijing. *Atmospheric Environment* 38, 1275-1282.
- Engling, G., Zhang, Y.N., Chan, C.Y., Sang, X.F., Lin, M., Ho, K.F., Li, Y.S., Lin, C.Y., Lee, J.J., 2011. Characterization and sources of aerosol particles over the southeastern Tibetan Plateau during the Southeast Asia biomass-burning season. *Tellus Series B. Chemical and Physical Meteorology* 63, 117-128.
- Erismann, J.W., Draaijers, G.P.J., 1995. *Atmospheric Deposition in Relation to Acidification and Eutrophication*. Elsevier, Amsterdam, pp. 1-7, 55-75, 85-111.
- Estrellan, C.R., Iino, F., 2010. Toxic emissions from open burning. *Chemosphere* 80, 193-207.
- Falkovich, A.H., Graber, E.R., Schkolnik, G., Rudich, Y., Maenhaut, W., Artaxo, P., 2005. Low molecular weight organic acids in aerosol particles from Rondonia, Brazil, during the biomass-burning, transition and wet periods. *Atmospheric Chemistry and Physics* 5, 781-797.
- Fang, S.H., Chen, H.W., 1996. Air quality and pollution control in Taiwan. *Atmospheric Environment* 30, 735-741.
- Fenger, J., 1999. Urban air quality. *Atmospheric Environment* 33, 4877-4900.

Finlayson-Pitts, B.J., Pitts, J.N., 2000. Chemistry of the Upper and Lower Atmosphere. Academic Press, California.

Fitzpatrick, E.M., Ross, A.B., Bates, J., Andrews, G., Jones, J.M., Phylaktou, H., Pourkashanian, M., Williams, A., 2007. Emission of oxygenated species from the combustion of pine wood and its relation to soot formation. *Process Safety and Environmental Protection* 85, 430-440.

Godish, T., 1997. Air Quality, third ed. Lewis Publishers, New York.

Garivait, S., Kittiyopas, D., Thongboonchoo, N., Dooljindachabaporn, T., Pagdee, A., Pengchai, P., Tekasakul, P., Paoprayoon, S., Sornpoon, W., Maleewong, P., Jantajamraspunya, P., 2009. Monitoring and assessment of open burning situation of agricultural area in Thailand, 2005. ISBN 978-974-286-308-1. Final report submitted to the Pollution Control Department, Thailand. (In Thai)

Hsieh, L.-Y., Chen, C.-L., Wan, M.-W., Tsai, C.-H., Tsai, Y.I., 2008. Speciation and temporal characterization of dicarboxylic acids in PM_{2.5} during a PM episode and a period of non-episodic pollution. *Atmospheric Environment* 42, 6836-6850.

Hsu, S.C., Liu, S.C., Huang, Y.T., Chou, C.C.K., Lung, S.C.C., Liu, T.H., Tu, J.Y.,

Tsai, F.J., 2009. Long-range southeastward transport of Asian biomass burning pollution: signature detected by aerosol potassium in northern Taiwan.

Journal of Geophysical Research 114, D14301.

Hu, G.P., Balasubramanian, R., Wu, C.D., 2003. Chemical characterization of rainwater at Singapore. *Chemosphere* 51, 747-755.

Huang, D., Xu, Y., Peng, P., Zhang, H., Lan, J., 2009. Chemical composition and seasonal variation of acid deposition in Guangzhou, South China: comparison with precipitation in other major Chinese cities. *Environmental Pollution* 157, 35-41.

IUPAC Compendium of Chemical Terminology, 2012. "Repeatability and Reproducibility". Retrieved from <http://goldbook.iupac.org/PDF/goldbook.pdf> (8 November 2012).

Jenkins, B.M., Turn, S.Q., Williams, R.B., Goronea, M., Abd-al-Fatah, H., Mehlschau, J., 1996. Atmospheric pollutant emission factors from open burning of agricultural and forest biomass by wind tunnel simulations. Volume 1. California State Air Resources Board (NTIS PB97-133037).

Jeong, C.H., Evans, G.J., Dann, T., Graham, M., Herod, D., Zlotorzynska, E.D., Mathieu, D., Ding, L., Wang, D., 2008. Influence of biomass burning on wintertime fine particulate matter: Source contribution at a valley site in rural British Columbia. *Atmospheric Environment* 42, 3684-3699.

Kadam, K.L., Forrest, L.H., Jacobson, W.A., 2000. Rice straw as a lignocellulosic resource: collection, processing, transportation, and environmental aspects. *Biomass and Bioenergy* 18, 369-389.

Keshtkar, H., Ashbaugh, L.L., 2007. Size distribution of polycyclic aromatic hydrocarbon particulate emission factors from agricultural burning. *Atmospheric Environment* 41, 2729-2739.

Khare, P., Goel, A., Patel, D., Behari, J., 2004. Chemical characterization of rainwater at a developing urban habitat of Northern India. *Atmospheric Research* 69, 135-145.

Khwaja, H.A., 1995. Atmospheric concentrations of carboxylic acids and related compounds at a semiurban site. *Atmospheric Environment* 29, 127-139.

Kim Oanh, N.T., Leelasakultum, K., 2011. Analysis of meteorology and emission in haze episode prevalence over mountain-bounded region for early warning. *Science of the Total Environment* 409, 2261-2271.

Kim Oanh, N.T., Ly, B.T., Tipayarom, D., Manandhar, B.R., Pongkiatkul, P., Simpson, C.D., Liu, L.S., 2011. Characterization of particulate matter emission from open burning of rice straw. *Atmospheric Environment* 45, 493-502.

Koe, L.C.C., Arellano Jr., A.F., McGregor, J.L., 2001. Investigating the haze transport from 1997 biomass burning in Southeast Asia: its impact upon Singapore. *Atmospheric Environment* 35, 2723-2734.

Korenaga, T., Liu, X.X., Huang, Z.Y., 2001. The influence of moisture content on polycyclic aromatic hydrocarbons emission during rice straw burning. *Chemosphere* 3, 117-122.

Kulshrestha, U.C., Sarkar, A.K., Sirvastava, S.S., Parashar, D.C., 1996. Investigation into atmospheric deposition through precipitation studies at New Delhi (India). *Atmospheric Environment* 30, 4149-4154.

Langmann, B., Duncan, B., Textor, C., Trentmann, J., Werf, G.R., 2009. Vegetation fire emissions and their impact on air pollution and climate. *Atmospheric Environment* 43, 107-116.

Lee, C.T., Chuang, M.T., Lin, N.H., Wang, J.L., Sheu, G.R., Chang, S.C., Wang, S.H., Huang, H., Chen, H.W., Liu, Y.L., Weng, G.H., Lai, H.Y., Hsu, S.P., 2011. The enhancement of PM_{2.5} mass and water-soluble ions of biosmoke transported from Southeast Asia over the Mountain Lulin site in Taiwan. *Atmospheric Environment* 45, 5784-5794.

Levine, J.S., 1990. Convener of Chapman conference on global biomass burning, March 19-23, Williamsburg, Virginia.

Lim, L.L., Hughes, S.J., Hellawell, E.E., 2005. Integrated decision support system for urban air quality assessment. *Environmental Modelling and Software* 20, 947-954.

Liu, X.D., Espen, P.V., Adams, F., Cafmeyer, J., Maenhaut, W., 2000. Biomass burning in southern Africa: individual particle characterization of atmospheric aerosols and savanna fire samples. *Journal of Atmospheric Chemistry* 36, 135-155.

Liu, Y.J., Zhu, L.Z., Shen, X.Y., 2001. Polycyclic aromatic hydrocarbons (PAHs) in indoor and outdoor air of Hangzhou, China. *Environmental Science and Technology* 35, 840-844.

Mao, X., Guo, X., Chang, Y., Peng, Y., 2005. Improving air quality in large cities by substituting natural gas for coal in China: changing idea and incentive policy implications. *Energy Policy* 33, 307-318.

Migliavacca, D., Teixeira, E.C., Wiegand, F., Machado, A., Sanchez, J., 2005. Atmospheric precipitation and chemical composition of an urban site, Guaiba hydrographic basin, Brazil. *Atmospheric Environment* 39, 1829-1844.

Nguyen, B.C., Mihalopoulos, N., Putaud, J.P., 1994. Rice straw burning in Southeast Asia as a source of CO and COS to the atmosphere. *Journal of Geophysical Research* 99 (D8), 16435-16439.

Niemi, J.V., Tervahattu, H., Vehkamäki, H., Kulmala, M., Koskentalo, T., Sillanpää, M., Rantamäki, M., 2004. Characterization and source identification of a fine particle episode in Finland. *Atmospheric Environment* 38, 5003-5012.

Northern Meteorological Center, Thailand, 2012. [online]. Retrieved from <http://www.cmmet.tmd.go.th/index1.php> (14 February 2013).

Oglesby, R.J., Marshall, S., Taylor, J.A., 1999. The climatic effects of biomass burning: investigations with a global climate model. *Environmental Modeling and Software* 14, 253-259.

Ohura, T., Amagai, T., Fusaya, M., Matsushita, H., 2004. Spatial distributions and profiles of atmospheric polycyclic aromatic hydrocarbons in two industrial cities in Japan. *Environmental Science and Technology* 38, 49-55.

O'Malley, V., 1999. The integrated pollution prevention and control IPPC directive and its implications for the environment and industrial activities in Europe. *Sensors and Actuators B* 59, 78-82.

Oudinet, J.P., Meline, J., Chelmicki, W., Sanak, M., Magdalena, D.W., Besancenot, J.P., 2006. Towards a multidisciplinary and integrated strategy in the assessment of adverse health effects related to air pollution: the case study of Cracow (Poland) and asthma. *Environmental Pollution* 143, 278-284.

Panuwet, P., Siriwong, W., Prapamontol, T., Ryan, P.B., Fiedler, N., Robson, M.G., Barr, D.B., 2012. Agricultural pesticide management in Thailand: status and population health risk. *Environmental Science and Policy* 17, 72-81.

Panyakapo, M., Onchang, R., 2008. A four-year investigation on wet deposition in western Thailand. *Journal of Environmental Sciences* 20, 441-448.

Park, S.S., Hong, S.B., Jung, Y.G., Lee, J.H., 2004. Measurement of PM₁₀ aerosol and gas-phase nitrous acid during fall season in a semi-urban atmosphere. *Atmospheric Environment* 38, 293-304.

Penner, J.E., Dickinson, R.E., O'Neill, C.A., 1992. Effects of aerosol from biomass burning on the global radiation budget. *Science* 256, 1432-1434.

Pengchai, P., Chantara, S., Sopajaree, K., Wangkarn, S., Tengcharoenkul, U., Rayanakorn, M., 2009. Seasonal variation, risk assessment and source estimation of PM₁₀ and PM₁₀-bound PAHs in the ambient air of Chiang Mai and Lamphun, Thailand. *Environmental Monitoring Assessment* 154, 197-218.

Pollution Control Department (PCD), Maryland Department of the Environment, and Chiang Mai Municipality. Chiang Mai emission inventory in Municipality and neighborhood area. Report of Ability of Federal and Local Government Official, Chiang Mai, 2002.

Possanzini, M., Buttini, P., Dipalo, V., 1988. Characterization of a rural area in terms of dry and wet deposition. *Science of the Total Environment* 74, 111-120.

Puxbaum, H., Gregori, M., 1998. Seasonal and annual deposition rates of sulphur, nitrogen and chloride species to an oak forest in north-eastern Austria (Wolkersdorf, 240 m A.S.L.). *Atmospheric Environment* 32, 3557-3568.

Rao, P.S.P., Khemani, L.T., Momin, G.A., Safai, P.D., Pillai, A.G., 1992. Measurements of wet and dry deposition at an urban location in India. *Atmospheric Environment* 26B, 73-78.

Reid, J.S., Koppmann, R., Eck, T.F., Eleuterio, D.P., 2005. A review of biomass burning emissions part II: intensive physical properties of biomass burning particles. *Atmospheric Chemistry and Physics* 5, 799-825.

Riga-Karandinos, A.N., Saitanis, C., 2005. Comparative assessment of ambient air quality in two typical Mediterranean coastal cities in Greece. *Chemosphere* 59, 1125-1136.

Robock, A., 1991. Surface cooling due to smoke from biomass burning. In: Levine, J.S. (Ed.), *Global Biomass Burning: Atmospheric, Climatic, and Biospheric Implications*. MIT Press, Cambridge, pp. 431-438.

Ryu, S.Y., Kwon, B.G., Kim, Y.J., Kim, H.H., Chun, K.J., 2007. Characteristics of biomass burning aerosol and its impact on regional air quality in the summer of 2003 at Gwangju, Korea. *Atmospheric Research* 84, 362-373.

Saarikoski, S., Sillanpää, M., Sofiev, M., Timonen, H., Saarnio, K., Teinilä, K., Karpinen, A., Kukkonen, J., Hillamo, R., 2007. Chemical composition of aerosols during a major biomass burning episode over northern Europe in spring 2006: experimental and modelling assessments. *Atmospheric Environment* 41, 3577-3589.

Sanhueza, E., Ferrer, Z., Romero, J., Santana, M., 1991. HCHO and HCOOH in tropical rains. *Ambio* 20, 115-118.

Saxena, A., Kulshrestha, U.C., Kumar, N., Kumari, K.M., Srivastava, S.S., 1996. Characterization of precipitation at Agra. *Atmospheric Environment* 30, 3405-3412.

Schmidl, C., Bauer, H., Dattler, A., Hitzemberger, R., Weissenboeck, G., Marr, I.L., Puxbaum, H., 2008a. Chemical characterization of particle emissions from burning leaves. *Atmospheric Environment* 42, 9070-9079.

Schmidl, C., Marr, I.L., Caseiro, A., Kotianova, P., Berner, A., Bauer, H., Kasper-Giebl, A., Puxbaum, H., 2008b. Chemical characterization of fine particle emissions from wood stove combustion of common woods growing in mid-European Alpine regions. *Atmospheric Environment* 42, 126-141.

Sequeira, R., 1982. Acid Rain: An Assessment Based on Acid-Base Consideration. *Journal of the Air Pollution Control Association* 32, 241-245.

Sheffield, A.E., Gordon, G.E., Currie, L.A., Riederer, G.E., 1994. Organic, elemental, and isotopic tracers of air pollution sources in Albuquerque, NM. *Atmospheric Environment* 28, 1371-1384.

Shen, G.F., Yang, Y.F., Wang, W., Tao, S., Zhu, C., Min, Y.J., Xue, M.A., Ding, J.N., Wang, B., Wang, R., Shen, H.Z., Li, W., Wang, X.L., Russell, A.G., 2010. Emission factors of particulate matter and elemental carbon for crop residues and coals burned in typical household stoves in China. *Environmental Science and Technology* 44, 7157-7162.

Shen, G.F., Tao, S., Wang, W., Yang, Y.F., Ding, J.N., Xue, M.A., Min, Y.J., Zhu, C., Shen, H.Z., Li, W., Wang, B., Wang, R., Wang, W.T., Wang, X.L., Russell, A.G., 2011. Emission of oxygenated polycyclic aromatic hydrocarbons from indoor solid fuel combustion. *Environmental Science and Technology* 45, 3459-3465.

Shen, Z., Cao, J., Arimoto, R., Han, Z., Zhang, R. Han, Y., Liu, S., Okuda, T., Nakao, S., Tanaka, S., 2009. Ionic composition of TSP and PM_{2.5} during dust storms and air pollution episodes at Xi'an, China. *Atmospheric Environment* 43, 2911-2918.

Simoneit, B.R.T., 2002. Biomass burning-a review of organic tracers for smoke from incomplete combustion. *Applied Geochemistry* 17, 129-162.

Sinha, S.N., Desai, N.M., Patel, G.M., Mansuri, M.M., Shivgotra, V., 2010. Concentration of nitrite in respirable particulate matter of ambient air in Vadodara, Gujarat, India. *Journal of Environmental Biology* 31, 375-378.

Souza, S.R., Vasconcellos, P.C., Carvalho, L.R.F., 1999. Low molecular weight carboxylic acids in an urban atmosphere: winter measurements in São Paulo City, Brazil. *Atmospheric Environment* 33, 2563-2574.

Streets, D.G., Yarber, K.F., Woo, J.H., Carmichael, G.R., 2003. Biomass burning in Asia: annual and seasonal estimates and atmospheric emissions. *Global Biogeochemical Cycles* 17, 1099-1118.

Talbot, R.W., Beecher, K.M., Harriss, R.C., Cofer III, W.R., 1988. Atmospheric geochemistry of formic and acetic acids at a mid-latitude temperate site. *Journal of Geophysical Research* 93, 1638-1652.

Thailand Meteorological Department (TMD), Climatology Division. Climate of Thailand; 2003. December 2003.

Thompson, A.M., Witte, J.C., Hudson, R.D., Guo, H., Herman, J.R., Fujiwara, M., 2001. Tropical tropospheric ozone and biomass burning. *Science* 291, 2128-2132.

Tsai, Y.I., Kuo, S.-C., Lee, W.-J., Chen, C.-L., Chen, P.-T., 2007. Long-term visibility trends in one highly urbanized, one highly industrialized, and two rural areas of Taiwan. *Science of the Total Environment* 382, 324-341.

Tsai, Y.I., Wu, P.-L., Hsu, Y.-T., Yang, C.-R., 2010. Anhydrosugar and sugar alcohol organic markers associated with carboxylic acids in particulate matter from incense burning. *Atmospheric Environment* 44, 3708-3718.

Tsai, Y.I., Sopajaree, K., Chotruksa, A., Wu, H.C., Kuo, S.C., 2012. Source indicators of biomass burning associated with inorganic salts and carboxylates in dry season ambient aerosol in Chiang Mai Basin, Thailand. *Atmospheric Environment*, <http://dx.doi.org/10.1016/j.atmosenv.2012.09.040>.

Turn, S.Q., Jenkins, B.M., Chow, J.C., 1997. Element characterization of particulate matter emitted from biomass burning: wind tunnel derived source profiles for herbaceous and wood fuels. *Journal of Geophysical Research* 102, 3683-3699.

US EPA, 2004. Air quality criteria for particulate matter (October 2004). EPA 600/P-99/002aF-bF. Research Triangle Park, NC. Retrieved from <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=87903> (8 February 2013).

US EPA, 2009. Data from the National Emissions Inventory, Version 2.0. Retrieved from <http://www.epa.gov/ttn/chief/eiinformation.html> (8 February 2013).

US EPA, 2010. Environmental Measurement Glossary of Terms. Retrieved from http://www.epa.gov/fem/pdfs/Env_Measurement_Glossary_Final_Jan_2010.pdf (26 December 2012).

US EPA, 2012a. [Online]. Retrieved from <http://www.epa.gov/acidrain/effects/index.html> (12 February 2013).

US EPA, 2012b. [Online]. Retrieved from <http://www.epa.gov/airquality/urbanair>
(5 June 2013).

US EPA, 2012c. [Online]. Retrieved from <http://www.epa.gov/ttn/chief/ap42/>
(14 November 2012).

Venkataraman, C., Joshi, P., Sethi, V., Kohli, S., Ravi, M.R., 2004. Aerosol and carbon monoxide emissions from low-temperature combustion in a sawdust packed bed stove. *Aerosol Science and Technology* 38, 50-61.

Vinitketkumnuen, U., Kalayanamitra, K., Chewonarin, T., Kamens, R., 2002. Particulate matter, PM₁₀ & PM_{2.5} levels and airborne mutagenicity in Chiang Mai, Thailand. *Mutation Research* 519, 121-131.

Vong, R.J., 1990. Mid-latitude North Hemisphere background sulfate concentration in rainwater. *Atmospheric Environment* 24, 1007-1018.

Wang, H., Kawamura, K., Shooter, D., 2005. Carbonaceous and ionic components in wintertime atmospheric aerosols from two New Zealand cities: Implications for solid fuel combustion. *Atmospheric Environment* 39, 5865-5875.

Wang, K.Y., Shallcross, D.E., Hadjinicolaou, P., Giannakopoulos, C., 2004. Ambient vehicular pollutions in the urban area of Taipei: Comparing normal with anomalous vehicle emissions. *Water, Air and Soil Pollution* 156, 29-55.

Wang, Q., Shao, M., Liu, Y., William, K., Paul, G., Lia, X., Liu, Y., Lu, S., 2007a. Impact of biomass burning on urban air quality estimated by organic tracers: Guangzhou and Beijing as cases. *Atmospheric Environment* 41, 8380-8390.

Wang, Y., Zhuang, G., Chen, S., An, Z., Zheng, A., 2007b. Characteristics and sources of formic, acetic and oxalic acids in PM_{2.5} and PM₁₀ aerosols in Beijing, China. *Atmospheric Research* 84, 169-181.

- Watson, C.E., Fishman, J., Reichle, H.G., 1990. The significance of biomass burning as a source of carbon monoxide and ozone in the southern hemisphere tropics: a satellite analysis. *Journal of Geophysical Research* 95D, 16443-16450.
- Wei, W., Zhang, W., Hu, D., Ou, L., Tong, Y., Shen, G., Shen, H., Wang, X., 2012. Emissions of carbon monoxide and carbon dioxide from uncompressed and pelletized biomass fuel burning in typical household stoves in China. *Atmospheric Environment* 56, 136-142.
- Weiss, J., 2004. *Handbook of Ion Chromatography*, third ed., Completely Revised and Enlarged Edition. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim.
- Williams, A., Pourkashanian, M., Jones, J.M., 2001. Combustion of pulverised coal and biomass. *Progress in Energy and Combustion Science* 27, 587-610.
- Wiriya, W., 2012. Characterization of PM10-bound polycyclic aromatic hydrocarbons from biomass burning and application on source apportionment for Chiang Mai Province. Faculty of Science, Chiang Mai University.
- Wolf, C., 2002. Urban air pollution and health: an ecological study of chronic rhino sinusitis in Cologne, Germany. *Health & Place* 8, 129-139.
- Yamasoe, M.A., Artaxo, P., Miguel, A.H., Allen, A.G., 2000. Chemical composition of aerosol particles from direct emissions of vegetation fires in Amazon Basin: water-soluble species and trace elements. *Atmospheric Environment* 34, 1641-1653.
- Yang, H.H., Tsai, C.H., Chao, M.R., Su, Y.L., Chien, S.M., 2006. Source identification and size distribution of atmospheric polycyclic aromatic hydrocarbons during rice straw burning period. *Atmospheric Environment* 40, 1266-1274.

Yang, Y., Zhang, X.X., Korenaga, T., 2002. Distribution of polynuclear aromatic hydrocarbons (PAHs) in the soil of Tokushima Japan. *Water, Air and Soil Pollution* 138, 51-60.

Yu, S., Dennis, R.L., Bhave, P.V., Eder, B.K., 2004. Primary and secondary organic aerosols over the United States: estimates on the basis of observed organic carbon (OC) and elemental carbon (EC), and air quality modeled primary OC/EC ratios. *Atmospheric Environment* 38, 5257-5268.

Zhang, M., Wang, S., Wu, F., Yuan, X., Zhang, Y., 2007. Chemical compositions of wet precipitation and anthropogenic influences at a developing urban site in southeastern China. *Atmospheric Research* 84, 311-322.

Zhang, T., Claeys, M., Cachier, H., Dong, S., Wang, W., Maenhaut, W., Liu, X., 2008. Identification and estimation of the biomass burning contribution to Beijing aerosol using levoglucosan as a molecular marker. *Atmospheric Environment* 42, 7013-7021.

Zhang, Y., Shao, M., Lin, Y., Luan, S., Mao, N., Chen, W., Wang, M., 2012. Emission inventory of carbonaceous pollutants from biomass burning in the Pearl River Delta Region, China. *Atmospheric Environment*, <http://dx.doi.org/10.1016/j.atmosenv.2012.05.055>.

<http://www.eanet.asia> (1 June 2013)

http://www.epa.gov/acidrain/effects/surface_water.html (9 February 2013)

<http://www.epa.gov/acidrain/what/index.html> (9 February 2013)

<http://www.lordgrey.org.uk> (9 February 2013)

<https://maps.google.com> (2 June 2013)

<http://www.pcd.go.th> (12 February 2013)

<http://www.physicalgeography.net/fundamentals/8h.html> (9 February 2013)