TABLE OF CONTENTS	
	Page
ACKNOWLEDGEMENT	iii
ABSTRACT IN ENGLISH	iv
ABSTRACT IN THAI	vi
TABLE OF CONTENTS	viii
LIST OF TABLES	xi
LIST OF FIGURES	xiii
ABBREVIATIONS AND SYMBOLS	XV
CHAPTER 1 INTRODUCTION	
1.1 Statement and significant of problem	1
1.1.1 Air pollution	1
1.1.2 Air pollution in Chiang Mai	1
1.1.3 Indoor air pollution	3
1.1.4 Wood smoke	4
1.2 Particulate (PM)	4
1.3 PM <sub>10</sub> Monitoring equipment	7
1.4 Biomarker of air pollution from biomass burning	8
1.4.1 Levoglucosan	8
1.4.2 2-methoxyphenol	<b>versit</b>
1.5 GC Derivatization	<sup>11</sup> 11 <b>e</b>

		Page
	1.5.2 Derivatize reagent	13
	1.5.3 Objectives for derivatization	13
	1.5.4 Derivatization reactions	13
1.6	Gas Chromatography for levoglucosan and 2-methoxyphenol Analysis	15
1.7	Literature Review on determine of levoglucosan and 2-methoxyphenol	18
1.8	Hypotheses of the present study	21
1.0	Purpose of the study	21
1.9	Purpose of the study	
CH	ATER 2 MATERIAL AND METHOD	
2.1	Laboratory supplies	22
2.2	Chemical	22
	2.2.1 Chemical for levoglucosan and 2-methoxphenol analysis	22
	2.2.2 Organic solvent	23
	2.2.3 Gas for GC system	23
2.3	Apparatus	23
		24
2.4	PM <sub>10</sub> sample collection	24
	2.4.1 Study site	24
	2.4.2 A survey of study household	25
	2.4.3 Study subject	26
	2.4.4 Ethical Clearance Approval	27
	2.4.5 $PM_{10}$ collection	27
2.5	Analysis of levoglucosan and 2-methoxyphenol in $PM_{10}$ sample	28
0	2.5.1 Drangeration of solution	20
	2.3.1 Freparation of solution	28
	2.5.2 Method validation	28

		Page
	2.5.3 Determination of levoglucosan and 2-methoxyphenol in $PM_{10}$	33
	2.5.4 GC analysis	34
2.6	Data Analysis	37
СН	APTER 3 RESULTS AND DISCUSSION	
3.1	$PM_{10}$ levels (µg/m <sup>3</sup> ) in the studied houses	38
3.2	Analytical characteristics	40
	3.2.1 Chromatogram of levoglucosan and 2-methoxyphenol analyses	41
	3.2.2 Calibration curve of spike levoglucosan standard solution	541
	3.2.3 Calibration curve of spike 2-methoxyphenol standard solution	42
	3.2.4 Precision	42
	3.2.5 Recovery	44
	3.2.6 Limit of detection	45
3.3	Levoglucosan concentration in PM <sub>10</sub>	46
3.4	2-metoxyphenol concentration in PM <sub>10</sub>	48
3.5	The limitation of the present study	51
CH	APTER 4 CONCLUSIONS	52
REI	REFERENCES	
APPENDICES		61
APPENDIX A 62		
API	APPENDIX B	
API	PENDIX C DY CHIANG MAI UN	71
VIT	Aights reser	73

х

## LIST OF TABLES

LIST OF TABLES				
	Tabl	e Salaria Salar	Page	
	1.1	US.EPA, EU., California and Thailand ambient air quality standard	5	
		for PM		
	1.2	Physical-chemical properties of levoglucosan	9	
	1.3	Physical-chemical properties of 2-methoxyphenol	112	
	2.1	The acceptable repeatability and reproducibility was a function of the	30	
		concentration and the purpose of the analysis		
	2.2	The acceptable recovery is a function of the concentration and the purpose	31	
		of the analysis		
	2.3	GC-FID condition	34	
	2.4	GC-MS condition	35	
	2.5	Characteristic ions for 2-methoxyphenol	37	
	3.1	PM <sub>10</sub> levels collected from the studied and control houses during	39	
	3.2	Repeatability of levoglucosan and 2-methoxyphenol measurement	43	
	3.3	Reproducibility of levoglucosan and 2-methoxyphenol measurement	44	
	3.4	Mean recoverys±SD (n=5) of levoglucosan and 2-methoxyphenol	45	
		spike onto blank filter		
	3.5	LOD and LOQ of levoglucosan and 2-methoxyphenol	45	
	3.6	Concentrations of levoglucosan in $PM_{10}$ samples from the studied and	46	
		control houses during wet and dry season		

- 3.7
   Concentrations of 2-methoxyphenol in PM<sub>10</sub> samples from the studied
   48

   and control houses during wet and dry season
   48
- 3.8
   Concentration of levoglucosan and 2-methoxyphenol from
   50

   present studied and another studied
   50



ลิ<mark>ปสิทธิ์มหาวิทยาลัยเชียงใหม่</mark> Copyright<sup>©</sup> by Chiang Mai University All rights reserved

Page

## LIST OF FIGURES

Figure		Page
1.1	$PM_{10}$ concentrations (µg/m <sup>3</sup> ) from January 2007-March 2012 by	2
	air quality monitoring stations at Yupparaj Wittayalai school (YP)	
	and Chiang Mai city hall (CM) Chiang Mai	
1.2	Comparison of size of particles to a strand of hair and beach sand	6
1.3	The Personal air sampler (SKC, USA)	8
1.4	Levoglucosan was formed in high yields (up to 60 %) by the pyrolytic	9
	unzipping of cellulose	
1.5	Pyrolysis of lignin to 2-methoxyphenol	10
1.6	General reaction mechanism for the formation of trialkylsilyl	14
	derivatives for trimethylchlorosilane, $X = Cl$	
1.7	Block diagram of gas chromatograph	16
2.1	Characteristics of the house and cooking stove in KCK village	25
2.2	The position of studied and control houses	26
2.3	Sample collection in the household	26
3.1	$PM_{10}$ on quartz filter were collected from control and sample houses	34
3.2	A chromatograms of levoglucosan in $PM_{10}$ sample obtained from GC-FID	40
3.3	A chromatograms of 2-methoxyphenol in PM <sub>10</sub> sample obtained from	41
	GC-MS OV CHIANS MAI ONIN	
3.4	A linear regression of extracted calibration curves of levoglucosan standard	41
3.5	A linear regression of extracted calibration curves of 2-methoxyphenol	42

xiii

standard

- 3.6 Correlation between concentrations of levoglucosan and  $PM_{10}$  47 measured in both seasons (r = 0.57)
- 3.7 Correlation between concentrations of 2-methoxyphenol and  $PM_{10}$  49 measured in both seasons (r = 0.22)

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright<sup>©</sup> by Chiang Mai University All rights reserved

xiv

Page

	ABBREVIATION AND SYMBOLS
AQM	Air quality monitoring
СМ	Chiang Mai city hall
СО	Carbon monoxide
EPA	Environment Agency Protection
EU	European Union
GC-FID	Gas Chromatography-Flame Ionization Detector
GC-MS	Gas Chromatography-Mass Spectrometer in Select Ion
	Monitoring
hr	hour
IS	Internal Standard
КСК	Khun Chang Kian
LC	Liquid Chromatography
LG	Levoglucosan
LOD	Limit of Detection
LOQ	Limit of Quantitation
L/min	Litters per minute
MP	2-methoxyphenol
m/z	mass-to-charge ratio
mL	milliliters
mm	millimeters

mg/L	milligram per litter
min	minute
ng/m <sup>3</sup>	nanogram per cubic meters
MPs	methoxyphenols
NAAQS	National Ambient Air Quality Standard
ND	not detect
ng	nanogram
NO	Nitric oxide
$NO_2$	Nitrogen dioxide
$O_2$	Oxygen
$O_3$	Ozone
PAHs	Polycyclic aromatic hydrocarbons
PCD	Pollution Control Department
РМ	Particulate matter
PM <sub>10</sub>	Particulate matter with mean aerodynamic
RSD	Relative Standard Deviation
SD	Standard Deviation
SIM	Select Ion Monitoring
$SO_2$	Sulfur dioxide
µg/m <sup>3</sup>	Micrograms per cubic meter
μL	Microliters
US-EPA	United State-Environmental Protection Agency
VOCs	Volatile Organic Compounds
WHO 5	World Health Organization