

References

1. R.C. Tucker, Thermal spray coatings, Surface Engineering., 1994; Vol. 5 ASM Handbook.
2. AWS committee on Thermal spraying, Thermal practice, Theory and application, American Welding Society., 1985.
3. V. Fevel, B. Normand, H. Liao, C. Coddet, E. Beche, R. Berjoan, Friction and wear mechanism on thermally sprayed ceramic and cermets coating, Surface and Coating Technology., 1999; 111: 255-262.
4. E. Celik, O. Culha, B. Uyulgan, N.F. AkAzema, I. Ozdemir, A. Turk, Assessment of micro structural and mechanical properties of HVOF sprayed WC-base cermets coating for a roller cylinder, Surf. Coat. Technology., 2004; 200: 4320-4328.
5. B. Uyulgan, E. Dokumaci, E. Celik, I. Kayatekin, N.F. AkAzem, I. Ozdemir, M. Toparli, Wear behaviour of thermal flame sprayed FeCr coatings on plain carbon steel substrate, Journal of Materials Processing Technology., 2006; 190: 204-210.
6. L. Pawlowski, The Science and Engineering of Thermal Spray Coating, John Wiley & Sons, England, 1995.
7. C.N. Machio, G. Akdogan, M.J. Witcomb, S. Luyckn, Performance of WC-VC-Co thermal spray coatings in abrasion and slurry erosion test, Wear., 2005; 258: 434-442.

8. B. R. Marple, R.S. Lima, Process Temperature/Velocity-Hardness-Wear Relationship for High-Velocity Oxyfuel Sprayed Nanostructured and Conventional Cermet Coatings, *Journal of Thermal Spray Technology.*, 2004; 14: 67-76.
9. P.H. Shipway, D.G. McCartney, T. Sudprasert, Sliding wear behaviour of conventional and nanostructured HVOF sprayed WC-Co coating, *Wear.*, 2005; 259: 820-827.
10. V. Stoica, R. Ahmed, T. Itsukaichi, Influence of heat-treatment on the sliding wear of thermal spray cermet coating, *Surface Coating Technology.*, 2005; 199: 7-21.
11. K. Cooke, G. Oliver, V. Buchanan, N. Palmer, Optimisation of the electric wire arc-spraying process for improved wear resistance of sugar mill roller shells, *Surface Coating Technology.*, 2007; 202: 185-188.
12. R. Bolet, H. Liao, C. Mateus, C. Coddet, J.M. Borel, Optimization of a Rotating Twin Wire-Arc Spray Gun, *Journal of Thermal Spray Technology.*, 2007; 16: 783-790.
13. A. Pourmousa, J Mostaghimi, A. Abedini, S. Chandra, Particle Size Distribution in a Wire Arc Spraying System, *Journal of Thermal Spray Technology.*, 2005; 14: 502-510.
14. I. Gedzevicius, A.V. Valiulis, Analysis of wire arc spraying process variables on coating properties, *Journal of Materials Processing Technology.*, 2006; 175: 206-211.

15. M.P. Planche, H. Liao, C. Coddet, Relationships between in-flight particle characteristics and coating microstructure with a twin wire arc spray process and different working conditions, *Surface and Coating Technology.*, 2004; 182: 215-226.
16. K. Venugopal, M. Agrawal, Evaluation of arc sprayed coating for erosion protection of tubes in atmospheric fluidised bed combustion (AFBC) boilers, *Wear.*, 2008; 264: 139-145.
17. D.J. Branagan, M. Breitsameter, B.E. Meacham, V. Belashchenko, High-Performance Nanoscale Composite Coatings for Boiler Applications, *Journal of Thermal Spray Technology.*, 2004; 14: 196-204.
18. D. He, N. Dong, J. Jiang, Corrosion Behavior of Arc Sprayed Nickel-Base Coatings, *Journal of Thermal Spray Technology.*, 2007; 16: 850-856.
19. H.L. Liao, Y.L. Zhu, R. Bolot, C. Coddet, S.N. Ma, Size distribution of particles from individual wires and the effects of nozzle geometry in twin wire arc spraying, *Surface and Coating Technology.*, 2005; 200: 2123-2130.
20. G. Jin, B. Xu, H. Wang, Q. Li, S. Wei, Characterization of WC/Co coating on metal substrates, *Materials letters.*, 2007; 61: 2454-2456.
21. Z. W. Zhong, Z.F. Peng, N. Liu, Surface roughness characterization of thermally sprayed and precision machined WC-Co and Alloy -625 coating, *Materials Characterization.*, 2007; impress.
22. G. Jandin, H. Liao, Z. Q. Feng, C. Coddet, Corrosions between operating conditions, microstructure and mechanical properties of twin wire arc sprayed steel coatings, *Materials Characterization.*, 2002; A349: 298-305.

23. N.A. Hussary, J.V.R. Heberlein, Effect of system Parameters on Metal Breakup and Particel Formation in the Wire Arc Spray Process, *Journal of Thermal Spray Technology.*, 2006; 16: 140-152.
24. B. Xu, Z. Zhu, S. Ma, W. Zhang, W. Liu, Sliding wear behavior of Fe-Al and Fe-Al/WC coating prepared by high velocity arc spraying, *Wear.*, 2004; 257: 1089-1095.
25. P.Georgieva, R. Thorpe, A. Yanski, S, Seal, An Innovative Turnover for the Wire Arc Spraying Technology, *Advanced Materials Processes.*, 2006; August; 68-69.
26. H. Chen, C. Xu, Q Zhou, I. M. Hutching, P.H. Shipway, J. Liu, Micro-scale abrasive wear behavior of HVOF sprayed and Laser-remelted conventional and nanostructured WC-Co coatings, *Wear.*, 2004; 258: 333-338.
27. K.H. Baik, J.H. Kim, B.G. Seong, Improvements in hardness and wear resistance of thermally sprayed WC-Co nanocomposite coatings, *Materials Science and Engineering.*, 2007; A 449-451: 846-849.
28. J.H. Kim, K.H. Baik, B.G. Seong, S.Y. Hwang, Effects of post-spraying heat treatment on wear resistance of WC-Co nanocomposite coatings, *Materials Science and Engineering.*, 2007; A449-451: 876-879.
29. G. Bolelli, L. Lusvarghi, Heat treatment effects on the tribological performance of HVOF sprayed Co-Mo-Cr-Si coatings, *Journal of Thermal Spray Technology.*, 2007; 15: 802-810.
30. M. Rosso, A. Scrivani, D. Ugues, S Bertini, Corrosion resistance and properties of pump pistons coating with hard materials, *International Journal of Refractory Metals and Hard Materials.*, 2000; 19: 45-52.

31. L. Gil, M.A. Prato, M.H. Staia, Effect of post-heat treatment on the corrosion resistance of NiWCrBsi HVOF coating on chloride solution, *Journal of Thermal Spray Technology.*, 2000; 11: 95-99.
32. M. Vippola, J. Vuoristo, T. Lepisto, T. Mantyla, Thermal analysis of plasma sprayed oxide coating sealed with aluminium phosphate, *journal of the European Ceramic Society.*, 2001; 22: 1937-1946.
33. C. Gody , M.M. Lima, M.M.R. Castro, J.C. Avelar-Batista, Structural changes in high -velocity oxy-fuel thermally sprayed WC-Co coating for improved corrosion resistance, *Surface and Coating Technology.*, 2004; 188-189: 1-6.
34. L. Thakur, N. Arora, R. Jayaganthan, R. Sood, An investigation on erosion behavior of HVOF sprayed WC-CoCr coatings, *Applied Surface Science.*, 2001; 258: 1225-124.
35. D. K. Goyal, H. Singh, H. Kumar, V. Sahni, Slurry erosion behavior of HVOF WC-10Co-4Cr and $Al_2O_3 + 13TiO_2$ coatings on a turbine steel, *Wear.*, 2012; 289: 46-47.
36. H. Du, C. Sun, W. Hua, T. Wang, J. Gong, X. Jiang, S.W. Lee, Structure, mechanical and sliding wear properties of WC-Co/MoS₂-Ni coating by detonation gun spray, *Materials science & Engineering.*, 2007; A 455-445: 122-134.
37. A. Karimi, C. Verdon, J.L. Martin, R.K. Schmid, Slurry erosion behavior of thermally sprayed WC-M coatings, *Wear.*, 1995; 186-187: 480-486.
38. S. Stewart, R. Ahmed, T. Itsukachi, Rolling coating fatigue of post-treated WC-NiCrBSi thermal spray coating, *Surface and Coating Technology.*, 2005; 190: 171-189.

39. M.R. Ramesh, S. Parkash, S.K. nath, P.K. Spar. B. Venkataraman, Solid particle erosion of HVOF WC-/NiCrFeB coatings, *Wear.*, 2010; 269: 197-205.
40. G. Bolelli, B. Bonferron, J. Laurila, A. Milanti, Micromechanical properties and sliding wear behaviour of HVOF sprayed Fe-base alloy coating, *Wear.*, 2012; 276-277; 29-47.
41. Y. Wu, S. Hong, J. Zhang, Z. He, W. Guo, Q. Wang, G. Li, Microstructure and cavitation erosion behavior of WC-Co-Cr coating on 1Cr18NiTi stainless steel by HVOF thermal spraying, *Int. Journal of Refractory Metals and Hard Materials.*, 2012; 32: 21-26.
42. N.M. Melendez, A.G. McDonald, Development of WC-based metal matrix composite coating using low-pressure cold gas dynamic spraying, *Surface and Coating Technology.*, 2013; 214: 101-109.
43. P.W. Leech, X.S. Li, N. Alam, Comparison abrasive wear of a complex high alloy hardfacing deposit and WC-Ni based metal matrix composite, *Wear.*, 2012; 294-295: 380-386.
44. S. Stewart, R. Ahmed, T. Itsukaichi, Contact fatigue failure evaluation of post-treated WC-NiCrBSi functionally graded thermal spray coatings, *Wear.*, 2004; 257: 962-983.
45. H.J. Kim, C.H. Lee, S.Y. Hwang, Superhard nano WC-12% coating by cold spray deposition, *Materials Science & Engineering.*, 2005; A391: 243-248.
46. C.N. Machio, G. Akdogan, M.J. Witcomb, S. Luyckx, Performance of WC-VC-Co thermal spray coatings in abrasion and slurry erosion tests, *Wear.*, 2005; 258: 434-442.

47. N. Espallargas, J. Berget, J.M. Guilemany, A.V. Benedetti, P.H. Suegama, Cr_3C_2 -NiCr and WC-Ni thermal spray coating as alternative to hard chromium for erosion corrosion resistance, *Surface and Coating Technology.*, 2008; 202: 145-1417.
48. T. Itoi, A. Inoue, Thermal Stability and Soft Magnetic Properties of Fe-Nb-B Amorphous Alloys with High Boron Concentrations, *Materials Transactions, JIM.*, 1999; 40 No 7 : 643-647.
49. I. Betancourt, H.A. Davies, Influence of Zr and Nb dopant additions on the microstructure and magnetic properties of nanocomposite $\text{RE}_2(\text{Fe,Co})_{14}\text{B}/\alpha(\text{Fe,Co})$ (RE=Nd-Pr) alloys, *Journal of Magnetism and Magnetic Materials.*, 2003; 261: 328-336.
50. M. Chergui, H.I. Feraoum, N.E. Feninihe, H. Aourg, C. Coddet, Structure of amorphous iron- based coating processed by HVOF abd APS thermally spraying, *Materials Chemistry and Physics.*, 2004; 85: 113-119.
51. A. Raveh, O. Zukerman, R. Shneck, R. Avni, I. Fried, Thermal stability of nanostructure superhard coating: A review, *Surface and Coating Technology.*, 2007; 201: 6136-6142.
52. D. Szewieczek, J.T. Held, S. Lesz, Structure and mechanical properties of amorphous $\text{Fe}_{84}\text{Nb}_7\text{B}_9$ alloy during crystallization, *Journal of Achievements in Materials and Manufacturing Engineering.*, 2007; 24: 87-90.
53. J. Saaedi, T.W. Coyle, S. Mirdamadi, H. Arabi, J. Mostaghimi, Phase formation in a Ni-50Cr HVOF coating, *Surface and Coating Technology.*, 2008; 202: 5804-5811.

54. W.H. Gu, Y.S. Jeong, K. Kim, J.C. Kim, S.H. Son, S. Kim, Thermal oxidation behavior of WC-Co hard metal machining tool tip scarps, *Journal of Materials Processing Technology.*, 2012; 212: 1250-1256.
55. J.P. Tu, M.S. Liu, Z.Y. Mao, Erosion resistance of Ni-WC self-fluxing alloy coating at high temperature, *Wear.*, 1997; 209: 43-48.
56. S.P. Lu, O.Y. Kwon, Microstructure and bonding strength of WC reinforced Ni base alloy brazed composite coating, *Surface and Coating Technology Surface and Coating Technology.*, 2002; 153: 40-48.
57. G.C. Saha, T.I. Khan, G.A. Zhang, Erosion corrosion resistance of microcrystalline and near nanocrystalline WC-17Co high velocity oxy-fuel thermal spray coatings, *Corrosion Science.*, 2011; 53: 2106-2114.
58. S. Dallaire and H. Levert, Synthesis and deposition of TiB₂-containing materials by arc spraying, *Surface and Coatings Technology.*, 1992; 50: 241-248