

REFERENCES

1. Granqvist, C.G., Azens, A., Heszler, P., Kish, L.B., Österlund, L., Nanomaterials for benign indoor environments: Electrochromics for “smart windows”, sensors for air quality, and photo-catalysts for air cleaning, *Sol. Energ. Mat. Sol. C.*, 2007; 91: 355–365.
2. Rossinyol, E., Arbiol, J., Peiró, F., Cornet, A., Morante, J.R., Tian, B., Bo, T., Zhao, D., Nanostructured metal oxides synthesized by hard template method for gas sensing applications. *Sens. Actuators B: Chem.*, 2005; 109: 57–63.
3. Zamani, C., Shimano, K., Yamazoe, N., A new capacitive-type NO₂ gas sensor combining an MIS with a solid electrolyte. *Sens. Actuators B: Chem.*, 2005; 109: 216–220.
4. Zamani, C., Shimano, K., Yamazoe, N., Capacitive-type gas sensors combining silicon semiconductor and NaNO₂-based solid electrolyte for NO₂ detection. *Sens. Actuators B: Chem.*, 2005; 109: 300–306.
5. Göpel W., Chemisorption and charge transfer at ionic semiconductor surfaces: implication in designing gas sensors, *Prog. Surf. Sci.* 1985; 20: 9–103.
6. Madou, M.J., Morrison, S.R., *Chemical Sensing with Solid State Devices*, Academic Press, San Diego, 1989.
7. Schierbaum, K.D., Weimar, U., Göpel, W., Kowalkowski, R., Conductance, work function and catalytic activity of SnO₂-based gas sensors, *Sens. Actuators B: Chem.*, 1991; 3: 205–214.

8. Schierbaum, K.D., Engineering of oxide surface and metal/oxide interfaces for chemical sensors: recent trends, *Sens. Actuators B: Chem.*, 1995; 24–25: 239–247.
9. Chung, Y.K., Kim, M.H., Um, W.S., Lee, H.S., Song, J.K., Choi, S.C., Yi, K.M., Lee, M.J., Chung, K.M., Gas sensing properties of WO₃ thick film for NO₂ gas dependent on process condition, *Sens. Actuators B: Chem.*, 1999; 60: 49–56.
10. Moseley, P., Tofield, B., *Solid State Gas Sensors*, Adam Hilger, Bristol, 1987.
11. Belkacem, W., Labidi, A., Guérin, J., Mliki, N., Aguir, K., Cobalt nanograins effect on the ozone detection by WO₃ sensors, *Sens. Actuators B: Chem.*, 2008; 132: 196–201.
12. Zakrzewska, K., Mixed oxides as gas sensors, *Thin Solid Films*, 2001; 391: 229–238.
13. Penza, M., Martucci, C., Cassano, G., NO_x gas sensing characteristics of WO₃ thin films activated by noble metals (Pd, Pt, Au) layers, *Sens. Actuators B: Chem.*, 1998; 50: 52–59.
14. Tao, W.H., Tsai, C.-H., H₂S sensing properties of noble metal doped WO₃ thin film sensor fabricated by micromachining, *Sens. Actuators B: Chem.*, 2002; 81: 237–247.
15. Labidi, A., Gillet, E., Delamare, R., Maaref, M., Aguir, K., Ethanol and ozone sensing characteristics of WO₃ based sensors activated by Au and Pd, *Sens. Actuators B: Chem.*, 2006; 120: 338–345.
16. Kocemba, I., Paryjczak T., Metal films on a SnO₂ surface as selective gas sensors, *Thin Solid Films*, 1996; 272: 15–17.

17. Hucka, R., Böttgera, U., Kohla, D., Heilanda, G., Spillover effects in the detection of H₂ and CH₄ by sputtered SnO₂ films with Pd and PdO deposits, *Sens. Actuators B: Chem.*, 1989; 17: 355–359.
18. Chiarello, G.L., Rossetti, I., Forni, L., Flame-spray pyrolysis preparation of perovskites for methane catalytic combustion, *J. Catal.*, 2005; 236: 251–261.
19. Wegner, K., Schimmoeller, B., Thie-baut, B., Fernandez, C., Rao, T.N., Pilot plants for industrial nanoparticle production by flame spray pyrolysis, *KONA*, NO. 29, 2011.
20. Ha, J.-H., Muralidharan, P., Kim, D.K., Hydrothermal synthesis and characterization of self-assembled h-WO₃ nanowires/nanorods using EDTA salts, *J. Alloys Compd.*, 2009; 475: 446–451.
21. Butler M.A., Photoelectrolysis and physical properties of the semiconducting electrode WO₃, *J. Appl. Phys.*, 1997; 48: 1914–1920.
22. Solid state structure of tungsten trioxide. Available online at [http:// www.webelements.com](http://www.webelements.com), August, 15th, 2011
23. Nimitrakoolchai, O., Supothina, S., High-yield precipitation synthesis of tungsten oxide platelet particle and its ethylene gas-sensing characteristics, *Mater. Chem. Phys.*, 2008; 112: 270–274.
24. Wang, L., Teleki, A., Pratsinis, S.E., Gouma, P.I., Ferroelectric WO₃ nanoparticles for acetone selective detection, *Chem. Mater.*, 2008; 20: 4794–4796.

25. Siciliano, T., Tepore, A., Micocci, G., Serra, A., Manno, D., Fillippo, E., WO₃ gas sensors prepared by thermal oxidization of tungsten, *Sens. Actuators B: Chem.*, 2008; 133: 321–326.
26. Lee, D.-S., Han, S.-D., Huh, J.-S., Lee, D.-D., Nitrogen oxides-sensing characteristics of WO₃-based nanocrystalline thick film gas sensor, *Sens. Actuators B: Chem.*, 1999; 60: 57–63.
27. Sun, M., Xu, N., Cao, Y.W., Yao, J.N., Wang, E.G., Nanocrystalline tungsten oxide thin film: preparation, microstructure, and photochromic behavior, *J. Mater. Res.*, 2000; 15: 927–933.
28. Yi, S., Hua, Z., Rong, H., Li, Z., Shaning, Y., Synthesis and photochromic properties of WO₃ powder induced by oxalic acid, *Sci. China Ser B: Chem.*, 2009; 52: 609–614.
29. Wang, J., Khoo, E., Lee, P.S., Ma, J., Controlled Synthesis of WO₃ Nanorods and Their Electrochromic properties in H₂SO₄ Electrolyte, *J. Phys. Chem. C*, 2009; 113: 9655–9658.
30. Su, X., Xiao, F., Li, Y., Jian, J., Sun, Q., Wang, J., Synthesis of uniform WO₃ square nanoplates via an organic acid-assisted hydrothermal process, *Mater. Lett*, 2010; 64: 1232–1234.
31. Choi, H.G., Jung, Y.H., Kim, D.K., Solvothermal synthesis of tungsten oxide nanorod/nanowire/nanosheet, *J. Am. Ceram. Soc.*, 2005; 88(6): 1684–1686.
32. Cox, P.A., *Transition Metal Oxides*, Clarendon Press, Oxford, 1995.
33. Woodward, P., Sleight, A., Ferroelectric tungsten oxide, *J. Solid State Chem.*, 1997; 131: 9–17.

34. Kehl, W., Hay, R., Wahl, D., The structure of tetragonal tungsten trioxide, *J. Appl. Phys.* 1952; 23: 212–215.
35. Saljie, E., *Acta Crystallogr. B*, 1977; 33: 547–577.
36. Tanisaki, S., Crystal structure of monoclinic tungsten trioxide at room temperature, *J. Phys. Soc. Jpn.*, 1960; 15: 573–581.
37. Loopstra, B.O., Rietveld, H.M., Structural crystallography and crystal chemistry, *Acta Crystallogr. B*, 1969; 25: 1420–1421.
38. Diehl, R., Brandt, G., Saljie, E., The crystal structure of triclinic WO_3 , *Acta Crystallogr. B*, 1978; 34: 1105–1111.
39. Woodward, P., Sleight, A., Vogt, T., Structure refinement of triclinic tungsten trioxide, *J. Phys. Chem. Solids*, 1995; 56: 1035–1315.
40. Saljie, E., *Ferroelectrics*, 1976; 12: 215–217.
41. Souza-Filho, A., Freire, V., Sasaki, J., Mendes-Filho, J., Juliao, J., Gomes, U., Coexistence of triclinic and monoclinic phases in WO_3 ceramics, *J. Raman Spectrosc.*, 2000; 31: 451–454.
42. http://en.wikipedia.org/wiki/Tungsten_trioxide, September, 4th, 2011.
43. <http://en.wikipedia.org/wiki/Platinum>, September, 4th, 2011.
44. Menezes, D.C., Lima, G.M., Porto, A.O., Donnici, C.L., Ardisson, J.D., Doriguetto, A.C., Ellena, J., Synthesis, characterization and thermal decomposition of tin (IV) dithiocarbamate derivatives-single source precursors for tin sulfide powders, *Polyhedron*, 2004; 23: 2103–2109.
45. Xu, C., Xu, G., Liu, Y., Zhao, X., Wang, G., Preparation and characterization of SnO_2 nanorods by thermal decomposition of SnC_2O_4 precursor, *Scripta Mater.*, 2002; 46: 789–794.

46. Seo, M., Akutsu, Y., Kagemoto, H., Preparation and properties of Sb-doped SnO₂/metal substrates by sol-gel and dip coating. *Ceram. Int.*, 2007; 33: 625–629.
47. <http://en.wikipedia.org/wiki/Sol-gel>, September 11th, 2011.
48. Hench, Laary L., West, Jon K., The sol-gel process. *Chem. Rev.*, 1990; 90(1); 33–72.
49. Wei, L., Peng, X., HuaCong, Z., LiangRong, Y., Huizhou, L., Advanced functional nanomaterials with microemulsion phase, *Sci. China. Technol. Sc.*, 2012; 55 (2): 387–416.
50. Burda, C., Chen, X., Narayanan, R., El-Sayed, M.A., Chemistry and Properties of Nanocrystals of Different Shapes, *Chem.Rev.*, 2005; 105: 1025–1102.
51. Eastoe, J., Hollamby, M.J., Hudson, L., Recent advances in nanoparticle synthesis with reversed micelles, *Adv. Colloid. Interfac.*, 2006; 128–130: 5–15.
52. Thongtem, T., Tipcompor, N., Phuruangrat, A., Thogtem, S., Characterization of SrCO₃ and BaCO₃ nanoparticles synthesized by sonochemical method, *Mater. Lett.*, 2010; 64: 510–512.
53. Gedanken, A., Using sonochemistry for the fabrication of nanomaterials, *Ultrason. Sonochem.*, 2004; 11: 47–55.

54. Mazloumi, M., Zanganeh, S., Kajbafvala, A., Ghariniyat, P., Taghavi, S., Lak, A., Mohajerani, M., Sadrnezhad, S.K., Ultrasonic induced photoluminescence decay in sonochemically obtained cauliflower-like ZnO nanostructures with surface 1D nanoarrays, *Ultrason. Sonochem.* 2009; 16: 11–4.
55. http://en.wikipedia.org/wiki/Precipitation_%28chemistry%29, September 21th, 2011.
56. He, Y., Li, Y., Yu, J., Qian, Y., Chemical control synthesis of nanocrystalline SnO₂ by hydrothermal reaction. *Mater. Lett.*, 1999; 40: 23–26.
57. Yang, X., Wang, L., Synthesis of novel hexagon SnO₂ nanosheets in ethanol/water solution by hydrothermal process. *Mater. Lett.*, 2007; 61: 3705–3707.
58. http://en.wikipedia.org/wiki/Hydrothermal_synthesis, September 21th, 2011.
59. Diéguez, A., Vilà, A., Cabot, A., Romano-Rodríguez, A., Morante, J.R., Kappler, J., Bârsan, N., Weimar, U., Göpel, W., Influence on the gas sensor performances of the metal chemical states introduced by impregnation of calcinated sol-gel nanocrystals. *Sens. Actuators B: Chem.*, 2000; 68: 94–99.
60. Alcalá, M.D., Real, C., Synthesis based on the wet impregnation method and characterization of iron and iron oxide-silica nanocomposites. *Solid State Ionics*, 2006; 177: 955–960.
61. Pratsinis, S.E., Flame aerosol synthesis of ceramic powders. *Prog. Energy Combust. Sci.*, 1998; 24: 197–219.

62. Tani, T., Mädler, L., Pratsinis, S.E., Homogeneous ZnO nanoparticles by flame spray pyrolysis. *J. Nanopart. Res.*, 2002; 4: 337–343.
63. Mädler, L., Kammler, H.K., Mueller, R., Pratsinis, S.E., Controlled synthesis of nanostructured particles by flame spray pyrolysis. *J. Aerosol Sci.*, 2002; 33: 369–389.
64. Müller, R., Mädler, L., Pratsinis, S.E., Nanoparticle synthesis at high production rates by flame spray pyrolysis. *Chem. Eng. Sci.*, 2003; 58: 1969–1976.
65. Mädler, L., Liquid-fed aerosol reactors for one-step synthesis of nanostructured particles. *KONA*, 2004; 22: 107–120.
66. Griffiths, J.F., Barnard, J.A., *Flame and Combustion*, 3rd ed, Blackie Academic & Professional, London, 1995.
67. Wegner, K., Stark, W.J., Pratsinis, S.E., Flame-nozzle synthesis of nanoparticles with closely controlled size, morphology and crystallinity. *Mater. Lett.*, 2002; 55: 318–321.
68. Strobel, R., Pratsinis, S.E., Flame Synthesis of Supported Platinum Group Metals for Catalysis and Sensor, *Platinum Met. Rev.*, 2009; 53(1): 11–20.
69. Kammler, H.K., Mädler, L., Pratsinis, S.E., Flame synthesis of nanoparticles. *Chem. Eng. Technol.*, 2001; 24: 583–596.
70. Mädler, L., Stark, W.J., Pratsinis, S.E., Rapid synthesis of stable ZnO quantum dots, *J. Appl. Phys.*, 2002; 92: 6537–6540.

71. Cullity, B.D., *Structure of Polycrystalline Aggregates; Elements of X-ray Diffraction*, 2nd ed., Addison-Wesley Publishing Company, Reading, MA, 1978.
72. Suryanarayana, C., Norton, M.G., *X-ray Diffraction: A Practical Approach*, Plenum Press, New York and London, 1998.
73. <http://www.microscopy.ethz.ch/bragg.htm>, October 21th, 2011.
74. Suryanarayana, C., Norton, G.M., *X-ray Diffraction: A Practical Approach*. Plenum Press, London, 2004.
75. <http://epswww.unm.edu/xrd/xrdbasics.pdf>, October 22nd, 2011.
76. Hodnett, B.K., *Heterogeneous Catalytic Oxidation: Fundamental and Technological Aspects of the Selective and Total Oxidation of Organic Compounds. Ireland: Department of Chemical and Environmental Sciences and The Materials and Surface Science Institute University of Limerick, Dublin, 2000.*
77. Watt, I.M., *The Principles and Practice of Electron Microscope*. Cambridge University Press, New York, 1977.
78. http://en.wikipedia.org/wiki/Scanning_electron_microscope, November 3rd, 2011
79. MIKO, C., Synthesis, characterization and macroscopic manipulation of carbon nanotubes, M. Sc. Thesis, Lausanne, EPFL, 2005.
80. Chescoe, D., Goodhew, J., *Microscopy Handbook: The Operation of the Transmission Electron Microscope*, Oxford University Press, New York, 1984.
81. <http://www.unl.edu/CMRACfem/temoptic.htm>, November 22nd, 2011.

82. http://en.wikipedia.org/wiki/Transmission_electron_microscopy,
November 22nd, 2011.
83. Lowell, S., *Introduction to Powder Surface Area*, John Willey & Son, Inc.
New York, 1979.
84. http://en.wikipedia.org/wiki/BET_theory, December 2nd, 2011.
85. Liewhiran, C., Phanichphant, S. Effects of palladium loading on the response
of a thick film flame-made ZnO gas sensor for detection of ethanol
vapor. *Sensors*, 2007; 7: 1159–1184.
86. Janata, J., *Principles of Chemical Sensors*, Plenum Press, New York, 1989.
87. Eiggins, B.R., *Chemical Sensors and Biosensors*, West Sussex : John Wiley &
Sons., 2002.
88. Zhang, J., Liu, X., Xu, M., GuO, X., Wu, S., Zhang, S., Wang, S., Pt clusters
supported on WO₃ for ethanol detection, *Sens. Actuators B: Chem.*,
2010; 147(1): 185–190.
89. Liu, X., Zhang, J., Yang, T., GuO, X., Wu, S., Wang, S. Synthesis of Pt
nanoparticles functionalized WO₃ nanorods and their gas sensing
properties, *Sens. Actuators B: Chem.*, 2011; 156: 918–923.
90. Calavia, R., Mozalev, A., Vazquez, R., Gracia, I., Cané, I., Ionescu, R.,
Llobet, E., Fabrication of WO₃ nanodot-based microsensors highly
sensitive to hydrogen, *Sens. Actuators B: Chem.*, 2010; 149: 352–361.
91. Teleki, A., Pratsinis, S.E., Kalyanasundaram, K., Gouma, P.I., Sensing of
organic vapors by flame-made TiO₂ nanoparticles, *Sens. Actuators B:
Chem.*, 2006; 119: 683–690.

92. Raju, A.R., Rao, C.N.R., Gas-sensing characteristics of ZnO and copper-impregnated ZnO, *Sens. Actuators B: Chem.*, 1991; 3: 305–310.
93. Shen, Y., Yamazaki, T., Liu, Z., Meng, D., Kikuta, T., Nkatani, N., Influence of effective surface area on gas sensing properties of WO₃ sputtered thin films, *Thin Solid Films*, 2009; 517: 2069–2072.
94. Liu, Y., Dong, J., Hesketh, P.J., Liu, M., Synthesis and gas sensing properties of ZnO single crystal flakes, *J. Mater. Chem.*, 2005; 15: 2316–2320.
95. Paraguay, F.D., Yoshida, M.M., Morales, J., Solis, J., Estrada, W. L., Influence of Al, In, Cu, Fe and Sn dopants on the response of thin films ZnO gas sensor to ethanol vapour, *Thin Solid Films*, 2000; 373: 137–140.
96. Xia, H., Wang, Y., Kong, F., Wang, S., Zhu, B., Guo, X., Zhang, J., Wang, Y., Wu, S., Au-doped WO₃-based sensor for NO₂ detection at low operating temperature, *Sens. Actuators B: Chem.*, 2008; 134: 133–139.
97. Liewhiran, C., Phanichphant, S., Influence of thickness on ethanol sensing characteristics of doctor-bladed thick film from flame-made ZnO nanoparticles, *Sensors*, 2007; 7: 185–201.
98. Liewhiran, C., Phanichphant, S., Improvement of flame-made nanoparticulate thick film morphology for ethanol sensing, *Sensors*, 2007; 7: 650–675.
99. Heilig, A., Barsan, N., Weimar, U., Göpel, W., Selectivity enhancement of SnO₂ gas sensors: simultaneous monitoring of resistances and temperatures, *Sens. Actuators B: Chem.*, 1999; 58: 302–309.
100. Geckeler, K.E., Rosenberg, E., *Functional Nanomaterials*, American Scientific Publisher, New York, 2005.

101. Barsan, N., Schweizer-Berberich, M., Göpel, W., Fundamental and practical aspects in the design of nanoscaled SnO₂ gas sensors: a status report, *Fresenius J Anal. Chem.*, 1999; 365: 287–304.
102. Simon, I., Barsan, N., Bauer, M., Weimar, U., Micromachined metal oxide gas sensor: opportunities to improve sensor performance, *Sens. Actuators B: Chem.*, 2001; 73: 1–26.
103. Sakai, G., Baik, N., Miura, N., Yamazoe, N., Gas sensing properties of tin oxide thin films fabricated from hydrothermally treated nanoparticles: Dependence of CO and H₂ response on film thickness, *Sens. Actuators B: Chem.*, 2001; 77: 116–121.
104. Vincenzi, D., Butturi, A., Guidi, V., Carotta, M., Martinelli, G., Guarnieri, V., Brida, S., Margesin, B., Giaocemozzi, F., Zen, M., Giusti, D., Soncini, G., Vasiliev, A., Pislakov, A., Gas sensing device implement on a micromachined membrane: a combination of thick-film and very large scale integrated technologies, *J. Vac. Sci. Technol. B.*, 2000; 18: 2441–2445.
105. Briand, D., Schoot, B. van der, Rooij, N. de, Krauss, A., Weimar, U., Barsan, N., Gopel, W., High temperature micro-hotplates for drop coated gas sensors, in: Proceedings of the 13th European Conference on Solid-State Transducers, The Hague, The Netherlands, 12–15 September 1999; 703–704.

106. Cerda, J., Cirera, A., Vila, A., Cornet, A., Morante, J.R., Deposition on micromachined silicon substrates of gas sensitive layers obtained by a wet chemical route: a CO/CH₄ high performance sensor, *Thin Solid Films*, 2001; 391: 265–269.
107. Jiménez, I., Cirera, A., Cornet, A., Morante, J.R., Pulverisation method for active layer coating on microsystems, *Sens. Actuators B: Chem.*, 2002; 84: 78–82.
108. Gallardo, I.J., Tungsten oxide nanocrystalline powders for gas sensing applications, Ph.D. Thesis, Universitat de Barcelona, 2003.
109. Arshak, K., Moore, E., Lyons, G.M., Harris, J., Clifford, S., A review of gas sensors employed in electronic nose applications, *Sensor Rev.*, 2004; 24: 181–198.
110. Schierbaum, K.D., Weimar, U., Göpel, W., Kowalkowski, R., Conductance, work function and catalytic activity of SnO₂-based gas sensors, *Sens. Actuators B: Chem.*, 1991; 3: 205–214.
111. Safonova, O.V., Delabouglise, G., Chenevier, B., Gaskov, A.M., Labeau, M., CO and NO₂ gas sensitivity of nanocrystalline tin dioxide thin films doped with Pd, Ru and Rh, *Mater. Sci. Eng.: C*, 2002; 21: 105–111.
112. Hieu, N.V., Thuya, L.T.B., Chien, N.D., Highly sensitive thin film NH₃ gas sensor operating at room temperature based on SnO₂/MWCNTs composite, *Sens. Actuators B: Chem.*, 2008; 129: 888–895.
113. Xu, J., Wang, X., Shen, J., Hydrothermal synthesis of In₂O₃ for detecting H₂S in air, *Sens. Actuators B: Chem.*, 2006; 115: 642–646.

114. Mädler, L., Sahm, T., Gurlo, A., Grunwaldt, J.D., Barsan, N., Weimar, U., Pratsinis, S.E., Sensing low concentrations of CO using flame-spray-made Pt/SnO₂ nanoparticles, *J. Nanopart. Res.*, 2006; 8: 783–796.
115. Wagner, T., Waitz, T., Roggenbuck, J., Fröba, M., Kohl, C.D., Tiemann, M., Ordered mesoporous ZnO for gas sensing, *Thin Solid Films*, 2007; 515: 8360–8363.
116. Zhang, T., Liu, L., Qi, Q., Li, S., Lu, G., Development of microstructure In/Pd-doped SnO₂ sensor for low-level CO detection, *Sens. Actuators B: Chem.*, 2009; 139: 287–291.
117. Ghimbeu, C.M., Lumbreras, M., Schoonman, J., Siadat, M., Electrospayed metal oxide semiconductor films for sensitive and selective detection of hydrogen sulfide, *Sensors*, 2009; 9: 9122–9132.
118. Das, S., Chakraborty, S., Parkash, O., Kumarb, D., Bandyopadhyay, S., Samudrala, S.K., Sena, A., Maiti, H.S., Vanadium doped tin dioxide as a novel sulfur dioxide sensor, *Talanta*, 2008; 75: 385–389.
119. Dayan, N.J., Sainkar, S.R., Karekar, R.N., Aiyer, R.C., Formulation and characterization of ZnO:Sb thick-film gas sensors, *Thin Solid Films*, 1998; 325: 254–258.
120. Friedberger, A., Kreisl, P., Rose, E., Müller, G., Uhner, G. K., Wöllenstein, J., Böttner, H., Micromechanical fabrication of robust low-power metal oxide gas sensors, *Sens. Actuators B: Chem.*, 2003; 93: 345–349.

121. Wetchakun, K., Samerjai, T., Tamaekong, N., Liewhiran, C., Siriwong, C., Krufu, V., Wisitsoraat, A., Tuantranont, A., Phanichphant, S., Semiconducting metal oxides as sensor for environmentally hazardous gases, *Sens. Actuators B: Chem.*, 2011; 160: 580–591.
122. Charnnarong, S., Anurat, W., Rangsrut, S., Optimization of carbon doped molybdenum oxide thin film coating process using designed experiments, *Surf. Coat. Tech.*, 2010; 204: 1493–1502.
123. Baruwati, B., Kumar, D.K., Manorama, S.V., Hydrothermal synthesis of highly crystalline ZnO nanoparticles: A competitive sensor for LPG and EtOH, *Sens. Actuators B: Chem.*, 2006; 119: 676–682.
124. Sahay, P.P, Tewari, S., Sprayed ZnO thin films for ethanol sensors, *J. Mater. Sci.*, 2005; 40: 4791–4793.
125. Shimizu, Y., Egashira, M., Basic aspects and challenges of semiconductor gas sensors, *MRS Bulletin*, 1999; 18–24.
126. Sberveglieri, G., Depero, L., Groppelli, S., Nelli, P., WO₃ sputtered thin films for NO_x monitoring, *Sens. Actuators B: Chem.*, 1995; 26–27:89–92.
127. Ippolito, S.J., Kandasamy, S., Kalantar-zadeh, K., Wlodarski, W., Hydrogen sensing characteristics of WO₃ thin film conductometric sensors activated by Pt and Au catalysts, *Sens. Actuators B: Chem.*, 2005; 108: 154–158.
128. Gu, Z., Zhai, T., Gao, B., Sheng, X., Wang, Y., Fu, H., Ma, Y., Yao, J., Controllable Assembly of WO₃ Nanorods/Nanowires into Hierarchical Nanostructures, *J. Phys. Chem. B*, 2006; 110: 23829–23836.

129. Khadayate, R.S., Waghulde, R.B., Wankhede, M.G., Sall, J.V., Patil, P.P., Ethanol vapour sensing properties of screen printed WO_3 thick films, *Bull. Mater. Sci.*, 2007; 30(2): 129–133.
130. Wang, L., Pfeifer, J., Balázsi, C., Gouma, P.I., Synthesis and Sensing Properties to NH_3 of Hexagonal WO_3 Metastable Nanopowders, *Mater. Manuf. Process*, 2007; 22: 773–776.
131. Wang, J., Khoo, E., Lee, P.S., Ma, J., Controlled Synthesis of WO_3 Nanorods and Their Electrochromic Properties in H_2SO_4 Electrolyte, *J. Phys. Chem. C*, 2009; 113: 9655–9658.
132. Song, X.C., Zheng, Y.F., Yang, E., Wang, Y., Large-scale hydrothermal synthesis of WO_3 nanowires in the presence of K_2SO_4 , *Mater. Lett.*, 2007; 61: 3904–3908.
133. Supothina, S., Seeharaj, P., Yoriya, S., Sriyudthsak, M., Synthesis of tungsten oxide nanoparticles by acid precipitation method, *Ceram. Int.*, 2007; 33: 931–936.
134. Huirache-Acuña, R., Paraguay-Delgado, F., Albiter, M.A., Lara-Romero, J., Martínez-Sánchez, R., Synthesis and characterization of WO_3 nanostructures prepared by an aged-hydrothermal method, *Mater. Charact.*, 2009; 60: 932–937.
135. Salmaoui, S., Sediri, F., Gharbi, N., Characterization of h- WO_3 nanorods synthesized by hydrothermal process, *Polyhedron*, 2010; 29: 1771–1775.

136. Sriyudthsak, M., Supothina, S., Humidity-insensitive and low oxygen dependence tungsten oxide gas sensors, *Sens. Actuators B: Chem.*, 2006; 113: 265–271.
137. Wang, L., Pfeifer, J., Balázsi, C., Gouma, P.I., Humidity-insensitive and low oxygen dependence tungsten oxide gas sensors, *Mater. Manuf. Process*, 2007; 22: 773–776.
138. Srivastava, V., Jain, K., Highly sensitive NH_3 sensor using Pt catalyzed silica coating over WO_3 thick films, *Sens. Actuators B: Chem.*, 2008; 133: 46–52.
139. Zhang, C., Boudiba, A., Navio, C., Bittencourt, C., Olivier, M.-G., Snyders, R., Debliquy, M., Highly sensitive hydrogen sensors based on co-sputtered platinum-activated tungsten oxide films, *Int. J. Hydrogen Energ.*, 2011; 36: 1107–1114.
140. Lee, D.-S., Lim, J.-W., Lee, S.-M., Huh, J.-S., Lee, D.-D., Fabrication and characterization of micro-gas sensor for nitrogen oxides gas detection, *Sens. Actuators B: Chem.*, 2000; 64: 31–36.
141. Shieh, J., Feng, H.M., Hon, M.H., Juang, H.Y., WO_3 and W-Ti-O thin-film gas sensors prepared by sol-gel dip-coating, *Sens. Actuators B: Chem.*, 2002; 86: 75–80.
142. Liu, Z., Yamazaki, T., Shen, Y., Kikuta, T., Nakatani, N., Influence of annealing on microstructure and NO_2 -sensing properties of sputtered WO_3 thin films, *Sens. Actuators B: Chem.*, 2007; 128: 173–178.

143. Stankova, M., Vilanova, X., Calderer, J., Llobet, E., Brezmes, J., Gràcia, I., Cané, C., Correig, X., Sensitivity and selectivity improvement of rf sputtered WO_3 microhotplate gas sensors, *Sens. Actuators B: Chem.*, 2006; 113: 241–248.
144. Liu, Z., Myauci, M., Yamazaki, T., Shen, Y., Facile synthesis and NO_2 gas sensing of tungsten oxide nanorods assembled microspheres, *Sens. Actuators B: Chem.*, 2009; 140: 514–519.
145. Zhang, C., Debilquy, M., Boudiba, A., Liao, H., Coddet, C., Sensing properties of atmospheric plasma-sprayed WO_3 coating for sub-ppm NO_2 detection, *Sens. Actuators B: Chem.*, 2010; 144: 280–288.
146. Wollenstein, J., Bottner, H., Jaegle, M., Becker, W.J., Wagner, E., Material properties and the influence of metallic catalysts at the surface of highly dense SnO_2 films, *Sens. Actuators B: Chem.*, 2000; 70: 196–202.
147. Sumida, S., Okazaki, S., Asukura, S., Nakagawa, H., Murayama, H., Hasegawa, T., Distributed hydrogen determination with fiber-optic sensor, *Sens. Actuators B: Chem.*, 2005; 108 (1–2): 508–514.
148. Wongchoosuk, C., Wisitsoraat, A., Phokharakul, D., Tuantranount, A., Kerdcharoen, T., Multi-walled carbon nanotube-doped tungsten oxide thin films for hydrogen gas sensing, *Sensors*, 2010; 10: 7705–7715.
149. Okazaki, S., Nakagawa, H., Asakura, S., Tomiuchi, Y., Tsuji, N., Murayama, H., Washiya, M., Sensing characteristics of an optical fiber sensor for hydrogen leak, *Sens. Actuators B: Chem.*, 2006; 113: 265–271.

150. Hsu, W.C., Chan, C.-C, Peng, C.-H, Chang, C.-C, Hydrogen sensing characteristics of an electrodeposited WO_3 thin film gaschromic sensor activated by Pt catalyst, *Thin Solid Films*, 2007; 516: 407–411.
151. Yaacob, M.H., Breedon, M., Kalantar-zadeh, K., Wlodarski, W., Absorption spectral response of nanotextured WO_3 thin films with Pt catalyst towards H_2 , *Sens. Actuators B: Chem.*, 2009; 137: 115–120.
152. Hitchman, M.L., Analysis of equilibrium potentials of hydrogen tungsten bronzes, *J. Electroanal. Chem.*, 1977; 85: 135.
153. Matsuyama, N., Okazaki, S., Nakagawa, H., Sone, H., Fukuda, K., Response kinetics of a fiber-optic gas sensor using Pt/ WO_3 thin film to hydrogen, *Thin Solid Films*, 2009; 517: 4650–4653.
154. Tamaekong, N., Liewhiran, C., Wisitsoraat, A., Phanichphant, S., Acetylene Sensor Based on Pt/ZnO Thick Films as Prepared by Flame Spray Pyrolysis, *Sens. Actuators B: Chem.*, 2011; 152: 155–161.
155. Tamaekong, N., Liewhiran, C., Wisitsoraat, A., Phanichphant, S., Sensing characteristics of flame-spray-made Pt/ZnO thick films as H_2 gas sensor, *Sensors*, 2009; 9: 6652–6669.
156. scifun.chem.wisc.edu/chemweek/pdf/ethanol.pdf, December 15th, 2011.
157. Samerjai, T., Tamaekong, N., Wetchakun, K., Krufu, V., Liewhiran, C., Siriwong, C., Wisitsoraat, A., Phanichphant, S., Flame-spray-made metal-loaded semiconducting metal oxides thick films for flammable gas sensing, *Sens. Actuators B: Chem.*, 2012; 171–172: 43–61.

158. Gong, H., Hu, J.Q., Wang, J.H., Ong, C.H., Zhu F.R., Nano-crystalline Cu-doped ZnO thin film gas sensor for CO, *Sens. Actuators B: Chem.*, 2006; 115: 247–251.
159. Krufu, V., Liewhiran, C., Wisitsoraat, A., Phanichphant, S., Selectivity of flame-spray-made Nb/ZnO thick films towards NO₂ gas, *Sens. Actuators B: Chem.*, 2011; 156: 360–367.
160. <http://www.scribd.com/doc/30133613/Ethylene>, December 15th, 2011.
161. Air Quality Ontario, Ministry of Environment, Ontario, Canada.
www.airqualityontario.com/science/pollutants/nitrogen.cfm, December 15th, 2011.
162. Fu, T., Research on gas-sensing properties of lead sulfide-based sensor for detection of NO₂ and NH₃ at room temperature, *Sens. Actuators B: Chem.*, 2009; 140: 116–121.
163. Liewhiran, C., Tamaekong, N., Wisitsoraat, A., Phanichphant, S., H₂ sensing response of flame-spray-made Ru/SnO₂ thick films fabricated from spin coated nanoparticles, *Sensors*, 2009; 9: 8996–9010.
164. Su, X., Li, Y., Jian, J., Wang, J., In situ etching WO₃ nanoparticles: hydrothermal synthesis, photoluminescence and gas sensing properties, *Mater. Res. Bull.*, 2010; 45: 1960–1963.
165. Li, Y., Su, X., Jian, J., Wang, J., Ethanol sensing properties of tungsten oxide nanorods prepared by microwave hydrothermal method, *Ceram. Int.*, 2010; 36: 1917–1920.

166. Phanichphant, S., Liewhiran, C., Wetchakun, K., Wisitsoraat, A., Tuantranont, A., Flame-made Nb-doped TiO₂ ethanol and acetone sensors, *Sensors*, 2011; 11: 472–484.
167. Sedghi, S.M., Mortazavi, Y., Khodadadi, A., Low temperature CO and CH₄ dual selective gas sensor using SnO₂ quantum dots prepared by sonochemical method, *Sens. Actuators B: Chem.*, 2010; 145: 7–12.
168. Pimtong-Ngam, Y., Jiemsirilers, S., Supothina, S., Preparation of tungsten oxide-tin oxide nanocomposites and their ethylene sensing characteristics, *Sens. Actuators A: Physics.*, 2007; 139: 7–11.
169. Jadsadapattarakul, D., Thanachayanont, C., Nukeaw, J., Sooknoi, T., Improved selectivity, response time and recovery time by [0 1 0] highly preferred orientation silicalite-1 layer coated on SnO₂ thin film sensor for selective ethylene gas detection, *Sens. Actuators B: Chem.*, 2010; 144: 73–80.
170. Ahn, H., Noh, J.H., Kim, S.-B., Overfelt, R.A., Yoon, Y.S., Kim, D.-J., Effect of annealing and argon-to-oxygen ratio on sputtered SnO₂ thin film sensor for ethylene gas detection, *Mater. Chem. Phys.*, 2010; 124: 563–568.
171. Liewhiran, C., Tamaekong, N., Wisitsoraat, A., Phanichphant, S., Highly selective environmental sensors based on flame-spray-made SnO₂ nanoparticles, *Sens. Actuators B: Chem.*, 2012; 163: 51–60.