

REFERENCES

- Abawi, G. S. & Widmer, T. L. 2000. Impact of Soil Health Management Practices on Soilborne Pathogens, Nematodes and Root Diseases of Vegetable Crops. *Appl. Soil Ecol.*, **15**: 37-47.
- Agrios, G. N. 2005. Plant Pathology. 5th ed. Elsevier Academic Press. 922 pp.
- A°hman, J., Olsson, M. & Johansson, T. 2002. Improving the Pathogenicity of a Nematode-Trapping Fungus by Genetic Engineering of Subtilisin with Nematotoxic Activity. *Applied and Environmental Microbiology*, **68**: 3408-3415.
- Ahrén, D., Ursing, B. M. & Tunlid, A. 1998. Phylogeny of Nematode Trapping Fungi Based on 18S rDNA Sequences. *FEMS Microbiology Letters*, **158**: 179-184.
- Ali, D. R. J., Rabindra, B. R. & Mehdi, R. 2008. Evaluation of Different Media and Method of Cultivation on the Production and Viability of Entomopathogenic Fungi, *Verticillium lecanii* (Zimm.) Viegas. *Pakistan Journal of Biological Sciences*, **11**: 1506-1509.
- American Society for Microbiology. 2010. Nematophagous Fungi. Available: <http://www.microbelibrary.org/library/fungi/2596-nematophagous-fungi>. (May 10, 2012).
- Annemarle, R. No date. Revision of Predacious Hyphomycetes in the *Dactylella-Monacrosporium* Complex. Available: http://www.cbs.knaw.nl/publications/1039/content/txt_039.htm. (May 15, 2012).

Baker, K. R., Carter, C. C. & Sasser, J. N. 1985. An Advanced Treatise on *Meloidogyne* vol. II: methodology. North Carolina State University Graphics.

Barron, G. L. 1992. Lignolytic and Cellulolytic Fungi as Predators and Parasites. In: Carroll GC and Wicklow DT (eds) *The Fungal Community, Its Organization and Role in the Ecosystems*, pp. 311-326. New York: Marcel Dekker.

Bartlett, M. C. & Jaronski, S. T. 1980. Mass Production of Entomogenous Fungi for Biological Control of Insects. In: Burge RN ed. *Fungi in Biological Control Systems*. Manchester University Press, Manchester and New York. 61-85.

Béatrice, C., Mireille, N., Gaëlle, P. & Thierry, M. 2011. Root-Knot Nematode (*Meloidogyne*) Management in Vegetable Crop Production: The Challenge of an Agronomic System Analysis. *Crop Protection*, p. 50.

Becker, J. O. 2002. Root-Knot Nematode-Destroying Microorganisms for Home Garden and Landscape Use. *Final Report to the Elvenia J. Slosson Endowment Fund*, p. 8.

Bernard, E. C. 1992. Soil Nematode Biodiversity. *Biology and Fertility of Soils*, 13: 99-103.

Bethney, F. 2012. Life Cycle of a Nematode. Available:

http://www.ehow.com/about_5318379_life-cycle-nematode.html. (May 6, 2012).

Biology online. 2008a. Abiotic Factors. Available: http://www.biology-online.org/dictionary/Abiotic_factor. (June 30, 2012).

Biology online. 2008b. Biotic Factors. Available: http://www.biology-online.org/dictionary/biotic_factor. (June 30, 2012).

Bird, A. F. 1958. The Adult Female Cuticle and Egg Sac of the Genus *Meloidogyne* Goeldi, 1887. *Nematologica*, **3**: 205-212.

Bloemers, G. F., Hodda, M., Lambshea, P. J. D., Lawton, J. H. & Wanless, F. R. 1997. The Effects of Forest Disturbance on Diversity of Tropical Soil Nematodes. *Oecologia*, **111**: 575-582.

Bordallo, J. J., Lopez-Llorca, L. V. & Jansson, H-B. 2002. Effects of Egg Parasitic and Nematode-Trapping Fungi on Plant Roots. *New Phytologist*, **154**: 491-499.

Bourne, J. M., Kerry, B. R. & De Leij, F. 1996. The Importance of the Host Plant on the Interaction Between Root-Knot Nematodes (*Meloidogyne* spp.) and the Nematophagous Fungus, *Verticillium chlamydosporium* Goddard. *Biocontrol Science and Technology*, **6**: 539-548.

Brand, D., Soccol, C. R., Sabu, A. & Roussos, S. 2010. Production of Fungal Biological Control Agents Through Solid State Fermentation: A Case Study on *Paecilomyces lilacinus* Against Root-Knot Nematodes. *Micol. Apl. Int.*, **22**(1): 31-48.

Ciancio, A., Loffredo, A., Paradies, F., Turturo, C. & Finetti, S. M. 2005. Detection of *Meloidogyne incognita* and *Pochonia chlamydosporia* by Fluorogenic Molecular Probes. *Bulletin OEPP/EPPO Bulletin*, **35**: 157-164.

Coleman, D. C., Anderson, R. V., Cole, C. V., McClellan, J. F., Woods, L. E., Trofymow, J. A. & Elliot, E. T. 1984. Roles of Protozoa and Nematodes in Nutrient Cycling. In: R.L., Todd (Ed.) Microbial-Plant Interactions. *Soil Science Society of America*, p. 17-28.

Coleman, L. W. & Hodges, C. F. 1990. Growth and Conidiation of *Bipolaris sorokiniana* in Response to Methionine and Ethylene. *Mycological Research*, **94**: 1013-1016.

Cook, R. J. 1994. Problems and Progress in the Biological Control of Wheat Take-All. *Plant Pathology*, **43**(3): 429-437.

Débora, B., Sevastianos, R., Paulo, C. Z., Bruno, O. O., Jorge, P. & Carlos, R. S. 2003. Selection of Low-Cost Substrates for Spore Production of Nematophagous Fungi. In: XIV Simpósio Nacional de fermentações, Florianópolis. XIV Simpósio Nacional de Fermentações., p. 7.

Desaeger, J. R., Rao, M. R. & Bridge, J. 2004. Nematodes and Other Soilborne Pathogens in Agroforestry. In: M. van Noordwijk, G. Cadisch and C. K. Ong, (Eds.) Below-Ground Interactions in Tropical Agro-Ecosystems: Concepts and Models with Multiple Plant Components, CABI, Wallingford: 263-283.

Dhawan, S. C., Narayana, R. & Babn, N. P. 2004. Influence of Abiotic and Biotic Factors on Growth of *Paecilomyces lilacinus*, *Arthrobotrys oligospora* and *Pochonia chlamydosporia* and Parasitization of Eggs/Trapping of *Meloidogyne incognita* juveniles. *Annals of Plant Protection Sciences*, **12**(2): 369-372.

Diogo, R., Letizia, B. S., João, H. N., Paulo, R. D. M., Maria, A. C. Z., Patricia, R. D., Juarez, G. & Ida, C. P. 2009. Spore Production in *Paecilomyces lilacinus* (Thom.) samson Strains on Agro-Industrial Residues. *Braz. J. Microbiol.*, **40**(2).

- Dong-Geun, K., Jong-Soo, K., Ye-Hoon, C., Sung-Kuk, C. & Jae-Tak, Y. 2002. Ecology of Nematophagous Fungi: Effects of Biotic and Abiotic Soil Factors. *Res. Plant Dis.*, **8**(1): 26-33.
- Duponnois, R., Mateille, T. & Gueye, M. 1995. Biological Characteristics and Effects of Two Strains of *Arthrobotrys oligospora* from Senegal on *Meloidogyne* species (with reference to *M. mayaguensis*) Parasitizing Tomato Plants. *Biocontrol Sci Technol.*, **5**: 517-525.
- Eisenback, J. D. & Triantaphyllou, H. H. 1991. Root-knot Nematodes: *Meloidogyne* Species and Races. In: Manual of Agricultural Nematology, W. R. Nickle. (Ed). Marcel Dekker, New York. pp 281-286.
- Elson, M. K., Schisler, D. A. & Jackson, M. A. 1998. Carbon-to-Nitrogen Ratio, Carbon Concentration and Amino Acid Composition of Growth Media Influence Conidiation of *Helminthosporium solani*. *Mycologia*, **98**: 406-413.
- Endo, B. Y. & Wergin, W. P. 1977. Ultrastructure of Anterior Sensory Organs of the Root-Knot Nematode, *Meloidogyne incognita*. *J Ultra.*, **59**: 23-49.
- Endo, B. Y. 1978. Feeding Plug Formation in Soybean Roots Infected With the Soybean Cyst Nematode. *Phytopathology*, **68**: 1022-1031.
- Engelkes, C. A., Nucló, R. L. & Fravel, D. R. 1997. Effect of Carbon, Nitrogen, and Carbon to Nitrogen Ratio on Growth, Sporulation and Biocontrol Efficacy of *Talaromyces flavus*. *Phytopathology*, **87**: 500-505.
- Escudero, N. & Lopez-Llorca, L. V. 2012. Effects on Plant Growth and Root-Knot Nematode Infection of an Endophytic GFP Transformant of the Nematophagous Fungus *Pochonia chlamydosporia*. *Symbiosis*, **57**(1): 33-42.

Esteve-Zarzoso, B., Belloch, C., Uruburu, F. & Querol, A. 1999. *International Journal of Systematic Bacteriology*, **49**: p. 329.

Falbo, M. K., Soccol, V. T., Sandini, I. E., Robl, D., Vicente, V. A., Santurio, J. & Soccol, C. R. 2011. Direct Submission. Sao Paulo University, Lineu Prestes Avenue, Sao Paulo, Brazil.

Feng, M. G., Poprawski, T. J. & Khachatourians, G. G. 1994. Technology for Production, Formulation and Application of the Entomopathogenic Fungus *Beauveria bassiana* for Insect Control: Current Status Worldwide. *Biocontrol Science and Technology*, **4**: 3-34.

Gao, L. 2011. Optimize Culture Conditions for Biomass and Sporulation of the Nematophagous Fungus *Pochonia chlamydosporia*, Isolate HSY-12-14 by “Two-Step” Cultivation. *African Journal of Microbiology Research*, **5**(27): 4731-4738.

Gao, L., Sun, M. H., Liu, X. Z. & Chen, Y. S. 2007. Effects of Carbon Concentration and C/N Ratio on the Growth and Sporulation of Several Biological Control Fungi. *Mycol Res.*, **111**: 87-92.

General Mycology. 2012. Culture Media for Fungi. Available:

<http://www.shroomery.org/9468/Culture-Media-for-Fungi>. (September 9, 2012).

Goettel, M. S. & Roberts, D. W. 1992. Mass Production, Formulation and Field Application of Entomopathogenic Fungi. In: Lomer, C.J.; Prior C. *Biological Control of Locusts and Grasshopper*. CAB International, Wallingford, UK.

Goltapeh, E. M., Shams-Bakhsh, M. & Pakdaman, B. S. 2008. Sensitivity of the Nematophagous Fungus *Arthrobotrys oligospora* to Fungicides, Insecticides and Crop Supplements Used in the Commercial Cultivation of *Agaricus bisporus*. *J. Agric. Sci. Technol.*, **10**: 383-389.

Gomez, L., Baro, G., Sanchez, L. & Rodriguez, M.G. 2003. Identification and Characterization of Cuban Isolates of Nematode Trapping Fungi. *Revista de Proteccion Vegetal*, **18**: 53-57.

Gray, N. F. 2002. Ecology of Nematophagous Fungi: Effect of Soil Moisture, Organic Matter, pH and Nematode Density on Distribution. Available: <http://www.sciencedirect.com/science/article/pii/S0038071785900173>. (May 24, 2012).

Hassan, M. A., Chindo, P. S., Marley, P. S. & Alegbejo, M. D. 2010. Management of Root Knot Nematodes (*Meloidogyne* spp.) on Tomato (*Lycopersicon lycopersicum*) Using Organic Wastes in Zaria, Nigeria. *Plant Protect. Sci.*, **46**(1): 34-38.

Heinz Decker. 1988. Plant Nematodes and Their Control (*Phytonemalogy*). India at Pauls Press, New Dali. 498 p.

Hussey, R. S. 1989. Disease-Inducing Secretions of Plant-Parasitic Nematodes. *Annu Rev Phytopathol.*, **27**: 123-41.

Hussey, R. S. & Grondler, F. M. W. 1998. Nematode Parasitism of Plants. In: The Physiology and Biochemistry of Free-Living and Plant-Parasitic Nematodes. Perry, R. N. & Wright, D. J. (Eds), CABI Publishing, UK. pp 213-243.

Hussey, R. S. & Mims, C.W. 1990. Ultrastructure of Esophageal Glands and Their Secretory Granules in the Root-knot Nematode *Meloidogyne incognita*. *Protoplasma*, **156**: 9-18.

Index Fungorum. 2012. Search Index Fungorum. Available: <http://www.indexfungorum.org/names/Names.asp>. (June 17, 2012).

International Mycological Association: IMA. 2012. Mycobank: Fungal Databases Nomenclature and Species Bank. Available: <http://www.mycobank.org/Biolomics.aspx?Table=Mycobank>. (June 3, 2012).

Jackson, M. A., Whipps, J. M. & Lynch, J. M. 1991. Nutritional Studies of Four Fungi with Disease Biocontrol Potential. *Enzyme Microbial Technology*, **13**: 456-461.

Jaffee, B. A. 1999. Enchytraeids and Nematophagous Fungi in Tomato Fields and Vineyards. *Phytopathology*, **89**: 398-406.

Jaffee, B. A. & Zasoski, R. J., 2001. Soil pH and the Activity of a Pelletized Nematophagous Fungus. *Phytopathology*, **91**: 324-330.

Jairajpuri, M. S., & Ahmad, W. 1992. *Dorylaimida*: Free-Living, Predacious and Plant-Parasitic Nematodes. Oxford and IBH, New Delhi.

Jean, M. M. & Kishan, G. R. 2011. Plant Defence: Biological Control. Available: <http://books.google.co.th/books?id=VmESGm7e7T4C&pg=PA95&lpg=PA94&ots=zLp8BBEcSt&dq=nematophagous+fungi%2Bplant+growth&hl=th>. (September 21, 2012).

- Jenkins, N. E., Hevief, G., Langewald, J., Cherry, A. J. & Lomer, C. J. 1998. Development of Mass Production Technology for Aerial Conidia for Use as Mycopesticides. *Biocontrol News Information*, **19**: 21-31.
- Jersys, A., Leopoldo, H., Irene, M., Janaína, F. S., José, M. C. C., Regina, M. D. G. C. & Myrian, S. T. 2009. Cultural and Morphological Characterization of *Pochonia chlamydosporia* and *Lecanicillium psalliotae* Isolated From *Meloidogyne mayaguensis* eggs in Brazil. *Tropical Plant Pathology*, **34**(3): 158-163.
- Jerzy, P. & Aneta, K. 2007. Influence of Some Physical Factors on the Growth and Sporulation of Entomopathogenic Fungi. *ACTA Mycologica*, **42**(2): 255-265.
- Juan, D. C. R. 2009. Biological Control Studies on the Reniform Nematode (*Rotylenchulus reniformis*) on Cotton in Alabama. A thesis submitted to the Graduate Faculty of Auburn University, p. 75.
- Koenning, S. R., Overstreet, C., Noling, J. W., Donald, P. A., Becker, J. O. & Fortnum, B. A. 1999. Survey of Crop Losses in Response to Phytoparasitic Nematodes in the United States for 1994. *J. Nematol.*, **31**: 587-618.
- Korabecna, M. 2007. The Variability in the Fungal Ribosomal DNA (ITS1, ITS2, and 5.8 S rRNA Gene): Its Biological Meaning and Application in Medical Mycology. *Communicating Current Research and Educational Topics and Trends in Applied Microbiology*, 783-787.
- Kris, L. & Sodja, B. 2002. Introduction to Plant-Parasitic Nematodes. *The Plant Health Instructor*. DOI: 10.1094/PHI-I-2002-1218-01.

Kumar, N. & Singh, K. P. 2011a. Use of *Dactylaria brochopaga*, a Predacious Fungus, for Managing Root-Knot Disease of Wheat (*Triticum aestivum*) Caused by *Meloidogyne graminicola*. *Mycobiology*, **39**(2): 113-117.

Kumar, N. & Singh, K. P. 2011b. Bioefficacy of Spore Suspensions and Mass Culture of *Dactylaria brochopaga* on *Meloidogyne incognita* (Kofoid and White) Chitwood Causing Root-Knot Disease of Tomato (*Lycopersicon esculentum* Mill.). *Asian Journal of Plant Pathology*, **5**(1): 54-61.

Laura, A. 2003. Screening for Root Knot Nematode (*Meloidogyne hapla*) Using Lettuce. *UW-L Journal of Undergraduate Research*, **6**: 3 p.

Leena, M. D., Easwaramoorthy, S., & Nirmala, R. 2003. *In vitro* Production of Entomopathogenic Fungi *Paecilomyces farinosus* (Hotmskiold) and *Paecilomyces lilacinus* (Thom.) Samson Using Byproducts of Sugar Industry and Other Agro-Industrial Byproducts and Wastes. *Sugar Tech.*, **5**: 231-236.

Li, D. P. & Hololdom D. G. 1995. Effects of Nutrients on Colony Formation, Growth, and Sporulation of *Metarhizium anisopliae* (Deuteromycotina: Hyphomycetes). *Journal of Invertebrate Pathology*, **65**: 253-260.

Limei, Z., Ence, Y., Meichun, X., Xingzhong, L. & Chen, S. 2008. Population Dynamics and Biocontrol Efficacy of the Nematophagous Fungus *Hirsutella rhossiliensis* as Affected by Stage of the Soybean Cyst Nematode. *Biological Control*, **47**: 244-249.

Liou, G. Y. & Tzean, S. S. 1997. Phylogeny of the Genus *Arthrobotrys* and Allied Nematode-Trapping Fungi Based on rDNA Sequences. *Mycologia*, **89**(6): 876-884.

- Liu, X. Z. & Chen, S. Y. 2002. Nutritional Requirements of the Nematophagous Fungus *Hirsutella rhossiliensis*. *Biocontrol Science and Technology*, **12**: 381- 393.
- Liu, X. Z & Chen, S. Y. 2003. Nutrition Requirements of *Pochonia chlamydospora* and RF18, Fungal Parasites of Nematode Eggs. *Journal of Invertebrate Pathology*, **83**: 10-15.
- Madulu, J. & Trudgill, D. L. 1994. Influence of Temperature on *Meloidogyne javanica*. *Nematologica*, **40**: 230-243.
- Maggenti, A. R. & Allen, M. W. 1960. The Origin of the Gelatinous Matrix in *Meloidogyne*. *Proceedings of the Helminthological Society of Washington*, **27**: 4-10.
- Makumbi-kidza, N. N. S. & Sikora, R. A. 2000. Effects of *Meloidogyne incognita* on Growth and Storage-Root Formation of Cassava (*Manihot esculenta*). *J Nematol.*, **32**(4S): 475-477.
- Mariam, A. A. 2008. *In vitro* Studies on Nematode Interactions with Their Antagonistic Fungi in the Rhizosphere of Various Plants. Thesis Submitted in Partial Fulfilment of the Requirements of the Degree Doctor rer. nat. of the Faculty of Forest and Environmental Sciences, Albert-Ludwigs-Universität Freiburg im Breisgau, Germany, p. 214.
- Martin, F. N. 2003. Development of Alternative Strategies for Management of Soilborne Pathogens Currently Controlled with Methyl Bromide. *Annu. Rev. Phytopathol.*, **41**: 325-350.
- Mary, W. O. 2011. Root-knot Nematode. Plant Disease Management Horticultural Crops. The University of Arizona Cooperative Extension, p. 3.

Mc Clure, M., Kruk, A. & Misaghi, T.H. 1973. A Method for Obtaining Quantities of Clean *Meloidogyne* eggs. *Journal of Nematology*, 5, p. 230.

Mensin, S. 2006. Screening and Production of Antagonistic Fungi (*Arthrobotrys* sp.) for Controlling Root Knot Nematode in Head Lettuce. Thesis Master of Science in Plant Pathology, Faculty of Agriculture, Chiang Mai University.

Michael, C. and P, John. 2006. "Sampling Soil and Roots for Plant Parasitic Nematode". Available: <http://www.omafra.gov.on.ca/english/crops/facts/06-099.htm>. (January 4, 2008).

Mid-Florida Research & Education Center. 2012. Plant Parasitic Nematodes. Available: <http://mrec.ifas.ufl.edu/lso/SCOUT/Nematodes.pdf> (May 2, 2012).

Ming-He, M., Wei-Min, C., Hong-Yan, S., Ke-Qin, Z., Chang-Qun, D. & Da-Ming, H. 2006. Heavy Metal Tolerance of Nematode-Trapping Fungi in Lead-Polluted Soils. *Applied Soil Ecology*, 3: 11-19.

Mo, M. H., Xu, C. K. & Zhang, K. Q. 2007. Effects of Carbon and Nitrogen Sources, Carbon-to-Nitrogen Ratio, and Initial pH on the Growth of Nematophagous Fungus *Pochonia chlamydospora* in Liquid Culture. *Mycopathologia*, 159: 381-387.

Monfort, E., Lopez-Llorca, L.V. & Jansson, H-B. 2005. Colonisation of Seminal Roots of Wheat and Barley by Egg-Parasitic Nematophagous Fungi and Their Effects on *Gaeumannomyces graminis* var. *tritici* and Development of Root-rot. *Soil Biology and Biochemistry*, 37: 1229-1235.

Mostafa, H., Mehrnoush, M., Nvazallh, S. & Hasan, R. Et. 2012. Effect of Cultural Condition on Biomass Production of Some Nematophagous Fungi as Biological Control Agent. *Egypt. Acad. J. Biolog. Sci.*, 5(1): 115-126.

Nagesh, M., Hussaini, S. S., Chidanandaswamy, B. S. & Biswas, S. R. 2005. Isolation, *in vitro* Characterization and Predaceous Activity of an Indian Isolate of the Fungus, *Arthrobotris oligospra* on the Root-knot nematode, *Meloidogyne incognita*. *Nematol. mediterr.*, 33: 179-183.

Nagesh, M., Hussaini, S. S., Ramanujam, B. & Rangeswaran, R. 2007. Molecular Identification, Characterization, Variability and Infectivity of Indian Isolates of the Nematophagous Fungus *Pochonia Chamydosporia*. *Nematol. Medit.*, 35: 47-56.

National Center for Biotechnology Information: NCBI. 2012. NCBI BLAST Assembled RefSeq Genomesprogram. Available: <http://blast.ncbi.nlm.nih.gov/>. (May 29, 2012).

NC State University. 2002. Plant Parasitic Nematodes an Introduction. Available: http://www.cals.ncsu.edu/pgg/dan_webpage/index.htm. (May 29, 2012).

Nematology 100: Lecture 15. 2012. Sedentary Endoparasitic Nematodes: *Meloidogyne* spp., Root-Knot Nematodes. Available: <http://plpnemweb.ucdavis.edu/nemaplex/Courseinfo/Slides/Lecture15slides.htm>. (May 7, 2012).

Niranjan, K. & Singh, K. P. 2011. Use of *Dactylaria brochopaga*, a Predacious Fungus, for Managing Root-Knot Disease of Wheat (*Triticum aestivum*) Caused by *Meloidogyne graminicol*. *Mycobiology*, 39(2): 113-117.

Nordbring-Hertz, B., Jansson, H. & Tunlid, A. 2002. "Nematophagous Fungi. Encyclopedia of Life Sciences". Available:

<http://www.els.net/WileyCDA/ElsArticle/refId-a0000374.html>. (September 1, 2008).

Nordbring-Hertz, B., Jansson, H-B. & Tunlid, A. 2006. Nematophagous Fungi. Encyclopedia of Life Sciences, John Wiley & Sons, Ltd. www.els.net. 11 p.

Nordbring-Hertz, B., Jansson, H. -B. & Tunlid, A. 2011. Nematophagous Fungi. Available: <http://www.els.net/WileyCDA/ElsArticle/refId-a0000374.html>. (October 14, 2012).

Norton, D. C. & Niblack, T. L. 1991. Biology and Ecology of Nematodes. In: Manual of Agricultural Nematology, Nickle, W. R. (Ed), Marcel Dekker, New York. pp 47-68.

Olsson, S. & Persson, Y. 1994. Transfer of Phosphorus from *Rhizoctonia solani* to the Mycoparasite *Arthrobotrys oligospora*. *Mycological Research*, **98**: 1065–1068.

Paul, S. L. 1994. Dissemination of Phytoparasitic Nematodes. *Nematology Circular*, **208**. 4 p.

Persmark, L., Banck, A. & Jansson, H-B. 1996. Population Dynamics of Nematophagous Fungi and Nematodes in an Arable Soil: Vertical and Seasonal Fluctuations. *Soil Biology and Biochemistry*, **28**: 1005-1014.

Persmark, L & Nordbring-Hertz, B. 1997. Conidial Trap Formation of Nematode-Trapping Fungi in Soil and Soil Extracts. *FEMS Microbiology Ecology*, **22**: 313-324.

Peter, W. I. & Myrian, S. T. 2006. Identification and Taxonomy of Some Entomopathogenic *Paecilomyces* spp. (Ascomycota) Isolates Using rDNA-ITS Sequences . *Genet. Mol. Biol.*, **29**(1), São Paulo.

Pfister, D. H. 1997. Castor, Pollux and Life Histories of Fungi. *Mycologia*, **89**: 1 - 23.

Philip Jacobs. Nematophagous fungi - an illustrated overview. Available: http://www.biological-research.com/Fungi/Nematophagous_fungi/nematophagous_fungi.html. (May 13, 2012).

Plant Protection Service Secretariat of the Pacific Community. 2005. Root-Knot Nematodes. *Pest Advisory leaflet*, **9**. 4 p.

Pornthip Ruanpanun, Nuchanart Tangchitsomkid, Kevin D. Hyde, Saisamorn Lumyong. 2010. Actinomycetes and fungi isolated from plant-parasitic nematode. *World J Microbiol Biotechnol.*, **26**: 1569-1578.

Prot, J. C. & Netscher, C. 1979. Influence of Movement of Juveniles of Fields Infested with *Meloidogyne* pp. 193-203 In F. Lamberti and C. E. Taylor (eds.) Root-knot nematodes (*Meloidogyne* species) Systematics Biology and Control. Academic.

Queensland Government. 2012. Root-knot nematode. Available:

http://www.dpi.qld.gov.au/26_17821.htm. (May 13, 2012).

Richard, A. S. 1992. Management of the Antagonistic Potential in Agricultural Ecosystems for the Biological Control of Plant Parasitic Nematodes. *Annu. Rev. Phytopathol.*, **30**: 245-70.

Rosane, H. C. C. 2007. Plant Parasitic Nematode Proteins and the Host-Parasite Interaction. *Oxford Journals*, **6**: 50-58.

Rosane, S. Cavalcante and Helder, L. S., Lima and Gustavo, A. S., Pinto and Carlos, A. T., & Gava and Sueli, R. 2008. Effect of Moisture on *Trichoderma* Conidia Production on Corn and Wheat Bran by Solid State Fermentation. *Food Bioprocess Technol.*, **1**:100-104.

Rosenzweig, W. D. 1984. Role of Amino Acids, Peptides and Medium Composition in Trap Formation by Nematode-Trapping Fungi. *Canadian Journal Microbiology*, **30**: 265-267.

Ruehle, J. L. 1973. Nematode and Forest Trees-types of Damage to Tree Roots. p. 98-118. Available:
<http://www.annualreviews.org/doi/pdf/10.1146/annurev.py.11.090173.000531>. (May 2, 2012).

Sanyal, P. K., Sarkar, A. K., Patel, N. K., Mandal, S. C. & Pal, S. 2007. Influence of Media Type, Temperature and pH on *In vitro* Growth Profiles of Chhattisgarh Isolates of *Arthrobotrys oligospora* and *Duddingtonia flagrans*. *Journal of Veterinary Parasitology*, **21**(2): 161-164.

Scholler, M., Hagedorn, G. & Rubner, A. 1999. A Reevaluation of Predatory Orbiliaceous Fungi. A new generic concept. *Sydowia*, **51**, 89-113.

Sharma, G. & Pandey, R. R. 2010. Influence of Culture Media on Growth, Colony Character and Sporulation of Fungi Isolated from Decaying Vegetable Wastes. *Journal of Yeast and Fungal Research*, **1**(8): 157-164.

Sijmons, P. C., Atkinson, H. J. & Wyss, U. 1994. Parasitic Strategies of Root Nematodes and Associated Host Cell Responses. *Annual Review of Phytopathology*, **32**: 235 - 259.

- Sobita, S. & Anamika, b. 2011. Management of Root Knot Disease in Rice Caused by *Meloidogyne graminicola* through Nematophagous Fungi. *Journal of Agricultural Science*, **3**(1): 122-127.
- Sun, M. -H., GaO, L., Liu, X. -Z., Wang, J. -L. 2009. Fungal Sporulation in Two-Stage Cultivation. *Mycosystema*, **28**(1): 064-072.
- Surdiman & Webster, J. M. 1995. Effect of Ammonium ions on Egg Hatching and Second-Stage Juveniles of *Meloidogyne incognita* in Axenic Tomato Root Culture. *Journal of Nematology*, **27**: 346 - 352.
- Swe, A., Jeewon, R., Pointing, S. B. & Hyde, K. D. Unpublished. Ecological Speciation and Molecular Phylogeny of Genus *Arthrobotrys* Based on Multi-Gene Sequence Analyses.
- Tedford, E. C., Jaffee, B. A. & Muldoon, A. E., 1992. Effects of Soil Moisture and Texture on Transmission of the Nematophagous Fungus *Hirsutella rhossiliensis* to Cyst and Root-Knot Nematodes. *Phytopathology*, **82**: 1002-1007.
- Thakur, N. S. A. & Devi, G. 2007. Management of *Meloidogyne incognita* Attacking Okra by Nematophagous Fungi, *Arthrobotrys oligospora* and *Paecilomyces lilacinus*. *Agric. Sci. Digest.*, **27**: 50-52.
- Theberge, R. L. (eds). 1985. Common African Pests and Diseases of Cassava, Yam, Sweet Potato and Cocoyam. International Institute of Tropical Agriculture (IITA). Ibadan, Nigeria, 107 p.
- Trudgill, D. L. 1995. An Assessment of the Relevance of Thermal Time Relationships to Nematology. *Fundamental and Applied Nematology*, **18**: 407-417.

Vilgalys lab. 2012. Conserved primer sequences for PCR amplification and sequencing from nuclear ribosomal RNA. Available:

<http://www.biology.duke.edu/fungi/mycolab/primers.htm>. (May 27, 2012).

Vincent, J. H. 1947. Distortion of Fungal Hyphae in the Presence of Certain Inhibitors. *Nature*, **159**, p. 850.

Vimala, D. P. S. 1994. Conidia Production of the Entomopathogenic fungus, *Nomuraea rileyi* and its Evaluation for Control of *Spodoptera litura* (Fab) on *Ricinus communis*. *J. Invertebr. Pathol.*, **63**(2): 145-150.

UC Statewide IPM Program, University of California. 2012. Nematodes. Available:

<http://www.ipm.ucdavis.edu/PMG/PESTNOTES/pn7489.html>. (May 7, 2012).

University of Illinois. 1993. Root-Knot Nematodes. *Plant Disease*. Department OF Crop Sciences University of Illinois at Urbana-Champaign. 8 p.

University of Sydney. 2004. Growth of Hyphae & Development of Fungi. Available:

http://bugs.bio.usyd.edu.au/learning/resources/Mycology/Growth_Dev/hypha_lGrowth.shtml. (September 2, 2012).

Wallace, H. R. 1968. The Influence of Soil Moisture on Survival and Hatch of *Meloidogyne javanica*. *Nematologica*, **14**: 231-242.

Wharton, D. A. 1986. A Functional Biology of Nematodes. The John Hopkins University Press, Baltimore, MD.

White, T. J., Bruns, T., Lee, S. & Taylor, J. 1990. PCR Protocols. Academic Press, San Diego, USA. pp. 315-322.

Wikipedia, the free encyclopedia. 2012a. Nematode. Available:

<http://en.wikipedia.org/wiki/Nematode>. (May 2, 2012).

Wikipedia, the free encyclopedia. 2012b. Root-knot nematode. Available:

http://en.wikipedia.org/wiki/Root-knot_nematode. (May 6, 2012).

Wikipedia, the free encyclopedia. 2012c. *Arthrobotrys*. Available:

<http://en.wikipedia.org/wiki/Arthrobotrys>. (May 24, 2012).

Wikipedia, the free encyclopedia. 2012d. Nematophagous fungus. Available:

http://en.wikipedia.org/wiki/Nematophagous_fungus. (May 27, 2012).

Wikipedia, the free encyclopedia. 2012e. Internal transcribed spacer. Available:

http://en.wikipedia.org/wiki/Internal_transcribed_spacer. (June 17, 2012).

Wikipedia, the free encyclopedia. 2012f. *Monacrosporium*. Available:

<http://en.wikipedia.org/wiki/Monacrosporium>. (June 18, 2012).

Wikipedia, the free encyclopedia. 2012g. Soil ecology. Available:

http://en.wikipedia.org/wiki/Soil_ecology. (September 20, 2012).

Wikipedia, the free encyclopedia. 2012h. Soybean. Available:

<http://en.wikipedia.org/wiki/Soybean>. (September 25, 2012).

Wikipedia, the free encyclopedia. 2012i. Environmental impact of pesticides.

Available: http://en.wikipedia.org/wiki/Environmental_impact_of_pesticides.

(October 4, 2012)

Wikipedia, the free encyclopedia. 2012j. Indole-3-acetic acid. Available:

http://en.wikipedia.org/wiki/Indole-3-acetic_acid. (October 14, 2012).

Wikipedia, the free encyclopedia. 2012k. Siderophore. Available:

<http://en.wikipedia.org/wiki/Siderophore>. (October 14, 2012).

Wikipedia, the free encyclopedia. 2012l. Cow dung. Available:

http://en.wikipedia.org/wiki/Cow_dung. (October 14, 2012).

Wikipedia, the free encyclopedia. 2012m. Sphagnum. Available:
<http://en.wikipedia.org/wiki/Sphagnum>. (October 14, 2012).

William, F. M. & Peter, G. M. 1996. Plant Parasitic Nematodes: A Pictorial Key to
 Genera. 287p.

William, T. C. & Robert, A. D. 2012. Introduction to Plant Nematology. Available:
<http://edis.ifas.ufl.edu/ng006>. (May 2, 2012).

Xing, L. & Westphal, A. 2012. Predicting Damage of *Meloidogyne incognita* on
 Watermelon. *Journal of Nematology*, **44**(2): 127-133.

Xue-Mei, N. & Zhang, Ke-Qin. 2011. *Arthrobotrys oligospora*: A Model Organism
 for Understanding the Interaction Between Fungi and Nematodes. *Mycology*.
 20 p.

Yeates, G. W., Stannard, R. E. & Barker, G. M. 1984. Vertical Distribution of
 Nematode Populations in Horotiu Soils. *New Zealand Soil Bureau Scientific
 Report*, **60**, P.D. Hasselberg, Government Printer, Wellington, New Zealand.

Yeates, G. W., Bongers, T., De Goede, R. G. M., Freckman, D.W. & Georgieva, S. S.
 1993. Feeding Habits in Soil Nematode Families and Genera - An Outline
 for Soil Ecologists. *Journal of Nematology*, **25**: 315-331.

Zarel, R., Gams W. & Evans, H. C. 2001. A Revision of *Verticillium* Section
Prostrata. V. The Genus *Pochonia*, with Notes on *Rotiferophthora*(O). *Nova
 Hedwigia*, **73**: 51-86.

Zhang, Z., Scott, S., Lukas, W. & Webb, M. 2000. A Greedy Algorithm for Aligning
 DNA Sequences, *J Comput Biol.*, **7**(1-2): 203-214.

Zunke, U. 1991. Observations on the Invasion and Endoparasitic Behavior of the Root Lesion Nematode *Pratylenchus penetrans*. *Journal of Nematology*, **22**: 309-320.

78 Steps Health Journal. 2012. Nematophagous Fungi. Available:

<http://www.78steps.com/root-knot/nematophagous-fungi.html>. (May 9, 2012).