

REFERENCES

Al-Waili NS. 2003. Topical application of natural honey, beeswax and olive oil mixture for atopic dermatitis or psoriasis: partially controlled, single-blinded study. *Complementary Therapies in Medicine* 11:226-234.

Al-Waili NS. 2005a Clinical and mycological benefits of topical application of honey, olive oil and beeswax in diaper dermatitis. *Clin Micro Infect*.

Al-Waili NS. 2005b. Mixture of honey, beeswax and olive oil inhibits growth of *Staphylococcus aureus* and *Candida albicans*. *Archives Med Res* 36:10-13.

Ali H, El-Sayed K, Sylvester PW, Nazzal S. 2010. Molecular interaction and localization of tocotrienol-rich fraction (TRF) within the matrices of lipid nanoparticles: evidence studies by differential scanning calorimetry (DSC) and proton nuclear magnetic resonance spectroscopy (^1H NMR). *Colloids Surf B Biointerfaces* 77:286–297.

Andree H, Middelhaue B. 1991. Possibilities of the use of alkylpolyglucosides in detergents and cleaning liquids. *Tenside Surface Deterg* 28:413-418.

Anguelova T, Warthesen J. 2000. Degradation of lycopene, α -carotene, and β -carotene during lipid peroxidation. *J Food Sci* 65:71-75.

Ansmann A, Kawa R, Zander L; Cognis IP Management GmbH, Duesseldorf (DE), assignee. 2012. Cosmetic oil substances. United states.

- Antolovich M, Prenzler PD, Patsalides E, McDonald S, Robards K. 2002. Methods for testing antioxidant activity. *Analyst* 127:183-198.
- Anton N, Benoit J-P, Saulnier P. 2008. Design and production of nanoparticles formulated from nano-emulsion templates—A review. *J Control Release* 128:185-199.
- Arab L, Scott SS, Bowen P. 2001. Participation of lycopene and beta-carotene in carcinogenesis: Defenders, aggressors, or passive by standers?. *Epidemiol Rev* 23(2):211-230.
- Armero E, Collar C. 1998. Crumb firming kinetics of wheat breads with anti-staling additives. *J Cereal Sci* 28(2):165-174.
- Aslam MN, Lansky EP, Varani J. 2006. Pomegranate as a cosmeceutical source: Pomegranate fractions promote proliferation and procollagen synthesis and inhibit matrix metalloproteinase-1 production in human skin cells. *J Ethnopharm* 103:311-318.
- Astley SB, Hughes DA, Wright AJA, Elliott RM, Southon S. 2004. DNA damage and susceptibility to oxidative damage in lymphocytes: effects of carotenoids *in vitro* and *in vivo*. *Br J Nutr* 91:53-61.
- Attama AA, Reichl S, Müller-Goymann CC. 2008. Diclofenac sodium delivery to the eye: *In vitro* evaluation of novel solid lipid nanoparticle formulation using human cornea construct. *Int J Pharm* 355:307-313.

- Aviram M, Dornfield L, Rosenblat M, Volkova N, Kaplan M, Coleman R, Hayek T, Presser D, Fuhrman D. 2000. Pomegranate juice consumption reduces oxidative stress; atherogenic modifications to LDL, and platelet aggregation: studies in humans and in atherosclerotic apolipoprotein E-deficient mice. *Amer J Clin Nutri* 71:1062-1076.
- Baldermann S, Ropeter K, Kohler N, Fleischmann P. 2008. Isolation of all-trans lycopene by high-speed counter-current chromatography using a temperature-controlled solvent system. *J Chromatogr A* 1192:191-193.
- Baliga BP, Shitole AD. 1981. Cocoa butter substitute from mango (*Mangifera indica*) fat. *J Am Oil Chem Soc* 58 58:100-112.
- Barba AO, Hurtado MC, Mata MS, Ruiz VF, de Tejada MLS. 2006. Application of a UV-vis detection-HPLC method for a rapid determination of lycopene and β -carotene in vegetables. *Food Chem* 95:328-336.
- Baumann L. 2009. Cosmetic dermatology: The McGraw-Hill Companies, Inc.
- Bellare JR, Davis HT, Scriven LE, Talmon Y. 1988. Controlled environment vitrification system (CEVS): An improved sample preparation technique. *J Electron Microsc Tech* 10:87-111.
- Boileau TW-M, Boileau AC, Erdman Jr JW. 2002. Bioavailability of all-trans and cis-isomers of lycopene. *Exp Biol Med* 227:914-919.
- Booten K, Leveck B. 2003 InutecTM surfactants: the properties of a new type of surfactants. Household Perspective Care Today 26-28.
- Bouwstra J, Pilgram G, Gooris G, Koerten H, Ponc M. 2001. New aspects of the skin barrier organization. *Skin Pharmacol Appl Skin Physiol* 14(1):52-62.

- Bramley PM. 2000. Is lycopene beneficial to human health? *Phytochem* 54:233-236.
- Bunjes H, Siekmann B, Westesen K. 1998. Emulsions of super-cooled melts—a novel drug delivery system. In: Benita S, editor. Sub-micron emulsions in drug targeting and delivery. Amsterdam: Harwood Academic Publishers. 175–204.
- Bunjes H, Unruh T. 2007. Characterization of lipid nanoparticles by differential scanning calorimetry, X-ray and neutron scattering. *Adv Drug Del Rev* 59:379–402.
- Caccioni DR, Guizzardi M, Biondi DM, Renda A, Ruberto G. 1998. Relationship between volatile components of citrus fruit essential oils and antimicrobial action on *Penicillium digitatum* and *penicillium italicum*. *Int J Food Microbiol* 43:73-79.
- Caligiani A, Bonzanini F, Palla G, Cirlini M, Bruni R. 2010. Characterization of a potential nutraceutical ingredient: Pomegranate (*Punica granatum L.*) seed oil unsaponifiable fraction. *Plant Foods Hum Nutr* 65:277-283.
- Choudhari S, Ananthanarayan L, Singhal R. 2009. Purification of lycopene by reverse phase chromatography. *Food Bioprocess Technol* 2:391–399.
- Chourasia R, Jain SK. 2009. Drug targeting through pilosebaceous route. *Current Drug Targets* 10:950-967.
- Clinton SK. 1998. Lycopene: chemistry, biology, and implications for human health and disease. *Nutr Rev* 56:35-51.
- Cockayne DJH. 2007. The study of nanovolumes of amorphous materials using electron scattering. *Annu Rev Mater Res* 37:159-187.

- Cognis corporation. 2009. Eumulgin™ SG, Material safety data sheet (MSDS), Cognis Corporation, Care Chemicals North America.
- Cosmetic Ingredient Reviews. 1999. Final report on the safety assessment of PEG-2, -3, -5, -10, -15, and -20 cocamine. *Int J Toxicol* 18:43-50.
- Davis SS. 1981. Colloids as drug delivery systems. *Pharm Technol* 5:71-88.
- Decker EL, Frank B, Suo Y, Garoff S. 1999. Physics of contact angle measurement. *Colloid Surface A* 156:177-189.
- de Nigris F, Balestrieri ML, Williams-Ignarro S, D'Armiento FP, Fiorito C, Ignarro LJ, Napoli C. 2007. The influence of pomegranate fruit extract in comparison to regular pomegranate juice and seed oil on nitric oxide and arterial function in obese Zucker rats. *Nitric Oxide* 17:50-54.
- Dermofeel™ SL, Product information. 2010: Dr. Straetmans (Hamburg, Germany).
- de Vringer T. 1992. Topical preparation containing a suspension of solid lipid particles. European Patent No. 91200664.
- de Vringer T; Yamanouchi Europe BV, assignee. 1999. Topical preparation containing a suspension of solid lipid particles. United state Patent.
- Dharkar DP. 2011. Formulation and evaluation of mango butter based cosmeceuticals for dermatological use. *Int J Drug Dis Herb Res* 1(4):210-211.
- Dingler A, Blum RP, Niehus H, Müller RH, Gohla S. 1999. Solid lipid nanoparticles (SLN™/Lipopearls™) - a pharmaceutical and cosmetic carrier for the application of vitamin E in dermal products. *J Microencap* 16(6):751-767.
- Dingler A, Gohla S. 2002. Production of solid lipid nanoparticles (SLN): scaling up feasibilities. *J microencap* 19(1):11-16.

- Dorset DL. 1999. Development of lamellar structures in natural waxes - an electron diffraction investigation. *J Phy D: App Phy* 32:1276-1280.
- During A, Harrison EH. 2004. Intestinal absorption and metabolism of carotenoids: Insights from cell culture. *Arch Biochem Biophys* 430:77-88.
- During A, Harrison EH. 2005. An *in vitro* model to study the intestinal absorption of carotenoids. *Food Res Int* 38:1001-1008.
- Duve JK, White PJ. 1991. Extraction and identification of antioxidants in oats. *J Am Oil Chem Soc* 68:365-370.
- Edge R, McGarvey DJ, Truscott TG. 1997. The carotenoids as antioxidants - a review. *J Photochem Photobiol B* 41:189-200.
- Eisfeld W, Kuesters E, Dickhof S, Marten S, Behler A, Issberner U; 2007. Wipes. United states.
- Erdman JW, Ford NA, Lindshield BL. 2009. Are the health attributes of lycopene related to its antioxidant function? *Arch Biochem Biophys* 483:229-235.
- Failla ML, Chitchumroonchokchai C, Ishida BK. 2008. *In vitro* micellarization and intestinal cell uptake of cis-isomers of lycopene exceed those of all-trans lycopene. *J Nutr* 138:482-486.
- Fang J-Y, Fang C-L, Liu C-H, Su Y-H. 2008. Lipid nanoparticles as vehicles for topical psoralen delivery: Solid lipid nanoparticles (SLN) versus nanostructured lipid carriers (NLC). *Eur J Pharm Biopharm* 70:633-640.
- Fessi C, Devissaguet J-P, Puisieux F. 1992. Process for the preparation of dispersible colloidal systems of a substance in the form of nanoparticles.

Ford JL, Timmins P. 1989. Pharmaceutical thermal analysis: Ellis Horwood, Chichester.

Franco JM, Berjano M, Guerrero A, Muñoz J, Gallegos C. 1995. Flow behaviour and stability of light mayonnaise containing a mixture of egg yolk and sucrose stearate as emulsifiers. *Food Hydrocolloids* 9(2):111-121.

Gao K, Jiang X. 2006. Influence of particle size on transport of methotrexate across blood brain barrier by polysorbate 80-coated polybutylcyanoacrylate nanoparticles. *Int J Pharm* 310:213–219.

Garnier N, Cren-Olivé C, Rolando C, Regert M. 2002. Characterization of archaeological beeswax by electron ionization and electrospray ionization mass spectrometry. *Analyte Chem* 74:4868-4877.

Gasco MR. 1993. Method for producing solid lipid microspheres having a narrow size distribution. US-Patent 5250236.

Gasco MR. 1997. Solid lipid nanospheres from warm micro-emulsions. *Pharm Tech Eur* 9:52-58.

Gasco MR, Cavalli R, Carlotti ME. 1992. Timolol in lipospheres. *Pharmazie* 47(2):119-121.

Gelperina SE, Khalansky AS, Skidan IN, Smirnova ZS, Bobruskin AI, Severin SE, Turowski B, Zanella FE, Kreuter J. 2002. Toxicological studies of doxorubicin bound to polysorbate 80-coated poly (butyl cyanoacrylate) nanoparticles in healthy rats and rats with intracranial glioblastoma. *Toxicology Letters* 126:131–141.

Ghosh PK, Murthy RSR. 2006. Microemulsions: a potential drug delivery system. *Curr Drug Del* 3:167-180.

Gil MI, Tomas-Barberan FA, Hess-Pierce B, Holcroft DM, Kader AA. 2000. Antioxidant activity of pomegranate juice and its relationship with phenolic composition and processing. *J Agri Food Chem* 48:4851-4859.

Giovannucci E. 1999. Tomatoes, tomato-based products, lycopene, and cancer: review of the epidemiologic literature. *J Natl Cancer Inst* 91:317-331.

Goebel ASB, Knie U, Abels C, Wohlrab J, Neubert RHH. 2010. Dermal targeting using colloidal carrier systems with linoleic acid. *Eur J Pharm Biopharm* 75:162-172.

Gomez M, Real Sd, Rosell CM, Ronda F, Blanco CA, Caballero PA. 2004. Functionality of different emulsifiers on the performance of breadmaking and wheat bread quality. *Eur Food Res Technol* 219(2):145-150.

Gonzalez-Mira E, Egea MA, Garcia ML, Souto EB. 2010. Design and ocular tolerance of flurbiprofen loaded ultrasound-engineered NLC. *Colloids and Surfaces B: Biointerfaces* 81:412-421.

Good RJ. 1993. Contact angle, wetting, and adhesion: A critical review. Mittal KL, editor. The Netherlands: Utrecht: VSP.

Grit M, Underberg WJ, Crommelin DJ. 1993. Hydrolysis of saturated soybean phosphatidylcholine in aqueous liposome dispersions. *J Pharm Sci* 82(4):362-366.

Guasti PL; 2010. Topical compositions containing magaldrate. United states patent US 20100092577 A1.

Hagemann JW. 1988. Thermal behavior and polymorphism of acylglycerides. In: Garti N, Sato K, editors. Crystallization and polymorphism of fats and fatty acids. New York: Marcel Dekker.

Harding CR, Watkinson A, Rawlings AV, Scott IR. 2000. Dry skin, moisturization and corneodesmolysis. *Int J Cosmet Sci* 22:21-52.

Haseen F, Cantwell MM, Sullivan JMO, Murray LJ. 2009. Is there a benefit from lycopene supplementation in men with prostate cancer? *A systematic review. Prostate Cancer P D* 12(4):316–324.

Heber D, Lu Q-Y. 2002. Overview of mechanisms of action of lycopene. *Exp Biol Med* 227:920-923.

Hemavathy J, Prabhakar JV, Sen DP. 1987. Composition of polar lipids in Alphonso mango (*Mangifera indica*) kernel. *J Food Sci* 52:833-834.

Heurtault B, Saulnier P, Pech B, 2000. Nanocapsules lipidiques, procede de preparation et utilisation comme medicament. France.

Heurtault B, Saulnier P, Pech B, 2002. A novel phase inversion-based process for the preparaion of lipid nanocarriers. *Pharm Res* 19:875-880.

Heurtault B, Saulnier P, Pech B, Proust J-E, Benoit J-P. 2003. Physico-chemical stability of colloidal lipid particles. *Biomat* 24:4283-4300.

Heuschkel S, Goebel A, Neubert R. 2008. Microemulsions-modern colloidal carrier for dermal and transdermal drug delivery. *J Pharm Sci* 97:603-631.

Hommos A. 2008. Nanostructured lipid carriers (NLC) in dermal and personal care formulations: Ph.D. Thesis, Institute of Pharmacy, Free University of Berlin, Germany.

<http://dermatology.about.com/od/anatomy/ss/epidermis.htm> (available online 12/12/2012).

<http://www.enchantedlearning.com/subjects/anatomy/skin/> (available online 12/12/2012).

<http://www.ricebranoil.info/index.html> (available online 15/10/2011). Rice bran oil info.

Hu F-Q, Jiang S-P, Du Y-Z, Yuan H, Ye Y-Q, Zeng S. 2005. Preparation and characterization of stearic acid nanostructured lipid carriers by solvent diffusion method in an aqueous system. *Colloids and Surfaces B: Biointerfaces* 45:167–173.

Inutec™ SP1, Material safety data sheet (MSDS). 2007: Beneo-bio based chemicals (Wijgmaal, Belgium).

Inutec™ SP1, Product data sheet. 2007: Beneo-bio based chemicals (Wijgmaal, Belgium).

Irmak S, Dunford NT, Milligan J. 2006. Policosanol contents of beeswax, sugar cane and wheat extracts. *Food Chem* 95:312–318.

Jain CK, Agarwal S, Rao AV. 1999. The effect of dietary lycopene on bioavailability, tissue distribution, *in vivo* antioxidant properties and colonic preneoplasia in rats. *Nutr Res* 19(9):1383-1391.

Janssens S, Humbeeck JV, Mooter Gvd. 2008. Evaluation of the formulation of solid dispersions by co-spray drying itraconazole with Inutec SP1, a polymeric surfactant, in combination with PVPVA 64. *Eur J Pharm Biopharm* 70:500-505.

- Jee JP, Lim SJ, Park JS, Kim CK. 2006. Stabilization of all-trans retinol by loading lipophilic antioxidants in solid lipid nanoparticles. *Eur J Pharm Biopharm* 63(2):134-139.
- Jenning V, Gysler A, Èfer-Korting MS, Gohla SH. 2000. Vitamin A loaded solid lipid nanoparticles for topical use: occlusive properties and drug targeting to the upper skin. *Eur J Pharm Biopharm* 49:211-218.
- Jenning V, Lippacher A, Gohla SH. 2002. Medium scale production of solid lipid nanoparticles (SLN) by high pressure homogenization. *J microencap* 19(1):1-10.
- Junyaprasert VB, Teeranachaideekul V, Souto EB, Boonme P, Müller RH. 2009. Q10-loaded NLC *versus* nanoemulsions: Stability, rheology and *in vitro* skin permeation. *Int J Pharm* 377:207-214.
- Kameda T. 2004. Molecular structure of crude beeswax studied by solid-state ^{13}C NMR. *J Ins Sci* 4(29).
- Kaplan LA, Lau JM, Stein EA. 1990. Carotenoid composition, cocentrations and relationships in various human organs. *Clin Physiol Biochem* 8:1-10.
- Kelly PM, Oldfield DJ, O'Kennedy BT. 1999. The thermostability of spray dried imitation coffee whiteners. *Int J Dairy Technol* 52(3):107-113.
- Kim ND, Mehta R, Yu W, Neeman I, Livney T, Amichay A, Poirier D, Nicholls P, Kirby A, Jiang W et al. 2002. Chemopreventive and adjuvant therapeutic potential of pomegranate (*Punica granatum*) for human breast cancer. *Breast Cancer Res Treat* 71:203-217.

- Kim ST, Jang DJ, Kim JH, Park JY, Lim JS, Lee SY, Lee KM, Lim SJ, Kim CK. 2009. Topical administration of cyclosporin A in a solid lipid nanoparticle formulation. *Pharmazie* 64:510-514.
- Kimpe K, Jacobs PA, Waelkens M. 2002. Mass spectrometric methods prove the use of beeswax and ruminant fat in late Roman cooking pots. *J Chromato A* 968:151-160.
- Kirjavainen M, Urtti A, Jaaskelainen I, Suhonen TM, Paronen P, Valjakka-Koskela R, Kiesvaara J, Monkkonen J. 1996. Interaction of liposomes with human skin *in vitro*-lipid composition and structure the influence of lipid composition and structure. *Biochim Biophys Acta* 1304:179-189.
- Koga N. 2000. Properties and utilization of beeswax. *Honeybee Sci* 21:145-153.
- Kogan A, Garti N. 2006. Microemulsions as transdermal drug delivery vehicles. *Adv Colloid Interface Sci* 123-126:369-385.
- Kohn H, Suzuki R, Yasui Y, Hosokawa M, Miyashita K, Tanaka T. 2004. Pomegranate seed oil rich in conjugated linolenic acid suppresses chemically induced colon carcinogenesis in rats. *Cancer Sci* 95:481-486.
- Kolesnik AA, Golubev VN, Meteshkin YV, Sprinsyan TV, Papunidze GR. 1989. Lipids of the fruit of Citrus unshiu. *Chem Nat Compd* 25:293-299.
- Kong K-W, Khoo H-E, Prasad KN, Ismail A, Tan C-P, Rajab NF. 2010. Revealing the power of the natural red pigment lycopene. *Molecules* 15:959-987.

Kovacevic A, Savic S, Vuleta G, Müller RH, Keck CM. 2011. Polyhydroxy surfactants for the formulation of lipid nanoparticles (SLN and NLC): Effects on size, physical stability and particle matrix structure. *Int J Pharm* 406:163-172.

Krause KP, Müller RH. 2001. Production and characterisation of highly concentrated nanosuspensions by high pressure homogenization. *Int J Pharm* 214(1-2):21-24.

Krinsky NI, Johnson EJ. 2005. Carotenoid actions and their relation to health and disease. *Mol Aspects Med* 26:459-516.

Krinsky NI, Yeum K-J. 2003. Carotenoid–radical interactions. *Biochem Biophys Res Com* 305:754–760.

Kristl J, Volk B, Gasperlin M, Sentjurs M, Jurkovic P. 2003. Effect of colloidal carriers on ascorbyl palmitate stability. *Eur J Pharm Sci* 19(4):181-189.

Kuchler S, Abdel-Mottaleb M, Lamprecht A, Radowski MR, Haag R, Schafer-Korting M. 2009. Influence of nanocarrier type and size on skin delivery of hydrophilic agents. *Int J Pharm* 377:169-172.

Kutz G. 2001. Kosmetische Emulsionen und Cremes: Augsburg: Verlag für Chemische Industrie.

Kwok DY, Neumann AW. 1999. Contact angle measurement and contact angle interpretation. *Adv Colloid Interface Sci* 81:167-249.

Langley P. 2000. Why a pomegranate? *British Medical Journal* 321:1153-1154.

Lansky EP, Harrison G, Froom P, Jiang WG. 2005. Pomegranate (*Punica granatum*) pure chemicals show possible synergistic inhibition of human PC-3 prostate cancer cell invasion across MatrigelTM. *Vest New Drugs* 23:121-122.

Lansky EP, Newman RA. 2007. *Punica granatum* (pomegranate) and its potential for prevention and treatment of inflammation and cancer. *J Ethnopharmacol* 109:177-206.

Larsson K. 1966. Classification of glyceride crystal forms. *Acta Chem Scand* 20(8):2255-2260.

Lerma-García MJ, Herrero-Martínez JM, Simó-Alfonso EF, Mendonça CRB, Ramis-Ramos G. 2009. Composition, industrial processing and applications of rice bran γ -oryzanol. *Food Chem* 115:389-404.

Lucks JS, Müller RH; 1993. Medication vehicles made of solid lipid particles (Solid Lipid Nanospheres - SLN). EP19920919477, WO/1993/005768.

Lukowski G, Werner U. 1998. Investigation of surface and drug release of solid lipid nanoparticles loaded with acyclovir. *Intern Symp Control Rel Bioact Mater* 25:425-428.

Lycopene, Certificate of analysis (COA). 2009: Xian guanyu bio-tech Co. Ltd. (Xian, China).

Mäder K, Mehnert W. 2005. Solid lipid nanoparticles - concepts, procedures, and physicochemical aspects. *Lipospheres in drug targets and delivery*: CRC Press LLC. 1-22.

Magenheim B, Levy MY, Benita S. 1993. A new *in vitro* technique for evaluation of drug release profile from colloidal carriers-ultrafiltration technique at low pressure. *Int J Pharm* 94:115-123.

Mango butter, Certificate of analysis (COA). 2008: Tropicalife Co. Ltd. (Bangkok, Thailand).

Mango butter, Material safety data sheet (MSDS). 2008: Tropicalife Co. Ltd. (Bangkok, Thailand).

Manohar RS, Rao PH. 1999. Effect of emulsifiers, fat level and type on the rheological characteristics of biscuit dough and quality of biscuits. *J Sci Food Agri* 79(10):1223-1231.

Mariya M, Nikolay J. 2002. Creating a yield stress in liquid oils by the addition of crystallisable modifiers. *J Food Eng* 51:235-237.

Masibo M, He Q. 2009. Mango bioactive compounds and related nutraceutical properties—A review. *Food Rev Int* 25:346-370.

Mehnert W, Mader K. 2001. Solid lipid nanoparticles production, characterization and applications. *Adv Drug Del Rev* 47:165–196.

Mitri K, Shegokar R, Gohla S, Anselmi C, Müller RH. 2011. Lutein nanocrystals as antioxidant formulation for oral and dermal delivery. *Int J Pharm* 420:141-146.

Moon J-k, Shibamoto T. 2009. Antioxidant assays for plant and food components. *J Agri Food Chem* 57(5):1655-1666.

- Mooter Gvd, Weuts I, Ridder TD, Blaton N. 2006. Evaluation of InutecTM SP1 as a new carrier in the formulation of solid dispersions for poorly soluble drugs. *Int J Pharm* 316:1-6.
- Mortensen A, Skibsted LH, Truscott TG. 2001. The interaction of dietary carotenoids with radical species. *Arch Biochem Biophys* 385:13-19.
- Most MM, Tulley R, Morales S, Lefevre M. 2005. Rice bran oil, not fiber, lowers cholesterol in humans. *Am J Clin Nutr* 81:64-68.
- Mu SS, Feng SS. 2001. Fabrication, characterization and in vitro release of paclitaxel (Taxol[®]) loaded poly (lactic-co-glycolic acid) microspheres prepared by spray drying technique with lipid/cholesterol emulsifiers. *J Control Release* 76:239-254.
- Muchow M, Maincent P, Müller RH. 2008. Lipid nanoparticles with a solid matrix (SLN[®], NLC[®], LDC[®]) for oral drug delivery. *Drug Dev Ind Pharm* 34:1394–1405.
- Muchow M, Maincent P, Müller RH, Keck CM. 2011. Production and characterization of testosterone undecanoate-loaded NLC for oral bioavailability enhancement. *Drug Dev Ind Pharm* 37(1):8-14.
- Muhlen Az, Schwarz C, Mehnert W. 1998. Solid lipid nanoparticles (SLN) for controlled drug delivery–Drug release and release mechanism. *Eur J Pharm Biopharm* 45:149–155.
- Mukherjee C, Bhattacharyya DK. 2006. Dietary effect of punicic acid on oxidative behavior and lipid profiles of brain, heart, liver and kidney tissue lipid of rats. *J Lipid Sci Technol* 38:124-128.

Müller RH. 1996. Zetapotential und Partikelladung in der Laborpraxis. Stuttgart: Wissenschaftliche Verlagsgesellschaft.

Müller RH. 2007. Lipid nanoparticles: recent advances. *Adv Drug Del Rev* 59:375–376.

Müller-Goymann CC. 2004. Physicochemical characterization of colloidal drug delivery systems such as reverse micelles, vesicles, liquid crystals and nanoparticles for topical administration. *Eur J Pharm Biopharm* 58(2):343–356.

Müller RH, Böhm BHL, Grau MJ. 1999a. Nanosuspensionen - formulierungen für schwerlösliche arzneistoffe mit geringer bioverfügbarkeit 1. mitteilung: Herstellung und eigenschaften. *Die Pharmazeutische Industrie* 61:74-78.

Müller RH, Böhm BHL, Grau MJ. 1999b. Nanosuspensionen - formulierungen für schwerlösliche arzneistoffe mit geringer bioverfügbarkeit 2. mitteilung: Stabilität, biopharmazeutische aspekte, mögliche arzneiformen und zulassungsfragen. *Die Pharmazeutische Industrie* 61(2):175-178.

Müller RH, Dingler A. 2007. A new dimension in cosmetic products by nanostructured lipid carriers (NLC) technology. *Eurocosmet* 15(38).

Müller RH, Dingler A, Runge SA, Schneppe T, Gohla S. 2000a. Large scale production of solid lipid nanoparticles (SLNTM) and nanosuspensions (DissoCubesTM). In: Wise D, editor. Handbook of pharmaceutical controlled release technology. New York: Marcel Dekker Inc. p 359-376.

Müller RH, Hommoss A, Pardeike J, Schmidt C. 2006. Lipid nanoparticles (NLC) as novel carrier for cosmetics - special features & state of commercialization. Cosmetic Science Conference. 1-9.

Müller RH, Lucks JS. 1996. Azneistofftrager aus festen lipidteilchen—feste lipid nanosphären (SLN). Germany patent 0605497.

Müller RH, Mader K, Gohla S. 2000b. Solid lipid nanoparticles (SLN) for controlled drug delivery - a review of the state of the art. *Eur J Pharm Biopharm* 50:161-177.

Müller RH, Mehnert W, Souto EB. 2005. Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) for dermal delivery. In: Bronaugh RL, editor. *Percutaneous Absorption*. 4th ed. p 719-738.

Müller RH, Peters K. 1997. Nanosuspension for the formulation of poorly soluble drugs 1. Preparation by a size-reduction technique. *Int J Pharm* 160:229-237.

Müller RH, Petersen RD, Hommoss A, Pardeike J. 2007. Nanostructured lipid carriers (NLC) in cosmetic dermal products. *Adv Drug Del Rev* 59:522-530.

Müller RH, Radtke M, Wissing SA. 2002a. Nanostructured lipid matrices for improved microencapsulation of drugs. *Int J Pharm* 242(1-2):121-128.

Müller RH, Radtke M, Wissing SA. 2002b. Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) in cosmetic and dermatological preparations. *Adv Drug Del Rev* 54:S131-S155.

Müller RH, Schuhmann R (1997) Teilchengrößenmessung in der Laborpraxis, APV Paperback Nr. 38, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart. 65-66.

- Müller RH, Shegokar R, Keck CM. 2011. 20 years of lipid nanoparticles (SLN & NLC): present state of development & industrial applications. *Curr Drug Dis Technol* 8:207-227.
- Ndagijimana M, Belletti N, Lanciotti R, Guerzoni ME, Ardini FG. 2004. Effect of aroma compounds on the microbial stabilization of orange-based soft drinks. *J Food Sci* 69:SNQ20–SNQ24.
- Nicolosi RJ, Rogers EJ, Ausman LM, Orthoefer FT. 1993. Rice bran oil and its health benefits. In: Marshall WE, Wadsworth JI, editors. *Rice Science and Technology*. New York: Dekker. p 421.
- Nierenberg DW, Nann SL. 1992. A method for determining concentrations of retinol, tocopherol, and five carotenoids in human plasma and tissue samples. *Am J Clin Nutr* 56(4):17-26.
- Norlen L, Engblom J. 2000. Structure-related aspects on water diffusivity in fatty acid–soap and skin lipid model systems. *J Control Release* 63:213–226.
- Obeidat WM, Schwabe K, Müller RH, Keck CM. 2010. Preservation of nanostructured lipid carriers (NLC). *Eur J Pharm Biopharm* 76:56-67.
- Odo EA, Britton DT, Gonfa GG, Harting M. 2012. Structure and characterization of silicon nanoparticles produced using a vibratory disc mill. *Afri Rev Phy* 7:45-56.
- Okonogi S, Duangrat C, Anuchpreeda S, Tachakittirungrod S, Chowwanapoonpohn S. 2007. Comparison of antioxidant capacities and cytotoxicities of certain fruit peels. *Food Chem* 103:839–846.

Oppen-Bezalel Lv. 2008 Colourless carotenoids may protect skin against inflammation and UV radiation. *Household and Personal Care Today* 31-34.

Orange wax, Certificate of analysis (COA). 2005: Koster keunen, LLC (Connecticut, USA).

Orthoefer FT. 2005. Rice bran oil. *Bailey's Industrial Oil and Fat Products*: John Wiley & Sons, Inc.

Pan ZW, Dai ZR, Wang ZL. 2001. Nanobelts of semiconducting oxides. *Science AAAS* 291:1947-1949.

Pardeike J, Hommoss A, Müller RH. 2009. Lipid nanoparticles (SLN, NLC) in cosmetic and pharmaceutical dermal products. *Int J Pharm* 366:170-184.

Pardeike J, Schwabe K, Müller RH. 2010. Influence of nanostructured lipid carriers (NLC) on the physical properties of the Cutanova Nanorepair Q10 cream and the *in vivo* skin hydration effect. *Int J Pharm* 396: 166-173.

Pathak Y, Thassu D. 2009. Drug delivery nanoparticles formulation and characterization: *Drugs and the pharmaceutical sciences*, Informa Healthcare USA, Inc. Chapter 9.

Pauling L. 1939. Recent work on the configuration and electronic structure of molecules with some applications to natural products: Isomerism and the structure of carotenoids. *Fortschr Chem Org Naturstoffe* 3:227-229.

Plantacare™ 1200 UP, Product data sheet. 2011: Cognis.

Polysorbate™ 80, Product information. 2009: Namsiang Co., Ltd. (Bangkok, Thailand).

Pomegranate seeds oil, Certificate of analysis (COA). 2010: Guangzhou Herbs-Ex Inc. (Guangzhou, China).

Pomegranate seeds oil, Material safety data sheet (MSDS). 2010: Guangzhou Herbs-Ex Inc. (Guangzhou, China).

Porrini M, Riso P. 2000. Lymphocyte lycopene concentration and DNA protection from oxidative damage is increased in women after a short period of tomato consumption. *J Nutr*:189-192.

Proksch E, Lachapelle J-M. 2005. The management of dry skin with topical emollients-recent perspectives. *JDDG* 3:768-774.

Puglia C, Blasi P, Rizza L, Schoubben A, Bonina F, Rossi C, Ricci M. 2008. Lipid nanoparticles for prolonged topical delivery: An *in vitro* and *in vivo* investigation. *Int J Pharm* 357:295-304.

Puleo S, Rit TP. 1992. Natural waxes: past, present, and future. *Lipid Tech* 4:82-90.

Puleo SL, Peters RT. 1994 Orange peel wax. *Cosmetics & Toiletries magazine*:42-48.

Quintanar-Gerrero D, Fessi H, Alleman E. 1999. Pseudolatex preparation using a novel emulsion-diffusion process involving direct displacement of partially-water-miscible solvents by distillation. *Int J Pharm* 188:155-164.

Radtke M, Souto EB, Müller RH. 2005. Nanostructured lipid carriers: A novel generation of solid lipid drug carriers. *Pharm Technol Eur* 17(4):45-50.

Rao AV, Agarwal S. 1999. Role of lycopene as antioxidant carotenoid in the prevention of chronic diseases: A review. *Nutr Res* 19(2):305-323.

Rao CNR, Biswas K. 2009. Characterization of nanomaterials by physical methods. *Annu Rev Anal Chem* 2:435-462.

- Re R, Pellegrini N, Proteggente A, Pannala A, Yang M, Rice-evans C. 1999. Antioxidant activity applying improved ABTS radical cation decolorization assay. *Free Radic Biol Med* 26:1231-1237.
- Reynhardt EC, Riederer M. 1991. Structure and molecular dynamics of the cuticular wax from leaves of *Citrus aurantium L.* *J Phys D: Appl Phys* 24:478-485.
- Riangjanapatee P, Okonogi S. 2012. Effect of surfactant on lycopene-loaded nanostructured lipid carriers. *Drug Discov Ther* 6(3):163-168.
- Ricci M, Puglia C, Bonina F, Giovanni CD, Giovagnoli S, Rossi C. 2005. Evaluation of indomethacin percutaneous absorption from nanostructured lipid carriers (NLC): *in vitro* and *in vivo* studies. *J Pharm Sci* 94:1149-1159.
- Rosenbaum L. 2010. Healthy Skin & Hair - Photoaging: Fast Facts on Healthier Skin. *Cosmet Dermatol* 23 (suppl 1):1-16.
- Rousseau D. 2000. Fat crystals and emulsion stability - a review. *Food Res Int* 33:3-14.
- Rowe RC, Sheskey PJ, Quinn ME, editors. 2009. Handbook of pharmaceutical excipients. Sixth edition ed: the pharmaceutical press.
- Rukmini C, Raghuram TC. 1991. Nutritional and biochemical aspects of the hypolipidemic action of rice bran oil: a review. *J Am Coll Nutr* 10:593-601.
- Saito K, Kohno M, Yoshizaki F, Niwano Y. 2008. Extensive screening for edible herbal extracts with potent scavenging activity against superoxide anions. *Plant Foods Hum Nutr* 63:65-70.

Santa-María C, Revilla E, Miramontes E, Bautista J, García-Martínez A, Romero E, Carballo M, Parrado J. 2010. Protection against free radicals (UVB irradiation) of a water-soluble enzymatic extract from rice bran. Study using human keratinocyte monolayer and reconstructed human epidermis. *Food Chem Toxicol* 48:83-88.

Schäfer-Korting M, Mehnert W, Korting HC. 2007. Lipid nanoparticles for improved topical application of drugs for skin diseases. *Adv Drug Del Rev* 59:427-443.

Schierle J, Bretzel W, Buhler I, Faccin N, Hess D, Steiner K, Schuep W. 1997. Content and isomeric ratio of lycopene in food and human blood plasma. *Food Chem* 59(3):459-465.

Schlichter-Aronhime J, Garti N. 1988. Crystallization and polymorphism of fats and fatty acids. Garti N, Sato K, editors. New York: Marcel Dekker Inc. 363-393.

Schlichter-Aronhime J, Sarig S, Garti N. 1988. Reconsideration of polymorphic transformations in cocoa butter using DSC. *J Am Oil Chem Soc* 65:1140-1143.

Schmitz HH, Poor CL, Wellman RB, Erdman Jr. JW. 1991. Concentrations of selected carotenoids and vitamin A in human liver, kidney and lung tissue. *J Nutr* 121:1613-1621.

Schubert SY, Lansky EP, Neeman I. 1999. Antioxidant and eicosanoid enzyme inhibition properties of pomegranate seed oil and fermented juice flavonoids. *J Ethnopharm* 66:11-17.

Sharma SK, Mague ML. 1996. Kinetics of lycopene degradation in tomato pulp solids under different processing and storage conditions. *Food Res Int* 29:309-315.

Shi J, Maguer ML, Bryan M. 2002. Lycopene from tomatoes. In: Shi J, Mazza G, Maguer ML, editors. Functional foods-biochemical and processing aspects. USA: CRC Press. 135–168.

Shi J, Maguer ML, Bryan M, Kakuda Y. 2003. Kinetics of lycopene degradation in tomato puree by heat and light irradiation. *J Food Process Eng* 25:485-498.

Singh RP, Murthy KNC, Jayaprakasha GK. 2002. Studies on the antioxidant activity of pomegranate (*Punica granatum*) peel and seed extracts using *in vitro* models. *J Agri Food Chem* 50:81-86.

Sinko PJ. 2006. States of matter. Martin's physical pharmacy and pharmaceutical sciences. Fifth ed. Philadelphia: Lippincott Williams & Wilkins, chapter 2: p 35.

Sjostrom B, Bergenstahl B. 1992. Preparation of submicron drug particles in lecithin-stabilized o/w emulsions. I. Model studies of the precipitation of cholesteryl acetate. *Int J Pharm* 88:53-62.

Sjostrom B, Bergenstahl B, Kronberg B. 1993a. A method for the preparation of submicron particles of sparingly water-soluble drugs by precipitation in oil-in-water emulsions. II: Influence of the emulsifier, the solvent, and the drug substance. *J Pharm Sci* 82:584-589.

Sjostrom B, Kronberg B, Carlfors J. 1993b. A method for the preparation of submicron particles of sparingly water-soluble drugs by precipitation in oil-in-water emulsions. I: Influence of emulsification and surfactant concentration. *J Pharm Sci* 82:579-583.

- Souto EB, Almeida AJ, Müller RH. 2007. Lipid nanoparticles (SLN[®], NLC[®]) for cutaneous drug delivery: structure, protection and skin effects. *J Biomed Nanotechnol* 3:317–331.
- Souto EB, Anselmi C, Centini M, Muller RH. 2005a. Preparation and characterization of n-dodecyl-ferulate-loaded solid lipid nanoparticles (SLN[®]). *Int J Pharm* 295:261-268.
- Souto EB, Mehnert W, Müller RH. 2006. Polymorphic behaviour of Compritol 888 ATO as bulk lipid and as SLN and NLC. *J Microencapsul* 23(4):417-433.
- Souto EB, Müller RH. 2006. Investigation of the factors influencing the incorporation of clotrimazole in SLN and NLC prepared by hot high-pressure homogenization. *J Microencapsul* 23(4):377-388.
- Souto EB, Müller RH. 2008. Cosmetic features and applications of lipid nanoparticles (SLN[®], NLC[®]). *Int J Cosmet Sci* 30:157–165.
- Souto EB, Müller RH. 2009. Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) – lipid nanoparticles for medicals and pharmaceuticals. Encyclopedia of nanoscience and nanotechnology, 2nd Edition (H S Nalwa, ed): American Scientific Publishers. 1-16.
- Souto EB, Müller RH, Gohla S. 2005b. A novel approach based on lipid nanoparticles (SLN[®]) for topical delivery of α -lipoic acid. *J Microencapsul* 22 (6): 581-592.
- Souto EB, Wissing SA, Barbosa CM, Müller RH. 2004. Development of a controlled release formulation based on SLN and NLC for topical clotrimazole delivery. *Int J Pharm* 278:71-77.

Stahl W, Heinrich U, Aust O, Tronnier H, Sies H. 2006. Lycopene-rich products and dietary photoprotection. *Photochem Photobiol Sci* 5:238-242.

Stahl W, Schwarz W, Sundquist AR, Sies H. 1992. Cis-trans isomers of lycopene and β -carotene human serum and tissues. *Arch Biochem Biophys* 294:173-177.

Stahl W, Sies H. 1992. Uptake of lycopene and its geometrical isomers is greater from heat-processed than from unprocessed tomato juice in humans. *J Nutr* 122: 2161-2166.

Stahl W, Sies H. 1996. Perspectives in biochemistry and biophysics-lycopene: A biologically important carotenoid for human?. *Arch Biochem Biophys* 336(1):1-9.

Stahl W, Sies H. 2003. Antioxidant activity of carotenoids. *Mol Aspect Med* 24:345-351.

Stahl W, Sies H. 2004. Carotenoids and UV protection. *Photochem Photobiol Sci* 3:749-752.

Steber J, Guhl W, Stelter N, Schroeder FR. 1995. Alkyl polyglycosides – ecological evaluation of a new generation of nonionic surfactants. *Tenside Surface Deterg* 32:515-521.

Stephane Arditty; L'OREAL, Paris, assignee. 2008. Composition containing a lactic acid compound and/or one of its salts or a citric acid compound and/or one of its salts. United states patent US 20080124291 A1.

Stevens CV, Meriggi A, Booten K. 2001a. Chemical modification of inulin, a valuable renewable resource, and its industrial applications. *Biomacromolecules* 2:1-16.

Stevens CV, Meriggi A, Peristeropoulou M, Christov PP, Booten K, Leveck B, Vandamme A, Pittevils N, Tadros TF. 2001b. Polymeric surfactants based on inulin, a polysaccharide extracted from chicory 1. Synthesis and interfacial properties. *Biomacromolecules* 2:1256-1259.

Sucrose ester emulsifiers, Product data sheet. 2005: Surfhope® SE Cosme.

Sugano M, Tsuji E. 1997. Rice bran oil and cholesterol metabolism. *J Nutr* 127:521S-524S.

Swanson RB, Carden LA, Parks SS. 1999. Effect of a carbohydrate-based fat substitute and emulsifying agents on reduced-fat peanut butter cookies. *J Food Quality* 22:19-29.

Szűts A, Szabó-Révész P. 2012. Sucrose esters as natural surfactants in drug delivery systems--a mini-review. *Int J Pharm* 433(1-2):1-9.

Tachakittirungrod S, Ikegami F, Okonogi S. 2007a. Antioxidant active principles isolated from *psidium guajava* grown in Thailand. *Sci Pharm* 75:179-193.

Tachakittirungrod S, Okonogi S, Chowwanapoonpohn S. 2007b. Study on antioxidant activity of certain plants in Thailand: Mechanism of antioxidant action of guava leaf extract. *Food Chem* 103:381-388.

Teeranachaideekul V, Boonme P, Souto EB, Müller RH, Junyaprasert VB. 2008. Influence of oil content on physicochemical properties and skin distribution of Nile red loaded NLC. *J Control Release* 128:134-141.

Teeranachaideekul V, Müller RH, Junyaprasert VB. 2007a. Encapsulation of ascorbyl palmitate in nanostructured lipid carriers (NLC)—Effects of formulation parameters on physicochemical stability. *Int J Pharm* 340:198-206.

Teeranachaideekul V, Souto EB, Junyaprasert VB, Müller RH. 2007b. Cetyl palmitate-based NLC for topical delivery of Coenzyme Q10 – Development, physicochemical characterization and *in vitro* release studies. *Eur J Pharm Biopharm* 67:141-148.

Tegocare™ 450, Certificate of analysis (COA). 2008: Evonik Goldschmidt GmbH (Goldschmidtstrasse, Germany).

Tegocare™ 450, Material safety data sheet (MSDS). 2008: Evonik Goldschmidt GmbH (Goldschmidtstrasse, Germany).

Tegocare™ 450, Product data sheet. 2008: Evonik Goldschmidt GmbH (Goldschmidtstrasse, Germany).

Tesch M, Skubsch K, Blohm A; Beiersdorf AG, Hamburg, assignee. 2011. Cosmetic emulsifier combination. United states patent US 20110091400 A1.

Thompson KA, Marshall MR, Sims CA, Wei CI, Sargent SA, Scott JW. 2000. Cultivar, maturity, and heat treatment on lycopene content in tomatoes. *J Food Sci* 65:791-795.

Trumbo PR. 2005. Are there adverse effects of lycopene exposure?. *J Nutr* 135: 2060S–2061S.

Tulloch AP, Hoffman LL. 1972. Canadian beeswax: analytical values and composition of hydrocarbons, free acids and long chain esters. *J Am Oil Chem Soc* 49:696-699.

Vorarat S, Managit C, Iamthanakul L, Soparat W, Kamkaen N. 2010. Examination of antioxidant activity and development of rice bran oil and gamma-oryzanol microemulsion. *J Health Res* 24(2):67-72.

- Waller JM, Maibach HI. 2006. Age and skin structure and function, a quantitative approach (II): protein, glycosaminoglycan, water, and lipid content and structure. *Skin Res Tech* 12:145–154.
- Weiss J, Decker EA, McClements DJ, Kristbergsson K, Helgason T, Awad T. 2008. Solid lipid nanoparticles as delivery systems for bioactive food components. *Food Biophys* 3:146–154.
- Wenli Y, Yaping Z, Zhen X, Hui J, Dapu W. 2001. The antioxidant properties of lycopene concentrate extracted from tomato paste. *J Am Oil Chem Soc* 78(7):697-701.
- Westesen K, Bunjes H. 1995. Do nanoparticles prepared from lipids solid at room temperature always possess a solid lipid matrix?. *Int J Pharm* 115:129-131.
- Westesen K, Bunjes H, Koch MHJ. 1997. Physicochemical characterization of lipid nanoparticles and evaluation of their drug loading capacity and sustained release potential. *J Control Release* 48:223-236.
- Whittaker P, Boughner DR, Kloner RA. 1989. Analysis of healing after myocardial infarction using polarized light microscopy. *Amer J Patho* 134(4):879-893.
- Wille RL, Lutton ES. 1966. Polymorphism of cacao butter. *IBID* 43:491–496.
- Wissing SA, Kayser O, Müller RH. 2004. Solid lipid nanoparticles for parenteral drug delivery. *Adv Drug Del Rev* 56:1257-1272.
- Wissing SA, Lippacher A, Müller RH. 2001. Investigations on the occlusive properties of solid lipid nanoparticles (SLN). *J Cosmet Sci* 52:313-324.
- Wissing SA, Müller RH. 2001. A novel sunscreen system based on tocopherol acetate incorporated into solid lipid nanoparticles. *Int J Cosmet Sci* 23:233-241.

Wissing SA, Müller RH. 2002. Solid lipid nanoparticles as carrier for sunscreens: *in vitro* release and *in vivo* skin penetration. *J Control Release* 81:225–233.

Wissing SA, Müller RH. 2003a. Cosmetic applications for solid lipid nanoparticles (SLN). *Int J Pharm* 254:65-68.

Wissing SA, Müller RH. 2003b. The influence of solid lipid nanoparticles on skin hydration and viscoelasticity--*in vivo* study. *Eur J Pharm Biopharm* 56:67-72.

Xianquan S, Shi J, Kakuda Y, Yueming J. 2005. Stability of lycopene during food processing and storage. *J Med Food* 8(4):413–422.

Xie X, Morrow NR, Buckley JS. 2002. Contact angle hysteresis and the stability of wetting changes induced by adsorption from crude oil. *J Petro Sci Eng* 33:147-159.

Yamasaki T, Kitagawa N, Koyanagi H, Chujo H, Maeda J, Kohno-Murase J, Imamura H, Tachibana K, Yamada R. 2006. Dietary effect of pomegranate seed oil on immune function and lipid metabolism in mice. *Nutrition* 22:54-59.

Yeh S-L, Hu M-L. 2000. Antioxidant and pro-oxidant effects of lycopene in comparison with β -carotene on oxidant-induced damage in Hs68 cells. *J Nutr Biochem* 11:548-554.

Yin L, Morita A, Tsuji T. 2001. Skin aging induced by ultraviolet exposure and tobacco smoking: evidence from epidemiological and molecular studies. *Photodermatol Photoimmunol Photomed* 17:178-183.

Yoon KA, Burgess DJ. 1998. Mathematical modelling of drug transport in emulsion systems. *J Pharm Pharmacol* 50(6):601-610.

Youan B-BC, Hussain A, Nguyen NT. 2003. Evaluation of sucrose esters as alternative surfactants in microencapsulation of proteins by the solvent evaporation method. *AAPS Pharm Sci* 5(2):123–131.

Young AJ, Lowe GM. 2001. Antioxidant and prooxidant properties of carotenoids. *Arch Biochem Biophys* 385:20-27.

Zechemister L. 1962. Cis-trans isomeric carotenoids, vitamin A and arylpolyenes. Goodwin TW, editor. New York: Academic Press.

Zechemister L, LeRosen AL, Schroeder WA, Polgar A, Pauling L. 1943. Spectral characteristics and configuration of some stereoisomeric carotenoids including polyycopene and procarotene. *J Am Oil Chem Soc* 65:1940–1955.

Zechemister L, LeRosen AL, Went FW, Pauling L. 1941. Polyycopene, a naturally occurring stereoisomer of lycopene. *Proc Natl Acad Sci* 27:468-474.

Zuo JM, Vartanyants I, Gao M, Zhang R, Nagahara LA. 2003. Atomic resolution imaging of a carbon nanotube from diffraction intensities. *Science AAAS* 300:1419-1421.