

REFERENCES

1. Sellar W. The directory of essential oils. Saffron Walden: C.W. Daniel; 2001.
2. Tisserand R, Balacs T. Essential oil safety: a guide for health care professionals. Edinburgh; New York: Churchill Livingstone; 1995.
3. Shahidi F, Bailey AE. Bailey's industrial oil and fat products : edible oil and fat products. 3, Specialty oils and oil products. Hoboken, N.J.: Wiley Interscience; 2005.
4. Zhao B, Zhu L, Gao Y. A novel solubilization of phenanthrene using Winsor I microemulsion-based sodium castor oil sulfate. Journal of Hazardous Materials. 2005;119(1-3):205-11.
5. Brunborg LA, Madland TM, Lind RA, Arslan G, Berstad A, Frøyland L. Effects of short-term oral administration of dietary marine oils in patients with inflammatory bowel disease and joint pain: A pilot study comparing seal oil and cod liver oil. Clinical Nutrition. 2008;27(4):614-22.
6. Nejad Ebrahimi S, Hadian J, Mirjalili MH, Sonboli A, Yousefzadi M. Essential oil composition and antibacterial activity of *Thymus caramanicus* at different phenological stages. Food Chemistry. 2008;110(4):927-31.
7. Rosato A, Vitali C, De Laurentis N, Armenise D, Antonietta Milillo M. Antibacterial effect of some essential oils administered alone or in combination with Norfloxacin. Phytomedicine. 2007;14(11):727-32.

8. Kordali S, Cakir A, Ozer H, Cakmakci R, Kesdek M, Mete E. Antifungal, phytotoxic and insecticidal properties of essential oil isolated from Turkish *Origanum acutidens* and its three components, carvacrol, thymol and p-cymene. *Bioresource Technology*. 2008;99(18):8788-95.
9. Omidbeygi M, Barzegar M, Hamidi Z, Naghdibadi H. Antifungal activity of thyme, summer savory and clove essential oils against *Aspergillus flavus* in liquid medium and tomato paste. *Food Control*. 2007;18(12):1518-23.
10. Cheng S-S, Liu J-Y, Huang C-G, Hsui Y-R, Chen W-J, Chang S-T. Insecticidal activities of leaf essential oils from *Cinnamomum osmophloeum* against three mosquito species. *Bioresource Technology*. 2009;100(1):457-64.
11. Tung Y-T, Chua M-T, Wang S-Y, Chang S-T. Anti-inflammation activities of essential oil and its constituents from indigenous cinnamon (*Cinnamomum osmophloeum*) twigs. *Bioresource Technology*. 2008;99(9):3908-13.
12. Lin C-T, Chen C-J, Lin T-Y, Tung JC, Wang S-Y. Anti-inflammation activity of fruit essential oil from *Cinnamomum insularimontanum* Hayata. *Bioresource Technology*. 2008;99(18):8783-7.
13. Deba F, Xuan TD, Yasuda M, Tawata S. Chemical composition and antioxidant, antibacterial and antifungal activities of the essential oils from *Bidens pilosa* Linn. var. *Radiata*. *Food Control*. 2008;19(4):346-52.
14. Elzaawely AA, Xuan TD, Koyama H, Tawata S. Antioxidant activity and contents of essential oil and phenolic compounds in flowers and seeds of *Alpinia zerumbet* (Pers.) B.L. Burtt. & R. M. Smith. *Food Chemistry*. 2007;104(4):1648-53.

15. Chan EWC, Lim YY, Wong LF, Lianto FS, Wong SK, Lim KK, Joe CE, Lim TY. Antioxidant and tyrosinase inhibition properties of leaves and rhizomes of ginger species. *Food Chemistry*. 2008;109(3):477-83.
16. Matsuura R, Ukeda H, Sawamura M. Tyrosinase Inhibitory Activity of Citrus Essential Oils. *Journal of Agricultural and Food Chemistry*. 2006 2006/03/01;54(6):2309-13.
17. Escribano E, Calpena AC, Queralt J, Obach R, Doménech J. Assessment of diclofenac permeation with different formulations: anti-inflammatory study of a selected formula. *European Journal of Pharmaceutical Sciences*. 2003;19(4):203-10.
18. Elwell MW, Roberts RF, Coupland JN. Effect of homogenization and surfactant type on the exchange of oil between emulsion droplets. *Food Hydrocolloids*. 2004;18(3):413-8.
19. Narang AS, Delmarre D, Gao D. Stable drug encapsulation in micelles and microemulsions. *International Journal of Pharmaceutics*. 2007;345(1–2):9-25.
20. Najafi M, Kadkhodaie R, Mortazavi SA. Evaluation factors affecting the formation and properties of nanoemulsion stabilized with Tween 80. *iranian food science and technology research journal*. 2010; 6(1): 9–16
21. Huang YB, Lin YH, Lu TM, Wang RJ, Tsai YH, Wu PC. Transdermal delivery of capsaicin derivative-sodium nonivamide acetate using microemulsions as vehicles. *International Journal of Pharmaceutics*. 2008;349(1–2):206-11.
22. Ghahraee M, Khadiv-Parsi P, Kaffashi B, Momajjed A, Babaee J. Microemulsion preparation from pumpkin seed oil (*Cucurbita pepo*) as an oral

- drug carrier. *Journal of Medicinal Plants Research*. 2010;30(2):44–53
23. Ingelsten HH, Bagwe R, Palmqvist A, Skoglundh M, Svanberg C, Holmberg K, et al. Kinetics of the Formation of Nano-Sized Platinum Particles in Water-in-Oil Microemulsions. *Journal of Colloid and Interface Science*. 2001;241(1):104-11.
 24. Warisnoicharoen W, Lansley AB, Lawrence MJ. Nonionic oil-in-water microemulsions: the effect of oil type on phase behaviour. *International Journal of Pharmaceutics*. 2000;198(1):7-27.
 25. Date AA, Patravale VB. Microemulsions: applications in transdermal and dermal delivery. *Crit Rev Ther Drug Carrier Syst*. 2007;24(6):547-96.
 26. Chaiyana W, Saeio K, Hennink WE, Okonogi S. Characterization of potent anticholinesterase plant oil based microemulsion. *International Journal of Pharmaceutics*. 2010;401(1–2):32-40.
 27. Santanna VC, Curbelo FDS, Castro Dantas TN, Dantas Neto AA, Albuquerque HS, Garnica AIC. Microemulsion flooding for enhanced oil recovery. *Journal of Petroleum Science and Engineering*. 2009;66(3–4):117-20.
 28. Edris AE, Malone CR. Formulation of banana aroma impact ester in water-based microemulsion nano-delivery system for flavoring applications using sucrose laurate surfactant. *Procedia Food Science*. 2011;1(0):1821-7.
 29. Inaba H, Dai C, Horibe A. Natural convection heat transfer of microemulsion phase-change-material slurry in rectangular cavities heated from below and cooled from above. *International Journal of Heat and Mass Transfer*. 2003;46(23):4427-38.

30. Sintov AC, Levy HV, Botner S. Systemic delivery of insulin via the nasal route using a new microemulsion system: In vitro and in vivo studies. *Journal of Controlled Release*. 2010;148(2):168-76.
31. Cevc G. Lipid vesicles and other colloids as drug carriers on the skin. *Advanced Drug Delivery Reviews*. 2004;56(5):675-711.
32. Kumar M, Misra A, Babbar AK, Mishra AK, Mishra P, Pathak K. Intranasal nanoemulsion based brain targeting drug delivery system of risperidone. *International Journal of Pharmaceutics*. 2008;358(1-2):285-91.
33. Sahoo SK, Dilnawaz F, Krishnakumar S. Nanotechnology in ocular drug delivery. *Drug Discovery Today*. 2008;13(3-4):144-51.
34. Formariz TP, Sarmento VHV, Silva-Junior AA, Scarpa MV, Santilli CV, Oliveira AG. Doxorubicin biocompatible O/W microemulsion stabilized by mixed surfactant containing soya phosphatidylcholine. *Colloids and Surfaces B: Biointerfaces*. 2006;51(1):54-61.
35. Zhu W, Guo C, Yu A, Gao Y, Cao F, Zhai G. Microemulsion-based hydrogel formulation of penciclovir for topical delivery. *International Journal of Pharmaceutics*. 2009;378(1-2):152-8.
36. Peltola S, Saarinen-Savolainen P, Kiesvaara J, Suhonen TM, Urtti A. Microemulsions for topical delivery of estradiol. *International Journal of Pharmaceutics*. 2003;254(2):99-107.
37. Prausnitz MR. A practical assessment of transdermal drug delivery by skin electroporation. *Advanced Drug Delivery Reviews*. 1999;35(1):61-76.
38. Lee PJ, Langer R, Shastri VP. Novel microemulsion enhancer formulation for

- simultaneous transdermal delivery of hydrophilic and hydrophobic drugs. *Pharmaceutical research*. 2003;20(2):264-9.
39. Spornath A, Aserin A. Microemulsions as carriers for drugs and nutraceuticals. *Advances in Colloid and Interface Science*. 2006;128–130(0):47-64.
 40. Huang YB, Lin YH, Lu TM, Wang RJ, Tsai YH, Wu PC. Transdermal delivery of capsaicin derivative-sodium nonivamide acetate using microemulsions as vehicles. *International Journal of Pharmaceutics*. 2008;349(1–2):206-11.
 41. Sintov AC, Botner S. Transdermal drug delivery using microemulsion and aqueous systems: Influence of skin storage conditions on the in vitro permeability of diclofenac from aqueous vehicle systems. *International Journal of Pharmaceutics*. 2006;311(1–2):55-62.
 42. Goddeeris C, Cuppo F, Reynaers H, Bouwman WG, Van den Mooter G. Light scattering measurements on microemulsions: Estimation of droplet sizes. *International Journal of Pharmaceutics*. 2006;312(1–2):187-95.
 43. Ingelsten HH, Bagwe R, Palmqvist A, Skoglundh M, Svanberg C, Holmberg K, et al. Kinetics of the Formation of Nano-Sized Platinum Particles in Water-in-Oil Microemulsions. *Journal of Colloid and Interface Science*. 2001;241(1):104-11.
 44. Warisnoicharoen W, Lansley AB, Lawrence MJ. Nonionic oil-in-water microemulsions: the effect of oil type on phase behaviour. *International Journal of Pharmaceutics*. 2000;198(1):7-27.
 45. Schulman JH, Stoeckenius W, Prince LM. Mechanism of Formation and Structure of Micro Emulsions by Electron Microscopy. *The Journal of Physical*

- Chemistry. 1959;63(10):1677-80.
46. Xie Y, Ye R, Liu H. Microstructure studies on biosurfactant-rhamnolipid/n-butanol/water/n-heptane microemulsion system. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. 2007;292(2–3):189-95.
 47. Hirunpanich V, Sato H. Improvement of cyclosporine A bioavailability by incorporating ethyl docosahexaenoate in the microemulsion as an oil excipient. *European Journal of Pharmaceutics and Biopharmaceutics*. 2009;73(2):247-52.
 48. James-Smith MA, Shekhawat D, Cheung S, Moudgil BM, Shah DO. Effect of chain length on binding of fatty acids to Pluronics in microemulsions. *Colloids and Surfaces B: Biointerfaces*. 2008;62(1):5-10.
 49. Schmalfuß U, Neubert R, Wohlrab W. Modification of drug penetration into human skin using microemulsions. *Journal of Controlled Release*. 1997
 50. Glatter O, Orthaber D, Stradner A, Scherf G, Fanun M, Garti N, et al. Sugar-Ester Nonionic Microemulsion: Structural Characterization. *Journal of Colloid and Interface Science*. 2001;241(1):215-25.
 51. Savić S, Savić M, Tamburić S, Vuleta G, Vesić S, Müller-Goymann CC. An alkylpolyglucoside surfactant as a prospective pharmaceutical excipient for topical formulations: The influence of oil polarity on the colloidal structure and hydrocortisone in vitro/in vivo permeation. *European Journal of Pharmaceutical Sciences*. 2007;30(5):441-50.
 52. Jiang Y, Li F, Luan Y, Cao W, Ji X, Zhao L, et al. Formation of drug/surfactant cationic vesicles and their application in sustained drug release. *International Journal of Pharmaceutics*. 2012;436(1–2):806-14.

53. Wulff M, Aldén M, Craig DQM. An investigation into the critical surfactant concentration for solid solubility of hydrophobic drug in different polyethylene glycols. *International Journal of Pharmaceutics*. 1996;142(2):189-98.
54. Kawakami K, Yoshikawa T, Moroto Y, Kanaoka E, Takahashi K, Nishihara Y, et al. Microemulsion formulation for enhanced absorption of poorly soluble drugs: I. Prescription design. *Journal of Controlled Release*. 2002;81(1-2):65-74.
55. Lawrence MJ, Rees GD. Microemulsion-based media as novel drug delivery systems. *Advanced Drug Delivery Reviews*. 2000;45(1):89-121.
56. Spornath A, Aserin A, Ziserman L, Danino D, Garti N. Phosphatidylcholine embedded microemulsions: Physical properties and improved Caco-2 cell permeability. *Journal of Controlled Release*. 2007;119(3):279-90.
57. Wydro P, Paluch M. The miscibility of dodecyltrihydroxyethylammonium bromide with cationic, nonionic and anionic surfactants in mixed monolayers and micelles. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. 2009;348(1-3):70-5.
58. López-Quintela MA, Tojo C, Blanco MC, García Rio L, Leis JR. Microemulsion dynamics and reactions in microemulsions. *Current Opinion in Colloid & Interface Science*. 2004;9(3-4):264-78.
59. Fang J-Y, Yu S-Y, Wu P-C, Huang Y-B, Tsai Y-H. In vitro skin permeation of estradiol from various proniosome formulations. *International Journal of Pharmaceutics*. 2001;215(1-2):91-9.
60. Attwood D, Mallon C, Taylor CJ. Phase studies on oil-in-water phospholipid

- microemulsions. *International Journal of Pharmaceutics*. 1992;84(2):R5-R8.
61. Aboofazeli R, Patel N, Thomas M, Lawrence MJ. Investigations into the formation and characterization of phospholipid microemulsions. IV. Pseudo-ternary phase diagrams of systems containing water-lecithin-alcohol and oil; The influence of oil. *International Journal of Pharmaceutics*. 1995;125(1):107-16.
 62. Eccleston ME, Williams SL, Yue Z, Chen R, Lee CK, Anikina E, et al. Design and In-vitro Testing of Effective Poly(l-Lysine Iso-Phthalamide) Based Drug Targeting Systems for Solid Tumours. *Food and Bioproducts Processing*. 2005;83(2):141-6.
 63. Sagitani H, Suzuki T, Nagai M, Shinoda K. Solubilization of cyclohexane in aqueous solutions of sodium α -alkyl alkanoates. *Journal of Colloid and Interface Science*. 1982;87(1):11-7.
 64. Nornoo AO, Osborne DW, Chow DS. Cremophor-free intravenous microemulsions for paclitaxel I: formulation, cytotoxicity and hemolysis. *Int J Pharm*. 2008;349(1-2):108-16.
 65. Aboofazeli R, Lawrence CB, Wicks SR, Lawrence MJ. Investigations into the formation and characterization of phospholipid microemulsions. III. Pseudo-ternary phase diagrams of systems containing water-lecithin-isopropyl myristate and either an alkanoic acid, amine, alkanediol, polyethylene glycol alkyl ether or alcohol as cosurfactant. *International Journal of Pharmaceutics*. 1994;111(1):63-72.
 66. El Maghraby GM. Transdermal delivery of hydrocortisone from eucalyptus oil

- microemulsion: Effects of cosurfactants. *International Journal of Pharmaceutics*. 2008;355(1–2):285-92.
67. Graf A, Ablinger E, Peters S, Zimmer A, Hook S, Rades T. Microemulsions containing lecithin and sugar-based surfactants: Nanoparticle templates for delivery of proteins and peptides. *International Journal of Pharmaceutics*. 2008;350(1–2):351-60.
68. Hwang SR, Lim S-J, Park J-S, Kim C-K. Phospholipid-based microemulsion formulation of all-trans-retinoic acid for parenteral administration. *International Journal of Pharmaceutics*. 2004;276(1–2):175-83.
69. Montenegro L, Carbone C, Condorelli G, Drago R, Puglisi G. Effect of oil phase lipophilicity on in vitro drug release from o/w microemulsions with low surfactant content. *Drug development and industrial pharmacy*. 2006;32(5):539-48.
70. Friberg SE, Aikens PA. A phase diagram approach to determine the composition of vapor from a microemulsion base. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. 2008;324(1–3):93-7.
71. Flanagan J, Singh H. Microemulsions: a potential delivery system for bioactives in food. *Critical reviews in food science and nutrition*. 2006;46(3):221-37.
72. Lee PJ, Ahmad N, Langer R, Mitragotri S, Prasad Shastri V. Evaluation of chemical enhancers in the transdermal delivery of lidocaine. *International Journal of Pharmaceutics*. 2006;308(1–2):33-9.
73. Kreilgaard M. Influence of microemulsions on cutaneous drug delivery. *Advanced Drug Delivery Reviews*. 2002;54, Supplement(0):S77-S98.

74. Santos P, Watkinson AC, Hadgraft J, Lane ME. Application of microemulsions in dermal and transdermal drug delivery. *Skin pharmacology and physiology*. 2008;21(5):246-59.
75. Ghosh PK, Murthy RS. Microemulsions: a potential drug delivery system. *Current drug delivery*. 2006;3(2):167-80.
76. Flanagan J, Kortegaard K, Neil Pinder D, Rades T, Singh H. Solubilisation of soybean oil in microemulsions using various surfactants. *Food Hydrocolloids*. 2006;20(2-3):253-60.
77. Mo C, Li X. Microstructure and structural transition in coconut oil microemulsion using semidifferential electroanalysis. *J Colloid Interface Sci*. 2007;312(2):355-62.
78. Papadimitriou V, Sotiroudis TG, Xenakis A. Olive oil microemulsions: enzymatic activities and structural characteristics. *Langmuir : the ACS journal of surfaces and colloids*. 2007;23(4):2071-7.
79. Mitra RK, Paul BK. Physicochemical investigations of microemulsification of eucalyptus oil and water using mixed surfactants (AOT+Brij-35) and butanol. *Journal of Colloid and Interface Science*. 2005;283(2):565-77.
80. Gupta S, Moulik SP, Lala S, Basu MK, Sanyal SK, Datta S. Designing and testing of an effective oil-in-water microemulsion drug delivery system for in vivo application. *Drug delivery*. 2005;12(5):267-73.
81. Zhao X, Liu JP, Zhang X, Li Y. Enhancement of transdermal delivery of theophylline using microemulsion vehicle. *International Journal of Pharmaceutics*. 2006;327(1-2):58-64.

82. Subramanian B, Kuo F, Ada E, Kotyla T, Wilson T, Yoganathan S, et al. Enhancement of anti-inflammatory property of aspirin in mice by a nano-emulsion preparation. *International immunopharmacology*. 2008;8(11):1533-9.
83. Chen H, Chang X, Du D, Li J, Xu H, Yang X. Microemulsion-based hydrogel formulation of ibuprofen for topical delivery. *Int J Pharm*. 2006;315(1-2):52-8.
84. Yuan Y, Li S-m, Mo F-k, Zhong D-f. Investigation of microemulsion system for transdermal delivery of meloxicam. *International Journal of Pharmaceutics*. 2006;321(1-2):117-23.
85. Viyoch J, Pisutthanan N, Faikreua A, Nupangta K, Wangtorpol K, Ngokkuen J. Evaluation of in vitro antimicrobial activity of Thai basil oils and their micro-emulsion formulas against *Propionibacterium acnes*. *International journal of cosmetic science*. 2006;28(2):125-33.
86. Apte M, Girme G, Bankar A, Ravikumar A, Zinjarde S. 3, 4-dihydroxy-L-phenylalanine-derived melanin from *Yarrowia lipolytica* mediates the synthesis of silver and gold nanostructures. *Journal of nanobiotechnology*. 2013;11:2.
87. Eisenman HC, Casadevall A. Synthesis and assembly of fungal melanin. *Applied microbiology and biotechnology*. 2012;93(3):931-40.
88. Gandia-Herrero F, Jimenez M, Cabanes J, Garcia-Carmona F, Escribano J. Tyrosinase inhibitory activity of cucumber compounds: enzymes responsible for browning in cucumber. *Journal of agricultural and food chemistry*. 2003;51(26):7764-9.
89. Karlsson O, Lindquist NG. Melanin affinity and its possible role in neurodegeneration. *Journal of neural transmission (Vienna, Austria : 1996)*.

2013 Jul 3.

90. Zhang W, Zecca L, Wilson B, Ren HW, Wang YJ, Wang XM, et al. Human neuromelanin: an endogenous microglial activator for dopaminergic neuron death. *Frontiers in bioscience (Elite edition)*. 2013;5:1-11.
91. Sato T, Kanda K, Okawa K, Takahashi M, Watanabe H, Hirano T, et al. The tyrosinase-encoding gene of *Lentinula edodes*, *Letyr*, is abundantly expressed in the gills of the fruit-body during post-harvest preservation. *Bioscience, biotechnology, and biochemistry*. 2009;73(5):1042-7.
92. Chadwick S, Heath R, Shah M. Abnormal pigmentation within cutaneous scars: A complication of wound healing. *Indian journal of plastic surgery : official publication of the Association of Plastic Surgeons of India*. 2012;45(2):403-11.
93. Nosanchuk JD, Casadevall A. The contribution of melanin to microbial pathogenesis. *Cellular microbiology*. 2003;5(4):203-23.
94. Strothkamp KG, Jolley RL, Mason HS. Quaternary structure of mushroom tyrosinase. *Biochemical and biophysical research communications*. 1976;70(2):519-24.
95. Bach DQ, Garcia MS, Eisen DB. Hyperpigmented burn scar improved with a fractionated 1550 nm non-ablative laser. *Dermatology online journal*. 2012;18(7):12.
96. Prota G. Progress in the chemistry of melanins and related metabolites. *Medicinal research reviews*. 1988;8(4):525-56.
97. Kobayashi T, Vieira WD, Potterf B, Sakai C, Imokawa G, Hearing VJ. Modulation of melanogenic protein expression during the switch from eu- to

- pheomelanogenesis. *Journal of cell science*. 1995;108 (Pt 6):2301-9.
98. Ko HH, Chang WL, Lu TM. Antityrosinase and antioxidant effects of ent-kaurane diterpenes from leaves of *Broussonetia papyrifera*. *Journal of natural products*. 2008;71(11):1930-3.
 99. Makino ET, Mehta RC, Banga A, Jain P, Sigler ML, Sonti S. Evaluation of a hydroquinone-free skin brightening product using in vitro inhibition of melanogenesis and clinical reduction of ultraviolet-induced hyperpigmentation. *Journal of drugs in dermatology : JDD*. 2013;12(3):s16-20
 100. Jorge AT, Arroteia KF, Santos IA, Andres E, Medina SP, Ferrari CR. *Schinus terebinthifolius* Raddi extract and linoleic acid from *Passiflora edulis* synergistically decrease melanin synthesis in B16 cells and reconstituted epidermis. *International journal of cosmetic science*. 2012;34(5):435-40.
 101. Seo DH, Jung JH, Ha SJ, Cho HK, Jung DH, Kim TJ. High-yield enzymatic bioconversion of hydroquinone to alpha-arbutin, a powerful skin lightening agent, by amylosucrase. *Applied microbiology and biotechnology*. 2012;94(5):1189-97.
 102. Lajis AF, Hamid M, Ariff AB. Depigmenting effect of Kojic acid esters in hyperpigmented B16F1 melanoma cells. *Journal of biomedicine & biotechnology*. 2012;2012:952452.
 103. Breathnach AS. Melanin hyperpigmentation of skin: melasma, topical treatment with azelaic acid, and other therapies. *Cutis; cutaneous medicine for the practitioner*. 1996;57(1 Suppl):36-45.
 104. Burnett CL, Bergfeld WF, Belsito DV, Hill RA, Klaassen CD, Liebler DC.

- Final report of the safety assessment of Kojic acid as used in cosmetics. International journal of toxicology. 2010;29(6 Suppl):244S-73.
105. Monteiro RC, Kishore BN, Bhat RM, Sukumar D, Martis J, Ganesh HK. A Comparative Study of the Efficacy of 4% Hydroquinone vs 0.75% Kojic Acid Cream in the Treatment of Facial Melasma. Indian journal of dermatology. 2013;58(2):157.
 106. Chang LW, Juang LJ, Wang BS, Wang MY, Tai HM, Hung WJ. Antioxidant and antityrosinase activity of mulberry (*Morus alba* L.) twigs and root bark. Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association. 2011;49(4):785-90.
 107. Mapunya MB, Nikolova RV, Lall N. Melanogenesis and antityrosinase activity of selected South african plants. Evidence-based complementary and alternative medicine : eCAM. 2012;2012:374017.
 108. Mapunya MB, Hussein AA, Rodriguez B, Lall N. Tyrosinase activity of *Greyia flanaganii* (Bolos) constituents. Phytomedicine : international journal of phytotherapy and phytopharmacology. 2011;18(11):1006-12.
 109. Jiang F, Li W, Huang Y, Chen Y, Jin B, Chen N. Antioxidant, antityrosinase and antitumor activity comparison: the potential utilization of fibrous root part of *Bletilla striata* (Thunb.) Reichb.f. PloS one. 2013;8(2):e58004.
 110. Saeio K, Chaiyana W, Okonogi S. Antityrosinase and antioxidant activities of essential oils of edible Thai plants. Drug discoveries & therapeutics. 2011;5(3):144-9.
 111. Sailaja Rao P, Kalva S, Yerramilli A, Mamidi S. Free Radicals and Tissue

- Damage: Role of Antioxidants. *Free Radicals and Antioxidants*. 2011;1(4):2-7.
112. Lu C-H, Yang H-C, Chang W-L, Chang Y-P, Wu C-C, Hsieh S-L. Development of beverage product from *Gynura bicolor* and evaluation of its antioxidant activity. *Genomic Medicine, Biomarkers, and Health Sciences*. 2012;4(4):131-5.
 113. Kim DS, Kim J-B, Goh EJ, Kim W-J, Kim SH, Seo YW, et al. Antioxidant response of Arabidopsis plants to gamma irradiation: Genome-wide expression profiling of the ROS scavenging and signal transduction pathways. *Journal of Plant Physiology*. 2011;168(16):1960-71.
 114. Li L, Yi H. Effect of sulfur dioxide on ROS production, gene expression and antioxidant enzyme activity in Arabidopsis plants. *Plant Physiology and Biochemistry*. 2012;58(0):46-53
 115. Wu D, Cederbaum AI. Alcohol, oxidative stress, and free radical damage. *Alcohol research & health : the journal of the National Institute on Alcohol Abuse and Alcoholism*. 2003;27(4):277-84.
 116. Chen H, Ju Y, Li J, Yu M. Antioxidant activities of polysaccharides from *Lentinus edodes* and their significance for disease prevention. *International Journal of Biological Macromolecules*. 2012;50(1):214-8.
 117. Watkins TR, Kooyenga DK, Bierenbaum ML. Dietary oil and endogenous antioxidants in hyperlipemia: Uric acid. In: E.T. Contis CTHCJMTHPFS, Spanier AM, editors. *Developments in Food Science*. 1998;40:695-705.
 118. Hamsar MN, Ismail S, Mordi MN, Ramanathan S, Mansor SM. Antioxidant activity and the effect of different parts of areca catechu extracts on

- Glutathione-S-Transferase activity in vitro. Free Radicals and Antioxidants. 2011;1(1):28-33
119. Tenore GC, Ciampaglia R, Arnold NA, Piozzi F, Napolitano F, Rigano D, et al. Antimicrobial and antioxidant properties of the essential oil of *Salvia lanigera* from Cyprus. Food and Chemical Toxicology. 2011;49(1):238-43.
 120. Gülçin İ, Elmastaş M, Aboul-Enein HY. Antioxidant activity of clove oil – A powerful antioxidant source. Arabian Journal of Chemistry. 2012;5(4):489-99.
 121. Politeo O, Jukic M, Milos M. Chemical composition and antioxidant capacity of free volatile aglycones from basil (*Ocimum basilicum* L.) compared with its essential oil. Food Chemistry, 2007;101(1):379-385.
 122. Guimarães R, Sousa MJ, Ferreira ICFR. Contribution of essential oils and phenolics to the antioxidant properties of aromatic plants. Industrial Crops and Products, 2010;32(2):152-156.
 123. Viuda-Martos M, Mohamady MA, Fernández-López J, Abd ElRazik KA, Omer EA, Pérez-Alvarez AJ, Sendra E. In vitro antioxidant and antibacterial activities of essential oils obtained from Egyptian aromatic plants. Food Control, 2011;22(11):1715-1722.
 124. Chandrashekar KS, Prasanna KS. Analgesic and Anti-inflammatory Activities of the Essential oil from *Cymbopogon flexuosus*. Pharmacognosy Journal, 2010; 2(14):23-25.
 125. Pongprayoon U, Tuchinda P, Claeson P, Sematong T, Reutrakul V, Soontornsaratune P. Topical antiinflammatory activity of the major lipophilic constituents of the rhizome of *Zingiber cassumunar*. Part I: The essential oil.

- Phytomedicine, 1997;3(4):319-322.
126. Guerrini A, Sacchetti G, Rossi D, Paganetto G, Muzzoli M, Andreotti E, Tognolini M, Maldonado ME, Bruni R. Bioactivities of *Piper aduncum* L. and *Piper obliquum* Ruiz & Pavon (Piperaceae) essential oils from Eastern Ecuador. Environmental Toxicology and Pharmacology. 2009;27(1):39-48.
 127. Viana GSB, Vale G, Pinho RSN, Matos FJA. Antinociceptive effect of the essential oil from *Cymbopogon citratus* in mice. Journal of Ethnopharmacology. 2000;70(3):323-327.
 128. Alves-Silva JM, Dias dos Santos SM, Pintado ME, Pérez-Álvarez JA, Fernández-López J, Viuda-Martos M. Chemical composition and in vitro antimicrobial, antifungal and antioxidant properties of essential oils obtained from some herbs widely used in Portugal. Food Control, 2013;32(2):371-378.
 129. Singh G, Kapoor IP, Singh P, de Heluani CS, de Lampasona MP, Catalan CA. Chemistry, antioxidant and antimicrobial investigations on essential oil and oleoresins of *Zingiber officinale*. Food and Chemical Toxicology. 2008;46(10):3295-3302.
 130. Okonogi S, Duangrat C, Anuchpreeda S, Tachakittirungrod S, Chowwanapoonpohn S. Comparison of antioxidant capacities and cytotoxicities of certain fruit peels. Food Chemistry, 2007;103(3):839-846.
 131. Tachakittirungrod S, Okonogi S, Chowwanapoonpohn S. Study on antioxidant activity of certain plants in Thailand: Mechanism of antioxidant action of guava leaf extract. Food Chemistry. 2007;103(2):381-388.
 132. Chan EWC, Lim YY, Wong SK, Lim KK, Tan SP, Lianto FS, Yong MY.

- Antioxidant and tyrosinase inhibition properties of leaves and rhizomes of ginger species. *Food Chemistry*, 2008;109(3):477-483.
133. Mancini PM, Adam CG, Fortunato GG, Vottero LR. A comparison of nonspecific solvent scales. Degree of agreement of microscopic polarity values obtained by different measurement methods. *ARKIVOC*. 2007;16: 266-280.
 134. Pons R, Carrera I, Caelles J, Rouch J, Panizza P. Formation and properties of miniemulsions formed by microemulsions dilution. *Advances in Colloid and Interface Science*. 2003;106(1-3):129-146.
 135. Kamazeri TS, Samah OA, Taher M, Susanti D, Qaralleh H. Antimicrobial activity and essential oils of *Curcuma aeruginosa*, *Curcuma mangga*, and *Zingiber cassumunar* from Malaysia. *Asian Pacific Journal of Tropical Medicine*. 2012;5(3):202-209.
 136. Nakamura CV, Ueda-Nakamura T, Bando E, Melo AF, Cortez DA, Dias Filho BP. Antibacterial activity of *Ocimum gratissimum* L. essential oil. *Mem Inst Oswaldo Cruz*. 1999;94(5):675-8.
 137. Bowes KM, Zheljazkov VD. Factors Affecting Yields and Essential Oil Quality of *Ocimum sanctum* L. and *Ocimum basilicum* L. Cultivars. *Journal of the American Society for Horticultural Science*. 2004;129(6):789-794.
 138. Muchjajib U, Muchjajib S. Effect of picking time on essential oil yield of Ylang-Ylang (*Cananga odorata*). *Acta Horticulturae*. 2011;925:243-248.
 139. Cannon J, Cantrell C, Astatkie T, Zheljazkov V. Modification of yield and composition of essential oils by distillation time. *Industrial Crops and Products*, 2013;41(0):214-220.

140. Putievsky E, Ravid U, Dudai N. The Essential Oil and Yield Components from Various Plant Parts of *Salvia fruticosa*. Journal of Natural Products, 1986;49(6):1015-1017.
141. Sukatta U, Rukthaworn P, Punjee P, Chidchenchey S, Keeratinijakal V. Chemical Composition and Physical Properties of Oil from Plai (*Zingiber cassumunar* Roxb.) Obtained by Hydro Distillation and Hexane Extraction. Kasetsart J. (Nat. Sci.). 2009;43:212 - 217.
142. Benzie IFF, Strain JJ. The Ferric Reducing Ability of Plasma (FRAP) as a Measure of “Antioxidant Power”: The FRAP Assay. Analytical Biochemistry, 1996;239(1):70-76.
143. Yen WJ, Chen BH. Isolation of xanthophylls from Taiwanese orange peels and their effects on the oxidation stability of soybean oil. Food Chemistry. 1995;53(4):417-425.
144. Adesegun AS, Samuel FO, Anthony OB, Nurudeen OA. Antioxidant and Inhibitory Properties of Essential Oil of *Ocimum Gratissimum* Against Extracellular Protease of *Escherichia Coli*. Iosr Journal Of Pharmacy. 2013;3(1):50-55.
145. Sethi J, Sood S, Seth S, Talwar A. Evaluation of hypoglycemic and antioxidant effect of *Ocimum sanctum*. Indian J Clin Biochem. 2004;19(2):152-5.
146. Divya Nair V, Cheruth AJ, Gopi R, Gomathinayagam M, Panneerselvam R. Antioxidant potential of *Ocimum sanctum* under growth regulator treatments. EurAsian Journal of BioSciences. 2009;3:1-9
147. Kwee EM, Niemeyer ED. Variations in phenolic composition and antioxidant

- properties among 15 basil (*Ocimum basilicum* L.) cultivars. Food Chemistry, 2011;128(4):1044-1050.
148. Fujisawa S, Atsumi T, Kadoma Y, Sakagami H. Antioxidant and prooxidant action of eugenol-related compounds and their cytotoxicity. Toxicology. 2002;177(1):39-54.
 149. Nagababu E, Rifkind JM, Sesikeran B, Lakshmaiah N. Assessment of antioxidant activity of eugenol in vitro and in vivo. Methods Mol Biol. 2010;610:165-80.
 150. Bao K, Dai Y, Zhu ZB, Tu FJ, Zhang WG, Yao XS. Design and synthesis of biphenyl derivatives as mushroom tyrosinase inhibitors. Bioorganic & Medicinal Chemistry. 2010;18(18):6708-6714.
 151. Germanas JP, Wang S, Miner A, Hao W, Ready JM. Discovery of small-molecule inhibitors of tyrosinase. Bioorganic & Medicinal Chemistry Letters. 2007;17(24):6871-6875.
 152. Mancini PM, Adam CG, Fortunato GG, Vottero LR. A comparison of nonspecific solvent scales. Degree of agreement of microscopic polarity values obtained by different measurement methods. ARKIVOC. 2007;16: 266-280.
 153. Taweekaisupapong S, Aieamsaard J, Chitropas P, Khunkitti W. Inhibitory effect of lemongrass oil and its major constituents on *Candida* biofilm and germ tube formation. South African Journal of Botany. 2012;81(0):95-102.
 154. Aiemsard J, Aiumlamai S, Aromdee C, Taweekaisupapong S, Khunkitti W. The effect of lemongrass oil and its major components on clinical isolate mastitis pathogens and their mechanisms of action on *Staphylococcus aureus*

- DMST 4745. Research in Veterinary Science. 2011;91(3):e31-e37.
155. Saeio K, Chaiyana W, Okonogi S. Antityrosinase and antioxidant activities of essential oils of edible Thai plants. Drug Discoveries & Therapeutics, 2011;5(3):144-9.
 156. Guseva DA, Sanzhakov MA, Shironin AV, Prozorovskaia NN. Anti-radical activity and oxidative stability of oils manufactured from flax, sesame and silybum seeds. Vopr Pitan. 2010;79(4):4-8.
 157. Liebert MA. Final report on the safety assessment of myristyl myristate and isopropyl myristate. Journal of the American College of Toxicology. 1982;1(4):55-80.
 158. Sinko PJ, Martin AN. Martin's Physical Pharmacy And Pharmaceutical Sciences: Physical Chemical and Biopharmaceutical *Principles in the Pharmaceutical Sciences*. 6th ed. INTERFACIAL PHENOMENA, ed. P.J. Sinko and A.N. Martin. 2011, Philadelphia, PA: Lippincott Williams & Wilkins, a Wolters Kluwer business.
 159. Yeap SK, Alitheen NB, Ali AM, Omar AR, Raha AR, Suraini AA, Muhajir AH. Effect of *Rhaphidophora korthalsii* methanol extract on human peripheral blood mononuclear cell (PBMC) proliferation and cytolytic activity toward HepG2. J Ethnopharmacol. 2007;114(3):406-11
 160. Edris AE, Abd El-Galeel MAS. Solubilization of some flavor and fragrance oils in surfactant/water system. World Applied Sciences Journal. 2010;8(1):86-91.
 161. Orafidiya LO, Oladimeji FA. Determination of the required HLB values of some essential oils. International Journal of Pharmaceutics. 2002;237(1-2):241-

- 249.
162. Zhang L, Que G. Influence of the HLB parameter of surfactants on the dispersion properties of brine in residue. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. 2008;320(1–3):111-114.
 163. Klossek ML, Marcus J, Touraud D, Kunz W. The extension of microemulsion regions by combining ethanol with other cosurfactants. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. 2013;427(0):95-100.
 164. Lawrence MJ, Rees GD. Microemulsion-based media as novel drug delivery systems. *Advanced Drug Delivery Reviews*. 2000;45(1):89-121.
 165. Roux-Desgranges G, Roux AH, Grolier JPE, Viallard A. Role of alcohol in microemulsions. III. Volumes and heat capacities in the continuous phase water-n-butanol-toluene of reverse micelles. *Fluid Phase Equilibria*. 1986;25(2):209-230.
 166. Yaghmur A, Aserin A, Garti N. Phase behavior of microemulsions based on food-grade nonionic surfactants: effect of polyols and short-chain alcohols. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. 2002;209(1):71-81.
 167. El Maghraby GM. Self-microemulsifying and microemulsion systems for transdermal delivery of indomethacin: Effect of phase transition. *Colloids and Surfaces B: Biointerfaces*. 2010;75(2):595-600.
 168. Ezrahi S, Tuval E, Aserin A, Garti N. The effect of structural variation of alcohols on water solubilization in nonionic microemulsions: 2. Branched alcohols as solubilization modifiers: Results and interpretation. *Journal of*

- Colloid and Interface Science. 2005;291(1):273-281.
169. Bedwell B, Gulari E. Electrolyte-moderated interactions in water/oil microemulsions. *Journal of Colloid and Interface Science*. 1984;102(1):88-100.
 170. Julian McClements D, Dungan SR. *Light scattering study of solubilization of emulsion droplets by non-ionic surfactant solutions*. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. 1995;104(2–3):127-135.
 171. Mo C, Zhong M, Zhong Q. Investigation of structure and structural transition in microemulsion systems of sodium dodecyl sulfonate+n-heptane+n-butanol+water by cyclic voltammetric and electrical conductivity measurements. *Journal of Electroanalytical Chemistry*. 2000;493(1–2):100-107.
 172. Formariz TP, Sarmiento VH, Silva-Junior AA, Scarpa MV, Santilli CV, Oliveira AG. Doxorubicin biocompatible O/W microemulsion stabilized by mixed surfactant containing soya phosphatidylcholine. *Colloids and Surfaces B: Biointerfaces*. 2006;51(1):54-61.
 173. Mu H, Holm R, Müllertz A. Lipid-based formulations for oral administration of poorly water-soluble drugs. *International Journal of Pharmaceutics*. 2013;453(1):215-224.
 174. Teichmann A, Heuschkel S, Jacobi U, Presse G, Neubert RH, Sterry W, Lademann J. Comparison of stratum corneum penetration and localization of a lipophilic model drug applied in an o/w microemulsion and an amphiphilic cream. *European Journal of Pharmaceutics and Biopharmaceutics*. 2007;67(3):699-706.
 175. Changez M, Chander J, Dinda AK. Transdermal permeation of tetracaine

- hydrochloride by lecithin microemulsion: In vivo. *Colloids and Surfaces B: Biointerfaces*. 2006;48(1):58-66.
176. Singla M, Patanjali PK. Phase behaviour of neem oil based microemulsion formulations. *Industrial Crops and Products*. 2013;44(0):421-426.
 177. Dima S, Popescu M, Topical Delivery of Diclofenac using Microemulsion Systems. *Roumanian Biotechnological Letters*. 2008;3(6):49-55.
 178. Derle DV, Sagar BSH, Kotwal RS, Ingole RD, Chavhan SS. Permeation of Valdecosib and its Complex with HP-beta-Cyclodextrin from Microemulsion Based Gel. *Indian drugs*. 2006;43:625-629.
 179. El-Hadidy GN, Ibrahim HK, Mohamed MI, El-Milligi MF. Microemulsions as vehicles for topical administration of voriconazole: formulation and in vitro evaluation. *Drug Dev Ind Pharm*. 2012;38(1):64-72.
 180. Zhang Q, Jiang X, Jiang W, Lu W, Su L, Shi Z. Preparation of nimodipine-loaded microemulsion for intranasal delivery and evaluation on the targeting efficiency to the brain. *International Journal of Pharmaceutics*. 2004;275(1–2): 85-96.
 181. Vicentini FTMC, Simi TRM., Del Ciampo JO, Wolga NO, Pitol DL, Iyomasa MM, Bentley MVLB, Fonseca MJV. Quercetin in w/o microemulsion: In vitro and in vivo skin penetration and efficacy against UVB-induced skin damages evaluated in vivo. *European Journal of Pharmaceutics and Biopharmaceutics*. 2008;69(3):948-957.
 182. Zhong F, Yu M, Luo C, Shoemaker CF, Li Y, Xia S, Ma J. Formation and characterisation of mint oil/S and CS/water microemulsions. *Food Chemistry*.

- 2009;115(2):539-544.
183. Tamhanea VA, Dhaware DG, Khandelwal N, Giri AP, Panchagnula V. Enhanced permeation, leaf retention, and plant protease inhibitor activity with bicontinuous microemulsions. *Journal of Colloid and Interface Science*. 2012;383(1):177-183.
 184. Bauduin P, Touraud D, Kunz W, Savelli MP, Pulvin S, Ninham BW. The influence of structure and composition of a reverse SDS microemulsion on enzymatic activities and electrical conductivities. *Journal of Colloid and Interface Science*. 2005;292(1):244-254.
 185. Pal SK, Sukul D, Mandal D, Sen S, Bhattacharyya K. Solvation dynamics of 4-(dicyanomethylene)-2-methyl-6-(p-dimethylaminostyryl)-4H-pyran (DCM) in a microemulsion. *Chemical Physics Letters*. 1999;312(2-4):178-184.
 186. Baroli B, López-Quintela MA, Delgado-Charro MB, Fadda AM, Blanco-Méndez J. Microemulsions for topical delivery of 8-methoxsalen. *Journal of Controlled Release*. 2000;69(1):209-218.
 187. Al-Adham ISI, Al-Nawajeh ASM, Khalil E, Collier PJ. The antimicrobial activity of oil-in-water microemulsions is predicted by their position within the microemulsion stability zone. *The International Arabic Journal of Antimicrobial Agents*. 2012;2(2):1-8.
 188. Lv FF, Li N, Zheng LQ, Tung CH. Studies on the stability of the chloramphenicol in the microemulsion free of alcohols. *European Journal of Pharmaceutics and Biopharmaceutics*. 2006;62(3):288-294.
 189. Hejazi Z, Jokari S, Salimi A. The study of physicochemical properties of

clindamycin microemulsion. Research in Pharmaceutical Sciences. 2012;7(5):s278.

190. Subramanian N, Ghosal SK, Moulik SP. Topical delivery of celecoxib using microemulsion. Acta Poloniae Pharmaceutica - Drug Research. 2004;61(5):335-341.

191. Singh MK, Chandel V, Gupta V, Ramteke S. Formulation development and characterization of microemulsion for topical delivery of Glipizide. Der Pharmacia Lettre. 2010;2(3):33-42.

192. Williams AC, Barry BW. *Penetration enhancers*. Advanced Drug Delivery Reviews. 2004;56(5):603-18.