

REFERENCES

1. Alan R. Gaby M. Alternative treatments for rheumatoid arthritis. *Altern Med Rev.* 1999;4:392-402.
2. Nagori K, Singh MK, Dewangan D, Verma VK, Tripathi DK. Anti-inflammatory activity and chemo profile of plants used in traditional medicine: A review. *J Chem Pharm Res.* 2010;5(2):122-30.
3. Zheng G, Wei X, Xu L, Li Z, Liu G, Zhang X. A New Natural Lactone from *Dimocarpus longan* Lour. Seeds. *Molecules.* 2012;17:9421-5.
4. อุษณีย์ ว, และคณะ. การพัฒนาการผลิต Bioactive fractions ที่มีฤทธิ์ต้านการกลายพันธุ์ ฤทธิ์ฆ่าเซลล์มะเร็งลำไส้ใหญ่ ฤทธิ์ต้านอนุมูลอิสระและฤทธิ์ต้านการสลายเซลล์ข้อเข่าจากสารสกัดหยาบของลำไย. สำนักงานพัฒนาการวิจัยการเกษตร (องค์การมหาชน) ประเทศไทย 2552.
5. Mandal S, Thimmasetty J, B.H. K. Formulation and evaluation of carvedilol transdermal patches. *Intl Res J Pharm.* 2011;1:237-48.
6. Patel D, Patel N, M P, N K. Transdermal drug delivery system: Review. *Int J Biopharml and Toxicol.* 2011;1(1):61-8.
7. M.D AGS, M.S MRCdC, Ph.D. GAB, M.D.i RAA, M.D TPSR, M.D. DD, et al. Association of erosive hand osteoarthritis with a single nucleotide polymorphism on the gene encoding interleukin-1 beta. *Osteoarthr Cartilage.* 2003;11:394-402.
8. J. Jamilah, Sharifa AA, Sharifah NRSA. GC-MS Analysis of Various Extracts from Leaf of *Plantago major* Used as Traditional Medicine. *J World App Sci.* 2012;17:67-70.

9. Md. Nazrul Islam Bhuiyan JUCaJB. Volatile constituents of essential oils isolated from leaf and rhizome of *Zingiber cassumunar* Roxb. *Bangladesh J Pharmacol.* 2008;3:69-73.
10. Janet L. Funk, Jennifer B. Frye, Janice N. Oyarzo, Nesrin Kuscuglu, Jonathan Wilson, McCaffrey G. Efficacy and Mechanism of Action of Turmeric Supplements in the Treatment of Experimental Arthritis. *Arthritis Rheum.* 2006;54(11):3452-64.
11. Phan. P, Afsin Sohrabi., Polotsky A, Hungerford DS, Lindmar L. Ginger Extract Components Suppress Induction of Chemokine Expression in Human Synoviocytes. *J Altern Complem M.* 2005;11(1):149-54.
12. Zheng G, Wei X, Xu L, Li Z, Liu G, Zhang X. A New Natural Lactone from *Dimocarpus longan* Lour. Seeds. *Molecules.* 2012;17:9421-5.
13. Yean YS, JB P. Isolation and structure elucidation of phenolic compounds from longan (*Dimocarpus longan* Lour.) seed by high-performance liquid chromatography–electrospray ionization mass spectrometry. *J Chromatography A.* 2005;1085:270-7.
14. Kim SH, Jun CD, Suk K, Ckoi BJ, Lim H, S P. Gallic acid inhibits histamine release and pro-inflammatory cytokine production in mast cell. *Toxicol Sci.* 2006;91(1):123-31.
15. Corbett S, Danie J, Drayton R, Fied M, Steinhardt R, N G. Evaluation of the anti-inflammatory effects of ellagic acid. *J PeriAnesthesia Nursing.* 2010;25(4):214-20.
16. Zhao L, Zhang S-L, Tao J-Y, Pang R, Jin F, Guo Y-J, et al. Preliminary exploration on anti-inflammatory mechanism of Corilagin (beta-1-O-

- galloyl-3,6-(R)-hexahydroxydiphenoyl-D -glucose) in vitro.
Int Immunopharmacol. 2008;8:1059-64.
17. Patel D, Patel N, Parmar M, Kaur N. Transdermal drug delivery system: review. Int J biopharm toxicol Res. 2011;1(1):61-80.
 18. Padula C, Nicoli S, Aversa V, Colombo P, Falson F, Pirot F, et al. Bioadhesive Film for Dermal Drug Delivery. Eur J Dermatol. 2007;17(4):309-12.
 19. Vasil'ev AE, Krasnyuk II, V.N. T. Transdermal Therapeutic Systemsn for Controlled Drug Release. Pharm Chem J. 2001;35:613-26.
 20. Aggarwal G. Development, Fabrication and Evaluation of Transdermal Drug Delivery:A Review. Pharmainfonet. 2009.
 21. Saroha K, Yadav B, Sharma B. Transdermal patch: a discrete dosage form. Int J Current Pharm Res. 2011;3(3):98-108.
 22. Wong TW. Chitosan and its use in design of insulin delivery system. Recent Pat Drug Deliv Form. 2009;3:8-25.
 23. Dodane V, Vilivalam V. Pharmaceutical applications of chitosan. Pharm Sci Technol To. 1998;1(6):246-53.
 24. Parekh HB, Rishad J, Jivani NP, Patel LD, Makwana A, Sameja K. Novel insitu polymeric drug delivery system: A review. J Drug Deliv Therap. 2012;2(5):136-145.
 25. Kulkarni VS, Butte KD, Rathod SS. Natural Polymers – A comprehensive review. Int J Res Pharm Biomed Sci. 2012;3(4):1597-1613.

26. Kamel S, Ali N, Jahangir K, Shah SM, El-Gendy AA. Pharmaceutical significance of cellulose: A review. *eXPRESS Polymer Letters*. 2008;2(11):758-78.
27. Pfister W, Dean S, Hsieh S. Permeation enhancers compatible with transdermal drug delivery system. *Pharm Technol*. 1990;14:132-40.
28. Williams A, Barry B. Penetration enhancers. *Adv Drug Deliver Rev*. 2004;56:603-18.
29. Osborne D, Henke J. Skin penetration enhancers cited in the technical literature. *Pharm Technol*. 1987;November:55-66.
30. Kandavilli S, Nair V, Panchagnula R. Polymers in transdermal drug delivery system. *Pharm Technol*. 2002;May:62-80.
31. Hopp M. Developing custom adhesive systems for transdermal drug delivery products. *Pharm Technol*. 2002;March:30-6.
32. Rowe R, Sheskey P, Weller P, editors. *Handbook of Pharmaceutical Excipients*. London: Pharmaceutical Press; 2003.
33. Bharkatiya M, Nema RK, Bhatnagar M. Designing and Characterization of Drug Free Patches for Transdermal Application. *Int J Pharm Sci Drug Res*. 2010;2(1):35-9.
34. Felton LA, editor. *Encyclopedia of Pharmaceutical Technology*. J. Swarbrick ed. NY, USA: Informa Healthcare; 2007.
35. Lourdin D, Bizot H, Colonna P. Antiplasticization in starch-glycerol film. *J Appl Polym Sci*. 1997;63(8):1047-53.

36. Mathew A, Dufresne A. Plasticized waxy maize starch: effect of polyols and relative humidity on material properties. *Biomacromol.* 2002;3(5):1101-8.
37. Wypch G. *Chem Tec. Handbook of Plasticizers.* Ontario, Canada 2004. p. 437-40.
38. Gupta J, Irchhiaya R, Garud N, Tripathi P, Dubey P, Patel J. Formulation and evaluation of matrix type transdermal patches of glibenclamide *Int J PharmSci Drug Res.* 2009;1(1):46-50.
39. Karnataka D, Sahyadri J, Shimoga S. Preparation and evaluation of polyvinyl alcohol transdermal membranes of salbutamol sulphate. *Intl J current Pharm Res.* 2010;2:13-6.
40. Mamatha T, J VR, Mukkanti K, Ramesh G. Development of matrix type transdermal patches of lercanidipine hydrochloride: physicochemical and in-vitro characterization. *DARU.* 2010;18(1):9-16.
41. *Guideline for the Testing of Chemicals, No. 404: Acute Dermal Irritation/Corrosion.* Paris: OECD; 2004.
42. Kamkaen N, Phuntuwate W, Samee W, Boonrod A, Treesak C. The Investigation of the Rabbit and Human Skin Irritation of Herbal Anti-wrinkle Cream. *Thai Pharm Health Sci J.* 2007; 2 (1): 20-5.
43. Walker AP, Basketter DA, Baverel M, Diembeck W, Matthies W, Mouglin D, et al. Test Guidelines for Assessment of Skin Compatibility of Cosmetic Finished Products in Man. *Food Chem Toxicol.* 1996; 34: 651-60.
44. Rowe R, Sheskey P, Weller P, editors. *Handbook of Pharmaceutical*

- Excipients. London: Pharm Press; 2003.
45. Ammar H, Ghorab M, El-Nahhas S, Kamel R. Polymer matrix system for prolonged delivery of tramadol hydrochlorides, part I: physicochemical evaluation. *Pharm Sci Tech.* 2009;10(1):7-20.
 46. Dodane V, Vilivalam V. Pharmaceutical applications of chitosan. *Pharm Sci Technol To.* 1998;1(6):246-53.
 47. Boriwanwattanak, P., Ingkaninan, K., Khorana, N, Viyoch, J. Development of curcuminoids hydrogel patch using chitosan from various sources as controlled- release matrix. *J Cosmet Sci.* 2008;30:205-218.
 48. Bourtoom T. Plasticizer effect on the properties of biodegradable blend film from rice starch-chitosan. *Songklanakarin J Sci Technol.* 2008;30:149-65.
 49. Rajan R, Sheba Rani ND, Kajal G, Sanjoy Kumar D, Jasmina K, Arunabha N. Studies on the Effect of Plasticizer on In Vitro Release and Ex Vivo Permeation From Eudragit E 100 Based Chlorpheniramine Maleate Matrix Type Transdermal Delivery System. *J Excip Food Chem.* 2010;1(2):3-12.
 50. Benson HAE. Transdermal Drug Delivery: Penetration Enhancement Techniques. *Current Drug Deliv.* 2005;2:23-33.
 51. Dash S, Murthy PN, Nath L, Chowdhury P. Kinetic modeling on drug release from controlled drug delivery systems. *Acta Poloniae Pharm Drug Res.* 2010;67(3):217-23.