viii

TABLE OF CONTENTS

TABLE OF CONTENTS	
	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT IN ENGLISH	iv
ABSTRACT IN THAI	vi
CHAPTER 1 INTRODUCTION	Sois
The objectives of study	2
CHAPTER 2 LITERATURE REVIEWS	3
2.1 Arthritis	3
2.2 Alternative herbs for arthritis	4
2.2.1 Plantain	5
2.2.2 Plai	6
2.2.3 Turmeric	7
2.2.4 Ginger	8
2.3 Longan	9
2.3.1 Major phenolic compounds from longan seed	
extract and their anti-inflammatory activities	10
2.4 Transdermal patch	13
2.4.1 Types of transdermal patches	13
2.4.2 Basic composition of transdermal patches	14
2.4.2.1 Polymer	15

	2.4.2.2 Drug	19
	2.4.2.3 Penetration enhancers	19
	2.4.2.4 Pressure sensitive adhesive (PSA)	22
	2.4.2.5 Plasticizers	25
	2.4.2.6 Backing membrane	26
	2.4.2.7 Release liner	26
	2.4.3 Advantages of transdermal patch	27
CHAPTER 3	MATERIALS AND METHODS	29
582	3.1 Materials	29
	3.1.1 Chemicals	29
	3.1.2 Equipments	30
	3.1.3 Other Materials	31
	3.2 Methods	33
	3.2.1 Quality control of longan seed extract by HPLC	33
	3.2.2 Preformulation studies of longan seed extract	33
	3.2.3 Preliminary study of transdermal patch bases	
	preparation	35
	3.2.4 Preparation of transdermal patch bases	36
	3.2.4.1 Screening of polymer types	36
	3.2.4.2 Screening of polymer ratios	37
	3.2.4.3 Effect of plasticizers	38
	3.2.5 Preparation of transdermal patch containing	
	longan seed extract	39
	3.2.6 Evaluation of transdermal patch properties	40

	3.2.6.1 Physical appearances	40
	3.2.6.2 Thickness uniformity	40
	3.2.6.3 Mechanical properties	40
	3.2.6.4 Adhesive test	
	(Modified Rolling Ball Tack Tester)	41
	3.2.6.5 Gallic acid content determination	42
	3.2.7 Stability test of transdermal patches containing	
	longan seed extract	42
	3.2.8 In <i>vitro</i> release study of transdermal patches	
	containing longan seed extract	42
	3.2.9 Rabbit skin primary irritation test	43
	3.2.10 Skin compatibility test of transdermal patch	
	containing longan seed extract in human volunteers	45
	3.2.10.1 Study population	45
	3.2.10.2 Test materials	46
	3.2.10.3 Test method	46
	3.2.11 Satisfaction test of volunteers by questionnaire	47
CHAPTER 4 RES	SULTS AND DISCUSSION	48
4.1	Quality control of longan seed extract by HPLC	48
ans 1 4.2	Preformulation studies of longan seed extract	50
4.3	Evaluation of preliminary study of transdermal patch	
	bases properties	56 SI
4.4	Evaluation of transdermal patch bases properties	57
	4.4.1 Physical appearances	57

X

4.4.1.1 Screening of polymer types	57
4.4.1.2 Screening of polymer ratios	60
4.4.1.3 Effect of plasticizers	61
4.4.2 Thickness uniformity	63
4.4.3 Mechanical properties	63
4.4.3.1 Screening of polymer ratios	63
4.4.3.2 Effect of plasticizers	65
4.4.4 Adhesive test (Modified Rolling Ball Tack Tester)	68
4.4.4.1 Screening of polymer ratios	68
4.4.4.2 Effect of plasticizers	70
4.5 Evaluation of transdermal patches containing longan	
seed extracts properties	71
4.5.1 Thickness uniformity	71
4.5.2 Physical appearances	71
4.5.3 Mechanical properties	73
4.5.4 Adhesive test (Modified Rolling Ball Tack Tester)	74
4.5.5 Gallic acid content determination	75
4.6 Stability test of transdermal patches containing longan	
seed extract	75
4.6.1 Physical appearances	75
4.6.2 Gallic acid content determination	79
4.6.3 Mechanical properties	80
4.6.4 Adhesive test	82
4.7 In <i>vitro</i> release study of transdermal patches containing	

xi

	longan seed extract	83
	4.8 Rabbit skin primary irritation test	85
	4.9 Skin compatibility test of transdermal patch containing	
	longan seed extract in human volunteers	87
	4.10 Satisfaction test of volunteers by questionnaire	89
CHAPTER 5	5 CONCLUSION	92
REFERENC	ES	94
APPENDICE	ES	100
	APPENDIX A	5 101
	APPENDIX B	103
	APPENDIX C	108
	APPENDIX D	110
CURRICUL	UM VITAE	112

ลิ<mark>ปสิทธิ์มหาวิทยาลัยเชียงใหม่</mark> Copyright[©] by Chiang Mai University All rights reserved

LIST OF TABLES

Table

Page

2	.1 Types and examples of penetration enhancers	21
2	.2 Chemical name and trade name of polymethacrylates	24
2	.3 Plasticizers Used in the Pharmaceutical Formulations	27
-3	.1 The descriptive terms of solubility	34
3	.2 Composition of the transdermal patch base	36
3	.3 Types of combined polymer in the transdermal patch bases	37
3	.4 Combination of the polymers in various ratios, Formulation P1-P5	38
3	.5 Compositions of transdermal patch bases	39
3	.6 Draize scoring system	44
3	.7 Classification of skin irritation	44
4	.1 Percentages of gallic acid contents from longan seed extract	48
4	.2 Solubility of longan seed extract	50
4	.3 Stability test of longan seed extract dissolved in propylene glycol	
	at pH 3-8	53
4	.4 Stability test of longan seed extract dissolved in DMSO at pH 3-8	54
_4	.5 Stability test of longan seed extract dissolved in PEG 400 at pH 3-8	55
54	.6 Physical appearances of the transdermal patch base	57
4	.7 Physical appearances of the transdermal patch base	58
4	.8 Physical appearances of the transdermal patch Formulation P1-P5	61

4.9 I	Physical appearances of the transdermal patch Formulation 1A-3C	62
4.10	Mechanical properties of the transdermal patches Formulation P1-P5	63
4.11	Mechanical properties of the transdermal patches Formulation 1A-3C	66
4.12	Tack values of the transdermal patch Formulation P1-P5	69
4.13	Tack values of the transdermal patch Formulation 1A-3C	70
4.14	Physical appearances of the transdermal patches containing	
	longan seed extract	72
4.15	Physical properties of transdermal patches containing longan	
	seed extract after stability test	77
4.16	Gallic acid content from transdermal patches containing longan	
	seed extract after stability test	79
4.17	Comparative in release profiles of transdermal patch containing	
	longan seed extract	83
4.18	Primary irritation index (PII) and skin irritation reaction in rabbits	87
4.19	Primary irritation index (PII) and skin irritation reaction in 30 volunteers	88
4.20	The percentage of satisfaction on transdermal patch containing	
	longan seed extract	90
	 4.9 I 4.10 4.11 4.12 4.13 4.14 4.15 4.16 4.16 4.17 4.18 4.19 4.20 	 4.9 Physical appearances of the transdermal patch Formulation 1A-3C 4.10 Mechanical properties of the transdermal patches Formulation P1-P5 4.11 Mechanical properties of the transdermal patches Formulation 1A-3C 4.12 Tack values of the transdermal patch Formulation P1-P5 4.13 Tack values of the transdermal patch Formulation 1A-3C 4.14 Physical appearances of the transdermal patches containing longan seed extract 4.15 Physical properties of transdermal patches containing longan seed extract after stability test 4.16 Gallic acid content from transdermal patches containing longan seed extract after stability test 4.17 Comparative in release profiles of transdermal patch containing longan seed extract 4.18 Primary irritation index (PII) and skin irritation reaction in 30 volunteers 4.20 The percentage of satisfaction on transdermal patch containing longan seed extract

ลิปสิทธิ์มหาวิทยาลัยเชียงไหม่ Copyright[©] by Chiang Mai University All rights reserved

LIST OF FIGURES

Figure

LIST OF FIGURES		
rigure	Page	
2.1 Plantago major Linn.	5	
2.2 Zingiber cassumunar Roxb.	6	
2.3 Curcuma longa Linn.	7	
2.4 Zingiber officinale Roscoe.	5 8	
2.5 Dimocarpus longan Lour.	29	
2.6 Gallic acid	10	
2.7 Ellagic acid	11	
2.8 Corilagin	12	
2.9 Schematic representation of transdermal patch types	14	
2.10 The representative structure of chitosan	17	
2.11 The representative structure of HEC	18	
2.12 The representative structure of HPMC	19	
2.13 The representative structure of Eudragit [®] NE 30 D	23	
3.1 Tensile testing machine	41	
3.2 Modified Rolling Ball Tack Tester	41	
3.3 Modified Franz diffusion cell	43	
3.4 Sequence of application on skin compatibility test	46	
4.1 Chromatogram of standard gallic acid and longan seed extract	49	
4.2 The solubility of longan seed extract in solvents	51	

4.3 The solubility of longan seed extract in solvents	51
4.4 Longan seed extract dissolved in various solvents at pH 3-8	52
4.5 Transderamal patch Formulation 3C	62
4.6 Mechanical properties of the transdermal patches Formulation P1-P5	64
4.7 Mechanical properties of the transdermal patches Formulation 1A-3C	67
4.8 Tack values of the transdermal patch Formulation P1-P5	69
4.9 Tack values of the transdermal patch Formulation 1A-3C	71
4.10 Transdermal patch containing longan seed extract	72
4.11 Comparison of mechanical properties from transdermal patches	
without longan seed extract and transdermal patches containing the extra	act73
4.12 Tack values of commercial patch, transdermal patches without	
longan seed extract and transdermal patches containing the extract	75
4.13 Appearances of transdermal patches containing longan seed extract	
in any conditions of stability test	78
4.14 Mechanical properties of the transdermal patches containing	
longan seed extract after stability test	81
4.15 Tack values of the transdermal patches containing longan seed	
extract after stability test	82
4.16 Comparative in release profiles of transdermal patch containing	
longan seed extract	83
4.17 Higuchi release model of transdermal patch containing longan	
seed extract OV Chiang Mai Univ	85 S
4.18 Rabbit skin primary irritation reaction of transdermal patches	
containing longan seed extract	86

xvi

4.19 Skin compatibility test of transdermal patch containing longan seed extract and transdermal patch base in 30 volunteers
4.20 Satisfaction test of volunteers by questionnaire
4.21 The percentage of satisfaction on transdermal patch containing longan seed extract
91

ລິບສິກສົ້ນກາວົກຍາລັຍເຮີຍວໃหມ່ Copyright[©] by Chiang Mai University All rights reserved

ABBREVIATIONS AND SYMBOLS

ASTM	American Society of Testing and Materials
_	aequalis, equal to
α	alpha
β	beta
COX	cyclooxygenase
mm ³	cubic millimeter
°C	degree Celcius
et al	et alibi, and others
e.g.	exempli gratia, for example
H/C	heating-cooling
hr	hour
i.e.	id est, that is to say
iNOS	inducible nitric oxide synthase
IgE	immunoglobulin E
IL	interleukin
κ	kappa
< 0.0	less than
MMPs	matrix metalloproteinase enzymes
μg	microgram
μΜ	micromolar S P E S E P V E O
mg	milligram

ml	milliliter
mm	millimeter
min	minute
М	molar, molarity (mole per liter)
nm	nanometer
рН	negative logarithm of hydrogen ion concentration
No.	number
%	percent
PBS	phosphate-buffered saline
÷	plus-minus sign
PEG-400	polyethylene glycol-400
РІІ	primary irritation index
<i>p</i> -value	probability value
®	registered trademark symbol
RT	room temperature
mm ²	square millimeter
TNF	tumor necrosis factor
% v/v	volume by volume percent
% w/v	weight by volume percent
% w/w	weight by weigh percent

xix